Location Detail With Comments And Contacts

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address;

Location: **1500 S Edgewood, LLC.**
Location ID: 705634
Address: 1500 S Edgewood St Halethorpe, MD 21227-1053
Phone: 410-823-0282
County: Baltimore
NOB/SIC:
Primary Contact: Christine Senft, Asst. Property Mgr. - Phone: 410-823-0282 - Email: csenft@lee-associates.com
Billing Contact: Christine Senft - PO Box 37254 Charlotte, NC 28237-7254 - Phone: 410-823-0282 - Email: leecpm@avidbill.com
Cert Contact: Christine Senft, Asst. Property Mgr. - 8601 La Salle Rd Ste 204 Towson, MD 21286-2006 - Phone: 410-823-0282 - Email: csenft@lee-associates.com
Owner Contact: Christine Senft, Asst. Property Mgr. - 8601 La Salle Rd Ste 204 Towson, MD 21286-2006 - Phone: 410-823-0282 - Email: csenft@lee-associates.com
Other Contact(s): Christine Senft, Asst. Property Mgr. - 8601 La Salle Rd Ste 204 Towson, MD 21286-2006 - Phone: 410-823-0282 - Email: csenft@lee-associates.com
Christine Senft, Asst. Property Mgr. - PO Box 37254 Charlotte, NC 28237-7254 - Phone: 410-823-0282 - Email: leecpm@avidbill.com
Greg Bates - 1500 S Edgewood St Halethorpe, MD 21227-1053 - Phone: 410-525-0010 - Email: gbates@ccgfacilities.com
Michelle Kimos - 8601 La Salle Rd Ste 204 Towson, MD 21286-2006 - Phone: 410-823-0282 - Email: mkimos@highpointcmc.com
Michelle Kimos - 8601 La Salle Rd Ste 204 Towson, MD 21286-2006 - Phone: 410-823-0282 - Email: mkinos@highpointcmc.com
Tom King, Supv - 1500 S Edgewood St Halethorpe, MD 21227-1027 - Phone: 410.525.0010

My Company Comments: Location name and contact update.
Owner's company name update.

My Shared Comments: Talked to Ann (410-525-0010) who said the owner is in the process of getting the unit inspected.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD055125H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006899		A O Smith	1983	10/19/2021	External Cert, Recurring Cert	Active	Heater Room

Total Objects at this location 1

Location: **3 Brothers Italian Restaurant**
Location ID: 4038774
Address: 3611 Washington Blvd Ste 108 Halethorpe, MD 21227-1667
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: 3 Brothers Italian Restaurant
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000118730		MVE Inc	2000	08/26/2022	Recurring Cert	Active	Outside Rear of Building

Total Objects at this location 1

Location: **5 Guys Arc3)** **Location ID:** 4039044
Address: 1401 Merritt Blvd Dundalk, MD 21222-2140 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: 5 Guys Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000119782		MVE	2000	08/27/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **7 Eleven (NuCo2) # 313478** **Location ID:** 3628092
Address: 9601 Philadelphia Rd Baltimore, MD 21237-4107 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Copyright © 2020 CentralSquare

NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166346V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000075769		Taylor	2005	08/21/2021	Recurring Cert	Active	Inside Behind Counter

Total Objects at this location 1

Location: **7 Eleven (NuCo2) # 313558** **Location ID:** 3628130
Address: 2701 N Rolling Rd Baltimore, MD 21244-2182 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments: MacDonald - 9/5/19 7 Eleven (Location 3628130) - 2701 N Rolling Rd - 1 New

I was able to gain access to this location and number and register a new Co2 tank. The board number in JO was incorrect so I made the necessary corrections. The certificate can be issued as there were no adverse conditions at time of inspection.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164262V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209490		CHART	2010	08/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **7-Eleven - 11537 (Roberts)** **Location ID:** 3181313
Address: 1313 Francis Ave Halethorpe, MD 21227-3913 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Mark Anderson - 12800 Saddleseat Pl Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com
Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Violation - Location Name: 7-Eleven - 11537 JO Location #: 3181313 Address: 1313 Francis Ave, Halethorpe, MD, 21227-3913, USA
Boilers@dllr
x

amerboiler via DLLR DL DLI Boiler Inspection
11:15 AM (3 hours ago)
to Boilers, DFranovich, ADiaz, JDM336

DLLR

The corrections of this tank will be reinspected the week of January 27. The results of that inspection will be reported to DLLR. If this schedule does not meet the DLLR time requirements to avoid any financial penalties, please let me know.

Location Name: 7-Eleven - 11537 JO Location #: 3181313
Address: 1313 Francis Ave, Halethorpe, MD, 21227-3913, USA

Thanks,

Mark Anderson
American Boiler Inspection Service, Inc
804-364-8990

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144583V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009936		Taylor-Wharton	1992	11/03/2021	Recurring Cert	Active	Store room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **7-Eleven - 18623**
Location ID: 3181311
Address: 6350 Frederick Rd Catonsville, MD 21228-2375
Phone: 410-788-3094
County: Baltimore
NOB/SIC:
Primary Contact: 7-Eleven - 18623 - Phone: 410-788-3094
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Cert Contact: 7-Eleven - 18623 - 6350 Frederick Rd Catonsville, MD 21228-2375 - Phone: 410-788-3094
Owner Contact: Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Other Contact(s): 7-Eleven - 18623 - 6350 Frederick Rd Catonsville, MD 21228-2375 - Phone: 410-788-3094
Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Mark Anderson - 12800 Saddleseat Pl Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148029V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020559		Taylor	1994	11/09/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **7-Eleven - 25045**
Location ID: 3181306
Address: 403 Frederick Rd Catonsville, MD 21228-4644
Phone: 410-788-3922
County: Baltimore
NOB/SIC:
Primary Contact: 7-Eleven - 25045
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Cert Contact:
Owner Contact: Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Other Contact(s): Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Mark Anderson - 12800 Saddleseat Pl Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD159362V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000055095	MVE	1996	11/02/2021	Recurring Cert	Active	Office

Total Objects at this location 1

Location: **7-Eleven - 26753**
Location ID: 3215092
Address: 8601 Honeygo Blvd Nottingham, MD 21236-2524
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: 7-Eleven - 26753
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Cert Contact: 7-Eleven - 26753 - 8601 Honeygo Blvd Nottingham, MD 21236-2524
Owner Contact: Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Other Contact(s): 7-Eleven - 26753 - 8601 Honeygo Blvd Nottingham, MD 21236-2524
Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Mark Anderson - 12800 Saddleseat Pl Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144890V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022191		Cryogenic Service	1998	12/16/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **A T I Performance Products Inc**
Location ID: 3933273
Address: 6718 Whitestone Rd Gwynn Oak, MD 21207-4102
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Marlene Matyevich - Phone: 410 298 4343
Billing Contact: A T I Performance Products Inc - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102
Cert Contact: Marlene Matyevich - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410 298 4343
Owner Contact: Marlene Matyevich - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410 298 4343
Other Contact(s): A T I Performance Products Inc - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102
Marlene Matyevich - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410 298 4343

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163552V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854751		Steel Fab	2017	04/03/2021	Recurring Cert	Active	MILL DEPT
MD163553V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854753		Steel Fab	2017	04/03/2021	Recurring Cert	Active	COMPRESSOR RM
MD163554V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854749		Steel Fab	2017	04/03/2021	Recurring Cert	Active	COMPRESSOR RM

Total Objects at this location 3

Location: **A+ Auto Medics** **Location ID:** 721808
Address: 1005 Leslie Ave Catonsville, MD 21228-2913 **Phone:** 410-744-3000
County: Baltimore **NOB/SIC:**
Primary Contact: Byung Tae Kim, Owner - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Billing Contact: Byung Tae Kim - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Cert Contact: Byung Tae Kim, Owner - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Owner Contact: Byung Tae Kim, Owner - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Other Contact(s): Byung Tae Kim, Owner - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Ethan Breitlink - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-747-6411 - Email: ethan@carcaresolutionsllc.com
Jim Effingham - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-747-6411
Precision Tune - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-747-6411

My Company Comments: *location information/contact change*
Precision Tune - 1005 Leslie Ave, Catonsville. (4 reduced CED, 1 registered)

I was able to verify today that the 4 objects previously located at this address are no longer on location. They are lost. I was able to find and register a new air tank at this location. I registered it as MD158990V.

This is no longer a precision tune. The new business information is as follows:
A+ Auto Medics
1005 Leslie Ave
Catonsville, MD 21228
(410)-744-3000
Owner: Bil Kim
A lady from A+ Auto Medics called today asking about inspection. I explained it was for the compressor and she would need to get an AIA to perform the inspection.

Copyright © 2020 CentralSquare

Contact update.
No longer Precision Tune as of 10-11-16, M.E. Schroeder 240-582-5902.

My Shared Comments: Ethan (203-731-4033) said that HSB was just out. Not sure what's going on but there's a NEW and also MD145813V, which HSB didn't seem to have looked at yet. I told him to hang tight in case the HSB report just hasn't been entered for all of them yet.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158990V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000618528		Morganton	2017	11/30/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Abundant Grace Church** **Location ID:** 707433
Address: 10019 Liberty Rd Randallstown, MD 21133-1401 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Rev. Dr. BJ Oduala - Phone: 443-858-3189
Billing Contact: Rev. Dr. BJ Oduala - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 443-858-3189
Cert Contact: Rev. Dr. BJ Oduala - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 443-858-3189
Owner Contact: Rev. Dr. BJ Oduala - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 443-858-3189
Other Contact(s): Club 3960 Inc - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 4109223960
Dennis Kast - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 410-922-3960 - Cell: 443-717-1786
Dennis Kast, Owner - 2150 Tulsa Rd Eldersburg, MD 21784-6662 - Phone: 410-795-8406 - Email: dkast@comcast.net
Rev. Dr. BJ Oduala - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 443-858-3189

My Company Comments: Abundant Grace Church (Locaiton: 707433) - 10019 Liberty Rd - 1 followed up

I was not able to gain access to this church, but instead left a voicemail on the Pastor's phone stating that I need to gain access to verify the status of the violations on this boiler. Tuesday 5/8/18 MacDonald
Abundant Grace Church (Location: 707433) - 10019 Liberty Rd - 1 CED followed up

I did not physically visit this location, but I called and reached someone who worked with the church that stated they had already called and scheduled an inspection for later this week. He stated they would call me back with the results of that inspection. I will follow up next week again to see if any progress has been made. MacDonald - End of Day 6/18/18

Abundant Grace Church - 10019 Liberty Rd - Location: 707433 - 1 Followed up

I was not able to gain access to this site, but left a voicemail for the contact listed. I was visiting this site to check the status of violations I wrote on the boiler after completing the external cert a while ago. I had not received a call back by end of business today. MacDonald - 3/6/18
Club 3960 is no longer the name of the business at this site. The new business is Abundant Grace Church. The contact for the site is Rev. Dr. BJ Oduala at phone number 443-858-3189.
I was not able to gain access to this location today. But my phone call was returned and I have an appointment to inspect the boiler Friday, 11/17/17, at 10am.
Jeremy MacDonald 11-14-17

Copyright © 2020 CentralSquare

I was unable to gain access to re-inspect the boiler. There is now a church at this location. It is called Abundant Grace Church. The reverend is Dr. BJ Oduala. Contact phone number is 443-858-3189 I have managed to set up an appointment for Friday, 11/17/17 at 10 am for inspection. JMacDonald 11/14/17 Sent Violation Letter

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161145H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	231700s615	Columbia	2017	08/04/2020	Recurring Cert	Active	basement

Total Objects at this location 1

Location: **ACAC Fitness and Wellness** **Location ID:** 717590

Address: 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Marcus Millspaugh, Facilities Director - Phone: 410-453-9111 - Email: marcusmi@acac.com

Billing Contact: Marcus Millspaugh - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: marcusmi@acac.com

Cert Contact: Marcus Millspaugh, Facilities Director - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: marcusmi@acac.com

Owner Contact: Marcus Millspaugh, Facilities Director - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: marcusmi@acac.com

Other Contact(s): Marcus Millspaugh, Facilities Director - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: marcusmi@acac.com

Maryland Athletic Club - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111

Mike Myers - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: mmyers@macwellness.com

My Company Comments: Also, I was able to number and inspect the boiler at ACAC on 110 w Timonium rd. The boiler was complete and Hartford steam had visited the site and completed a cert inspection for the unit yesterday. J Macdonald
Location is ACAC Timonium, not Maryland Athletic Club
Maryland Athletic Club (Now ACAC fitness and wellness) - 110 W Timonium Rd - Location: 717590 - 1 CED Reduced
I was here to check the status of an overdue boiler. It turns out the boiler has been removed and a new boiler replaced it. I put a new number on the boiler and completed a non cert inspection. I would have normally completed a CERT, but I was told hartford steam was there yesterday, and their paperwork will have bee submitted. MacDonald - 2/7/18

My Shared Comments: Health Club
Michael Myers (410-453-9111) said he got invoice 108384 for Bruce's inspection but they had AIA in prior. Changing to gratis and voiding invoice 108384.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158998H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP7477136	Weil-McLain	2017	02/07/2022	Recurring Cert	Active	Pool Electric Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Aces Body & Paint Works**
Location ID: 702070
Address: 11250 Pulaski Hwy Ste 2 White Marsh, MD 21162-1525
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Heath Lind, Owner - Phone: (410)335-0800
Billing Contact: Heath Lind - 11250 Pulaski Hwy Ste 2 White Marsh, MD 21162-1525 - Phone: (410)335-0800
Cert Contact: Heath Lind, Owner - 11250 Pulaski Hwy Ste 2 White Marsh, MD 21162-1525 - Phone: (410)335-0800
Owner Contact: Heath Lind, Owner - 11250 Pulaski Hwy Ste 2 White Marsh, MD 21162-1525 - Phone: (410)335-0800
Other Contact(s): Heath Lind, Owner - 11250 Pulaski Hwy Ste 2 White Marsh, MD 21162-1525 - Phone: (410)335-0800

My Company Comments: BPV letter returned.

My Shared Comments: Heath Lind (410-335-0800) said their objects were always inspected in the past without him doing anything. I explained the process and he is contacting Hartford.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100823V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000137787		La Grange Products	1990	04/19/2020	Recurring Cert	Active	Shop, Behind Paint Booth
MD132898V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019243	34122	Air Con	2008	04/19/2020	Recurring Cert	Active	Shop, Behind Paint Booth

Total Objects at this location 2

Location: **Affordable Car Care Service**
Location ID: 718567
Address: 1006 Cummings Ave Unit A Catonsville, MD 21228-2863
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Julian Rice, Owner - Phone: 443-315-5241
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Julian Rice, Owner - 1006 Cummings Ave Ste A Catonsville, MD 21228-2863 - Phone: 443-315-5241
Mikes Car Care - 1006 Cummings Ave Unit A Catonsville, MD 21228 - Phone: 4108693640

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127320V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000765874		Manchester	2005	06/08/2019	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Ajellos Service Center**
Location ID: 702287
Address: 910 Taylor Ave Towson, MD 21286-8310
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Ajellos Service Center - Phone: 4108211855
Billing Contact: Robert Ajello - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 410-821-9829
Cert Contact: Robert Ajello, Owner - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 410-821-9829
Owner Contact: Robert Ajello, Owner - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 410-821-9829
Other Contact(s): Ajellos Service Center - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 4108211855
Robert Ajello, Owner - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 410-821-9829

My Company Comments:

My Shared Comments: inspection Atlantic Services by 12-6-12

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135836V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000866848		Manchester	2007	02/10/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Al Packer's White Marsh Ford**
Location ID: 787400
Address: 9801 Pulaski Hwy Baltimore, MD 21220-1402
Phone: 443-777-5000
County: Baltimore
NOB/SIC:
Primary Contact: Linda Haetler, Administrative Assistant - Phone: 443-777-5155 - Email: linda@alpacker.com
Billing Contact: Linda Haetler - 9801 Pulaski Hwy Baltimore, MD 21220-1402 - Phone: 443-777-5155 - Email: linda@alpacker.com
Cert Contact: Linda Haetler, Administrative Assistant - 9801 Pulaski Hwy Baltimore, MD 21220-1402 - Phone: 443-777-5155 - Email: linda@alpacker.com
Owner Contact: Linda Haetler, Administrative Assistant - 9801 Pulaski Hwy Baltimore, MD 21220-1402 - Phone: 443-777-5155 - Email: linda@alpacker.com
Other Contact(s): Don Huebel - 9801 Pulaski Hwy Baltimore, MD 21220-1402 - Phone: 443-777-5065
Linda Haetler, Administrative Assistant - 9801 Pulaski Hwy Baltimore, MD 21220-1402 - Phone: 443-777-5155 - Email: linda@alpacker.com

My Company 9801 Pulaski Hwy Location ID 787400 FIPS 24005

Copyright © 2020 CentralSquare

Comments: Boilers@dllr
x

Linda Haetler LHaetler@alpacker.com via maryland.gov
Feb 15, 2019, 9:51 AM (4 days ago)
to boilers@dllr.state.md.us

Good Moring,

We received a Citation Warning on February 4, 2019 regarding MD117417V not being inspected. Harford Steam Boilers were out to our location on 12/7/2018 to inspect all of our pressure vessels and for some reason they did not believe this pressure vessel was in used and did not inspect. Once we discovered this from the warning citation we contacted Harford Steam Boilers to come back out and inspect. Harford Steam Boilers are here today, February 15, 2019 to inspect the pressure vessel.

This was not due to our error or negligence we did the required procedure to have the pressure vessels inspected.

If there is anything further please advise.

Thank you,

Linda

Citation Closed 5/15/19 - Object lost

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117414V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001208068		Manchester	2001	12/13/2020	Recurring Cert	Active	SERVICE BLDG
MD117415V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001208045		Manchester	2001	12/13/2020	Recurring Cert	Active	SERVICE BLDG

Copyright © 2020 CentralSquare

MD117416V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001208069	Manchester	2001	12/13/2020	Recurring Cert	Active	BODY SHOP/Comp Rm
MD161888V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000335547	Steel Fab	2003	02/15/2021	Recurring Cert	Active	BODY SHOP
MD162642V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000643770	Steel Fab	2011	01/04/2021	Recurring Cert	Active	Clean Up Shop

Total Objects at this location 5

Location: **Alex Kohler Engine (Model)**
Location ID: 2316540
Address: 1941 Sloman Dr Gwynn Oak, MD 21207-8034
Phone: 410-672-3351
County: Baltimore
NOB/SIC:
Primary Contact: Michael Schroeder - Phone: 410-672-3351 - Email: M5301Schroeder@gmail.com
Billing Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301Schroeder@gmail.com
Cert Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301Schroeder@gmail.com
Owner Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301Schroeder@gmail.com
Other Contact(s): Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301Schroeder@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129777		Horizontal Fire Tube	M - Model w/comment	Model		Little Engine	2006	04/08/2021	Recurring Cert	Active	portable

Total Objects at this location 1

Location: **All American Steakhouse (Arc3)**
Location ID: 3950081
Address: 3615 E Joppa Rd Parkville, MD 21234-3382
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: All American Steakhouse (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163585V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166245		CHART	2007	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Allyson Garden Apartments** **Location ID:** 702520
Address: 102 Enchanted Hills Rd Owings Mills, MD 21117-2583 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Nikki Thomas, Sr. Property Manager - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Cert Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Owner Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Other Contact(s): Derrick Gone - Holston, Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001
Falls Court Apartments - 4 E 32nd St Baltimore, MD 21218-3345 - Phone: 410 235-7800 - Cell: 410-235-0900
Gone - Melissa Gone - Sewell, Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001 - Email: msewell@wpmllc.com
Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700
Mike Kaminski, Maintenance Supervisor - 201 Frost Hill Drive Owings Mills, MD 21117-2583 - Phone: 410-356-3700 - Cell: 410-830-0841
Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Ted Sheppy, Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: tsheppy@wpmllc.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163514H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000221207		State	2016	02/28/2021	Recurring Cert	Active	Laundry Upstairs

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Allyson Garden Apartments** **Location ID:** 702522
Address: 110 Enchanted Hills Rd Owings Mills, MD 21117-2587 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Nikki Thomas, Sr. Property Manager - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Cert Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Owner Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Other Contact(s): Derrick Gone - Holston, Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001
Gone - Melissa Gone - Sewell, Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001 - Email: msewell@wpmllc.com
Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700
Mike Kaminski, Maintenance Supervisor - 201 Frost Hill Drive Owings Mills, MD 21117-2583 - Phone: 410-356-3700 - Cell: 410-830-0841
Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Ted Sheppy, Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: tsheppy@wpmllc.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163515H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	C48806		A O Smith	2018	02/28/2021	Recurring Cert	Active	110 laundry Rm

Total Objects at this location 1

Location: **Allyson Garden Apartments** **Location ID:** 2912071
Address: 303 Pleasant Ridge Dr Owings Mills, MD 21117-2595 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Nikki Thomas, Sr. Property Manager - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Cert Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Owner Contact: Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Other Contact(s): Derrick Gone - Holston, Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001
Gone - Melissa Gone - Sewell, Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-5001 - Email: msewell@wpmllc.com
Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700
Mike Kaminski, Maintenance Supervisor - 201 Frost Hill Drive Owings Mills, MD 21117-2583 - Phone: 410-356-3700 - Cell: 410-830-0841
Nikki Thomas, Sr. Property Manager - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmllc.com
Ted Sheppy, Manager - 208 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: tsheppy@wpmllc.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163528H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000282983		Laars	2017	04/09/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **America's Best Wings (Arc3)** **Location ID:** 3949966
Address: 1310 Eastern Blvd Essex, MD 21221-3423 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: America's Best Wings (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163578V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000108494		CHART	1999	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **American Fire Protection** **Location ID:** 788059
Address: 10427 Reisterstown Rd Owings Mills, MD 21117-3472 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: AJ Boyd - Phone: 410-363-3955
Billing Contact: Allen Bolyard - 10427 Reisterstown Rd Owings Mills, MD 21117-3472 - Phone: 410 363 3978 - Email: abj@afp.com
Cert Contact: Allen Bolyard, Manager - 10427 Reisterstown Rd Owings Mills, MD 21117-3472 - Phone: 410 363 3978 - Email: abj@afp.com

Copyright © 2020 CentralSquare

Owner Contact:

Other Contact(s): AJ Boyd - 10427 Reisterstown Rd Owings Mills, MD 21117-3472 - Phone: 410-363-3955
Allen Bolyard, Manager - 10427 Reisterstown Rd Owings Mills, MD 21117-3472 - Phone: 410 363 3978 - Email: abj@afp.com
American Automatic Sprinkler - 10427 Reisterstown Rd Owings Mills, MD 21117-3505

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116903V		Vertical Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000371268		Wood	1967	04/28/2021	Recurring Cert	Active	SHOP COMPR

Total Objects at this location 1

Location: **American Legion Post #22**
Location ID: 702657
Address: 125 York Rd Towson, MD 21204-5207
Phone: 410-823-8030
County: Baltimore
NOB/SIC:
Primary Contact: Lou Zimmerman - Phone: 410-823-8030
Billing Contact: American Legion Post #22 - 125 York Rd Towson, MD 21204-5207 - Phone: (410)823-8030
Cert Contact: Dave Pardoe - 125 York Rd Towson, MD 21204-5207 - Phone: 410-823-8030
Owner Contact: Dave Pardoe - 125 York Rd Towson, MD 21204-5207 - Phone: 410-823-8030
Other Contact(s): American Legion Post #22 - 125 York Rd Towson, MD 21204-5207 - Phone: (410)823-8030
Dave Pardoe - 125 York Rd Towson, MD 21204-5207 - Phone: 410-823-8030
Lou Zimmerman - 125 York Rd Towson, MD 21204-5207 - Phone: 410-823-8030
Paul Moran - 125 York Rd Towson, MD 21204-5207 - Phone: 4108238030

My Company Comments:

My Shared Comments: Received a faxed bpv form from David Pardoe CFO, with a comment that they investigated and found the inspections were dropped from the insurance coverage in 2007. The last inspection was in 2011 by the state and he needs help with clearing the matter. He left a message with Beth.
Updated contact info.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060064H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1988	09/28/2021	External Cert, Recurring Cert	Active	Supply Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **AMF Towson Lanes**
Location ID: 710301
Address: 701 Southwick Dr Towson, MD 21286-2904
Phone: 410-825-4100
County: Baltimore
NOB/SIC:
Primary Contact: Joe Godsey, GM - Phone: 410-591-8088
Billing Contact: Remi Alle - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: 804-417-2039 - Email: ralle@amf.com
Cert Contact: Remi Alle, Tax and Licensing - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: 804-417-2039 - Email: ralle@amf.com
Owner Contact: Remi Alle, Tax and Licensing - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: 804-417-2039 - Email: ralle@amf.com
Other Contact(s): Anita Manion-Pulliam, GM - 701 Southwick Dr Towson, MD 21286-2904 - Phone: 410-825-4100
Attn: Tax & Licensing Dept - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551
Danny Maharaj, General Manager - 701 Southwick Dr Towson, MD 21286-2904 - Phone: 410 825 4100
Fair Lanes Inc - 701 Southwick Dr Towson, MD 21286-2904 - Phone: 4108254100
Jim Taylor, Property AE - 1001 Summit Blvd Atlanta, GA 30319-6408 - Phone: 931-526-1618 - Cell: 931-239-7286 - Email: jim.taylor@zurichna.com
Joe Godsey, GM - 701 Southwick Dr Towson, MD 21286-2904 - Phone: 410-591-8088
Remi Alle, Tax & Licensing Dept. - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: (804)417-2039 - Email: RAlle@amf.com
Remi Alle, Tax and Licensing - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: 804-417-2039 - Email: ralle@amf.com
Rhett Shealy, Market Facing Underwriter - 1001 Summit Blvd Atlanta, GA 30319-6408 - Phone: 404-851-3465 - Cell: 770-241-0649 - Email: rhett.shealy@zurichna.com
Rodger Adams, Southeast Regional Manager - 1299 Zurich Way Schaumburg, IL 60196-5870 - Phone: 704-786-9922 - Cell: 704-258-8073 - Email: rodger.adams@zurichna.com
My Company Comments: Contact update.
Primary update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135758H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	2008	04/19/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Andrea Biesecker (Antique)/Arcadia**
Location ID: 3361506
Address: 16020 Carnival Ave Upperco, MD 21155-9509
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Andrea Biesecker, Owner - Phone: 717 687 8421 X 124
Billing Contact: Andrea Biesecker - 1723 Porter Rd Bear, DE 19701-2119 - Phone: 717 687 8421 X 124
Cert Contact: Andrea Biesecker, Owner - 1723 Porter Rd Bear, DE 19701-2119 - Phone: 717 687 8421 X 124
Owner Contact: Andrea Biesecker, Owner - 1723 Porter Rd Bear, DE 19701-2119 - Phone: 717 687 8421 X 124
Other Contact(s): Andrea Biesecker, Owner - 1723 Porter Rd Bear, DE 19701-2119 - Phone: 717 687 8421 X 124

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: Butch Besieker (302-354-5369) said that he has two boilers (MD147024, MD147025) that were recently (7/10ish and 9/14ish) inspected by Andy Jacobs, but he's receiving Citation Warnings. Also, MD147024 looks like it needs to be inspected every year, but MD147025 looks like every two years. However, he said they are the same model boiler just a different manufacturer. Emailing Miwa to address.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147025	PA304502B	Horizontal Fire Tube	A - Antique w/comment	Antique		Russell	1901	07/07/2020	Recurring Cert	Active	Field

Total Objects at this location 1

Location: **Anthony P. Kopecni Jr Engine (Model)**
Address: 3026 Dunleer Rd Dundalk, MD 21222-5105
County: Baltimore
Primary Contact: Anthony P. Kopecni Jr.
Billing Contact: Anthony P. Kopecni Jr. - 3026 Dunleer Rd Dundalk, MD 21222-5105
Cert Contact: Anthony P. Kopecni Jr. - 3026 Dunleer Rd Dundalk, MD 21222-5105
Owner Contact: Anthony P. Kopecni Jr. - 3026 Dunleer Rd Dundalk, MD 21222-5105
Other Contact(s): Anthony P. Kopecni Jr. - 3026 Dunleer Rd Dundalk, MD 21222-5105
Paul Seyfrit, Secretary - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309 - Email: seyfritp@verizon.net

Location ID: 786557
Phone:
NOB/SIC:

My Company Comments: Mr. Kopecni called looking for cert for the above model. Received certs and invoice for 4/7/17 inspection of MD004113 and MD 139079. Will wait for the invoice for MD017645 and pay altogether.

My Shared Comments: Chesapeake and Allegheny Steam Preservation Society. 5000 Windsor Mill is address of track area. 4921 Windsor Mill is address of Leakin Park entrance.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004113		Horizontal Fire Tube	M - Model w/comment	Model	1090	Morewood	1992	05/20/2021	Recurring Cert	Active	Portable
MD017645		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model		Norman Burgess	1982	05/20/2021	Recurring Cert	Active	Portable
MD139079		Horizontal Fire Tube	M - Model w/comment	Model		Godshall	2009	05/20/2021	Recurring Cert	Active	Portable
MD141082		Horizontal Fire Tube	M - Model w/comment	Model		Marty Knox	2012	05/20/2021	Recurring Cert	Active	Portable

Total Objects at this location 4

Copyright © 2020 CentralSquare

Location: **Arbors At Edenbridge**
Address: 8309 Arbor Station Way Parkville, MD 21234-4919
County: Baltimore
Location ID: 3569220
Phone:
NOB/SIC:

Primary Contact: Michele Neel - Phone: 410 665 1122
Billing Contact: Michele Neel - 8309 Arbor Station Way Parkville, MD 21234-4919 - Phone: 410 665 1122
Cert Contact: Michele Neel - 8309 Arbor Station Way Parkville, MD 21234-4919 - Phone: 410 665 1122
Owner Contact: Michele Neel - 8309 Arbor Station Way Parkville, MD 21234-4919 - Phone: 410 665 1122
Other Contact(s): Michele Neel - 8309 Arbor Station Way Parkville, MD 21234-4919 - Phone: 410 665 1122

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161873H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000121858		Bradford	2017	12/11/2020	Recurring Cert	Active	BLDG 8417

Total Objects at this location 1

Location: **Arby's (NuCO2) #692564**
Address: 7007 Security Blvd Windsor Mill, MD 21244-2514
County: Baltimore
Location ID: 4018686
Phone:
NOB/SIC:

Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Cert Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Owner Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166523V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000058226		Taylor-Wharton	2002	05/05/2022	Recurring Cert	Active	Outside

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **Arbys**
Address: 11025 York Rd Cockeysville, MD 21030-2007
County: Baltimore
Primary Contact: Carlos Acosta, Site Manager - Phone: 410-329-1405
Billing Contact: Carlos Acosta - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405
Cert Contact: Carlos Acosta, Site Manager - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405
Owner Contact: Arby's Restaurant - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405
Other Contact(s): Arby's Restaurant - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405
Carlos Acosta, Site Manager - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405

Location ID: 3628801
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: Equip not owned by NUCo2.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156437V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000086350	SN840-015-D07	Taylor-Wharton	2007	12/16/2020	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Arbys**
Address: 7905 Eastern Ave Baltimore, MD 21224-2141
County: Baltimore
Primary Contact: Arbys
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3628805
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: customer owned vessel

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD164207V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000196797	CHART	2008	06/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Arbys**
Location ID: 3628803
Address: 8672 Pulaski Hwy Rosedale, MD 21237-3008
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Arbys
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
My Company Comments:
My Shared Comments: Equip not owned by NuCo2.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156882V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000090329	SN840-031-EE9	Taylor-Wharton	2008	12/20/2020	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Arc of Baltimore at Dundalk**
Location ID: 703603
Address: 1401 North Point Rd Dundalk, MD 21222-1524
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: John G. Sanford, Director of Facilities - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Billing Contact: John G. Sanford - 7215 York Rd Baltimore, MD 21212-1528 - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Cert Contact: John G. Sanford, Director of Facilities - 7215 York Rd Baltimore, MD 21212-1528 - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Owner Contact: John G. Sanford, Director of Facilities - 7215 York Rd Baltimore, MD 21212-1528 - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Other Contact(s): Baltimore Assoc For Retarded Citizens - 4800 York Rd Govans, MD 21212-4401 - Phone: 0000000000
John G. Sanford, Director of Facilities - 7215 York Rd Baltimore, MD 21212-1528 - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Mike Pollutra - 1401 N Point Rd Dundalk, MD 21222-1524 - Phone: 410-282-3876 - Cell: 443 324 2276
My Company Comments: MD115853H 11/10/2015 11/10/2017 Arc of Baltimore at Dundalk (JOL 703603) No Violations on this boiler, Certificate inspection will be completed ASAP. NOT 30 days Overdue! Zurich

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115853H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1999	11/10/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Arsh Mirmiran**
Address: 13 W Chesapeake Ave Towson, MD 21204-4802
County: Baltimore
Location ID: 702426
Phone: $10-825-2030
NOB/SIC:

Primary Contact: Teri Weatherly - Phone: 410 825 2030
Billing Contact: Teri Weatherly - 13 W Chesapeake Ave Towson, MD 21204-4802 - Phone: 410 825 2030
Cert Contact: Teri Weatherly - 13 W Chesapeake Ave Towson, MD 21204-4802 - Phone: 410 825 2030
Owner Contact: Teri Weatherly - 13 W Chesapeake Ave Towson, MD 21204-4802 - Phone: 410 825 2030
Other Contact(s): Teri Weatherly - 13 W Chesapeake Ave Towson, MD 21204-4802 - Phone: 410 825 2030

My Company Comments: Arsh Mirmiran (Location: 702426) - 13 W Chesapeake Ave -1 followed up

I arrive on site at 9 am. The business was not open. I checked hours on the company's facebook page, and it stated that the hours were from 9-5 pm. I waited another 20 minutes to see if anyone would show up, but they did not. I called and left a voicemail to hopefully make contact with the person leasing the space (Teri Weatherly - Tease Me Salon - 410-825-2030) and make an appointment in the future to get the boiler inspected. MacDonald - 5/24/18
BPV letter returned.
Client has been cited for a missing/illegible nameplate. Is concerned that a company trying to force her out could use this info against her. Object has an inspection history going back more than 10years. I suspect an inspector could verify if it's the same object & that could suffice to clear the violation. Will double check that procedure w/ Chief Kraft & schedule accordingly if needed.
This object has been verified as being the same as the one in our records. I will remind the inspectors who have been there to close the violation. Thanks!

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006883H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1960	04/08/2020	Recurring Cert	Active	Rear

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Athelas Institute**
Address: 1717 Gwynn Oak Ave Woodlawn, MD 21207-5280
County: Baltimore
Primary Contact: John Contreras - Phone: 443-677-7004
Billing Contact: John Contreras - 9104 Red Branch Rd Columbia, MD 21045-2014 - Phone: 443-677-7004
Cert Contact: John Contreras - 9104 Red Branch Rd Columbia, MD 21045-2014 - Phone: 443-677-7004
Owner Contact: John Contreras - 9104 Red Branch Rd Columbia, MD 21045-2014 - Phone: 443-677-7004
Other Contact(s): John Contreras - 9104 Red Branch Rd Columbia, MD 21045-2014 - Phone: 443-677-7004
John Toich, Director - 1717 Gwynn Oak Ave Woodlawn, MD 21207-5280 - Phone: 410-729-0341/0345
Rock Independent Academy - 1717 Gwynn Oak Ave Woodlawn, MD 21207-5280 - Phone: 410-281-3000

Location ID: 719353
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001202H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0	Weil-McLain	1962	08/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Atlantic Nationwide**
Address: 4490 North Point Blvd Sparrows Point, MD 21219
County: Baltimore
Primary Contact: Atlantic Nationwide - Phone: 410-477-9733
Billing Contact: Atlantic Nationwide - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 410-477-9733
Cert Contact: Atlantic Nationwide - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 410-477-9733
Owner Contact: Atlantic Nationwide - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 410-477-9733
Other Contact(s): Atlantic Nationwide - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 410-477-9733

Location ID: 3674323
Phone: 410-477-9733
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153312V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000547872		Wood	1972	01/29/2022	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

Vessel
w/comment

Total Objects at this location 1

Location: **Atonement Lutheran Church**
Address: 9121 Old Harford Rd Parkville, MD 21234-2620
County: Baltimore
Primary Contact: Kevin Mau, Pastor - Phone: 410 668 3886
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Atonement Lutheran Church - 9121 Old Harford Rd Parkville, MD 21234-2620 - Phone: 4106683886
Kevin Mau, Pastor - 9121 Old Harford Rd Parkville, MD 21234-2620 - Phone: 410 668 3886

Location ID: 703310
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097316H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G - 406	American Standard	1965	03/12/2021	Recurring Cert	Active	Church Boiler Room

Total Objects at this location 1

Location: **Augsburg Lutheran Home Of Maryland**
Address: 6811 Campfield Rd Baltimore, MD 21207-4657
County: Baltimore
Primary Contact: Augsburg Lutheran Home Of Maryland - Phone: 4104864573
Billing Contact: Augsburg Lutheran Home Of Maryland - 6811 Campfield Rd Baltimore, MD 21207-4657 - Phone: 4104864573
Cert Contact: Augsburg Lutheran Home Of Maryland - 6811 Campfield Rd Baltimore, MD 21207-4657 - Phone: 4104864573
Owner Contact: Augsburg Lutheran Home Of Maryland - 6811 Campfield Rd Baltimore, MD 21207-4657 - Phone: 4104864573
Other Contact(s): A Douglas Markland Jr, General Manager - 6811 Campfield Rd Baltimore, MD 21207 - Phone: 410-486-4573 ext 113
Augsburg Lutheran Home Of Maryland - 6811 Campfield Rd Baltimore, MD 21207-4657 - Phone: 4104864573

Location ID: 703332
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156197H		Electric (NOT HLW)	H - Heating-Cooking (Steam <= 15 psig)	000113352		Cleveland	2014	11/28/2020	Recurring Cert	Active	KITCHEN
MD163563H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000234540		A O Smith	2017	11/07/2020	Recurring Cert	Active	Bldg. D Maint.

Total Objects at this location 2

Location: **Auto Body Evolution** **Location ID:** 722701
Address: 2 Ensor Ave Towson, MD 21204-2511 **Phone:** 410-828-5225
County: Baltimore **NOB/SIC:**
Primary Contact: Dennie Huff, Owner - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Billing Contact: Dennie Huff - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Cert Contact: Dennie Huff, Owner - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Owner Contact: Dennie Huff, Owner - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Other Contact(s): Dennie Huff, Owner - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Lisa Linthicum - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: richardsbdyshp@aol.com
Mark Linthicum, Owner - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-825-5225 - Email: richardsbdyshp@aol.com

My Company Comments: Location name and contact update.

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157387V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517598	567464	Morganton	2015	05/11/2021	Recurring Cert	Active	Outside Rear Shed
MD157391V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517600	567466	Morganton	2015	05/11/2021	Recurring Cert	Active	Outside Rear Shed

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Auto Glass Now**
Location ID: 3296696
Address: 790 Merritt Blvd Dundalk, MD 21222-1409
Phone: 410-282-2600
County: Baltimore
NOB/SIC:
Primary Contact: Auto Glass - Phone: 410-282-2600
Billing Contact: Auto Glass - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-282-2600
Cert Contact: Auto Glass - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-282-2600
Owner Contact: Auto Glass - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-282-2600
Other Contact(s): Auto Glass - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-282-2600

My Company Comments: 510- 893-4900 x24. Mike from the corporate office in California called to see who performed the last inspection. I gave him MAC Inspections number. Please wave the Penalty. Auto Glass Now Acquired location a year ago and did not know about inspection. Did not know the compressor was active. He is contacting an AIA to get an inspection done.
received phone call from Tony 510-506-4900 from California Corporate office. He is calling the location to find out information about the object (if there). This is a Glass repair location.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081534V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000338504		Melben	2004	12/29/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Auto Nation Chevrolet-Timonium**
Location ID: 711115
Address: 60 E Padonia Road Lutherville/Timonium, MD 21093-2300
Phone: 410-666-6312
County: Baltimore
NOB/SIC:
Primary Contact: Wendy Hawkins - Phone: 410-666-6312
Billing Contact: Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6312
Cert Contact: Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6312
Owner Contact: Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6312
Other Contact(s): Fox Chevrolet - 60 E Padonia Road Lutherville/Timonium, MD 21093 - Phone: 4106676666
Phill Burns - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-667-6666 - Email: Burnsp1@autonation.com
Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6300 - Email: hawkinsw1@autonation.com
Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6312

My Company Comments: Location name change.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135803V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000908738		Manchester	2007	08/29/2022	Recurring Cert	Active	Outside Rear Compressor Shed
MD135804V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000908752		Manchester	2007	08/29/2022	Recurring Cert	Active	Outside Rear Compressor Shed

Total Objects at this location 2

Location: **B &T Automotive**
Location ID: 705726
Address: 7802 Wise Ave Dundalk, MD 21222-3300
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bernard Bankard - Phone: 410-288-1500
Billing Contact: Bernard Bankard - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: 410-288-1500
Cert Contact: Bernard Bankard - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: 410-288-1500
Owner Contact: Bernard Bankard - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: 410-288-1500
Other Contact(s): Bernard Bankard - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: 410-288-1500
Cam's Towing & Repairs - 7802 Wise Ave Dundalk, MD 21222-3338 - Phone: 4102841700
Cameron Bartko, Owner - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: NONE - Cell: 410-241-4372 - Email: cbartko62@gmail.com

My Company Comments: Cam's Towing and Repairs (Location 705726) - 7802 Wise Ave - 2 CEDs

This location is under new ownership and is no longer Cam's Towing. The new location is called B&T Automotive. I was able to gain access and complete certificate inspections on both of the compressors on site. There were no issues and certificates can be issued.

B&T Automotive
Bernard Bankard
410-288-1500 MacDonald - End of Day 8/6/19

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108436V	CAT	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000589811		John Wood	1973	05/26/2021	Recurring Cert	Active	TRAILER

Copyright © 2020 CentralSquare

MD152547V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000357670	Scaife	1950	05/26/2021	Recurring Cert	Active	Trailer

Total Objects at this location 2

Location: **Baltimore City Fire Department Truck 12/Engine 40** **Location ID:** 727184
Address: 3906 Liberty Heights Ave Baltimore, MD 21207-7529 **Phone:** 410-396-0182
County: Baltimore **NOB/SIC:**
Primary Contact: Rich Flury, Building Project Coordinator - Phone: 410-396-1785 - Email: richard.flury@baltimorecity.gov
Billing Contact: Velma Boykins-Early - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov
Cert Contact: Velma Boykins-Early, Insurance Risk Analyst - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov
Owner Contact: Velma Boykins-Early, Insurance Risk Analyst - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov
Other Contact(s): Rich Flury, Building Project Coordinator - 1227 S Hanover St Baltimore, MD 21230-3733 - Phone: 410-396-1785 - Email: richard.flury@baltimorecity.gov
Velma Boykins-Early, Insurance Risk Analyst - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov

My Company Comments: I am not sure why this Baltimore city location shows up in my county searches, but it needs to be moved to the city in JO. Regardless, Greg and I were able to gain access to the location to register and number the object. J. MacDonald 1/8/20
Sent email to Lionel to put NEW on schedule

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165379V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001325036		Manchester	2012	04/11/2021	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **Baltimore Co. EFCU/ Ridgely's Choice** **Location ID:** 2657979
Address: 8640 Ridgelys Choice Dr Nottingham, MD 21236-3029 **Phone:** 410-828-4730
County: Baltimore **NOB/SIC:**
Primary Contact: Patricia La Martina, Facilities Operations Mgr - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Billing Contact: Patricia La Martina - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Cert Contact: Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Owner Contact: Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Other Contact(s): Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135275H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	05/11/2022	Recurring Cert	Active	Basement
MD135276H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	05/11/2022	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: **Baltimore County Employees Federal Credit Union** **Location ID:** 703664

Address: 23 W Susquehanna Ave Towson, MD 21204-5222 **Phone:** 410-828-4730

County: Baltimore **NOB/SIC:**

Primary Contact: Patricia La Martina, Facilities Operations Mgr - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Billing Contact: Patricia La Martina - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Cert Contact: Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Owner Contact: Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Other Contact(s): David Hagar - 23 W Susquehanna Ave Towson, MD 21204-5222 - Phone: 4108284730

Patricia La Martina, Facilities Operations Mgr - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD030105H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1977	05/11/2022	Recurring Cert	Active	Boiler Rm

Total Objects at this location 1

Location: **Baltimore County Firehouse #1** **Location ID:** 3586966

Address: 204 Courtland Ave Towson, MD 21204-4703 **Phone:** 410-977-9145

County: Baltimore **NOB/SIC:**

Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Greg Doran, Property Manager - 400 Washington Ave Rm 106 Towson, MD 21204-4610 - Phone: 410-887-2584 - Email: gdoran@baltimorecounty.md.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152817H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65449085	Burnham	2014	11/20/2021	Recurring Cert	Active	Ground level room 107

Total Objects at this location 1

Location: **Baltimore MD Green II, LLC.** **Location ID:** 723434

Address: 226 Schilling Circle Hunt Valley, MD 21031-8647 **Phone:** 410-494-4897

County: Baltimore **NOB/SIC:**

Primary Contact: Michael D Scheiner, Property Manager - Phone: 410-560-0300 - Cell: 410-594-4456, 410-560-0300 - Email: mscheiner@merrittproperties.com

Billing Contact: Kevin Kimmel - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com

Cert Contact: Kevin Kimmel, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com

Owner Contact: Kevin Kimmel, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com

Other Contact(s): Don Bauer, Maintenance Technician - 11311 McCormick Rd Hunt Valley, MD 21031-1004 - Cell: 443-731-0752 - Email: dbauer@stoltzusa.com

Harry Williams - 226 Schilling Circle Hunt Valley, MD 21031 - Phone: 410 771 7703x3551

Kevin Kimmel, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com

Linda Greg - 11311 McCormick Rd. Suite 180 Hunt Valley, MD 21031 - Phone: 410 771 7703

Mat Faris - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1523 - Email: farism@greenfieldpartners.com

Michael D Scheiner, Property Manager - 2066 Lord Baltimore Dr Baltimore, MD 21244-2501 - Phone: 410-560-0300 - Cell: 410-594-4456, 410-560-0300 - Email: mscheiner@merrittproperties.com

Steve Antonsen - 226 Schilling Cir Hunt Valley, MD 21031-8647 - Phone: 410-771-7703x3513

Yates Dunaway - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1516 - Email: dunawayy@greenfieldpartners.com

My Company Comments:

My Shared Comments: Contact update.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD044943H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1990	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD067701V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000018414		Brunner	1988	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD067702V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008472		Manchester	1988	04/06/2021	Recurring Cert	Active	PENTHOUSE

Total Objects at this location 3

Location: **Baltimore Towing Company Inc.** **Location ID:** 1646504
Address: 4112 North Point Blvd Dundalk, MD 21222-3629 **Phone:** 410-477-8800
County: Baltimore **NOB/SIC:**
Primary Contact: Baltimore Towing Company Inc - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com
Billing Contact: Baltimore Towing Company Inc - 4112 N Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com
Cert Contact: Baltimore Towing Company Inc - 4112 N Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com
Owner Contact: Baltimore Towing Company Inc - 4112 N Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com
Other Contact(s): Baltimore Towing Company Inc - 4112 N Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com

My Company Comments:

My Shared Comments: Insparisk 12/11/14 per BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000979436		Manchester	2008	12/16/2020	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: **Baltimore Yacht Club** **Location ID:** 703804
Address: 800 Baltimore Yacht Club Rd Essex, MD 21221-2051 **Phone:** 410-682-2310
County: Baltimore **NOB/SIC:**
Primary Contact: Scott Lockwood, General Manager - Phone: 410-682-2310 - Email: bycmgr@comcast.net

Copyright © 2020 CentralSquare

Billing Contact: Scott Lockwood - 800 Baltimore Yacht Club Rd Essex, MD 21221-2051 - Phone: 410-682-2310 - Email: bycmgr@comcast.net
Cert Contact: Scott Lockwood, General Manager - 800 Baltimore Yacht Club Rd Essex, MD 21221-2051 - Phone: 410-682-2310 - Email: bycmgr@comcast.net
Owner Contact: Scott Lockwood, General Manager - 800 Baltimore Yacht Club Rd Essex, MD 21221-2051 - Phone: 410-682-2310 - Email: bycmgr@comcast.net
Other Contact(s): Scott Lockwood, General Manager - 800 Baltimore Yacht Club Rd Essex, MD 21221-2051 - Phone: 410-682-2310 - Email: bycmgr@comcast.net

My Company Comments:

My Shared Comments: Per Robin Urbanski, BYC, address change to 800 Baltimore Yacht Club Road; faxed info 1/7/04; RHD 1/8/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137161H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023689		Paget Equipment	2008	10/03/2020	Recurring Cert	Active	Club House Boiler Room
MD137162H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2009	10/03/2020	Recurring Cert	Active	Club House Boiler Room
			Total Objects at this location		2						

Location: **Barton Brands of MD.** **Location ID:** 717215
Address: 2200 Monumental Rd Baltimore, MD 21227-4612 **Phone:** 410-242-0200
County: Baltimore **NOB/SIC:**
Primary Contact: Erin Miller, Maintenance Supv. - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Billing Contact: Erin Miller - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Cert Contact: Erin Miller, Maintenance Supv. - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Owner Contact: Erin Miller, Maintenance Supv. - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Other Contact(s): Charles Macola, Plant Mgr. - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: cmacola@bartonbrands.com
Earl Kramer - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 X7017, 7022
Erin Miller, Maintenance Supv. - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Pete DeBoyd - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410 242-0200 X7017, 7022 - Email: pdeboy@bartonbrands.com

My Company Comments: Barton Brands - 2200 Monumental Ave (Location 717215)

Greg and I were able to gain access once again after a small waiting period in order to number and inspect a new pressure vessel at this site. We were able to do so without issue.

After this location, Greg took lunch and traveled home to be there by 330pm. J. MacDonald 1/10/20
Charles Maccough 410 242 0200 x 7022
Atlantic Services will inspect within a week
Contact update.
Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>
8:37 AM (18 minutes ago)

Copyright © 2020 CentralSquare

to MAC, MD

Hi Mike,

The Notice of installation you submitted for Barton Brands of Maryland - 2200 Monumental Rd, National Board number 903997, I do not see any report enter.

Was this unit installed and is it in use?MAC Inspection & Welding Agency
8:51 AM (3 minutes ago)
to me, MD

Good morning Beth, I'll answer for Mike. We did not submit an NOI for Barton Brands. I emailed a blank NOI form to Mr. Miller, so he is most likely the one who submitted it. We are not scheduled to inspect at that location until this Monday, 11/11.
Erin Miller called and said PV has been scrapped.
Inspection Scheduled - LOC 717215-----oilers@dllr.state.md.us----

MAC Inspection & Welding Agency
Tue, Nov 5, 12:18 PM (23 hours ago)
to MD, etmiller

Good afternoon all, I was contacted by Mr. Erin Miller of Barton Brands of Maryland (included in this email), to schedule the inspection of their new pressure vessel and verification of the removed vessel. We have scheduled the inspection for this Monday, 11/11/19. We will input their reports as soon as possible. Also, I emailed the NOI form to Mr. Miller. He will complete the form and submit it to the State.

Enjoy the rest of your day!

Best regards,

Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962 fax: (410) 676-9963
www.macinspection.com

Location name update.

My Shared Comments:

Inspection scheduled with Hartford 8/27/15, ref. #1825742, emailed by Charles Macola7/7/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134250H		Cast Iron	H - Steam Heat	CI		Weil-McLain	2008	02/07/2021	Recurring Cert	Active	Blrm

Copyright © 2020 CentralSquare

		(Steam <= 15 psig)								
MD140566H	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2010	02/07/2021	Recurring Cert	Active	Boiler Room
MD146991V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000729857		Silvan	2012	02/07/2021	Recurring Cert	Active	Main boiler room
MD165389V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000903997		Samual PV Group	2019	06/02/2022	Recurring Cert	Active	WNF Building
MD166517V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940140		Samuel Pressure Vessel Group	2020	04/01/2022	Recurring Cert	Active	Compressor/Boiler Room
MD166518V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000937877		Samuel Pressure Vessel Group	2020	04/01/2022	Recurring Cert	Active	Compressor/Boiler Room
MD166519V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074216	74216	Steel Fab	1993	04/01/2022	Recurring Cert	Active	Rectifying A Room

Total Objects at this location 7

Location: **Bayside Auto Body** **Location ID:** 704010
Address: 310 Eastern Blvd Essex, MD 21221-6920 **Phone:** 410-391-9414
County: Baltimore **NOB/SIC:**
Primary Contact: Yong Jin Lee, Owner - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com
Billing Contact: Yong Jin Lee - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com
Cert Contact: Yong Jin Lee, Owner - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com
Owner Contact: Yong Jin Lee, Owner - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com
Other Contact(s): Dane Lee - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: baysideauto@gmail.com
Lynn - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 410-391-9414 - Email: baysideauto@gmail.com
Russ McClelland - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 410 391 9414
Yong Jin Lee, Owner - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com

My Company Comments: Citation MD109975V---
410-391-9414 Shawn called for the owner, the violation has been fixed. He didn't know they were to contact MAC Inspections for the follow-up to clear the violation. He will address the citation email. I gave the number for MAC Inspections.
New ownership.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD025224V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000242525	N/A	Wayne	1972	07/08/2022	Recurring Cert	Active	Compressor Room
MD109975V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032967		Stoystown	1984	07/08/2022	Recurring Cert	Active	Compressor Room
MD161472V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000392486	N/A	Mat-Industries	2016	07/16/2022	Recurring Cert	Active	Paint Shop across street 309
MD161473V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000682643	N/A	Manchester	2006	07/16/2022	Recurring Cert	Active	Paint Shop across street 309

Total Objects at this location 4

Location: **Bell Truck & Auto Repair**
Address: 4490 North Point Blvd Sparrows Point, MD 21219-1004
County: Baltimore
Primary Contact: Gary Bell, Owner - Phone: 443-970-5959
Billing Contact: Gary Bell - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 443-970-5959
Cert Contact: Gary Bell, Owner - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 443-970-5959
Owner Contact: Gary Bell, Owner - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 443-970-5959
Other Contact(s): Gary Bell, Owner - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 443-970-5959

Location ID: 2504884
Phone: 443-250-6969
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137504V	Air Tank	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000541140		Trinity Industries	2005	01/29/2020	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Bellona Commons** **Location ID:** 704240
Address: 1300 Bellona Ave Lutherville/Timonium, MD 21093-5465 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chuck Dyjak, Maintenance - Cell: 410-790-2649 - Email: cdyjak@pinkardproperties.com
Billing Contact: Bellona Commons c/o Pinkard Properties - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438
Cert Contact: Bellona Commons c/o Pinkard Properties - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438
Owner Contact: Bellona Commons c/o Pinkard Properties - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438
Other Contact(s): Bellona Commons c/o Pinkard Properties - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438
Chuck Dyjak, Maintenance - 1300 Bellona Ave Lutherville Timonium, MD 21093-5465 - Cell: 410-790-2649 - Email: cdyjak@pinkardproperties.com
Jim Pappas, Manager - 1306 Bellona Ave Lutherville Timonium, MD 21093-5452 - Cell: 443-463-2312
Tina Diehl - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438 - Phone: 443-841-7682 - Email: tdiehl@pinkardproperties.com

My Company Comments:

My Shared Comments:
In process of scheduling Inspection with FM Global
Inspected by Hartford 7/10/13.
Inspected by HSB 7/21/15
New Management company Pinkard as of 1/1/13(email 6/3/13), updated info. MD104022h, is being replaced and the new unit is not up and running. Knott Mechanical is the contractor and will be submitting paperwork.
Secretary called checking to see if we received the NOI, replacing MD104022H. Received 2 NOI papers 6/18/13, but the units are not up and running yet. Will call when they are installed. Mentioned that they need to be inspected by third-party.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146955H	Buderus Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-110-00381-5178454	Buderus	2012	07/21/2021	Recurring Cert	Active	Mechanical Rm #2, Buderus Boiler #1
MD146956H	Buderus Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-207-000212-5178454	Buderus	2012	07/21/2021	Recurring Cert	Active	Mechanical Rm #2, Buderus Boiler #2

Total Objects at this location 2

Location: **Berkshires At Town Center** **Location ID:** 713168
Address: 204 E Joppa Rd Towson, MD 21286-3118 **Phone:** 410-828-8300
County: Baltimore **NOB/SIC:**
Primary Contact: Brad Nafisi, General Manager - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com
Billing Contact: Brad Nafisi - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com
Cert Contact: Brad Nafisi, General Manager - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com

Copyright © 2020 CentralSquare

Owner Contact: Berkshires At Town Center - 204 E Joppa Rd Towson, MD 21286-3118

Other Contact(s): Berkshires At Town Center - 204 E Joppa Rd Towson, MD 21286-3118

Brad Nafisi, General Manager - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com

Char GONE - Ramirez, Property Manager - 204 E Joppa Rd Suite L - 5 Towson, MD 21286-3118 - Phone: 410-828-8300

Hampton House - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 4108252200

Matt Zitko, Property Manager - 204 E Joppa Rd Ste 5 Towson, MD 21286-3118 - Phone: 410-828-8300 - Email: zitko@berkshirescommunities.com

Maurice Felder, Maintennace Supervisor - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-870-5796

Michelle GONE - Neel, Property Mgr. - 204 E Joppa Rd Ste 5 Towson, MD 21286-3118 - Phone: 410-828-8300 - Email: towncenter@berkshirecommunities.com

Tate Engineering System - 8533 Terminal Rd # A Lorton, VA 22079-1428 - Phone: (703) 339-0014 (800) 758-8283

Will GONE - Irvin, Maintenance Supervisor - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-828-8300

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD005851H	Boiler #1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000023005		Cleaver Brooks	1964	06/02/2021	Recurring Cert	Active	Boiler Room, Boiler #1
MD010587H	Boiler #2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000023004	L-33899	Cleaver Brooks	1964	06/02/2021	Recurring Cert	Active	Boiler Room, Boiler #2
MD126995V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000357725		Manchester	2004	06/02/2021	Recurring Cert	Active	Boiler Room
MD141554H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110789		A O Smith	2006	06/02/2021	Recurring Cert	Active	BLRM
MD141573V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024861		Lochinvar	2006	06/08/2021	Recurring Cert	Active	BLRM
MD141574V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032007		R B I	2007	06/02/2021	Recurring Cert	Active	BLRM
MD141575H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C3425 4		A O Smith	2012	06/02/2021	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

MD141576H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C34255	1210M002347	A O Smith	2012	06/02/2021	Recurring Cert	Active	Boiler Room
MD152042V	Other w/comment	V - Storage (NOT Cryogenic)	000100489		R B I	2012	06/08/2021	Recurring Cert	Active	Blrm

Total Objects at this location 9

Location: **Beste Automotive**
Location ID: 704452
Address: 10823A Veneer Ln Cockeysville, MD 21030-2158
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Beste Automotive - Phone: 4107711593
Billing Contact: Beste Automotive - 10823A Veneer Ln Cockeysville, MD 21030-2158 - Phone: 4107711593
Cert Contact: Beste Automotive - 10823A Veneer Ln Cockeysville, MD 21030-2158 - Phone: 4107711593
Owner Contact:
Other Contact(s): Beste Automotive - 10823A Veneer Ln Cockeysville, MD 21030-2158 - Phone: 4107711593

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438855		Manchester	2005	11/07/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Bethany United Church Of Christ**
Location ID: 704466
Address: 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bethany United Church Of Christ - Phone: 410-944-4788
Billing Contact: Ms. Evelyn McDonald - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-3593
Cert Contact: Ms. Evelyn McDonald - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-3593
Owner Contact: Ms. Evelyn McDonald - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-3593
Other Contact(s): Bethany United Church Of Christ - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-4788
Ms. Evelyn McDonald - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-3593

My Company Comments: Chris Holmes 410 258 0825 contacted our office and stated Atantic Services will inspect site on Monday, 10/22/18
Frankly Grimes, church member and licensed HVAC replaced PRV in July 2016, before the inspection was due 8/21/16. He was given the citation warning

Copyright © 2020 CentralSquare

today, and came in with the receipt that he'd given to the church. I explained that the church is insured by Hartford and he just needed to call them to set up the inspection. He will call back with the date of the inspection

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080439H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1890714	Weil-McLain	1992	10/20/2020	Recurring Cert	Active	BLR RM

Total Objects at this location 1

Location: **Betty Brite Cleaners** **Location ID:** 704560
Address: 1842 E Joppa Rd Baltimore, MD 21234-2735 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jung M Kim, Owner - Phone: 410-668-7755 - Cell: 443-912-8176
Billing Contact: Jung M Kim - 1842 E Joppa Rd Baltimore, MD 21234-2735 - Phone: 410-668-7755 - Cell: 443-912-8176
Cert Contact: Jung M Kim, Owner - 1842 E Joppa Rd Baltimore, MD 21234-2735 - Phone: 410-668-7755 - Cell: 443-912-8176
Owner Contact: Jung M Kim, Owner - 1842 E Joppa Rd Baltimore, MD 21234-2735 - Phone: 410-668-7755 - Cell: 443-912-8176
Other Contact(s): Ann Hawkins - 6030 Bancroft Ave Saint Louis, MO 63109-2204 - Phone: 800-325-9522 - Email: Hawkins@nie.biz
Dong Goo Choi, Owner - 1842 E Joppa Rd Parkville, MD 21234-2735 - Phone: 410-668-7755
Ed Belski, Senior Risk Engineering Consultant - 1299 Zurich Way Schaumburg, IL 60196-1056 - Phone: 815-337-3927 - Cell: 815-355-6493 - Email: ed.belski@zurichna.com
JOE NGUYEN - 8033 MARTIN LUTHER KING BLVD HOUSTON, TX 77033 - Phone: 713 550 2106
Jung M Kim, Owner - 1842 E Joppa Rd Baltimore, MD 21234-2735 - Phone: 410-668-7755 - Cell: 443-912-8176
JUNG MI KIM - 1842 E JOPPA RD BALTIMORE, MD 21234 - Phone: 4106687755
Matthew Choi, Manager - 1842 E Joppa Rd Baltimore, MD 21234-2735 - Cell: 443-472-6682
Shantel gamble PREVIOUS CONTACT, Production Manager - 7686 State Route 167 Kingsley, PA 18826-6966 - Phone: 570-289-8760 - Email: sgamble@dfp.com
Zurich Equipment Breakdown Reinsurance Assumed - 1400 American Lane Schaumburg, IL 60196-5452 - Email: ZEBRA@zurichna.com

My Company Comments:

My Shared Comments: 5/9/08: Location insured by HSB per C. Schindler (TB)

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163525V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000732484		Morganton	2018	05/20/2021	Recurring Cert	Active	BLRM

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Betty Brite Cleaners** **Location ID:** 720276
Address: 8630 Liberty Rd Randallstown, MD 21133-4760 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Li Hua Ma, Owner's Wife - Phone: 410-655-3933
Billing Contact: Li Hua Ma - 8630 Liberty Rd Randallstown, MD 21133-4760 - Phone: 410-655-3933
Cert Contact: Shua Yung Liu, Owner - 8630 Liberty Rd Randallstown, MD 21133-4760 - Phone: 410-655-3933
Owner Contact: Li Hua Ma, Owner's Wife - 8630 Liberty Rd Randallstown, MD 21133-4760 - Phone: 410-655-3933
Other Contact(s): Kate Przybylski, Contractor/Scheduler - 2217 Edinburg Dr Fallston, MD 21047-2905 - Phone: 410-879-2313 - Cell: 410-808-1004 - Email: przy111@aol.com
Li Hua Ma
Li Hua Ma, Owner's Wife - 8630 Liberty Rd Randallstown, MD 21133-4760 - Phone: 410-655-3933
Shua Yung Liu, Owner - 8630 Liberty Rd Randallstown, MD 21133-4760 - Phone: 410-655-3933

My Company Comments: closed 5/17/19 -Citation for object went to insurance company after policy lapsed.
Mary from location called on 4-9-19 asking about invoice.
Recommend to close citation and invoice. Object expired 10-12-18 and was inspected 12-11-18. Citation or invoice should have not been released.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD046990V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032399		Melben	1981	07/19/2020	Recurring Cert	Active	Boiler Room
MD127894		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000104632	104632	Fulton	2007	10/12/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Betty Brite Cleaners** **Location ID:** 704571
Address: 911 Taylor Ave Towson, MD 21286-8311 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bo Kang, Owner - Phone: 410-828-0082
Billing Contact: Bo Kang - 911 Taylor Ave Towson, MD 21286-8311 - Phone: 410-828-0082
Cert Contact: Bo Kang, Owner - 911 Taylor Ave Towson, MD 21286-8311 - Phone: 410-828-0082
Owner Contact:
Other Contact(s): Bo Kang, Owner - 911 Taylor Ave Towson, MD 21286-8311 - Phone: 410-828-0082
Percilla Kang, Daughter - 911 Taylor Ave Towson, MD 21286-8311 - Phone: 301-502-6576/301-602-8065

My Company Betty Brite Cleaners (Location: 704571) - 911 Taylor Ave - 2 CEDs

Copyright © 2020 CentralSquare

Comments:

I went to check the status of these objects and possibly inspect because they are overdue in the system. The owner states that FM global is already scheduled to come out and inspect in the near future, so I decided to let them complete the inspections. MacDonald - End of Day Summary 4/17/19
Betty Brite Cleaners - 911 Taylor Ave - Location: 704571 - 1 CED followed up
I visited this location due to an overdue boiler. It turns out upon visiting, that FM global has recently taken over the contract (2/5/18) and are scheduled to inspect the object. I will check back in a few weeks to make sure it does receive the scheduled inspection, but felt at this time that it is best to leave the inspection to the insurance company. MacDonald - 2/8/18
Elizabeth Samm -DLLR-
10:26 AM (0 minutes ago)
to MAC, MD, citations, seoseunghee

Thank you for the update. The problem is they never responded to the citation letter. This is mandatory for a reduction.
MD101953V & MD129972
Boilers@dllr
x

MAC Inspection & Welding Agency
9:02 AM (1 hour ago)
to MD, citations, seoseunghee

All,

The above location inspections have been completed with no violations. Accordingly, we will submit there inspections at our earliest convenience.

According to the owners they arranged for another Agency to inspect there objects and called several of them thereafter but the Agency never showed up; then they contacted us. Additionally, they said a State Inspector came by in May or June.

There is considerable time between now and then but they are requesting for a reduction to invoice #111579.

Best regards

Michael Coleman

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101953V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000806617		Buckeye	1987	03/09/2021	Recurring Cert	Active	Outback, Boiler Room
MD129972		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000105880	105880	Fulton	2008	03/07/2021	Recurring Cert	Active	Outback, Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Betty Brite Cleaners**
Location ID: 704572
Address: 9918 Reisterstown Rd Owings Mills, MD 21117-3945
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bong Chung - Phone: 410 363 4848
Billing Contact: Bong Chung - 9918 Reisterstown Rd Owings Mills, MD 21117-3945 - Phone: 410 363 4848
Cert Contact: Bong Chung - 9918 Reisterstown Rd Owings Mills, MD 21117-3945 - Phone: 410 363 4848
Owner Contact: Bong Chung - 9918 Reisterstown Rd Owings Mills, MD 21117-3945 - Phone: 410 363 4848
Other Contact(s): Bong Chung - 9918 Reisterstown Rd Owings Mills, MD 21117-3945 - Phone: 410 363 4848

My Company Comments: The business closed 6/15/19. See attached.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062473V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028291		Melben	1981	03/23/2020	Recurring Cert	Active	Boiler Room
MD112002		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000087635		Fulton	2001	03/23/2020	Recurring Cert	Active	Blrm

Total Objects at this location 2

Location: **Big Falls Inn**
Location ID: 704603
Address: 11818 Philadelphia Rd White Marsh, MD 21162-1141
Phone: 410-256-9770
County: Baltimore
NOB/SIC:
Primary Contact: Jerry Shepard or E.J. Mitchell - Phone: 410-256-9770/ 410-256-5637
Billing Contact: Jerry Shepard or E.J. Mitchell - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770/ 410-256-5637
Cert Contact: Big Falls Inn - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770
Owner Contact: Jerry Shepard or E.J. Mitchell - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770/ 410-256-5637
Other Contact(s): Big Falls Inn - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770
Jerry Shepard or E.J. Mitchell - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770/ 410-256-5637

My Company Comments: joanne dixon <joannedixon326@gmail.com>
9:13 AM (58 minutes ago)
to me

Dear Sir or Madam,

Copyright © 2020 CentralSquare

In regards to our citation on our boiler inspection, Mr Macdonald was out this morning to reinspect our new system. I hope that we are able to lift out penalty, now that everything has been corrected. Thank you in advance for your consideration. Joanne Dixon

Sent from my iPhone
410-256-2500 Joanne Dixon had an HVAC company in and was told the boiler needs to be replaced. it will be replaced next week and she will contact Dorothy to schedule a Deputy to inactivate MD068002H and number the new boiler. CED 9/27/18
Big Falls Inn - 11818 Philadelphia Rd (Location: 704603) - 1 CED reduced, 1 NEW

I verified that the old boiler had been removed from this location, and a new boiler had been installed. I registered the new boiler, and completed a certificate inspection for the boiler. There were a few violations which I will have to re-visit in a few weeks. MacDonald - End of Day 12/11/18
Do not send citation based upon boiler being replaced.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161845H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65647273	Burnham	2018	12/11/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Bioreclamation IVT** **Location ID:** 980815
Address: 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Dan Dryden, Director, Product Operations - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com
Billing Contact: Dan Dryden - 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com
Cert Contact: Dan Dryden, Director, Product Operations - 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com
Owner Contact: Dan Dryden, Director, Product Operations - 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com
Other Contact(s): Courtney Jordan, CCA-Accts Payable - 2211 Poland Ave Youngstown, OH 44502-2773 - Phone: 330-747-0115 - Email: Courtney_Jordan@Praxair.com
Dan Dryden, Director Product Operations - 1450 S Rolling Rd Ste 3.030 Halethorpe, MD 21227-3863 - Phone: 410-455-1242 - Cell: 410-677-5556
Dan Dryden, Director, Product Operations - 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com

My Company Comments: Insparisk scheduled for November 1, 2016, per Dan Dryden (email 10/20/16).

My Shared Comments:
Location name update.
University of Maryland-Baltimore County/Tech Ctr(Praxair)

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144587V		Autoclave	V - Process-Sterilizing	000001364		Consolidated	1993	07/21/2021	Recurring Cert	Active	LAB
MD144588		Electric (NOT HLW)	S - Power-Sterilizing	000002030		Consolidated	1996	11/01/2020	Recurring Cert	Active	LAB

Copyright © 2020 CentralSquare

			(Steam > 15 psig)								

Total Objects at this location 2

Location: **Blvd at White Springs**
Location ID: 729033
Address: 7924 Belridge Road Baltimore, MD 21236-3611
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Nancy Kovac, Property Manager - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Cert Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Owner Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Other Contact(s): Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
White Spring Crossings Apartments - 7942 Belridge Rd Apt G Baltimore, MD 21236-3547 - Phone: 410-665-8700

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153252H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 250 F)	000199035		State Industries	2014	12/17/2021	Recurring Cert	Active	BSMT 7924

Total Objects at this location 1

Location: **Blvd. at White Spring**
Location ID: 729034
Address: 7928 Belridge Rd Baltimore, MD 21236-3616
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Nancy Kovac, Property Manager - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Cert Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Owner Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Other Contact(s): Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
White Spring Crossings Apartments - 7942 Belridge Rd Apt G Baltimore, MD 21236-3547 - Phone: 4106658700

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153253H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109882		Bradford White	2014	12/17/2021	Recurring Cert	Active	BSMT 7928

Total Objects at this location 1

Location: **Blvd. at White Spring**
Location ID: 729035
Address: 7934 Belridge Rd Baltimore, MD 21236-3619
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Nancy Kovac, Property Manager - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Cert Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Owner Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Other Contact(s): Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
White Spring Crossings Apartments - 7942 Belridge Rd Apt G Baltimore, MD 21236-3547 - Phone: 4106658700

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153254H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 250 F)	000099263		Bradford White	2012	12/17/2021	Recurring Cert	Active	BSMT 7934

Total Objects at this location 1

Location: **Blvd. at White Springs**
Location ID: 728076
Address: 7908 Marfield Pl Baltimore, MD 21236-3625
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Nancy Kovac, Property Manager - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Cert Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Owner Contact: Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700
Other Contact(s): Nancy Kovac, Property Manager - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120186H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096284		Rheem/Ruud	2003	12/17/2021	Recurring Cert	Active	7908 Marfield

Total Objects at this location 1

Location: **BMW Of Towson**
Location ID: 703505
Address: 700 Kenilworth Dr Towson, MD 21204-2427
Phone: 410-296-7900
County: Baltimore
NOB/SIC:
Primary Contact: Richard Strickland, Service Manager - Phone: 443-632-1164 - Email: rstrickland@bmwtowson.com
Billing Contact: BMW Of Towson - 110 West Rd Ste 500 Towson, MD 21204-2386 - Phone: 410-296-7900
Cert Contact: Richard Strickland, Service Manager - 700 Kenilworth Dr Towson, MD 21204-2427 - Phone: 443-632-1164 - Email: rstrickland@bmwtowson.com
Owner Contact: BMW Of Towson - 110 West Rd Ste 500 Towson, MD 21204-2386 - Phone: 410-296-7900
Other Contact(s): BMW Of Towson - 110 West Rd Ste 500 Towson, MD 21204-2386 - Phone: 410-296-7900
Mike McCormack, Service Manager - 700 Kenilworth Dr Towson, MD 21204-2427 - Phone: 410-296-7900
Richard Strickland, Service Manager - 700 Kenilworth Dr Towson, MD 21204-2427 - Phone: 443-632-1164 - Email: rstrickland@bmwtowson.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078607V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001010051		Buckeye	1991	09/07/2022	Recurring Cert	Active	BMW Compressor Room
MD078608V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001010060		Buckeye	1991	09/07/2022	Recurring Cert	Active	BMW Compressor Room
MD136650V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000987855		Manchester	2008	09/07/2022	Recurring Cert	Active	Porsche Bldg Outside Shed
MD155613V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000463506		Morganton	2016	09/07/2022	Recurring Cert	Active	Detail Shop Outside Shed

Copyright © 2020 CentralSquare

		Vessel w/comment									

Total Objects at this location 4

Location: **Bob Bell Nissan** **Location ID:** 704786
Address: 7900 Eastern Ave Baltimore, MD 21224-2125 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Barry Durst, Facilities Manager - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Billing Contact: Barry Durst - 7900 Eastern Ave Baltimore, MD 21224-2125 - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Cert Contact: Barry Durst, Facilities Manager - 7900 Eastern Ave Baltimore, MD 21224-2125 - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Owner Contact: Barry Durst, Facilities Manager - 7900 Eastern Ave Baltimore, MD 21224-2125 - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Other Contact(s): Barry Durst, Facilities Manager - 7900 Eastern Ave Baltimore, MD 21224-2125 - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Gary Owensby, Fixed Field Manager - 7900 Eastern Ave Highlandtown, MD 21224-2125 - Phone: 410-288-2500 - Cell: 410-288-7134 - Email: gowensby@bobbell.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016353V	CAT 2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023238		Dresser	1973	02/12/2021	Recurring Cert	Active	TOOL ROOM
MD016354V	CAT 3	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024001		Dresser	1974	02/12/2021	Recurring Cert	Active	TOOL ROOM
MD016355V	CAT 4	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000153377		Curtis	1971	02/12/2021	Recurring Cert	Active	TOOL ROOM
MD016356V	CAT 5	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000152667	188916	Curtis	1971	02/12/2021	Recurring Cert	Active	Comp Room
MD016357V	CAT 8	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004930		Curtis	1962	02/12/2021	Recurring Cert	Active	TOOL RM UP

Copyright © 2020 CentralSquare

MD016358V	CAT 7	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004936	Curtis	1962	02/12/2021	Recurring Cert	Active	TOOL RM UP
MD048084V	CAT 6	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000307892	Buckeye	1981	02/12/2021	Recurring Cert	Active	Comp Room
MD141706V	CAT 1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000069425	Steel Fab	2010	02/12/2021	Recurring Cert	Active	BODY SHOP

Total Objects at this location 8

Location: **Bob Evan's - 0472 (AGNC)**
Location ID: 3931273
Address: 6336 Baltimore National Pike Catonsville, MD 21228-3901
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bob Evan's - 0472 (AGNC)
Billing Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Cert Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Owner Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Other Contact(s): Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163523V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000149544		CHART	2003	02/28/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Bob Evans - 0330 (AGNC)**
Location ID: 3925602
Address: 1265 E Joppa Rd Towson, MD 21286-5900
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bob Evans - 0330 (AGNC)

Copyright © 2020 CentralSquare

Billing Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Cert Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Owner Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Other Contact(s): Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163494V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000155107		CHART	2004	02/27/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Bob's Auto Service** **Location ID:** 704798
Address: 2702 N Point Rd Dundalk, MD 21222-1606 **Phone:** 410-282-8603
County: Baltimore **NOB/SIC:**
Primary Contact: Bobs Auto Service - Phone: 410-282-8603
Billing Contact: Robert Gemmill, Inc. T/A Bob's Auto Service - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603 - Email: Bobsautoservice@comcast.net
Cert Contact: Robert Gemmill, Inc. T/A Bob's Auto Service - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603 - Email: Bobsautoservice@comcast.net
Owner Contact: Robert Gemmill, Inc. T/A Bob's Auto Service - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603 - Email: Bobsautoservice@comcast.net
Other Contact(s): Bobs Auto Service - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603
Robert Gemmill, Inc. T/A Bob's Auto Service - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603 - Email: Bobsautoservice@comcast.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083217V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001035553		Manchester	1992	02/10/2021	Recurring Cert	Active	Compressor Room
MD083218V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000112731		Manchester	1983	02/10/2021	Recurring Cert	Active	Compressor Room

Copyright © 2020 CentralSquare

Total Objects at this location 2

Location: **Bobs Automotive**
Address: 4105 Annapolis Rd Halethorpe, MD 21227-3603
County: Baltimore
Primary Contact: Wang Oh, Owner - Phone: 4107898490 - Email: wangseoh@yahoo.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Wang Oh, Owner - 4105 Annapolis Rd Halethorpe, MD 21227-3603 - Phone: 4107898490 - Email: wangseoh@yahoo.com
My Company Comments:
My Shared Comments:

Location ID: 704800
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151015V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001583505		Manchester	2015	07/08/2021	Recurring Cert	Active	Back Shed
MD151016V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001287728		Manchester	2012	07/08/2021	Recurring Cert	Active	Rear Shop

Total Objects at this location 2

Location: **Bonefish Grill**
Address: 10906 Boulevard Cir Owings Mills, MD 21117-7813
County: Baltimore
Primary Contact: Manager on Duty - Phone: 410-654-5500
Billing Contact: Manager on Duty - 10906 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-654-5500
Cert Contact: Manager on Duty - 10906 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-654-5500
Owner Contact: Manager on Duty - 10906 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-654-5500
Other Contact(s): Manager on Duty - 10906 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-654-5500
My Company Comments:
My Shared Comments:

Location ID: 4023164
Phone: 410-654-5500
NOB/SIC:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167226V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028990		Taylor-Wharton	1996	05/28/2022	Recurring Cert	Active	Outside Dumpster Area

Total Objects at this location 1

Location: **Bonsal American** **Location ID:** 702698
Address: 10300 Pulaski Hwy White Marsh, MD 21162-1800 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John James, Manager - Cell: 443-342-8311 - Email: john.james@oldcastle.com
Billing Contact: John James - 10300 Pulaski Hwy White Marsh, MD 21162-1800 - Cell: 443-342-8311 - Email: john.james@oldcastle.com
Cert Contact: John James, Manager - 10300 Pulaski Hwy White Marsh, MD 21162-1800 - Cell: 443-342-8311 - Email: john.james@oldcastle.com
Owner Contact: John James, Manager - 10300 Pulaski Hwy White Marsh, MD 21162-1800 - Cell: 443-342-8311 - Email: john.james@oldcastle.com
Other Contact(s): Bonsal American - 10300 Pulaski Highwsy White Marsh, MD 21162-1800 - Phone: 410-574-7882
John James, Manager - 10300 Pulaski Hwy White Marsh, MD 21162-1800 - Cell: 443-342-8311 - Email: john.james@oldcastle.com
Marshall Vosburg, Consulting Director - 151 N Franklin St Chicago, IL 60606-1915 - Phone: 717-659-9330 - Email: marshall.vosburg@cna.com
Old Castle Retail DBA Bonsal American - 10300 Pulaski Hwy White Marsh, MD 21162-1800 - Phone: 410-574-7882
OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com
Robert Larsong, Plant Manager - 10300 Pulaski Hwy White Marsh, MD 21162 - Phone: 410-574-7882 - Cell: 410-238-3413

My Company Comments:

Hunter Sr,McClenty
Oct 18, 2018, 6:47 PM (13 hours ago)
to Karl, John

Mr. Kraft,

Bonsal American sold a portion of their facility to Gem-Seal Pavement Products. Three objects listed as Bonsal American objects were part of the sell and they no longer own them. Those objects are MD102148V, MD115831V and, MD127329V. Please update Jurisdiction Online to reflect the change. Let me know if you require more information.

Regards,

Copyright © 2020 CentralSquare

McClenty D. Hunter Sr.

Senior Risk Control Consultant

Boiler & Machinery

Travelers Insurance Co.

mhunter4@travelers.com

443.834.2739 CELL
Per State inspector Scott Reynolds inspection 1/14/16:
Pro cleaners location# 703195 Violation still pending. Gave 10 days to clear.

Bonsal American location# 702698. Couldn't clear violation met with Warren Rumere who is new contact, phone# 410-808-2555. Work was complete last winter I need to review the information he sent me via email will forward after I review. We will definitely have to go back after March 15 to confirm operation of boiler. Boiler is drained and out of service for the winter. Travelers Ins.needs to be contacted to see if they did any further inspections.

Warren Rumer 410 808 2555

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017624V	A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000572994		John Wood	1972	11/10/2020	Recurring Cert	Active	Plant 2 Comp Rm
MD102146V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000447176		Melben	1993	11/10/2020	Recurring Cert	Active	Maint. shop
MD127336V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000092157		Manchester	2005	11/10/2020	Recurring Cert	Active	N dry mix plt

Total Objects at this location 3

Location: **Boring Volunteer Fire Co**
Address: 14711 Old Hanover Road Boring, MD 21020
County: Baltimore
Primary Contact: Boring Volunteer Fire Co
Billing Contact: Boring Volunteer Fire Co - 14711 Old Hanover Road Boring, MD 21020
Cert Contact: Boring Volunteer Fire Co - 14711 Old Hanover Road Boring, MD 21020

Location ID: 988744
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Owner Contact: Boring Volunteer Fire Co - 14711 Old Hanover Road Boring, MD 21020
Other Contact(s): Boring Volunteer Fire Co - 14711 Old Hanover Road Boring, MD 21020

My Company Comments: Boring Volunteer FD - 14711 Old Hanover Rd (location 988744)

I was not able to gain access to this location. I am trying to get into contact with owner to make an appointment to inspect the boiler. J. MacDonald 6/23/20
Boring Volunteer Fire Department - 14711 Old Hanover Rd (Location: 988744) - 1 follow up

No access, no one on site. No phone number for contact. Will try to research and find the contact number in order to schedule an appointment to inspect the boiler. JMacDonald 3/14/18

My Shared Comments:

Mike Luce of HSB called to give updated contact info. Apparently there is a problem with the phones at this facility as HSB had difficulty reaching them also & even called while in the facility to show that the lines ring busy & do not ring at the station.
Station contact is Sam Wesley. His cell is (443) 789-0891. He would like to be present at the inspection.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148465H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65190489	Burnham	2010	12/21/2019	Recurring Cert	Active	BOILER ROOM

Total Objects at this location 1

Location: **Brenbrook Apartments** **Location ID:** 705034
Address: 11 Cinnamon Cir Randallstown, MD 21133-5003 **Phone:** 410-655-0900
County: Baltimore **NOB/SIC:**
Primary Contact: Dianna Pollard Rental Office- - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Billing Contact: Dianna Pollard Rental Office- - 11 Cinnamon Cir Randallstown, MD 21133-5003 - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Cert Contact: Dianna Pollard Rental Office- - 11 Cinnamon Cir Randallstown, MD 21133-5003 - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Owner Contact: Dianna Pollard Rental Office- - 11 Cinnamon Cir Randallstown, MD 21133-5003 - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Other Contact(s): Dianna Pollard Rental Office- - 11 Cinnamon Cir Randallstown, MD 21133-5003 - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Shelter Corp - 9050 Red Branch Rd Columbia, MD 21045-2176 - Phone: 0000000000

My Company Comments:

My Shared Comments: Per Linda at Brenbrokk Apts, send all paperwork to Rental Office; RHD 6/27/05

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128002H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0106077		State	2006	12/08/2021	Recurring Cert	Active	Building 21 cinnamon

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Brenbrook Shell**
Location ID: 705032
Address: 8712 Liberty Rd Randallstown, MD 21133-4706
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mannder Singh, Owner - Phone: (410) 521-2256
Billing Contact: Brenbrook Shell - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: 410-521-2256
Cert Contact: Brenbrook Shell - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: 410-521-2256
Owner Contact: Brenbrook Shell - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: 410-521-2256
Other Contact(s): Brenbrook Shell - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: 410-521-2256
Mannder Singh, Owner - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: (410) 521-2256

My Company Comments:

My Shared Comments: Citation mailed 12/17/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147734V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290339		Morganton	2013	02/24/2020	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Brightview Perry Hall**
Location ID: 3475872
Address: 9657 Belair Rd Nottingham, MD 21236-1124
Phone: 410-529-1903
County: Baltimore
NOB/SIC:
Primary Contact: Brightview Perry Hall - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Billing Contact: Brightview Perry Hall - 9657 Belair Rd Nottingham, MD 21236-1124 - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Cert Contact: Brightview Perry Hall - 9657 Belair Rd Nottingham, MD 21236-1124 - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Owner Contact: BH Brightview Perry Hall. LLC - 9657 Belair Rd Nottingham, MD 21236-1124 - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Other Contact(s): BH Brightview Perry Hall. LLC - 9657 Belair Rd Nottingham, MD 21236-1124 - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Bob Speilman, Maintenance Director - 9657 Belair Rd Nottingham, MD 21236-1105 - Phone: 410-529-1903
Bob Spielman - 9657 Belair Rd Perry Hall, MD 21128 - Phone: 410-870-6681
Brightview Perry Hall - 9657 Belair Rd Nottingham, MD 21236-1124 - Phone: 410-529-1903 - Email: lstewart@bvsl.net
Carmen Gilmore, Director - 218 N Charles St Suite 220 Baltimore, MD 21201-4002 - Phone: 410-962-0595 - Cell: 410-246-7485
Jaqueline Myers, Administrative Assistant - 218 N Charles St Suite 220 Baltimore, MD 21201-4002 - Phone: 410-246-7553 - Email: jmyers@sheltergrp.com
Michele Folino, Regional Manager - 218 N Charles St Suite 220 Baltimore, MD 21201-4002 - Phone: 410-962-0595 - Cell: 410-916-2794 - Email: mfolino@sheltergrp.com
Noah Levy - 7 Giralda Farms Madison, NJ 07940-1051 - Phone: 973-683-1644 - Email: noah.levy@prudential.com
SHP IV Perry Hall, LLC - 9657 Belair Rd Perry Hall, MD 21128 - Phone: 410-529-1903

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: 7/16/2014 Andrew Cahill 443-841-9525, rep for Laars. Supplied 6 100 gal HW supply boilers for potable water, 3 at 300,000 btu/hr and 3 at 399,000 btu/hr, not ASME, failed by Matt Dawson for no ASME stamp. I gave Cahill reference to Law 12/903(b)(8) "subtitle does not apply to HW supply boiler that does not exceed 200,000 btu/hr, 210 deg F, and 120 gal"

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150082H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	001005418		Bradford	2013	07/02/2021	Recurring Cert	Active	Main Wtr Rm
MD150083H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105413		Bradford	2013	07/02/2021	Recurring Cert	Active	Main Wtr Rm
MD150084H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105419		Bradford	2013	07/02/2021	Recurring Cert	Active	Main Wtr Rm
MD150105H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000104756		Bradford	2013	07/02/2021	Recurring Cert	Active	Hobby Mech
MD150106H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000109432		Bradford	2014	07/02/2021	Recurring Cert	Active	Hobby Mech
MD150111H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000109462		Bradford	2014	07/02/2021	Recurring Cert	Active	Hobby Mech
MD158104H	#1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000068392	15WHTX.1130.1396	AIC Gdynia	2015	07/02/2021	Recurring Cert	Active	Plumbing Rm 1007
MD158105H	#2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000069173	15WHTX.1130.1129	AIC Gdynia	2015	07/02/2021	Recurring Cert	Active	Plumbing Rm 1007
MD158106H	#3	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000073386		AIC Gdynia	2015	07/02/2021	Recurring Cert	Active	Plumbing Rm 1007

Total Objects at this location 9

Copyright © 2020 CentralSquare

Location: **Broadmead Retirement Comm (Arc3)** **Location ID:** 3925611
Address: 13801 York Rd Cockeysville, MD 21030-1825 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Broadmead Retirement Comm (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163493V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000141314		CHART	2002	02/27/2021	Recurring Cert	Active	Dining Rm Closet

Total Objects at this location 1

Location: **Brookdale Pikesville** **Location ID:** 1607042
Address: 1840 Reisterstown Rd Pikesville, MD 21208-1305 **Phone:** 410-580-0892
County: Baltimore **NOB/SIC:**
Primary Contact: Michael Ferguson, Maintenance Manager - Phone: 410-487-3814 - Email: mferguson11@brookdale.com
Billing Contact: Mary Berry - Attn: Legal Dept Brookdale 6737 W Washington Street, Suite 2300 Milwaukee, WI 53214 - Phone: 4105800892
Cert Contact: Michael Ferguson, Maintenance Manager - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-487-3814 - Email: mferguson11@brookdale.com
Owner Contact: S-H OpCo Pikesville, LLC - 6737 W Washington Street, Suite 2300 Milwaukee, WI 53214-5650 - Phone: 414-918-5000
Other Contact(s): Amanda *Gill, Executive Director - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892 - Email: agill1@brookdale.com
Bill Wagner - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-487-3814
David Gary Jacobs, Executive Director - 151 Commerce Green Blvd Sugar Land, TX 77478-3573 - Phone: 425-338-3227 - Email: davidgary.jacobs@brookdale.com
Donald Weston, Maintenance Supervisor - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892 - Email: donald.weston@brookdale.com
Dustin Simms, Maintenance Manager - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892
Emeritus at Pikesville - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892/206-438-2883
Emeritus Corporation - D/B/A Emeritus at Pikesville - 1840 Reisterstown Rd Pikesville, MD 21208 - Phone: 410-580-0892 - Cell: 443-547-7553
Garrett Baker - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892/602-957-7021 - Email: Pikesville-MD@emeritus.com
HCP, Inc.
Lori (gone) Severson - 8110 E Union Ave Ste 700 Denver, CO 80237-2966 - Phone: 303-414-6155 - Email: lori.severson@lockton.com
Marsh USA Inc. - 777 S Figueroa St Los Angeles, CA 90017-5800

Copyright © 2020 CentralSquare

Mary Berry, Executive Director - Attn: Legal Dept Brookdale - 6737 W Washington Street, Suite 2300 Milwaukee, WI 53214 - Phone: 4105800892

Michael Ferguson, Maintenance Manager - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-487-3814 - Email: mferguson11@brookdale.com

S-H OpCo Pikesville, LLC - 6737 W Washington Street, Suite 2300 Milwaukee, WI 53214-5650 - Phone: 414-918-5000

Steve Young, Maintenance Director - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410 580-0892 - Cell: 410 580-0893 - Email: Pikesville-MD@Emeritus.com

Steven Wolley - 690 Cooper Rd Westerville, OH 43081-8919 - Phone: 614-794-2499 - Email: stevenw@emeritus.com

Wayne Sells, Senior Area Maintenance Director - 45 Washington Rd Westminster, MD 21157-5640 - Phone: 410-751-2300 - Cell: 717-521-4860 - Email: wayne.sells@emeritus.com

William C Wagner, Maintenance Director - 1840 Reisterstown Rd Pikesville, MD 21208-1305 - Phone: 410-580-0892 - Email: charles.muse@brookdale.com

My Company Comments:

My Shared Comments: Faxed BPV form states MD102106H has been replaced. Liberty is insurer.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102103H	HWH #4	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000046663	61663	Lochinvar	1998	04/01/2021	Recurring Cert	Active	Boiler Room
MD102109H	BLR #3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000091209	H986846	Lochinvar	1998	04/01/2021	Recurring Cert	Active	Boiler Room, BLR #3
MD126127H	HWH #2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000066787	81787	Lochinvar	2004	04/01/2021	Recurring Cert	Active	Boiler Room
MD145357H	HWH #1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097813	112813	Bradford White	2012	04/01/2021	Recurring Cert	Active	Boiler Room
MD158095H	BLR #1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000290153	1608102657247	Lochinvar	2016	06/12/2021	Recurring Cert	Active	Boiler Room, BLR #1
MD158096H	BLR #2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000290152	1608102657246	Lochinvar	2016	06/12/2021	Recurring Cert	Active	Boiler Room, BLR #2
MD166341H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000256648	SH0839419	A O Smith	2019	01/22/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 7

Copyright © 2020 CentralSquare

Location: **Brooks Muffler & Brake Centers** **Location ID:** 705274
Address: 11405 Pulaski Hwy White Marsh, MD 21162-1511 **Phone:** 410-335-4828
County: Baltimore **NOB/SIC:**
Primary Contact: Brooks Muffler & Brake Centers - Phone: 410-335-4828
Billing Contact: Brooks Muffler & Brake Centers - 11405 Pulaski Hwy White Marsh, MD 21162-1511 - Phone: 410-335-4828
Cert Contact: Brooks Muffler & Brake Centers - 11405 Pulaski Hwy White Marsh, MD 21162-1511 - Phone: 410-335-4828
Owner Contact: Brooks Muffler & Brake Centers - 11405 Pulaski Hwy White Marsh, MD 21162-1511 - Phone: 410-335-4828
Other Contact(s): Brooks Muffler & Brake Centers - 11405 Pulaski Hwy White Marsh, MD 21162-1511 - Phone: 410-335-4828

My Company Comments:

My Shared Comments: Per BPV form Insparisk inspected 6/3/14.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077910V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000139685		Iamco	1988	05/02/2022	Recurring Cert	Active	#1 Building (Auto Shop)
MD077911V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0180374		Iamco	1989	05/02/2022	Recurring Cert	Active	#2 Building (RV Shop)
MD132896V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0393782		Steel	2005	05/02/2022	Recurring Cert	Active	#2 Building (RV Shop)

Total Objects at this location 3

Location: **Bruce Hamilton III/ Douglas Hamilton Jr.** **Location ID:** 706742
Address: 7941 Johnnycake Rd Baltimore, MD 21244-1221 **Phone:** 410-952-4514
County: Baltimore **NOB/SIC:**
Primary Contact: Bruce Hamilton III - Phone: 410-952-4514
Billing Contact: Bruce Hamilton III - 1433 Corbett Rd Monkton, MD 21111-1518 - Phone: 410-952-4514
Cert Contact: Bruce Hamilton III - 1433 Corbett Rd Monkton, MD 21111-1518 - Phone: 410-952-4514
Owner Contact: Bruce Hamilton III - 1433 Corbett Rd Monkton, MD 21111-1518 - Phone: 410-952-4514
Other Contact(s): Bruce Hamilton - 1423 Corbett Rd Monkton, MD 21111-1518 - Cell: 410-952-4514 - Email: bhamilton@hamiltonassoc.com
Bruce Hamilton III - 1433 Corbett Rd Monkton, MD 21111-1518 - Phone: 410-952-4514

Copyright © 2020 CentralSquare

Lydia Hamilton, Owner - 7941 Johnnycake Rd Baltimore, MD 21244-1221 - Phone: 410-944-3562

My Company Comments: Contact update per Bruce King., forwarded email.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004374		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	614	Mammoth	1997	04/09/2021	Recurring Cert	Active	Portable

Total Objects at this location 1

Location: **Budget Automatic Transmission**
Location ID: 705422
Address: 2617 N Point Blvd Dundalk, MD 21222-1625
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Frank Garey - Phone: 410-288-0968
Billing Contact: Frank Garey - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968
Cert Contact: Budget Automatic Transmission - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968
Owner Contact: Frank Garey - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968
Other Contact(s): Budget Automatic Transmission - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968
Frank Garey - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110906V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000118200		Manchester	1999	09/29/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Buffalo Wild Wings (Arc3)**
Location ID: 3992517
Address: 10391 Reisterstown Rd Owings Mills, MD 21117-3617
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Buffalo Wild Wings (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166329V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209946		CHART	2010	11/22/2021	Recurring Cert	Active	Closet/Bar Area

Total Objects at this location 1

Location: **Buffalo Wild Wings - 33118 (Arc3)** **Location ID:** 3918185
Address: 8200 Perry Hall Blvd Ste 3100 Nottingham, MD 21236-4044 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Buffalo Wild Wings - 33118 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161855V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000184915		CHART	2007	12/11/2020	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Butch Beseiker (Antique)/Arcadia** **Location ID:** 3361504
Address: 16020 Carnival Ave Upperco, MD 21155-9509 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Butch Beseiker, Owner

Copyright © 2020 CentralSquare

Billing Contact: Butch Beseiker - 1723 Porter Rd Bear, DE 19701-2119
Cert Contact: Butch Beseiker, Owner - 1723 Porter Rd Bear, DE 19701-2119
Owner Contact: Butch Beseiker, Owner - 1723 Porter Rd Bear, DE 19701-2119
Other Contact(s): Butch Beseiker, Owner - 1723 Porter Rd Bear, DE 19701-2119

My Company Comments:

My Shared Comments: Butch Besieker (302-354-5369) said that he has two boilers (MD147024, MD147025) that were recently (7/10ish and 9/14ish) inspected by Andy Jacobs, but he's receiving Citation Warnings. Also, MD147024 looks like it needs to be inspected every year, but MD147025 looks like every two years. However, he said they are the same model boiler just a different manufacturer. Emailing Miwa to address.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147024	PA155603B	Horizontal Fire Tube	A - Antique w/comment	Antique		Keck Connerman	1924	07/07/2020	Recurring Cert	Active	MD Steam Historic Society
MD164301		Horizontal Fire Tube	A - Antique w/comment	Antique		Baker	1900	09/13/2020	Recurring Cert	Active	Rough and Tumble

Total Objects at this location 2

Location: **C & P Towing, Inc.**
Address: 11408 Pulaski Hwy White Marsh, MD 21162-1512
County: Baltimore
Primary Contact: C & P Towing, Inc. - Phone: 410-335-6021
Billing Contact: C & P Towing, Inc. - 11408 Pulaski Hwy White Marsh, MD 21162-1512 - Phone: 410-335-6021
Cert Contact: C & P Towing, Inc. - 11408 Pulaski Hwy White Marsh, MD 21162-1512 - Phone: 410-335-6021
Owner Contact: C & P Towing, Inc. - 11408 Pulaski Hwy White Marsh, MD 21162-1512 - Phone: 410-335-6021
Other Contact(s): C & P Towing, Inc. - 11408 Pulaski Hwy White Marsh, MD 21162-1512 - Phone: 410-335-6021

Location ID: 705558
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100820V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000390165		Buckeye	1982	09/27/2020	Recurring Cert	Active	Upper Container
MD126756V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000215677		Iamco	1989	09/27/2020	Recurring Cert	Active	Outside Rear of Shop

Copyright © 2020 CentralSquare

MD132897V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000326207		Bell & Gossett	1971	09/27/2020	Recurring Cert	Active	Lower Container

Total Objects at this location 3

Location: **Cadmus Communications**
Location ID: 721669
Address: 1323 Greenwood Rd Pikesville, MD 21208-3611
Phone: 410-580-2560
County: Baltimore
NOB/SIC:
Primary Contact: Bryan Nuckols, Maintenance Supervisor - Phone: 240-444-5154 - Email: bryan.nuckols@cenveo.com
Billing Contact: Bryan Nuckols - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 240-444-5154 - Email: bryan.nuckols@cenveo.com
Cert Contact: Bryan Nuckols, Maintenance Supervisor - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 240-444-5154 - Email: bryan.nuckols@cenveo.com
Owner Contact: Bryan Nuckols, Maintenance Supervisor - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 240-444-5154 - Email: bryan.nuckols@cenveo.com
Other Contact(s): Bryan Nuckols, Maintenance Supervisor - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 240-444-5154 - Email: bryan.nuckols@cenveo.com
Cadmus Communications - 1323 Greenwood Rd Pikesville, MD 21208-3611
Nick Antonopulos - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 410-580-2560 - Email: antonopulosn@cadmus.com
Port City Press - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 4104863000

My Company Comments: BPV letter returned, "not undeliverable as addressed, unable to forward". MD011908h, MD07861H, MD070862V.
Cadmus Communications: 1323 Greenwood Rd., I was here to verify that a violation had been corrected on a pressure vessel. This violation was greater than 30 days old, and can now be taken off of the list. J MacDonald 1-9-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD011908H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000073273	75L173	Federal	1973	07/29/2021	External Cert, Recurring Cert	Active	Boiler Room
MD070861H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7584560	Burnham	1989	07/29/2021	Recurring Cert	Active	Basement
MD070862V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000750893		Wood	1979	07/29/2021	External Cert, Recurring Cert	Active	Compressor Room
MD158093V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000081432	432	Silvan	1992	07/24/2021	Recurring Cert	Active	Dust Pellet Rm

Total Objects at this location 4

Copyright © 2020 CentralSquare

Location: **Caliber Collision Center - Nottingham 3736**
Location ID: 707069
Address: 8400 Belair Rd Baltimore, MD 21236-3019
Phone: 410-256-9777
County: Baltimore
NOB/SIC:
Primary Contact: Caliber Collision Center - Nottingham 3736
Billing Contact: Caliber Collision - Permits & Licensing - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1
Cert Contact: Caliber Collision - Permits & Licensing - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1
Owner Contact: Caliber Collision - Permits & Licensing - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1
Other Contact(s): Caliber Collision - Permits & Licensing - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1
Chuck's Body & Fender - 8400 Belair Rd Baltimore, MD 21236-3019 - Phone: 410-256-9777
GMG EnviroSafe, Inc , Permitting Team - ... ..., .. 00000 - Email: permits@gmgenvirosafe.com
J. Kevin Berg - 8400 Belair Rd Baltimore, MD 21236-3019 - Phone: 410-256-9777 - Email: chucksbnf@aol.com

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081527V	C A T	Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000874293		Buckeye	1988	12/19/2020	Recurring Cert	Active	BODY SHOP
MD121956V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001112002		Manchester	2001	12/19/2020	Recurring Cert	Active	BODY SHOP
MD126975V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000462557		Manchester	2005	12/19/2020	Recurring Cert	Active	MECH SHOP
MD138435V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001078188		Manchester	2009	12/19/2020	Recurring Cert	Active	PAINT SHOP
MD156876V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000245585		Steel Fab	2000	01/12/2021	Recurring Cert	Active	PAINT SHOP

Total Objects at this location 5

Copyright © 2020 CentralSquare

Location: **Catholic Community at Relay**
Location ID: 1901518
Address: 5025 Cedar Ave Baltimore, MD 21227-4928
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Linda Cain - Phone: 410-242-0060
Billing Contact: Linda Cain - 4100 Washington St Baltimore, MD 21227-3648 - Phone: 410-242-0060
Cert Contact: Linda Cain - 4100 Washington St Baltimore, MD 21227-3648 - Phone: 410-242-0060
Owner Contact: Linda Cain - 4100 Washington St Baltimore, MD 21227-3648 - Phone: 410-242-0060
Other Contact(s): Linda Cain - 4100 Washington St Baltimore, MD 21227-3648 - Phone: 410-242-0060
Relay Catholic Community - 5021 Cedar Ave Baltimore, MD 21227-4928 - Phone: 410-2474033
Timothy Kelley, Board Member - 5025 Cedar Ave Baltimore, MD 21227-4928 - Phone: 410-247-4033 - Cell: 410-913-6832

My Company Comments:

My Shared Comments: Received a call from Linda Cain (410-242-0060, Beth had left a message), the person who took care of the boilers passed away. Updating her as the contact and the name of the church and emailing her the list so that once she finds out the insurance company she can call back with the inspection date.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124839H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2004	12/19/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Caton Auto Park (Fuel)**
Location ID: 706265
Address: 6013 Baltimore National Pike Catonsville, MD 21228-2904
Phone: 410-747-5353
County: Baltimore
NOB/SIC:
Primary Contact: Caton Auto Park, Inc. - Phone: 410-747-5353 - Email: catonauto@aol.com
Billing Contact: Caton Auto Park, Inc. - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonauto@aol.com
Cert Contact: Caton Auto Park, Inc. - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonauto@aol.com
Owner Contact: Caton Auto Park, Inc. - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonauto@aol.com
Other Contact(s): Caton Auto Park, Inc. - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonauto@aol.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115417V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001143599		Manchester	2001	09/10/2021	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

		w/comment								
MD139109V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000446507		Manchester	1996	09/29/2021	Recurring Cert	Active	Shop-Left of office

Total Objects at this location 2

Location: **Caton Auto Park (Repair)** **Location ID:** 716414
Address: 6013 Baltimore National Pike Catonsville, MD 21228-2904 **Phone:** 410-747-5353
County: Baltimore **NOB/SIC:**
Primary Contact: Scott Steinbach, Owner - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com
Billing Contact: Scott Steinbach - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com
Cert Contact: Scott Steinbach, Owner - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com
Owner Contact: Scott Steinbach, Owner - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com
Other Contact(s): Caton Auto Park L L C - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410 747 5353
Scott Steinbach, Owner - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100228V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000446499		Manchester	1996	09/10/2021	Recurring Cert	Active	Tire Shop
MD100229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000437362		Manchester	1996	09/10/2021	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: **Catonsville Cleaners** **Location ID:** 714776
Address: 403 Frederick Rd Catonsville, MD 21228-4644 **Phone:** 410-747-1501
County: Baltimore **NOB/SIC:**
Primary Contact: An Vo, Owner - Phone: 410-747-1501
Billing Contact: An Vo - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501
Cert Contact: An Vo, Owner - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501
Owner Contact: An Vo, Owner - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501
Other Contact(s): An Vo, Owner - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501

Copyright © 2020 CentralSquare

Catonsville Cleaners - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070278V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000197684		IAMCO	1989	03/19/2021	Recurring Cert	Active	Behind Dry Clean Machine
MD081178V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000360998		Melben	1992	03/19/2021	Recurring Cert	Active	Rear Outside Shed
MD129111		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000105228	105228	Fulton	2007	03/30/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 3

Location: **Catonsville Commons (Genesis Healthcare)** **Location ID:** 706273
Address: 16 Fusting Ave Catonsville, MD 21228-4413 **Phone:** 410-747-1800
County: Baltimore **NOB/SIC:**
Primary Contact: Janice Burnap, Director, Risk & Insurance Services - Phone: 919-529-4490 - Email: Janice.burnap@genesishcc.com
Billing Contact: Sarah Bssisso - 16 Fusting Ave Catonsville, MD 21228-4413 - Email: Sarah.Bssisso@genesishcc.com
Cert Contact: James Barger, Maintenance Director - 16 Fusting Ave Catonsville, MD 21228-4413 - Phone: 410-747-1800 x125 - Email: James.Barger@genesishcc.com
Owner Contact: Sarah Bssisso, Facility Administrator - 16 Fusting Ave Catonsville, MD 21228-4413 - Email: Sarah.Bssisso@genesishcc.com
Other Contact(s): Andrew Urban, Broker - 1 Towne Sq Southfield, MI 48076-3732 - Phone: 248-945-5302 - Cell: 419-259-6048 - Email: andrew.p.urban@marsh.com
Cynthia Martin - 115 E Melrose Ave Govans, MD 21212-2945 - Phone: 410.435.9073 - Email: roger.facello@genesishee.com
James Barger, Maintenance Director - 16 Fusting Ave Catonsville, MD 21228-4413 - Phone: 410-747-1800 x125 - Email: James.Barger@genesishcc.com
Janice Burnap, Director, Risk & Insurance Services - 30 West Ave Wayne, PA 19087-3322 - Phone: 919-529-4490 - Email: Janice.burnap@genesishcc.com
KEITH ROBINSON , HOUSING MANAGER - 101 E STATE ST KENNETT SQUARE, PA 19348 - Phone: 601-444-6350 - Cell: 410-747-1800
Sarah Bssisso, Facility Administrator - 16 Fusting Ave Catonsville, MD 21228-4413 - Email: Sarah.Bssisso@genesishcc.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD146216H	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000301599	0910301599	Raypak	2010	06/03/2021	Recurring Cert	Active	Basement Mechanical Room

Total Objects at this location 1

Location: **CBC National Bank**
Location ID: 727939
Address: 1526 York Rd Lutherville Timonium, MD 21093-5609
Phone: 410-870-7657
County: Baltimore
NOB/SIC:
Primary Contact: Jann Guinn - Phone: 410-870-7657
Billing Contact: Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-870-7657
Cert Contact: Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-870-7657
Owner Contact: Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-870-7657
Other Contact(s): Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410 504 6275
Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-870-7657

My Company Comments:

My Shared Comments: Location and contact phone number changed, Insparisk to inspect 5/28/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074071H	Ci	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1971	05/28/2021	Recurring Cert	Active	2nd Floor

Total Objects at this location 1

Location: **CCBC Catonsville**
Location ID: 706275
Address: 800 S Rolling Rd Catonsville, MD 21228-5317
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Robert Stewart, Facilities Mgr. - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu
Billing Contact: Robert Stewart - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu
Cert Contact: Robert Stewart, Facilities Mgr. - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu
Owner Contact: Robert Stewart, Facilities Mgr. - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu
Other Contact(s): Bill Loats, Facilities Manager - 800 S Rolling Rd Baltimore, MD 21228-5317 - Phone: 410-455-4284 - Cell: 443-840-4222 - Email: bloats@ccbcmd.edu
Christopher Brown - 1207 Wilson Rd Glen Burnie, MD 21061-3239 - Phone: 410-787-1450 - Email: cdbrown@eastcoastweldingandconstruction.com
Community College of Baltimore County - c/o Robert Stewart - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart@ccbc.md.edu
D E Inc - 8860 Kelso Dr Baltimore, MD 21221-3111
Robert Stewart, Facilities Mgr. - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu

Copyright © 2020 CentralSquare

Robert Stewart, Manager, Engineering & Maintenance - c/o Robert Stewart - 800 S Rolling Rd C.CSRV 100 Baltimore, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart@ccbcmd.edu

Tate Engineering System - 8533 Terminal Rd # A Lorton, VA 22079-1428 - Phone: (703) 339-0014 (800) 758-8283

My Company Comments: Contact update.
HSB inspected 8/15/19.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164285V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002045434		Twin Lakes	2018	09/24/2021	Recurring Cert	Active	BARN

Total Objects at this location 1

Location: **Center Place Apartments**
Location ID: 706391
Address: 101 Center Place Dundalk, MD 21222-4353
Phone: 410-285-6666
County: Baltimore
NOB/SIC:
Primary Contact: Angela Mullings, Property Mgr. - Phone: 410-285-6666 - Email: manager@ctrplace.com
Billing Contact: Angela Mullings - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: manager@ctrplace.com
Cert Contact: Angela Mullings, Property Mgr. - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: manager@ctrplace.com
Owner Contact: Janes Carmichael, Owner - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: james.carmichael@st_residential.com
Other Contact(s): Angela Mullings, Property Mgr. - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: manager@ctrplace.com
Center Place Apartments - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Cell: 410-783-3200
Center Place Apartments - 101 Center Pl Ste B Dundalk, MD 21222-4353 - Phone: 410-285-6666
Janes Carmichael, Owner - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: james.carmichael@st_residential.com
Shay K Dugan, Director of Operations - 1040 Park Ave Suite 300 Baltimore, MD 21201 - Phone: 410-285-6666 - Cell: 410-783-6542
Sheila Riggins - 101 Center Pl Dundalk, MD 21222-4353 - Phone: 410-285-6666 - Email: manager@ctrplace.com

My Company Comments: Contact update.

My Shared Comments:
Sheila Riggins (410-285-6666, manager@ctrplace.com) said Michael Coleman inspected today.
Spoke with Sheila, management and Mike Coleman, MAC Inspections. Mail has not been coming to the location. She has been working with the post office. She is scheduling an appointment with MAC.
Susan Kastina (410-285-6666) said units were inspected on 6/21/14. She is calling the company to resend the reports.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042324H	FT	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000050895	75796	Cleaver Brooks	1981	01/13/2021	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

MD042325H	FT	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000050699	75400	Cleaver Brooks	1981	01/13/2021	Recurring Cert	Active	Boiler Room
MD135047H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000120065	120065	PVI Industries	2006	01/03/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 3

Location: **Center Place Offices** **Location ID:** 706392
Address: 9 Center Pl Dundalk, MD 21222-4362 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bruce Keifner - Phone: 410-866-4448 - Cell: 4432550658
Billing Contact: Bruce Keifner - 5826 Farmview Ave Baltimore, MD 21206-2218 - Phone: 410-866-4448 - Cell: 4432550658
Cert Contact: Bruce Keifner - 5826 Farmview Ave Baltimore, MD 21206-2218 - Phone: 410-866-4448 - Cell: 4432550658
Owner Contact:
Other Contact(s): Bruce Keifner - 5826 Farmview Ave Baltimore, MD 21206-2218 - Phone: 410-866-4448 - Cell: 4432550658
Center Place Offices - 9 Center Pl Dundalk, MD 21222-4304 - Phone: 4102851177

My Company Comments:

My Shared Comments: Boiler Located in Print Shop Basement. Bruces cell phone. 443 255 0658. Call him for inspections.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086684H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2395662	Weil-McLain	1992	03/13/2020	Recurring Cert	Active	Basement of Print Shop

Total Objects at this location 1

Location: **Centerpoint** **Location ID:** 723433
Address: 200 International Circle Hunt Valley, MD 21030-1331 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Kevin Kimmel, Vice President , Property Management - Phone: 443.306.0441 - Cell: 410.494.4897 - Email: kkimmel@mackenziemanagement.com
Billing Contact: Kevin Kimmel - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 443.306.0441 - Cell: 410.494.4897 - Email: kkimmel@mackenziemanagement.com
Cert Contact: Kevin Kimmel, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com
Owner Contact: Kevin Kimmel, Vice President , Property Management - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 443.306.0441 - Cell: 410.494.4897 - Email: kkimmel@mackenziemanagement.com
Other Contact(s): Andrew Baker, Engineer - 200 International Circle Hunt Valley, MD 21031 - Phone: 443-271-1804
Brian Andoll - 200 International Cir Hunt Valley, MD 21030-1331 - Cell: 443-865-5089 - Email: Bandoll@mackenziemanagement.com
Don Bauer, Maintenance Technician - 11311 McCormick Rd Hunt Valley, MD 21031-1004 - Cell: 443-731-0752 - Email: dbauer@stoltzusa.com

Copyright © 2020 CentralSquare

Kevin Kimmel, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Cell: 443-306-0441 - Email: kkimmel@mackenziemanagement.com

Kevin Kimmel, Vice President , Property Management - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 443.306.0441 - Cell: 410.494.4897 - Email: kkimmel@mackenziemanagement.com

Mat Faris - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1523 - Email: farism@greenfieldpartners.com

Steve Antonsen - 200 International Cir Hunt Valley, MD 21030-1331 - Phone: 410-771-7703

Tom Gentry, Property Manager - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com

Yates Dunaway - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1516 - Email: dunawayy@greenfieldpartners.com

My Company Comments:

My Shared Comments: New owners, contact info updated, certs reprinted.
standardized 1/9/07/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125559V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000150308		Trane	2006	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD125560V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000150307		Trane	2006	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD125561V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000150305		Trane	2006	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD125562V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000150306		Trane	2006	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD128006H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000190940		L.C.	2006	04/30/2021	Recurring Cert	Active	PENTHOUSE
MD157729H	CoilWtrBlr	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000296089	1631103278178	LC	2016	04/30/2021	Recurring Cert	Active	Penthouse

Total Objects at this location 6

Copyright © 2020 CentralSquare

Location:	**Century Engineering**	**Location ID:**	2607487
Address:	10710 Gilroy Rd Hunt Valley, MD 21031-1310	**Phone:**	443-589-2400
County:	Baltimore	**NOB/SIC:**	

Primary Contact: Ashley Hisley, Prop. Mgr. - Phone: 410-583-8383 - Email: ahisley@tbrooksinc.com

Billing Contact: Connie Leedy - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443.589.2407 - Email: cleedy@centuryeng.com

Cert Contact: Connie Leedy, Exective Coordinator - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443.589.2407 - Email: cleedy@centuryeng.com

Owner Contact: William Greenhalgh, Principal - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443-589-2400

Other Contact(s): Ashley Hisley, Prop. Mgr. - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 410-583-8383 - Email: ahisley@tbrooksinc.com
Connie Leedy, Exective Coordinator - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443.589.2407 - Email: cleedy@centuryeng.com
Thomas Brooks, Authorized Agent - 32 West Rd Suite 200-A Towson, MD 21204 - Phone: 410-583-8383 - Email: tbrooks@tbrooksinc.com
William Greenhalgh, Principal - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443-589-2400

My Company Comments:

Ashley Hisley
9:58 AM (2 minutes ago)
to me

HI Elizabeth,

I spoke to our Liberty Mutual inspector Don Mann he will be there today somewhere around 11-2 P.M. at Century Engineering to do the boiler inspection.

Please let me know what I will have to do once he completes the inspection.

Thank you

Ashley Hisley

410-583-8383
Elizabeth Samm -DLLR-
10:02 AM (0 minutes ago)
to Ashley

Thank you. Nothing more will have to be done on our end. After the inspection has been completed and nothing found wrong a certificate will be issued.
Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>
9:42 AM (0 minutes ago)
to Ashley, boilers@dllr.state.md.us

Copyright © 2020 CentralSquare

Thank you for contacting the State of Maryland Safety Inspections unit. Please be advised that we do not give extensions. Please email me the inspection date of Liberty Mutual Insurance Co.
Safety Inspection
Boilers@dllr
x

Ashley Hisley <ahisley@tbrooksinc.com>
Attachments
Wed, Mar 6, 12:56 PM (20 hours ago)
to boilers@dllr.state.md.us

Good afternoon,

Our inspection is due tomorrow Thursday March 7, 2019.

I had this scheduled for Monday March 4, 2019 with a company I thought did this type of inspection.

I was unaware that our insurance company would handle this inspection and I have been sent to person after person trying to get this scheduled with the correct person.

Is there any way to have an extension on this?

The address is 10710 Gilroy Road Hunt Valley, Maryland 21031.

If you could please get back to me ASAP I would greatly appreciate it.

Thank you

cid:image001.png@01D1AD31.F00558A0

Copyright © 2020 CentralSquare

Ashley Hisley

32 West Road Suite 230

Towson, Maryland 21204

410-583-8383

ahisley@tbrooksinc.com

www.tbrooksinc.com

My Shared Comments: Scheduled 2/12/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133760H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000182102		Lochinvar	2005	03/07/2021	Recurring Cert	Active	Boiler Room
MD133761H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000181920		LC	2005	03/07/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Charlies Service Center**
Address: 11024 Liberty Rd Randallstown, MD 21133-1024
County: Baltimore
Primary Contact: Charlies Service Center - Phone: 4109222910
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Charlies Service Center - 11024 Liberty Rd Randallstown, MD 21133-1024 - Phone: 4109222910

Location ID: 706650
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000749442		Manchester	1998	12/01/2021	Recurring Cert	Active	Store Room

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Cheesecake Factory/Towson Town Mall** **Location ID:** 2441204
Address: 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 **Phone:** 410-337-7411
County: Baltimore **NOB/SIC:**
Primary Contact: Steve Jovanovic, General Manager - Phone: 410-337-7411
Billing Contact: Steve Jovanovic - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411
Cert Contact: Steve Jovanovic, General Manager - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411
Owner Contact: Steve Jovanovic, General Manager - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411
Other Contact(s): Alphonso Riddick, General Manager - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411
C. McMcvey, Legal Dept - 26901 Malibu Hills Rd Calabasas Hills, CA 91301-5354 - Phone: 818-871-3097 - Email: cmcmcvey@thecheesefactory.com
Debby Zureolo, Vice President - 26901 Malibu Hills Rd Calabasas Hills, CA 91301-5354 - Phone: 818-871-3000 - Cell: 410-337-7411
KELLY ART , ADMIN. - 17701 Mitchell N Irvine, CA 92614 - Phone: 949-261-2602 - Cell: 716--43-4-1300
Marcos Jovel, General Manager - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411 - Email: 0145mgr@cheesecakefactory.com
Steve Jovanovic, General Manager - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131380H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000200223	C08-200223	Teledyne Laars	2008	07/14/2021	Recurring Cert	Active	ROOF

Total Objects at this location 1

Location: **Chesapeak&AllghnySteamPrsvnSoc (Model)/LeakinPk** **Location ID:** 715183
Address: 1941 Sloman Dr Baltimore, MD 21207-8034 **Phone:** 410-461-5797
County: Baltimore **NOB/SIC:**
Primary Contact: Craig Close - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Billing Contact: Craig Close - 15 Benway Ct Catonsville, MD 21228-5401 - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Cert Contact: Craig Close - 15 Benway Ct Catonsville, MD 21228-5401 - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Owner Contact: Craig Close - 15 Benway Ct Catonsville, MD 21228-5401 - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Other Contact(s): Craig Close - 15 Benway Ct Catonsville, MD 21228-5401 - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Louis Kohler - 3712 Lamoine Rd Randallstown, MD 21133-3730 - Phone: 410-655-1728
Michael Schroeder - 1941 Sloman Dr Baltimore, MD 21207-8034 - Phone: 410-672-3351 - Email: m2schroeder@verizon.net
Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com

Copyright © 2020 CentralSquare

My Company Comments:

BigSteam
Jan 22, 2019, 10:18 AM
to me

Sorry for my confusion.

Much as for the rides, the boilers are as they come. We ask for the two-day process so that owners who work can come on Saturday and those who do not work can come on Friday. CALS has only the one steam locomotive but many members bring theirs. There is also an off-site trip to a local storage for two.

This process is the same as done for many past years, and the inspectors bring a large stack of folders..

Craig Close BORHS/C&A Live Steam

Balimer Merlan

OK: Far West Catonsville

Or: Greater Oella
...Chesapeake&Allegheny SteamPrsvnSoc = Chesapeake & Allegheny Steam Preservation Society = Chesapeake & Allegheny Live Steamers = CALS.....
...CALS Clubhouse is at 1940 Sloman Dr.... Leakin Park entrance is 921 Windsor Mill.... Sloman Dr intersection is at 5105 Windsor Mill Rd..... Model Railroad Track area is 5000 Windsor Mill.....
...Inspections also done at John Tokar/Models, 4935 Tall Oaks Dr, Monrovia, MD 21770.

bigSteam
Jan 11, 2019, 2:43 PM
to me

We want to schedule our annual boiler inspection at Leakin Park, Baltimore, on Fri and Sat, April 5-6, from 9 to 2 each day.

This is our normal event for certifying the boilers of our miniature locomotives and possibly other steam equipment.

Thank you.

Craig Close Treasurer, CALS

Balimer Merlan

OK: Far West Catonsville

Copyright © 2020 CentralSquare

Or: Greater Oella

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004483		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	2306	Homebuilt	1997	04/08/2021	Recurring Cert	Active	Portable
MD065160V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000442121		Buckeye	1983	04/03/2021	Recurring Cert	Active	Compressor Shed

Total Objects at this location 2

Location: **Chic-Fil-A #3678 (Arc3)** **Location ID:** 3992521
Address: 12001 Reisterstown Rd Reisterstown, MD 21136-3052 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chic-Fil-A #3678 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166331V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000301959		CHART	2017	11/22/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Chic-Fil-A - 02103 (Arc3)** **Location ID:** 4006550
Address: 10480 Owings Mills Blvd Owings Mills, MD 21117-7810 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chic-Fil-A - 02103 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000322611		CHART	2019	01/28/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Chic-Fil-A 03937 (Arc3)** **Location ID:** 4006549
Address: 10170 Reisterstown Rd Owings Mills, MD 21117-3815 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chic-Fil-A 03937 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000300494		CHART	2017	01/28/2022	Recurring Cert	Active	Kitchen

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Chick Fresh A (Arc3)**
Location ID: 4006975
Address: 3418 Annapolis Rd Halethorpe, MD 21227-1117
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Chick Fresh A (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166547V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000293484		CHART	2016	01/29/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Chick-Fil-A 2034 (Arc3)**
Location ID: 3925615
Address: 6 Hyland Ave Cockeysville, MD 21030-1395
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Chick-Fil-A 2034 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163491V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000212529		CHART	2010	02/27/2021	Recurring Cert	Active	Kitchen

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **Chick-Fil-A (Arc3)** **Location ID:** 3949959
Address: 8867 Belair Rd Nottingham, MD 21236-2404 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chick-Fil-A (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163592V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000314225		CHART	2018	04/16/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Chick-Fil-A - 1049 (Arc3)** **Location ID:** 3918186
Address: 5198 Campbell Blvd White Marsh, MD 21162 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chick-Fil-A - 1049 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD161850V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000314246		CHART	2018	12/11/2020	Recurring Cert	Active	Outside Caged Area

Total Objects at this location 1

Location: **Chick-Fil-A - 2455 (Arc3)** **Location ID:** 3950076
Address: 1202 Martin Blvd Middle River, MD 21220-4148 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chick-Fil-A - 2455 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163595V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000321207		CHART	2019	04/16/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Chidos Tex Mex Grill** **Location ID:** 3899453
Address: 1 Restaurant Park Dr Owings Mills, MD 21117-3578 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chidos Tex Mex Grill
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatory@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161757V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000061313	CCIA97A146	CHART	1997	08/13/2020	Recurring Cert	Active	Beverage Carbonation

Total Objects at this location 1

Location: **Chili's Bar & Grill**
Address: 1734 Merritt Blvd Dundalk, MD 21222-3212
County: Baltimore
Primary Contact: Chili's Bar & Grill
Billing Contact:
Cert Contact: Manager on Duty - 1734 Merritt Blvd Dundalk, MD 21222-3212 - Phone: 410-282-0941
Owner Contact: Manager on Duty - 1734 Merritt Blvd Dundalk, MD 21222-3212 - Phone: 410-282-0941
Other Contact(s): Manager on Duty - 1734 Merritt Blvd Dundalk, MD 21222-3212 - Phone: 410-282-0941

Location ID: 3954311
Phone: 410-282-0941
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164210V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000282734		CHART	2016	06/14/2021	Recurring Cert	Active	Outside Closet

Total Objects at this location 1

Location: **Chilis #115479**
Address: 9615 Deereco Rd Lutherville Timonium, MD 21093-6903
County: Baltimore
Primary Contact: Dues and Licenses
Billing Contact: Dues and Licenses - 6820 Lyndon B Johnson Fwy Dallas, TX 75240-6511
Cert Contact:
Owner Contact: Dues and Licenses - 6820 Lyndon B Johnson Fwy Dallas, TX 75240-6511
Other Contact(s): Dues and Licenses - 6820 Lyndon B Johnson Fwy Dallas, TX 75240-6511

Location ID: 3629871
Phone: 0
NOB/SIC:

Copyright © 2020 CentralSquare

My Company Comments: customer owned equipment

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156630V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000102336	SNCGAE99C119	MVE Inc	1999	12/14/2020	Recurring Cert	Active	Inside Kitchen

Total Objects at this location 1

Location: **Chimes Inc**
Address: 3630 Milford Mill Rd Windsor Mill, MD 21244-3328
County: Baltimore
Primary Contact: Scott Miller - Phone: 410 521 1555
Billing Contact: Doug Turnbaugh - 4815 Seton Dr Baltimore, MD 21215-3211 - Phone: 410-358-6400
Cert Contact: Scott Miller - 3630 Milford Mill Rd Windsor Mill, MD 21244-3328 - Phone: 410 521 1555
Owner Contact:
Other Contact(s): Doug Turnbaugh - 4815 Seton Dr Baltimore, MD 21215-3211 - Phone: 410-358-6400
Scott Miller - 3630 Milford Mill Rd Windsor Mill, MD 21244-3328 - Phone: 410 521 1555

Location ID: 706982
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115412H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000065106		A O Smith	1991	10/03/2020	Recurring Cert	Active	Warehouse Storeroom

Total Objects at this location 1

Location: **Chizuk Amuno Congregation**
Address: 8100 Stevenson Rd Pikesville, MD 21208-1866
County: Baltimore
Primary Contact: Glenn Easton, Exec. Dir. - Phone: 410-486-6400 x224

Location ID: 706992
Phone: 410-486-6400
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Chizuk Amuno Congregation - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400

Cert Contact: Glenn Easton, Exec. Dir. - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400 x224

Owner Contact: Glenn Easton, Exec. Dir. - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400 x224

Other Contact(s): Chizuk Amuno Congregation - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400

David R. Bohager, Plant Engineer - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: (410)486-6400 x228 - Email: dbohager@chizukamuno.org

Glenn Easton, Exec. Dir. - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400 x224

Harvey Stambaugh & Sons - unknown unknown, MD 00000

Judy Moy, Do Not Use - 4545 Wheeler Rd Oxon Hill, MD 20745-4300 - Phone: 301-772-3383

Ronald N. Millen, Owner - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: (410)486-6400

Warren DiGuiseppi, Service Mgr. - 4320 Bladensburg Rd Brentwood, MD 20722-1930 - Phone: 301-779-4557

My Company Comments: Chizuk Amuno Boiler Citation Invoice #110811
Inbox
x
_Beth Follow up
x

Glenn S. Easton
Attachments
Tue, Jan 8, 4:35 PM (2 days ago)
to citation.bpv@maryland.gov

Dear Friends,

I write per your instruction to question and contest the attached notice of Boiler Citation Fees in the amount of $1,250 on Invoice #110811. In addition to the financial hardship that the assessment of these fees will bear upon the congregation and schools, we are perplexed as to why these fees are being assessed.

It was our understanding in speaking with the boiler inspectors since last year that our approach to the repairs of our equipment was acceptable. We shut down our boilers when notified to do so and worked with Ms. Elizabeth Sann from your office since October 2018 to complete the repairs and obtain the attached permit approvals.

Please let me know the process for appealing these fees and the person I should speak with to review the activity and conversations since the original inspection notice last spring.

Thank you for your assistance and consideration.

Copyright © 2020 CentralSquare

Sincerely,

Glenn Easton

Glenn S. Easton, FSA, ATz

Executive Director

Chizuk Amuno Congregation & Schools

8100 Stevenson Road

Baltimore, MD 21208

410-486-6400

GEaston@ChizukAmuno.org

www.chizukamuno.org

Follow us on http://www.facebook.com/ChizukAmuno
Chizuk Amuno Congregation - 8100 Stevenson Rd (Location:706992) - 1 followed up

I visited this site to check the status of violations on the chiller. One of the two violations had been corrected, but the olast violation was still open. The Executive Director, Glenn Easton, stated that they were in the process of receiving bids to replace the chillers completely. His phone number is 410-486-6400 ext. 224. MacDonald - 3.28.18
Citation green card received 8/31/18.
Citation should not have been issued to Insurance. Not overdue. Reissue to owners for violation.
Glenn S. Easton
Attachments
Tue, Jan 8, 4:35 PM (21 hours ago)
to citation.bpv@maryland.gov

Dear Friends,

Copyright © 2020 CentralSquare

I write per your instruction to question and contest the attached notice of Boiler Citation Fees in the amount of $1,250 on Invoice #110811. In addition to the financial hardship that the assessment of these fees will bear upon the congregation and schools, we are perplexed as to why these fees are being assessed.

It was our understanding in speaking with the boiler inspectors since last year that our approach to the repairs of our equipment was acceptable. We shut down our boilers when notified to do so and worked with Ms. Elizabeth Sann from your office since October 2018 to complete the repairs and obtain the attached permit approvals.

Please let me know the process for appealing these fees and the person I should speak with to review the activity and conversations since the original inspection notice last spring.

Thank you for your assistance and consideration.

Sincerely,

Glenn Easton

Glenn S. Easton, FSA, ATz

Executive Director

Chizuk Amuno Congregation & Schools

8100 Stevenson Road

Baltimore, MD 21208

Copyright © 2020 CentralSquare

410-486-6400

GEaston@ChizukAmuno.org

www.chizukamuno.org

Follow us on http://www.facebook.com/ChizukAmuno
HSB inspected 9-26-18
I visited the Chizuk Amuno Congregation on 8/29/18 to check the status of long outstanding violations. Before I visited the site, I checked JO and saw that three citations were generated for objects at this location. The engineer on site, John Earle, is new to the job, but stated he had not received a copy of the citations, but his superiors may have.

We looked at each of the objects, and the violations remain. The boilers were open and a technician was working on rebuilding the refactory in each boiler among some other issues. Hartford Steam will be schedule for internals as soon as that work is complete. I gave John Earle the email address for the citation email, and explained to him that he should email this address and see if citations have been issued. JO states that a letter was sent out, but the address on the letter in JO says Hartford Steam.

Are we, as the state, sending out citations to both insurance companies and the owners of businesses?

Jeremy MacDonald
MD DLLR SIU Boiler and Pressure Vessel Inspector
443-869-0265
King Karen - ValleyForge-HSB <karen_king@hsb.com>
AttachmentsAug 30 (11 days ago)
to me
Please see the attached request.

Thank you,

Karen King

Inspection Support Team Lead, Technical Support

The Hartford Steam Boiler Inspection and Insurance Company

150 years of engineering insurance innovation

595 East Swedesford Rd

Wayne, PA 19087

1-800-333-4677 ext. 61445

Copyright © 2020 CentralSquare

Fax: 1-800-224-1712

karen_king@hsb.com
Division of Labor & Industry
Boiler & Pressure Vessel Safety
1100 N. Eutaw St., RM. 605
Baltimore, MD 21201

Subject: Request for Hearing
Public Safety Article, Title 12, Subtitle 9, Annotated Code of Maryland
Code of Maryland Regulations (COMAR) 09.12.01

ATTN: Commission of Labor and Industry

The Hartford Steam Boiler Inspection and Insurance Company hereby requests a hearing with regard to the citation letter received in our office 8/29/2018 for the cited location:

Cited Location: Chizuk Amuno Congregation 6181

Chizuk Amuno Congregation 6181
8100 Stevenson Rd
Pikesville, MD 21208-1866

Registration No. MD009705H, MD009706H

Respectfully,

Chris Mastrolia
Operations Manager, Inspection Services Division
Valley Forge Engineering

MD117451V still has outstanding violation. I explained this in the email and I am waiting on a response.
Mike Nicholes installer (443 992 0072) called to state he installed new equipment that replaces MD117451V. HSB inspector C Browder was onsite 5/23/19.
Sending Mr. Nicholes a Installation form today
Sent email to Jeremy to add NEW to schedule

My Shared Comments:

Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164254V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000269533		Trane	2019	05/23/2021	Recurring Cert	Active	BLRM

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Cinemark - 1072 (AGNC)** **Location ID:** 3630130
Address: 111 E Joppa Rd Towson, MD 21286-3104 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Cinemark - 1072 (AGNC)
Billing Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Cert Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Owner Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com
Other Contact(s): Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBoilerInspections@Airgas.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155602V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000256050	31406649	CHART	2014	02/27/2021	Recurring Cert	Active	sprinkler room

Total Objects at this location 1

Location: **Clark Machine Corp (Keen Compressed Gas)** **Location ID:** 1587506
Address: 1000 Todds Ln Rosedale, MD 21237-2944 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Lynda Hefner - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Billing Contact: Lynda Hefner - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Cert Contact: Lynda Hefner - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Owner Contact: Lynda Hefner - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Other Contact(s): Brian Sanders - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020
Lynda Hefner - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Willard Keen, VP Sales & Marketing - PO Box 15146 101 Rogers Rd Wilmington, DE 19801-5778 - Phone: 302-594-4564 - Email: wkeen@keengas.com

My Company Comments: MacDonald - End of Day Summary 7/15/20 Clark Machine Corp - 1000 Todds Ln (location 1587506)

I visited this location to complete inspection monitoring on a pressure vessel MD121553V. I was not able to get access to the vessel, so I will have to return to the site at a later date and time.

My Shared Comments: Tank Owned by BOC Gases Inc.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121553V	#1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000050963	00000	Minnesota Valley	1995	08/12/2021	Recurring Cert	Active	OUTSIDE

Total Objects at this location 1

Location: **ClarkDietrich Building Systems**
Address: 4601 North Point Blvd Sparrows Point, MD 21219-1007
County: Baltimore
Primary Contact: Clark Steel Framing - Phone: 410-477-4000
Billing Contact: Clark Steel Framing - 4601 N Point Blvd Sparrows Point, MD 21219-1007 - Phone: 410-477-4000
Cert Contact: Clark Steel Framing - 4601 N Point Blvd Sparrows Point, MD 21219-1007 - Phone: 410-477-4000
Owner Contact: Clark Steel Framing - 4601 N Point Blvd Sparrows Point, MD 21219-1007 - Phone: 410-477-4000
Other Contact(s): Clark Steel Framing - 4601 N Point Blvd Sparrows Point, MD 21219-1007 - Phone: 410-477-4000

Location ID: 714486
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001930H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000018620	27789	Cleaver Brooks	1962	12/05/2020	Recurring Cert	Active	Boiler Room
MD062818V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000858197		Wood	1984	12/05/2020	Recurring Cert	Active	Compressor Area
MD065670V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013155		Brunner	1986	12/05/2020	Recurring Cert	Active	back bldg - comp room
MD135835V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00015909 K		Brunner	1996	12/05/2020	Recurring Cert	Active	Rotary Lath -front bldg
MD145379V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000109149		Manchester	2005	12/05/2020	Recurring Cert	Active	back bldg - machine area

Total Objects at this location 5

Copyright © 2020 CentralSquare

Location: **Clarkview Surgery Center**
Location ID: 3974613
Address: 1427 Clarkview Rd Ste 300C Baltimore, MD 21209-2100
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Clarkview Surgery Center
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

My Company Comments: Greg Accompanied me and we were able to both number and register both parts of the autoclave at this location. It took more time for the inspection due to the necessity of getting gowned up for the sterile area, but we were successful still. J. Macdonald 1/7/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165376		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000005332	33809	Chromalox	2008	10/10/2020	Recurring Cert	Active	Sterilization Room
MD165377V		Autoclave	V - Process-Sterilizing	000060628	1089192	Amsco	1989	10/10/2021	Recurring Cert	Active	Sterilization Room

Total Objects at this location 2

Location: **Cleaners Plus**
Location ID: 2400726
Address: 5007 Honeygo Center Dr Perry Hall, MD 21128-8967
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Kate Przybylski, Contractor/Scheduler - Phone: 410-879-2313 - Cell: 410-808-1004 - Email: przy111@aol.com
Billing Contact: Won Choi Suk - 5007 Honeygo Center Dr Suite 106 Perry Hall, MD 21128-8967 - Phone: 410-248-9303
Cert Contact: Won Choi Suk, Owner - 5007 Honeygo Center Dr Suite 106 Perry Hall, MD 21128-8967 - Phone: 410-248-9303
Owner Contact: Won Choi Suk, Owner - 5007 Honeygo Center Dr Suite 106 Perry Hall, MD 21128-8967 - Phone: 410-248-9303
Other Contact(s): Kate Przybylski, Contractor/Scheduler - 2217 Edinburg Dr Fallston, MD 21047-2905 - Phone: 410-879-2313 - Cell: 410-808-1004 - Email: przy111@aol.com
Won Choi Suk, Owner - 5007 Honeygo Center Dr - Suite 106 Perry Hall, MD 21128-8967 - Phone: 410-248-9303

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD130835V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000137812		Trinity	2004	05/27/2022	Recurring Cert	Active	Boiler Room
MD143608	Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000112661	PV548JJ	Fulton	2011	05/27/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Clipper City Brewing Co./Heavy Seas Brewing Co.**
Location ID: 707413
Address: 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624
Phone: 4140-247-7822
County: Baltimore
NOB/SIC:
Primary Contact: Bruce Dombeck - Phone: 443-834-2244
Billing Contact: Bruce Dombeck - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 443-834-2244
Cert Contact: Bruce Dombeck - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 443-834-2244
Owner Contact: Bruce Dombeck - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 443-834-2244
Other Contact(s): Bruce Dombeck - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 443-834-2244
Gary Stambaugh, Sales Manager - 1006 Haverhill Rd Baltimore, MD 21229-5114 - Phone: 410-525-3333
Hugh Sisson - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 410-247-7822 - Email: hugh@ccbeer.com
John Dunnock, QC Manager - 7909 Philadelphia Rd Baltimore, MD 21237-2619 - Phone: 410-866-4900
Scott Dietrich - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4601 - Phone: 410-247-7822

My Company Comments: 2.) Clipper City Brewing - (4615 Hollins Ferry Rd):

I was unable to gain access to this site. The main office for this location has odd hours. Today they did not open until 3pm. I called the number listed and left a voicemail saying who I was and that I needed to register a CO2 tank. I left my name and number but did not receive a call back by end of business today. I circled around the building and was able to see the tank located in a fenced area. I will need to be scheduled back again to try and gain access.
I registered a new CO2 tank at this location. No issues were encountered. The customer advised me that the tank was being removed in a week or 2. The new tank was being installed while i was there. I gave him a copy of the NOI form for the new tank. Rob Snyder 12/7/17

My Shared Comments:

A deputy was scheduled here to clear long standing violations but could not gain access. Mr. Antione (sp?) Brown called in response to paperwork left on site. He says violations have been address so I referred him to his AIA of record HSB
Contact updated.
the customer contact should be Christopher Leonard(Brewmaster/Operations Manager)
leonard@hsbeer.com
office-410-247-7822
cell-610-787-9709

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164273V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089902		Taylor-Wharton	2008	10/07/2021	Recurring Cert	Active	Outside in Caged Area

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Cobblers Cleaners**
Address: 10113 Reisterstown Rd Owings Mills, MD 21117-3814
County: Baltimore
Primary Contact: Cobblers Cleaners
Billing Contact: Cobblers Cleaners - 10113 Reisterstown Rd Owings Mills, MD 21117-3814
Cert Contact: Cobblers Cleaners - 10113 Reisterstown Rd Owings Mills, MD 21117-3814
Owner Contact: Cobblers Cleaners - 10113 Reisterstown Rd Owings Mills, MD 21117-3814
Other Contact(s): Cobblers Cleaners - 10113 Reisterstown Rd Owings Mills, MD 21117-3814
Mama Vida Inc - 10113 Reisterstown Rd Owings Mills, MD 21117-3814 - Phone: 410-363-8860

Location ID: 707456
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115203V	0	Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	0M0228268	0	Trinity	2002	02/24/2021	Recurring Cert	Active	BL RM
MD150770		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000117418		Fulton	2014	03/29/2020	Recurring Cert	Active	Blrm

Total Objects at this location 2

Location: **Collison Body Shop**
Address: 105 Back River Neck Rd Essex, MD 21221-3921
County: Baltimore
Primary Contact: Chuck - Phone: 410 682 5180
Billing Contact: Chuck - 105 Back River Neck Rd Essex, MD 21221-3921 - Phone: 410 682 5180
Cert Contact: Chuck - 105 Back River Neck Rd Essex, MD 21221-3921 - Phone: 410 682 5180
Owner Contact: Chuck - 105 Back River Neck Rd Essex, MD 21221-3921 - Phone: 410 682 5180
Other Contact(s): Chuck - 105 Back River Neck Rd Essex, MD 21221-3921 - Phone: 410 682 5180

Location ID: 714099
Phone: 410-682-5180
NOB/SIC:

My Company Comments: Nicky Collision called, their inspection is set for 11/2/18.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121962V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000792972		Buckeye	1987	10/27/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Comfort Inn** **Location ID:** 708692
Address: 8801 Loch Raven Blvd Towson, MD 21286-2213 **Phone:** 410-882-0900
County: Baltimore **NOB/SIC:**
Primary Contact: Paras Bhavsar, General Manager - Phone: 410-882-0900/443-472-2805 - Email: greenhospitality@gmail.com
Billing Contact: Jay Bhavsar - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900 - Email: bhavsar.jay5@gmail.com
Cert Contact: Jay Bhavsar, General Manager - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900 - Email: bhavsar.jay5@gmail.com
Owner Contact: Paras Bhavsar, General Manager - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900/443-472-2805 - Email: greenhospitality@gmail.com
Other Contact(s): Jay Bhavsar, General Manager - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900 - Email: bhavsar.jay5@gmail.com
Paras Bhavsar, General Manager - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900/443-472-2805 - Email: greenhospitality@gmail.com
Shri Shudha Devi LLC - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 443-472-2805 - Cell: 443-472-2807

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150058H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000116124		RHEEM	2008	05/11/2022	Recurring Cert	Active	PENTHOUSE BLRM
MD150059H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000116127		RHEEM	2008	05/11/2022	Recurring Cert	Active	PENTHOUSE BLRM
MD167241H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000338118		Lochinvar	2019	06/29/2022	Recurring Cert	Active	Penthouse Blrm
MD167242H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000349777		Lochinvar	2019	06/29/2022	Recurring Cert	Active	Penthouse Blrm

Total Objects at this location 4

Copyright © 2020 CentralSquare

Location: **Commercial and Industrial Service Inc.**
Location ID: 723597
Address: 8209 Rosebank Ave Dundalk, MD 21222-2873
Phone: 410-288-4450
County: Baltimore
NOB/SIC:
Primary Contact: Stephen Hughes - Phone: 443 530 6945
Billing Contact: Stephen Hughes - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 443 530 6945
Cert Contact: Stephen Hughes - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 443 530 6945
Owner Contact: Stephen Hughes - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 443 530 6945
Other Contact(s): S & G Motors Inc - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 410-288-4450
Sam Gallo - 601 Delaware Ave Baltimore, MD 21221-4904
Stephen Hughes - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 443 530 6945

My Company Comments: New business, J MacDonald.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000652396		Manchester	1998	11/06/2020	Recurring Cert	Active	O / S Shed

Total Objects at this location 1

Location: **Conrad's Seafood (Arc3)**
Location ID: 3950077
Address: 9654 Belair Rd Nottingham, MD 21236-1129
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Conrad's Seafood (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163586V		Dryer Can	V - Storage (Cryogenic)	000071337		Taylor	2004	04/16/2021	Recurring Cert	Active	Sprinkler Room

Copyright © 2020 CentralSquare

Location: **Constellation/Riverside GenSta**
Location ID: 722921
Address: 4000 Broening Hwy Baltimore, MD 21222
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Douglas Berger - Phone: 443-510-3294
Billing Contact: John Hutchinson - 2900 Lord Baltimore Dr # 104 Baltimore, MD 21244-2619 - Phone: 410-470-8523 - Cell: 443-547-2473/443-536-8675 - Email: john.c.hutchinson@bge.com
Cert Contact: Douglas Berger - 900 Chelsea Rd Perryman, MD 21130 - Phone: 443-510-3294
Owner Contact: Douglas Berger - 900 Chelsea Rd Perryman, MD 21130 - Phone: 443-510-3294
Other Contact(s): Carolyn King - 2301 Market St # S21-1 Philadelphia, PA 19103-1338 - Phone: 215-841-4739 - Email: carolyn.king@exeloncorp.com
Douglas Berger - 900 Chelsea Rd Perryman, MD 21130 - Phone: 443-510-3294
Dusty McKeown, Plant Manager - 4000 Broening Hwy Baltimore, MD 21222 - Cell: 610-731-8159 - Email: dusty.mckeown@exeloncorp.com
John Hutchinson, Engineering Analyst - 2900 Lord Baltimore Dr # 104 Baltimore, MD 21244-2619 - Phone: 410-470-8523 - Cell: 443-547-2473/443-536-8675 - Email: john.c.hutchinson@bge.com
Meghan Daly - 900 Chelsea Rd Perryman, MD 21130 - Phone: 610-609-9100/410-470-4219
Michael Mee, Director of Insurance - 2301 Market Street, S21-2 Philadelphia, PA 19101 - Phone: 215-841-5332 - Email: michael.mee@exelon.com
Michelle Streckfus, Operations Manager - 100 Constellation Way Baltimore, MD 21202-6302 - Cell: 410-978-2623 - Email: Michelle.Streckfus@constellation.com

My Company Comments: Contact update.
Good afternoon. I have recently received the attached notice of inspection for our facilities at Riverside. Unit 4 has been retired as of June 1, 2016 and we are in the process of decommissioning. Andrea Danucalov, copied, has been the lead in this process and has been in communication with our FM Global insurance representative. He is aware of the decommissioning and will be onsite for a formal walkdown in a few weeks. This will include the following BPV#s.

MD034551V
MD034552V
MD034556V
MD034561V
MD034585V
MD034586V
MD034562H

I also have 2 other BPV #s associated with Unit 4 and they are MD004891 and MD034597V. They are not on the attached inspection form, however I would like to make sure they are removed from your list of necessary inspections.

If you have any questions or concerns, feel free to reach out to me as my contact information is below.

Meghan Daly
Engineer - Site
Exelon Power
Perryman, 900 Chelsea Rd, Perryman, MD 21130
Cell // 610.609.9100
Desk // 410.470.4219

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034548V	#1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000123271	00000	Westinghouse	1952	10/14/2020	Recurring Cert	Active	33 KV yard - OCB 33966
MD034549V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000123310	00000	Westinghouse	1952	10/14/2020	Recurring Cert	Active	33 KV yard - Future Black Bus Brkr
MD034567V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000039872		Buffalo Tank Div	1969	10/14/2020	Recurring Cert	Active	Inside #6 Gas Turbine
MD034570V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060435		Richmond Engineering	1969	10/14/2020	Recurring Cert	Active	Outside #6 Gas Turbine
MD034571V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060434		Richmond Engineering	1969	10/14/2020	Recurring Cert	Active	Outside #6 Gas Turbine
MD034572V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000465926		John Wood	1969	10/14/2020	Recurring Cert	Active	#8 Gas Turbine rm
MD034573V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000470612		John Wood	1969	10/14/2020	Recurring Cert	Active	#8 Gas Turbine rm
MD034575V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000470613		John Wood	1969	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm
MD034576V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000464524		John Wood	1969	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm
MD034580V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000136958		Gardner Denver	1976	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm

Copyright © 2020 CentralSquare

MD058650V	#4	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000209027	00000	Westinghouse	1971	10/14/2020	Recurring Cert	Active	230 KV yard - 2317 OCB
MD058651V	#5	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000212360	00000	Westinghouse	1973	10/14/2020	Recurring Cert	Active	230 KV yard - 2345 OCB
MD058652V	#6	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000208923	00000	Westinghouse	1971	10/14/2020	Recurring Cert	Active	230 KV yard - Tie OCB 2339/44
MD148470V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000268222		Morganton	2013	10/14/2020	Recurring Cert	Active	8 gas turbine rm

Total Objects at this location 14

Location: **Corinthian Restaurant**
Location ID: 707936
Address: 7107 Windsor Mill Rd Windsor Mill, MD 21244-3410
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Corinthian Restaurant - Phone: 4102657078
Billing Contact: Corinthian Restaurant - 7107 Windsor Mill Rd Windsor Mill, MD 21244-3410 - Phone: 4102657078
Cert Contact: Corinthian Restaurant - 7107 Windsor Mill Rd Windsor Mill, MD 21244-3410 - Phone: 4102657078
Owner Contact:
Other Contact(s): Corinthian Restaurant - 7107 Windsor Mill Rd Windsor Mill, MD 21244-3410 - Phone: 4102657078

My Company Comments: Tony Michalos called to say the boiler is not operational. I advised him to disconnect it and contact me to schedule an inspector to verify

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114516H	0	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	0	Burnham	2002	10/15/2021	Recurring Cert	Active	basement

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Country Club Cars**
Address: 8606 Wise Ave Dundalk, MD 21222-5050
County: Baltimore
Primary Contact: Country Club Cars - Phone: 4104773100
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Country Club Cars - 8606 Wise Ave Dundalk, MD 21222-5050 - Phone: 4104773100

Location ID: 708024
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135823V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254283		Devilbiss	2009	12/08/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Country Laundry Basket**
Address: 8631 Philadelphia Rd Rosedale, MD 21237-3020
County: Baltimore
Primary Contact: Abraham Daramola, Owner - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Billing Contact: Abraham Daramola - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Cert Contact: Abraham Daramola, Owner - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Owner Contact: Abraham Daramola, Owner - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Other Contact(s): Abraham Daramola, Owner - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Abraham O. Daramola - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792

Location ID: 2001465
Phone: 410-687-5446
NOB/SIC:

My Company Comments:

My Shared Comments:

Mr. Daramola called because of the citation warning. But he said some had been to inspect and said everything was ok., couldn't remember when. I gave him the number for Zurich to see if it was one of their inspectors.

Mr. Daramola called inspection done 4/14/15 report has been entered..
Zurich picked up 3/27/15.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126670H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000059048		Lochinvar	1995	04/14/2021	Recurring Cert	Active	BACK ROOM

Total Objects at this location 1

Location: **Coursey Station Apartments #617**
Address: 200 1st Ave Halethorpe, MD 21227-3031
County: Baltimore
Primary Contact: Coursey Station Apartments #617
Billing Contact: Hal Smith - 320 Cathedral St Baltimore, MD 21201-4421
Cert Contact: Hal Smith - 320 Cathedral St Baltimore, MD 21201-4421
Owner Contact: Hal Smith - 320 Cathedral St Baltimore, MD 21201-4421
Other Contact(s): Hal Smith - 320 Cathedral St Baltimore, MD 21201-4421

Location ID: 708123
Phone: 410-242-6167
NOB/SIC:

My Company Comments: Luther called and schedule the apt

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078099H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD078100H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD078101H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD167291H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000253850		A O Smith	2019	11/26/2021	Recurring Cert	Active	BOILER ROOM
MD167292H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227675		A O Smith	2017	11/26/2021	Recurring Cert	Active	BOILER ROOM

Total Objects at this location 5

Copyright © 2020 CentralSquare

Location: **Courtyard by Marriott Baltimore Hunt Valley**
Address: 221 International Circle Hunt Valley, MD 21030-1303
County: Baltimore

Location ID: 717626
Phone: 410-584-7070
NOB/SIC:

Primary Contact: Len Goodman, General Manager - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Billing Contact: Len Goodman - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Cert Contact: Len Goodman, General Manager - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Owner Contact: Len Goodman, General Manager - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Other Contact(s): Alexander Reath - 1166 Avenue of the Americas Fl 38 New York, NY 10036-2750 - Email: alexander.d.reath@marsh.com
Barbara Perdon-Woods, Risk Engineer - 1299 Zurich Way Schaumburg, IL 60196-5870 - Cell: 908-415-9738 - Email: barbara.perdon-woods@zurichna.com
Ben Forster, Underwriter - 1299 Zurich Way Schaumburg, IL 60196-5870 - Phone: 215-861-6708 - Cell: 860-948-0470 - Email: benjamin.forster@zurichna.com
John Bogan, Senior Vice President - 1166 Avenue of the Americas Fl 38 New York, NY 10036-2750 - Phone: 212-345-7936 - Email: john.bogan@marsh.com
Justin Tyler, Service Manager - 11 Production Ave Keene, NH 03431-3920 - Phone: 603-355-5000 - Cell: 888-466-1070 - Email: jtyler@fentonautosales.com
Laura Kyle, General Manager - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: laura.kyle@marriott.com
Len Goodman, General Manager - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Maurice Cole, Chief Engineer - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: maurice.cole@marriott.com
Richard Reichert - 1166 Avenue of the Americas Fl 38 New York, NY 10036-2750 - Email: richard.reichert@marsh.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115982H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000142724		Lochinvar	2002	03/04/2021	Recurring Cert	Active	Boiler Room
MD115983H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000142723		Lochinvar	2002	03/04/2021	Recurring Cert	Active	Boiler Room
MD115984V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0001175806		Manchester	2001	03/04/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **Crab Quarters** **Location ID:** 708208
Address: 2909 Eastern Blvd Middle River, MD 21220-2804 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Crab Quarters
Billing Contact: Crab Quarters - 1326 Goose Neck Rd Middle River, MD 21220-4027
Cert Contact: Crab Quarters - 1326 Goose Neck Rd Middle River, MD 21220-4027
Owner Contact: Crab Quarters - 1326 Goose Neck Rd Middle River, MD 21220-4027
Other Contact(s): Crab Quarters - 1326 Goose Neck Rd Middle River, MD 21220-4027
Crab Quarters - 2909 Eastern Blvd Middle River, MD 21220-2804 - Phone: 4106862222

My Company Comments: BPV letter returned labeled with updated address, 1326 Goose Neck Rd. 21220-1027, Middle rived 21220-4027.
Crab Quarters: 2909 Eastern Blvd - 708208 - 1 followed up. At this point in the season,the restaurant is only open fri, sat, and sun from noon on. Will check back on a Friday. 1/17/18 JMacDonald
They were closed today. Spoke with Jim Myrick and we will try early next to get the boiler registered. snyder-7/19/18

My Shared Comments: James Myrick 443 324 8778 contacted our office to state the boiler is in operation and is being replaced. He had a death in the family last night and will be contacting his insurance to get a date scheduled for the inspection. I ask him to follow up with us on the scheduled date once it is confirmed /dc 6/2/15

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161476H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000153127		Columbia	2015	04/11/2020	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **Crazy Tuna (Arc3)** **Location ID:** 3949967
Address: 203 Nanticoke Rd Essex, MD 21221-1532 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Crazy Tuna (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD163583V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000230506	CHART	2012	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Crown Shade Co.** **Location ID:** 708364
Address: 775 Chesaco Ave Rosedale, MD 21237-3126 **Phone:** 410-682-4550
County: Baltimore **NOB/SIC:**
Primary Contact: Steven Grodnitzky, President - Phone: 410-682-4450 - Email: steveg@crownshadeco.com
Billing Contact: Steven Grodnitzky - 775 Chesaco Ave Rosedale, MD 21237-3126 - Phone: 410-682-4450 - Email: steveg@crownshadeco.com
Cert Contact: Steven Grodnitzky, President - 775 Chesaco Ave Rosedale, MD 21237-3126 - Phone: 410-682-4450 - Email: steveg@crownshadeco.com
Owner Contact: Steven Grodnitzky, President - 775 Chesaco Ave Rosedale, MD 21237-3126 - Phone: 410-682-4450 - Email: steveg@crownshadeco.com
Other Contact(s): Steven Grodnitzky, President - 775 Chesaco Ave Rosedale, MD 21237-3126 - Phone: 410-682-4450 - Email: steveg@crownshadeco.com

My Company Comments: 410-682-4453 - Steven Grotnitzky called, he spoke with Mike Coleman and the call was received about the reinspection in September. Mr. Grotnitzy will reply to the citation email.
A call from Steve Grodnitzky 410-682-4453, he received a citation. The violation was completed and 2 calls were made to MAC Inspections to let them know. He will call Mike Coleman again.
Good afternoon Beth, I was contacted earlier today by Steve of Crown Shade Co.(Loc ID 708364) concerning their overdue inspection. Steve said he called us back in August and set up the inspection. I was not handling State Inspections at that time, so I'm not sure what happened. We are taking care of his inspection later this afternoon. I'll submit the report as soon as possible. Thank you. MAC Inspection & Welding Agency, LLC
I called MAC Inspection & Welding Agency the 3rd week of August to come out and do the inspection. Until I received the Citation Warning today, I didn't know that they never showed up. I just called them and they are trying get out here today. The person that answered the phone said that the person who was responsible for booking the inspection was no longer with the company.

Rest assured, it will be completed this week.

Thanks,

Steve Grodnitzky | President
Crown Shade Company | www.crownshadeco.com | P 410.682.4450 | F 410.686.6015 | 775 Chesaco Avenue, Baltimore, MD 21237

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136691V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001069900	N/A	Manchester	2009	09/30/2021	Recurring Cert	Active	Plant Rear Bldg
MD159397V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000502076	535111	Morganton	2015	11/27/2020	Recurring Cert	Active	Plant Rear Corner

Copyright © 2020 CentralSquare

		w/comment									

Total Objects at this location 2

Location: **Crystal Cleaners** **Location ID:** 708378
Address: 504 Reisterstown Rd Pikesville, MD 21208-5302 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chang Seok Lee, Owner - Phone: 410-653-0679 - Cell: 410-608-4698 - Email: dovemh@naver.com
Billing Contact: Chang Seok Lee - 504 Reisterstown Rd Pikesville, MD 21208-5302 - Phone: 410-653-0679 - Cell: 410-608-4698 - Email: dovemh@naver.com
Cert Contact: Chang Seok Lee, Owner - 504 Reisterstown Rd Pikesville, MD 21208-5302 - Phone: 410-653-0679 - Cell: 410-608-4698 - Email: dovemh@naver.com
Owner Contact: Chang Seok Lee, Owner - 504 Reisterstown Rd Pikesville, MD 21208-5302 - Phone: 410-653-0679 - Cell: 410-608-4698 - Email: dovemh@naver.com
Other Contact(s): Chang Seok Lee, Owner - 504 Reisterstown Rd Pikesville, MD 21208-5302 - Phone: 410-653-0679 - Cell: 410-608-4698 - Email: dovemh@naver.com
Farmers Loss Control - 6301 Owensmouth Ave Woodland Hills, CA 91367-2216 - Phone: 818-876-3878 - Email: usw_ho.loss.control@farmersinsurance.com

My Company Comments:

My Shared Comments: Per Harry Browder of HSB MD099997V is active at this location. Object had been listed as inactive at Festival Cleaners.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000652294		Manchester	1998	01/28/2021	Recurring Cert	Active	Boiler Rm
MD145377		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000113776	PV211KK	Fulton	2012	01/28/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Cuvino Trattoria Pizza** **Location ID:** 4023162
Address: 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 **Phone:** 410-853-7484
County: Baltimore **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-853-7484
Billing Contact: Manager on Duty - 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 - Phone: 410-853-7484
Cert Contact: Manager on Duty - 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 - Phone: 410-853-7484
Owner Contact: Manager on Duty - 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 - Phone: 410-853-7484
Other Contact(s): Manager on Duty - 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 - Phone: 410-853-7484

My Company Comments: MacDonald - End of Day Summary 6/1/20 CuVino Trattoria Pizza - 31A Padonia (new location)
While completing my inspections yesterday, I came across a strip mall with a few restaurants. I drove around back and noticed that some were not reigstered co2 tanks on JO. I added them in JO and inspected them. MD167228V had no adverse conditions at the time of my inspection.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167228V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004558		Taylor-Wharton	2006	06/01/2022	Recurring Cert	Active	Outside Rear of Bldg

Total Objects at this location 1

Location: **Dash In Shell (Roberts)** **Location ID:** 3992526
Address: 30 Main St Reisterstown, MD 21136-1210 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165366V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021806		Taylor	1996	11/21/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **David Blum Engine (Model)** **Location ID:** 2966949
Address: 3315 Timberfield Ln Pikesville, MD 21208-4425 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: David Blum, owner - Phone: 410 653 2440
Billing Contact: David Blum - 3315 Timberfield Ln Pikesville, MD 21208-4425 - Phone: 410 653 2440
Cert Contact: David Blum, owner - 3315 Timberfield Ln Pikesville, MD 21208-4425 - Phone: 410 653 2440
Owner Contact: David Blum, owner - 3315 Timberfield Ln Pikesville, MD 21208-4425 - Phone: 410 653 2440
Other Contact(s): David Blum, owner - 3315 Timberfield Ln Pikesville, MD 21208-4425 - Phone: 410 653 2440

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139451		Horizontal Fire Tube	M - Model w/comment	Model		Railroad Warehouse	2011	04/08/2021	Recurring Cert	Active	Portable

Total Objects at this location 1

Location: **Day Village**
Location ID: 708669
Address: 505 Avondale Rd Dundalk, MD 21222-6218
Phone: 410-284-7100
County: Baltimore
NOB/SIC:
Primary Contact: Sabrina Gendreau, Senior Manager - Cell: 919 724 0546
Billing Contact: Sabrina Gendreau - 505 Avondale Rd Dundalk, MD 21222-6218 - Cell: 919 724 0546
Cert Contact: Sabrina Gendreau, Senior Manager - 505 Avondale Rd Dundalk, MD 21222-6218 - Cell: 919 724 0546
Owner Contact: Sabrina Gendreau, Senior Manager - 505 Avondale Rd Dundalk, MD 21222-6218 - Cell: 919 724 0546
Other Contact(s): Day Village Laundry - 505 Avondale Rd Dundalk, MD 21222-6218 - Phone: 410-284-7100
Equity Management - 511 N Avondale Rd Dundalk, MD 21222-6218 - Phone: 410 284 7100
Equity Management II, LLC. - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-953-2366
Heather Lundy - 505 Avondale Rd Dundalk, MD 21222-6218 - Phone: 410-284-7100
Sabrina Gendreau, Senior Manager - 505 Avondale Rd Dundalk, MD 21222-6218 - Cell: 919 724 0546

My Company Comments: Sebrina Gendreau stated she will make arrangements to have inspection done asap and will let me know of the scheduled date and company /dc 11/10/15

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131234H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000119507		State	2007	01/21/2022	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **Days Inn**
Location ID: 722378
Address: 8712 Loch Raven Blvd Towson, MD 21286-2209
Phone: 410-823-8750
County: Baltimore
NOB/SIC:
Primary Contact: Jessica Kifer - Phone: 410-823-8750

Copyright © 2020 CentralSquare

Billing Contact: Jessica Kifer - 8712 Loch Raven Blvd Towson, MD 21286-2209 - Phone: 410-823-8750
Cert Contact: Jessica Kifer - 8712 Loch Raven Blvd Towson, MD 21286-2209 - Phone: 410-823-8750
Owner Contact: Jessica Kifer - 8712 Loch Raven Blvd Towson, MD 21286-2209 - Phone: 410-823-8750
Other Contact(s): Carrollton Enterprises - P O Box 400 Beltsville Drive Beltsville, MD 20705 - Phone: 3015727800
Jessica Kifer - 8712 Loch Raven Blvd Towson, MD 21286-2209 - Phone: 410-823-8750
Ramada Inn - 8712 Loch Raven Blvd Towson, MD 21286-2226 - Phone: 410-823-8750

My Company Comments: Insparisk inspected 8-17-18 but did not enter the report till 10-23-18. Cancel Citation Manager informed by email that Insparisk inspected on 8-15-16.
We received a notice that we are non-compliant with our Boiler Inspection. Please see attached documentation showing inspections and repairs were taken care prior to the Expiration date.

See inspection paperwork…Boiler repair and re-inspect paperwork.

I have also contacted Insparisk to make sure they file all of the required documentation properly.

Please let me know how I need to proceed.

Thank you

Jessica

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151602H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000252646		Laars	2013	08/15/2022	Recurring Cert	Active	BOILER ROOM

Total Objects at this location 1

Location: **Della Rosa's Ave Tavern (Arc3)**
Address: 8135 Honeygo Blvd Nottingham, MD 21236-8202
County: Baltimore
Primary Contact: Della Rosa's Ave Tavern (Arc3)

Location ID: 3918182
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161853V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000112494		MVE	1999	12/11/2020	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Denny's**
Address: 101 Orville Rd Essex, MD 21221-1309
County: Baltimore
Primary Contact: Manager on Duty - Phone: 443-969-2308
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Manager on Duty - 101 Orville Rd Essex, MD 21221-1309 - Phone: 443-969-2308

Location ID: 4031766
Phone: 443-969-2308
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167253V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000088074		MVE Inc	1998	07/15/2022	Recurring Cert	Active	Outsied in Trash Area

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Dillon Heights Properties LLC**
Address: 1330 Dillon Heights Ave Catonsville, MD 21228-1122
County: Baltimore
Primary Contact: Dillon Heights Properties LLC
Billing Contact:
Cert Contact:
Owner Contact: Dillon Heights Properties LLC - 6111 Baywood Ave Baltimore, MD 21209-3803
Other Contact(s): Dillon Heights Properties LLC - 6111 Baywood Ave Baltimore, MD 21209-3803
Insect Control And Research Inc - 1330 Dillon Heights Ave Catonsville, MD 21228-1122 - Phone: 4107474500
Nick Spero - 1330 Dillon Heights Ave Catonsville, MD 21228-1122 - Phone: 410-747-7800 - Email: nick@i2LResearch.com
Roobin Todd, Executive Director - 1330 Dillon Heights Ave Catonsville, MD 21228-1122 - Phone: 410-747-4500 - Email: robin@i2LReach.com

Location ID: 714551
Phone: 410-747-4500
NOB/SIC:

My Company Comments: Repairs will take a little more time. I advised him to contact MAC Inspections once the repairs are complete and then contact me with the inspection date.

My Shared Comments: Location name and contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075698H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1965	10/26/2021	Recurring Cert	Active	Furnace Room

Total Objects at this location 1

Location: **Display Craft Manufacturing Co**
Address: 3939 Washington Blvd Halethorpe, MD 21227-4132
County: Baltimore
Primary Contact: Display Craft Manufacturing Co - Phone: 410-242-0400
Billing Contact: Eric Sullivan - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400
Cert Contact: Eric Sullivan - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400
Owner Contact: Eric Sullivan - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400
Other Contact(s): Display Craft Manufacturing Co - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400
Eric Sullivan - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400

Location ID: 708990
Phone:
NOB/SIC:

My Company Comments: Owner and cert contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD121985V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000231833	Steel Fab	2000	03/12/2021	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Don White's Timonium Chrysler Inc**
Location ID: 726650
Address: 10300 York Rd Cockeysville, MD 21030-3203
Phone: 410-666-9600
County: Baltimore
NOB/SIC:
Primary Contact: Kevin Carroll, Fixed Operations Manager - Phone: 410-666-9600 x278 - Email: kcarroll@donwhites.com
Billing Contact: Kevin Carroll - 10300 York Rd Cockeysville, MD 21030-3203 - Phone: 410-666-9600 x278 - Email: kcarroll@donwhites.com
Cert Contact: Kevin Carroll, Fixed Operations Manager - 10300 York Rd Cockeysville, MD 21030-3203 - Phone: 410-666-9600 x278 - Email: kcarroll@donwhites.com
Owner Contact: Kevin Carroll, Fixed Operations Manager - 10300 York Rd Cockeysville, MD 21030-3203 - Phone: 410-666-9600 x278 - Email: kcarroll@donwhites.com
Other Contact(s): Jerry Grabowski, Service Manager - 10300 York Rd Cockeysville, MD 21030-3203 - Phone: 410-666-9600
Kevin Carroll, Fixed Operations Manager - 10300 York Rd Cockeysville, MD 21030-3203 - Phone: 410-666-9600 x278 - Email: kcarroll@donwhites.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042019V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000480479		Wood	1970	02/13/2021	Recurring Cert	Active	MAINT SHOP

Total Objects at this location 1

Location: **Dons Auto Service**
Location ID: 3931008
Address: 4048 N Point Blvd Dundalk, MD 21222-3618
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Dons Auto Service
Billing Contact:
Cert Contact: Dons Auto Service - 4048 N Point Blvd Dundalk, MD 21222-3618 - Phone: 443 977 9992
Owner Contact:
Other Contact(s): Dons Auto Service - 4048 N Point Blvd Dundalk, MD 21222-3618 - Phone: 443 977 9992

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163555V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000543740		Trinity	2005	03/11/2021	Recurring Cert	Active	SHOP

Total Objects at this location 1

Location: **Dons Crabs**
Location ID: 709102
Address: 1764 E Joppa Rd Parkville, MD 21234-3620
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jeff Hubbard, Owner - Cell: 443-324-2422 - Email: jeffhubbard6625@gmail.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Chris Hubbard, Owner - 1764 E Joppa Rd Parkville, MD 21234-3620 - Phone: 410-661-1232 - Cell: 443-324-2423 - Email: jeffhubbard6625@jmail.com
Jeff Hubbard, Owner - 1764 E Joppa Rd Parkville, MD 21234-3620 - Cell: 443-324-2422 - Email: jeffhubbard6625@gmail.com

My Company Comments: Don's Crabs - 1764 E Joppa Rd (Location 709102) I was visiting this location to number a new boiler and inspect it. I completed this task without issue. While I was there, I noticed that the other boiler on site had some previous violations listed. The second boiler still has not been fixed, but it has been shut off and is no longer in use. The owner plans to replace this older boiler with a new one once they can get the money together. I advised the owner that if the boiler is no longer in use; disconnect water, electric, and fuel sources so that we can make the boiler inactive. Otherwise, the violations will remain outstanding and it will continue to be inspected. They seemed to understand this.

J. MacDonald 1/15/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164255H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	000154469		Columbia	2018	11/11/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Dunhill Village Apartments** **Location ID:** 709343
Address: 7906 Dunhill Village Cir Windsor Mill, MD 21244-3619 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Amber Overholtzer, Exec. Support Mgr. - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Billing Contact: Amber Overholtzer - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Cert Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Owner Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Other Contact(s): Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Dunhill Village Apartments - 7910 Dunhill Village Circle - Rental Office Windsor Mill, MD 21244 - Phone: 4109221010
Gerald Broussard, Property Manager - 7906 Dunhill Village Cir Windsor Mill, MD 21244-3619 - Phone: 410-922-1010 - Email: dhnorthpm@signatureprops.net
Rasheida Mahone, Community Manager - 7910 Dunhill Village Cir Baltimore, MD 21244-3614 - Phone: 410-922-1010 - Email: rmahone@kayapartments.com

My Company Comments: MacDonald - 9/5/19 Dunhill Village Apartments (Location:709343) - 7906 Dunhill Village Cir - 2 CEDs

Because I was not able to get into two of my scheduled sites today, I visited another location with two boilers on site. I was able to number a new boiler, as well as verify that another boiler with a long outstanding violation had been corrected.
Sent email to Jeremy to add NEW to schedule

My Shared Comments: Not FM Global insured effective 7/11/2002 - BLJ 2/4/2004

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164263H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129669		Bradford White	2018	05/17/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **Dunhill Village Apartments** **Location ID:** 709344
Address: 7916 Dunhill Village Cir Windsor Mill, MD 21244-3627 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Amber Overholtzer, Exec. Support Mgr. - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Billing Contact: Amber Overholtzer - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Cert Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Owner Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Other Contact(s): Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Dunhill Village Apartments - 7910 Dunhill Village Circle - Rental Office Windsor Mill, MD 21244 - Phone: 4109221010
Rasheida Mahone, Community Manager - 7910 Dunhill Village Cir Baltimore, MD 21244-3614 - Phone: 410-922-1010 - Email: rmahone@kayapartments.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152043H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000177947	1308m000112	State Industries	2013	07/22/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **Dunhill Village Apartments** **Location ID:** 996983
Address: 7922 Dunhill Village Cir Windsor Mill, MD 21244-3633 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Amber Overholtzer, Exec. Support Mgr. - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Billing Contact: Amber Overholtzer - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Cert Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Owner Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Other Contact(s): Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Dunhill Village Apartments - 7910 Dunhill Village Circle - Rental Office Windsor Mill, MD 21244 - Phone: 4109221010
Rasheida Mahone, Community Manager - 7910 Dunhill Village Cir Baltimore, MD 21244-3614 - Phone: 410-922-1010 - Email: rmahone@kayapartments.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154589H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109481	lk35210829	Jet Glass	2014	07/22/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **Dunhill Village Apartments** **Location ID:** 709341
Address: 7928 Dunhill Village Cir Windsor Mill, MD 21244-3639 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Amber Overholtzer, Exec. Support Mgr. - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Billing Contact: Amber Overholtzer - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Cert Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Copyright © 2020 CentralSquare

Owner Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Other Contact(s): Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Dunhill Village Apartments - 7910 Dunhill Village Circle - Rental Office Windsor Mill, MD 21244 - Phone: 4109221010
Rasheida Mahone, Community Manager - 7910 Dunhill Village Cir Baltimore, MD 21244-3614 - Phone: 410-922-1010 - Email: rmahone@kayapartments.com

My Company Comments:

My Shared Comments: Not FM Global insured effective 7/11/2002 - BLJ 2/4/2004

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152044H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000107013	lc34197548	Bradford White	2014	07/22/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Location: **Dunhill Village Apartments** **Location ID:** 709345
Address: 7938 Dunhill Village Cir Windsor Mill, MD 21244-3649 **Phone:**
County: Baltimore **NOB/SIC:**

Primary Contact: Amber Overholtzer, Exec. Support Mgr. - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Billing Contact: Amber Overholtzer - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Cert Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Owner Contact: Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net

Other Contact(s): Amber Overholtzer, Exec. Support Mgr. - 1700 Reisterstown Rd Ste 215 Pikesville, MD 21208-1416 - Phone: 443-898-6621 - Email: ambero@signatureprops.net
Dunhill Village Apartments - 7910 Dunhill Village Circle - Rental Office Windsor Mill, MD 21244 - Phone: 4109221010
Rasheida Mahone, Community Manager - 7910 Dunhill Village Cir Baltimore, MD 21244-3614 - Phone: 410-922-1010 - Email: rmahone@kayapartments.com

My Company Comments:

My Shared Comments: Not FM Global insured effective 7/11/2002 - BLJ 2/4/2004

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129396H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000071102		Bradford White	2005	07/22/2021	Recurring Cert	Active	Laundry

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Eastern Crane Service** **Location ID:** 709532
Address: 7910 Stansbury Rd Dundalk, MD 21222-5523 **Phone:** 410-288-2525
County: Baltimore **NOB/SIC:**
Primary Contact: Ken Mroz - Phone: 410 288 2525 - Email: easterncrane@verizon.net
Billing Contact: Ken Mroz - 7910 Stansbury Rd Dundalk, MD 21222-5523 - Phone: 410 288 2525 - Email: easterncrane@verizon.net
Cert Contact: Ken Mroz - 7910 Stansbury Rd Dundalk, MD 21222-5523 - Phone: 410 288 2525 - Email: easterncrane@verizon.net
Owner Contact: Ken Mroz - 7910 Stansbury Rd Dundalk, MD 21222-5523 - Phone: 410 288 2525 - Email: easterncrane@verizon.net
Other Contact(s): Ken Mroz - 7910 Stansbury Rd Dundalk, MD 21222-5523 - Phone: 410 288 2525 - Email: easterncrane@verizon.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086737V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040269		Stoystown	1985	07/07/2020	Recurring Cert	Active	Compressor Room
MD109645V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142087	N/A	John Wood	1954	07/07/2020	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **Eastern LFG** **Location ID:** 3988179
Address: 6259 Days Cove Rd White Marsh, MD 21162-1205 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Shane Willis - Cell: 570-560-0344
Billing Contact: Shane Willis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Cell: 570-560-0344
Cert Contact: Shane Willis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Cell: 570-560-0344
Owner Contact: Shane Willis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Cell: 570-560-0344
Other Contact(s): Joseph Navarra, Loss Control Administrator - 701 9th St NW MS EP5623 Washington, DC 20001-4572 - Phone: 202-872-2195/2196 - Email: jlnavarra@pepco.com
Shane Willis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Cell: 570-560-0344

My Company Comments: 610-557-1884- I received a call from Ed Werkheiser, EPP Asset Mgr. in PA. They took over this property and noticed 2 air tanks without MD tags. He emailed the on-site contact and will find out who their insurance is.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088745V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001112008		Manchester	1993	04/23/2021	Recurring Cert	Active	Bldg. 1, First Floor, Furnace/Laundry Rm
MD166337V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499092		Morganton	2015	01/23/2022	Recurring Cert	Active	Flare Site Shop
MD166338V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000475340		Morganton	2015	01/23/2022	Recurring Cert	Active	Flare Site Shop

Total Objects at this location 3

Location: **Eastern Lift Truck Co.**
Location ID: 709547
Address: 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933
Phone: 410-247-8844
County: Baltimore
NOB/SIC:
Primary Contact: Eastern Lift Truck Co - Phone: 410 247 8844
Billing Contact: Eastern Lift Truck Co - 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933 - Phone: 410 247 8844
Cert Contact: Eastern Lift Truck Co - 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933 - Phone: 410 247 8844
Owner Contact: Eastern Lift Truck Co - 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933 - Phone: 410 247 8844
Other Contact(s): Eastern Lift Truck Co - 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933 - Phone: 410 247 8844
Power House Equipment - 2201 Mt Ephraim Ave Curtis Bay, MD 21226 - Phone: 0000000000

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151831V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000352399		Morganton	2014	05/11/2021	Recurring Cert	Active	Shop
MD157716V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000553449		Morganton	2016	05/12/2021	Recurring Cert	Active	shop

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Eastern Plating Co.**
Address: 7803 Pulaski Hwy Rosedale, MD 21237-2607
County: Baltimore
Primary Contact: Eastern Plating Co. - Phone: 410-682-4500
Billing Contact: Eastern Plating Co. - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500
Cert Contact: Terri Devor - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500
Owner Contact: Eastern Plating Co. - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500
Other Contact(s): Eastern Plating Co. - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500
Fabiola Rincon - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500
Terri Devor - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500

Location ID: 3331354
Phone: 410-682-4500
NOB/SIC:

My Company Comments: Moved MD129976V from 722540, Bought by Eastern Plating 6/2016, will have inspected and is sending the NOI. Terri Devor, email 7/11/16. NB number, manufacturer and model year confirmed 7/11/16 by email.

My Shared Comments:
Contact update.
Owners' rep. called about BPV form. They have moved to this location with the objects from old location (709556). They also have two new objects. Sending notice of installation and CSD-1 forms. They are contacting Insparisk.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129976V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012848	18114	Air Com	2007	06/04/2021	Recurring Cert	Active	Plant Mezzanine
MD130121V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000250794		Steel Fab	2000	06/04/2021	Recurring Cert	Active	Bldg 2 Plant Floor
MD130122V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000131470		Manchester	1985	06/04/2021	Recurring Cert	Active	Bldg 2 Plant Floor
MD146166H		Cast Iron	H - Heating-Other w/comment (Stm <= 15 psig or Water <= 160 psig, 250 F)	CI	19A-06138	BFC	2006	06/04/2021	Recurring Cert	Active	Boiler Room
MD146179V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000529333		Steel Fab	2008	06/04/2021	Recurring Cert	Active	Plant Mezzanine

Copyright © 2020 CentralSquare

MD161791V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000879095	Steel Fab	2018	06/04/2021	Recurring Cert	Active	Bldg 2 Rear Floor
MD167251V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000938897	Samuels	2020	06/16/2022	Recurring Cert	Active	Outside
MD167252V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000938988	Samuels	2020	06/16/2022	Recurring Cert	Active	Outside

Total Objects at this location 8

Location: **Eastpoint Mall** **Location ID:** 709618
Address: 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 **Phone:** 410-284-0934
County: Baltimore **NOB/SIC:**
Primary Contact: Mark Shaw, Building Engineer - Phone: 410-406-5108 - Email: mshaw@eastpointmall.com
Billing Contact: Mark Shaw - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-406-5108 - Email: mshaw@eastpointmall.com
Cert Contact: Mark Shaw, Building Engineer - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-406-5108 - Email: mshaw@eastpointmall.com
Owner Contact: Mark Shaw, Building Engineer - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-406-5108 - Email: mshaw@eastpointmall.com
Other Contact(s): Andres Sarda, Operations Manager - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-284-0934 x135 - Cell: 443-798-8939 - Email: asarda@eastpointmall.com

Dwight Jones, Operation Manager - 25 W 39th St Fl 11 New York, NY 10018 - Phone: 410-284-0934

Dwight Jones, Operations Manager - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-284-0934 Ext103 - Cell: 443-413-8671 - Email: dwight.jones@am.jll.com

Germaine Moore - 7839 Eastern Mall Ste 10 Baltimore, MD 21224 - Phone: 410 792 0536

Germaine Moore - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-284-0934

Jones Lang Lasalle Americas, Inc. - 7839 Eastpoint Mall Baltimore, MD 21224-2116 - Phone: 410-284-0934

Mark Shaw, Building Engineer - 7839 Eastpoint Mall Ste 10 Baltimore, MD 21224-2147 - Phone: 410-406-5108 - Email: mshaw@eastpointmall.com

Mark Shaw, Operations Manager - 7839 Eastpoint Mall Suite 10 Baltimore, MD 21224-2147 - Phone: 410-245-6896 - Email: mshaw@eastpointmall.com

My Company Comments: Insparisk entered their 4/29/19 inspection 7/10/19. Please close the citation and do not invoice.

My Shared Comments: FMGlobal insures this location as of 2/2008.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004787H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G-67	American Standard	1954	04/01/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Echo Fresco (Arc3)** **Location ID:** 3925612
Address: 100 Shawan Rd Cockeysville, MD 21030-1459 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Echo Fresco (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163490V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128631	CGAR01D114	CHART	2001	02/27/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Ed and Jims Body Shop Inc** **Location ID:** 754014
Address: 8902 Audrey Ave Baltimore, MD 21234-2602 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Denny Spataro - Phone: 410-665-0047
Billing Contact: Denny Spataro - 8902 Audrey Ave Baltimore, MD 21234-2602 - Phone: 410-665-0047
Cert Contact: Denny Spataro - 8902 Audrey Ave Baltimore, MD 21234-2602 - Phone: 410-665-0047
Owner Contact: Denny Spataro - 8902 Audrey Ave Baltimore, MD 21234-2602 - Phone: 410-665-0047
Other Contact(s): Denny Spataro - 8902 Audrey Ave Baltimore, MD 21234-2602 - Phone: 410-665-0047

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157747V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001747499		Manchester	2016	04/11/2021	Recurring Cert	Active	BK SHED

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Edgemere Terminals**
Address: 8004 Stansbury Rd Dundalk, MD 21222-5500
County: Baltimore
Primary Contact: Edgemere Terminals
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Gary , Mechanic - 8004 Stansbury Rd Dundalk, MD 21222-5524 - Phone: 410 282 4420
My Company Comments:
My Shared Comments:

Location ID: 709711
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091447V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000577802		Melben	1995	01/30/2021	Recurring Cert	Active	Warehouse
MD135821V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000190449		Manchester	2008	01/30/2021	Recurring Cert	Active	Warehouse

Total Objects at this location 2

Location: **Edorrito**
Address: 5203B Campbell Blvd Nottingham, MD 21236-5047
County: Baltimore
Primary Contact: Edorrito - Phone: 410-933-8888
Billing Contact: Edorrito - 5203B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-933-8888
Cert Contact: Edorrito - 5203B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-933-8888
Owner Contact: Edorrito - 5203B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-933-8888
Other Contact(s): Edorrito - 5203B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-933-8888
My Company Comments:
My Shared Comments:

Location ID: 4018717
Phone: 410-933-8888
NOB/SIC:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166521V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068641		MVE Inc	1997	05/01/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **El Gran Pollo (Arc3)** **Location ID:** 3992523
Address: 75 Main St Reisterstown, MD 21136-1215 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: El Gran Pollo (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166326V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000288971		CHART	2016	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **El Salto Mexican Rest (Arc3)** **Location ID:** 4039047
Address: 4335 Ebenezer Rd Nottingham, MD 21236-2143 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: El Salto Mexican Rest (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000122142		MVE	2000	08/27/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Emmanuel Tire, LLC**
Address: 4653 Hollins Ferry Rd Halethorpe, MD 21227-4601
County: Baltimore
Primary Contact: Emmanuel Tire, LLC
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

My Company Comments:

My Shared Comments:

Location ID: 4040832
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167302V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000113572		Manchester	2002	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage
MD167303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	526453		Steel Fab	2008	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage
MD167304V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	202254		Manchester	2003	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **EW Auto Shop**
Location ID: 711342
Address: 7208 Windsor Mill Rd Windsor Mill, MD 21244-2889
Phone: 410-944-6112
County: Baltimore
NOB/SIC:
Primary Contact: EW Auto Shop - Phone: 410-944-6112 - Email: ewautoshop@yahoo.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): EW Auto Shop - 7208 Windsor Mill Rd Windsor Mill, MD 21244-2889 - Phone: 410-944-6112 - Email: ewautoshop@yahoo.com
Freds Auto Shop - 7208 Windsor Mill Rd Windsor Mill, MD 21244-2836 - Phone: 4105835657

My Company Comments:

My Shared Comments:
Mike Coleman of MIWA, LLC was here & discovered that overdue PV has been disconnected & replaced. He is submitting forms & a State Deputy will be scheduled to complete registration.
No one contacted me back so I called today only for them to say they are giving Walter my information to call me back
sent AIA list by email
spoke to Walter he states he will contact someone this week and get back to me

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149730V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001789184		CAMPBELL	2012	01/28/2021	Recurring Cert	Active	Compressor Area

Total Objects at this location 1

Location: **Excel Car Care Center**
Location ID: 710202
Address: 1701 Taylor Ave Parkville, MD 21234-6109
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Excel Car Care Center - Phone: 4106689828
Billing Contact: Excel Car Care Center - 1701 Taylor Ave Parkville, MD 21234-6109 - Phone: 4106689828
Cert Contact: Excel Car Care Center - 1701 Taylor Ave Parkville, MD 21234-6109 - Phone: 4106689828
Owner Contact:
Other Contact(s): Excel Car Care Center - 1701 Taylor Ave Parkville, MD 21234-6109 - Phone: 4106689828

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD050138V	0	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000216194	0	John Wood	1960	11/18/2020	Recurring Cert	Active	STORAGE ROOM

Total Objects at this location 1

Location: **Exxon - On the Run (Arc3)**
Location ID: 3949968
Address: 100 Back River rd Essex, MD 21221
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Exxon - On the Run (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163580V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151135		CHART	2003	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Faith Brethren In Christ**
Location ID: 710386
Address: 611 S Marlyn Ave Essex, MD 21221-5235
Phone: 410-687-0701
County: Baltimore
NOB/SIC:
Primary Contact: John Melhorn, Pastor - Phone: 410-687-0701 - Email: jmelhorn@verizon.net
Billing Contact: John Melhorn - 611 S Marlyn Ave Essex, MD 21221-5235 - Phone: 410-687-0701 - Email: jmelhorn@verizon.net
Cert Contact: John Melhorn, Pastor - 611 S Marlyn Ave Essex, MD 21221-5235 - Phone: 410-687-0701 - Email: jmelhorn@verizon.net
Owner Contact: John Melhorn, Pastor - 611 S Marlyn Ave Essex, MD 21221-5235 - Phone: 410-687-0701 - Email: jmelhorn@verizon.net
Other Contact(s): Bitner-Henry Insurance Agy Inc - 401 E Antietam, Ste B Hagerstown, MD 21740 - Phone: (800)231-9963
John Melhorn, Pastor - 611 S Marlyn Ave Essex, MD 21221-5235 - Phone: 410-687-0701 - Email: jmelhorn@verizon.net

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119878H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	09/29/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Family Car Care**
Address: 9126 Harford Rd Parkville, MD 21234-3101
County: Baltimore
Primary Contact: Family Car Care
Billing Contact: Family Car Care - 9126 Harford Rd Parkville, MD 21234-3101
Cert Contact: Family Car Care - 9126 Harford Rd Parkville, MD 21234-3101
Owner Contact: Family Car Care - 9126 Harford Rd Parkville, MD 21234-3101
Other Contact(s): Family Car Care - 9126 Harford Rd Parkville, MD 21234-3101
Mark Beichler, Manager - 9126 Harford Rd Parkville, MD 21234-3101 - Phone: 410-665-4100
Steve Cascio - 9126 Harford Rd Parkville, MD 21234-3101 - Phone: 410-665-5100 - Email: carneytire@gmail.com

Location ID: 706026
Phone:
NOB/SIC:

My Company Comments:
Carney Tire #706026
MD112184V certificate issued S. Reynolds 2-8-18
Cert returned , envelope dated 7/8/16, labeled RTS, not deliverable as addressed. Google has location listed as closed.
citation returned- unable to forward

Unable to gain access to the location. It has changed names. It is now Family Car Care, and the number is 410-665-5600. Called and left voicemail to schedule inspection. 4/27/20 JMacDonald

My Shared Comments:
Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112184V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001188419		Manchester	2001	11/19/2021	Recurring Cert	Active	Outside Shed Rear of Building

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Fatties Bar & Grill (Arc3)** **Location ID:** 3949962
Address: 1030 Old Eastern Ave Essex, MD 21221-3705 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Fatties Bar & Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163591V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142632		CHART	2002	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Fazzini's Tavern (Arc3)** **Location ID:** 3925619
Address: 9811 York Rd Cockeysville, MD 21030-4913 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Fazzini's Tavern (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163492V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000154160		CHART	2004	02/27/2021	Recurring Cert	Active	Kitchen

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Fire Museum Of Maryland (Antique)**
Location ID: 710690
Address: 1301 York Rd Lutherville Timonium, MD 21093-6035
Phone: 410-321-7500
County: Baltimore
NOB/SIC:
Primary Contact: Stephen G. Heaver, Jr., Curator - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org
Billing Contact: Stephen G. Heaver, Jr. - 1301 York Rd Lutherville Timonium, MD 21093-6023 - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org
Cert Contact: Stephen G. Heaver, Jr., Curator - 1301 York Rd Lutherville Timonium, MD 21093-6023 - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org
Owner Contact: Stephen G. Heaver, Jr., Curator - 1301 York Rd Lutherville Timonium, MD 21093-6023 - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org
Other Contact(s): Gary Stambaugh, Sales Manager - 1006 Haverhill Rd Baltimore, MD 21229-5114 - Phone: 410-525-3333
Stephen G. Heaver, Jr., Curator - 1301 York Rd Lutherville Timonium, MD 21093-6023 - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org

My Company Comments: The boiler is no longer at the site. It is currently in maine and having a new boiler rebuilt for the application. It is my understanding that it will come with a new number on the new boiler. The boiler will not be completed until February, so at this time I am making the object inactive so that we do not keep getting sent back to an area that has no boiler present. 10/25/16 JMacDonald

The operating engineer is clear that before the new boiler can be put back into service, a hydro test as well as an internal certificate inspection will need to be completed.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156547		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000000004		Boothbay Railway	2017	05/08/2021	Recurring Cert	Active	portable

Total Objects at this location 1

Location: **Firestone - 0428**
Location ID: 710720
Address: 5610 Baltimore National Pike Catonsville, MD 21228-1401
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Firestone - 0428
Billing Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Cert Contact:
Owner Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Other Contact(s): Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123241V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001168230		Manchester	2001	06/14/2022	Recurring Cert	Active	shop
MD123242V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001194541		Manchester	2001	06/14/2022	Recurring Cert	Active	shop

Total Objects at this location 2

Location: **Firestone - 0455**
Address: 1737 York Rd Lutherville Timonium, MD 21093-5607
County: Baltimore
Primary Contact: Firestone - 0455
Billing Contact: Firestone - 0455 - 1737 York Rd Lutherville Timonium, MD 21093-5607 - Phone: 41-252-7720
Cert Contact: Firestone - 0455 - 1737 York Rd Lutherville Timonium, MD 21093-5607 - Phone: 41-252-7720
Owner Contact: Firestone - 0455 - 1737 York Rd Lutherville Timonium, MD 21093-5607 - Phone: 41-252-7720
Other Contact(s): Firestone - 0455 - 1737 York Rd Lutherville Timonium, MD 21093-5607 - Phone: 41-252-7720

My Company Comments:

My Shared Comments:

Location ID: 710710
Phone: 410-252-7720
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD038957V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000233678		Wayne	1971	05/13/2022	Recurring Cert	Active	Storage Room
MD167305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002111635		Manchester	2019	03/04/2022	Recurring Cert	Active	Equipment Area

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Firestone - 0456**
Address: 1100 N Rolling Rd Catonsville, MD 21228
County: Baltimore
Primary Contact: Firestone - 0456
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
My Company Comments:
My Shared Comments:

Location ID: 710703
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119389V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000772945		Manchester	1999	06/14/2022	Recurring Cert	Active	Store Room
MD119390V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000196549		Manchester	2003	06/14/2022	Recurring Cert	Active	Store Room

Total Objects at this location 2

Location: **Firestone Complete Auto Care**
Address: 8016 Liberty Rd Windsor Mill, MD 21244-2967
County: Baltimore
Primary Contact: Firestone Complete Auto Care - Phone: 443-272-5183
Billing Contact: Firestone Complete Auto Care - 8016 Liberty Rd Windsor Mill, MD 21244-2967 - Phone: 443-272-5183
Cert Contact: Firestone Complete Auto Care - 8016 Liberty Rd Windsor Mill, MD 21244-2967 - Phone: 443-272-5183
Owner Contact: Firestone Complete Auto Care - 8016 Liberty Rd Windsor Mill, MD 21244-2967 - Phone: 443-272-5183
Other Contact(s): Firestone Complete Auto Care - 8016 Liberty Rd Windsor Mill, MD 21244-2967 - Phone: 443-272-5183
My Company Comments:
My Shared Comments:

Location ID: 710730
Phone: 443-272-5183
NOB/SIC:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152998V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000257067		Morganton	2013	09/09/2022	Recurring Cert	Active	Basement Tire storage
MD166551V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0002154574		Manchester	2019	11/18/2023	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: **First Financial Federal Credit Union** **Location ID:** 701767
Address: 1215 York Road Lutherville/Timonium, MD 21093-6207 **Phone:** 410-321-6060
County: Baltimore **NOB/SIC:**
Primary Contact: Ronald Shockley - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org
Billing Contact: Ronald Shockley - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org
Cert Contact: Ronald Shockley - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org
Owner Contact: Ronald Shockley - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org
Other Contact(s): Justin Rosemore, Owner - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 443-801-7151 - Email: justin@rosemore.net
Ronald Shockley - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD033909H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1972	08/16/2020	Recurring Cert	Active	Mechanical Room
MD071713H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A85-141	H B Smith	1983	08/16/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Flavor & Fragrance Specialties** **Location ID:** 710800
Address: 8800 Kelso Dr Ste P Essex, MD 21221-3125 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Flavor & Fragrance Specialties - Phone: 410-574-4101
Billing Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Cert Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101

Copyright © 2020 CentralSquare

Owner Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101

Other Contact(s): Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Charles E. Hensler - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101 - Email: C.hensler@ffs.com
David Poole, Maintenance Supervisor - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Flavor & Fragrance Specialties - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Grover Alexander Jr., Owner - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101

My Company Comments: Contact update, MD163482V is located at 8803 Kelso.
Kormick Janice - Hartford-Remote-HSB
8:50 AM (2 hours ago)
to me, Kristin

Elizabeth

Please mark your records that this equipment will be inspected on 1/23/19 in the AM.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163480V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000758883		Morganton	2018	01/22/2021	Recurring Cert	Active	FLAVOR
MD163481V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000729273		Morganton	2018	01/22/2021	Recurring Cert	Active	8803 AIR

Total Objects at this location 2

Location: **Flavor & Fragrance Specialties**
Address: 8803 Kelso Dr Essex, MD 21221-3112
County: Baltimore
Location ID: 728670
Phone: 410-687-8500
NOB/SIC:

Primary Contact: Bryan Duzan - Phone: 410-574-4101
Billing Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Cert Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Owner Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Other Contact(s): Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101
Wendell Textiles - 8803 Kelso Dr Essex, MD 21221-3112 - Phone: 410-687-8500

My Company Comments: Location name and contact update.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163482V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000442435		Manchester	2018	01/22/2021	Recurring Cert	Active	8803 N2

Total Objects at this location 1

Location: **Fleet Pride/Quest Diagnostics** **Location ID:** 715474
Address: 1715 Twin Springs Rd # 111 Halethorpe, MD 21227-3553 **Phone:** 410-355-8686
County: Baltimore **NOB/SIC:**
Primary Contact: John Huhn, Area Manager - Phone: 410-355-8686 - Cell: 410-725-6345 - Email: john.kuhn@fleetpride.com
Billing Contact: AP - 600 Las Colinas Blvd E Ste 400 Irving, TX 75039-5637 - Email: ap@fleetpride.com
Cert Contact: Mark Rockwood, Project Manager - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 214-240-4936 - Email: mark.rockwood@fleetpride.com
Owner Contact: Mark Rockwood, Project Manager - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 214-240-4936 - Email: mark.rockwood@fleetpride.com
Other Contact(s): AP - 600 Las Colinas Blvd E Ste 400 Irving, TX 75039-5637 - Email: ap@fleetpride.com
John Huhn, Area Manager - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 410-355-8686 - Cell: 410-725-6345 - Email: john.kuhn@fleetpride.com
Keller Truck Equipment Co - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 4103558686
Mark Rockwood, Project Manager - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 214-240-4936 - Email: mark.rockwood@fleetpride.com
Von Jackson - 3530 S Hanover St Brooklyn, MD 21225-1732 - Phone: 410-355-8686

My Company Comments: New address updated from 3530 S Hanover St.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093203V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000527343		Melben	1995	03/09/2022	Recurring Cert	Active	Drum Room

Total Objects at this location 1

Location: **Floors Etc.** **Location ID:** 3352409
Address: 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 **Phone:** 410-329-9680
County: Baltimore **NOB/SIC:**
Primary Contact: Elton Streeter, Warehouse Mgr - Phone: 410-329-9680 X136

Copyright © 2020 CentralSquare

Billing Contact: Elton Streeter - 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 - Phone: 410-329-9680 X136
Cert Contact: Elton Streeter, Warehouse Mgr - 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 - Phone: 410-329-9680 X136
Owner Contact: Elton Streeter, Warehouse Mgr - 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 - Phone: 410-329-9680 X136
Other Contact(s): Elton Streeter, Warehouse Mgr - 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 - Phone: 410-329-9680 X136

My Company Comments:

Inspections Scheduled - LOC 3352409
Inbox
x

MAC Inspection & Welding Agency
8:59 AM (1 hour ago)
to MD, me, dkincer

Good morning all, I was contacted by Danny Kincer of Floors Etc. (cc'd in this email), to schedule the inspection of their air compressors which was due by 10/13/19. Their inspections are scheduled for today. We will input their report as soon as possible.

Best regards,

Deborah Coleman, Contract Specialist

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146957V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000282258		Mat Industries Inc	2013	10/13/2021	Recurring Cert	Active	Warehouse - Carpet Area
MD167295V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290487		Mat Industries	2013	12/10/2021	Recurring Cert	Active	Warehouse - Area Rug

Total Objects at this location 2

Location: **Forest Park Shell**
Address: 1699 Forest Park Avenue Woodlawn, MD 21207-4927
County: Baltimore
Primary Contact: Shamrez (Ali) Showkat, Owner - Phone: 410-744-9577 - Email: shamrezs2016@yahoo.com
Billing Contact: Forest Park Shell - 1699 Forest Park Avenue Woodlawn, MD 21207 - Phone: 4107449228
Cert Contact: Forest Park Shell - 1699 Forest Park Avenue Woodlawn, MD 21207 - Phone: 4107449228

Location ID: 710991
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Owner Contact: Shamrez (Ali) Showkat, Owner - 1699 N Forest Park Ave Woodlawn, MD 21207-4927 - Phone: 410-744-9577 - Email: shamrezs2016@yahoo.com

Other Contact(s): Forest Park Shell - 1699 Forest Park Avenue Woodlawn, MD 21207 - Phone: 4107449228

Shamrez (Ali) Showkat, Owner - 1699 N Forest Park Ave Woodlawn, MD 21207-4927 - Phone: 410-744-9577 - Email: shamrezs2016@yahoo.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000744886		Manchester	2006	07/29/2021	Recurring Cert	Active	outside shed

Total Objects at this location 1

Location: **Forty West Shell Inc**

Location ID: 711061

Address: 700 N Rolling Rd Catonsville, MD 21228-4135

Phone:

County: Baltimore

NOB/SIC:

Primary Contact: Mike Singh - Phone: 410-788-5202

Billing Contact:

Cert Contact:

Owner Contact:

Other Contact(s): Forty West Shell Inc - 700 N Rolling Rd Catonsville, MD 21228-4135 - Phone: 4107449544

Mike Singh - 700 N Rolling Rd Catonsville, MD 21228-4135 - Phone: 410-788-5202

My Company Comments: 443-560-0186 - Mike Singh called about the citation invoice for MD157745V. "Someone," said that if the inspection was done, as a gesture of good faith the fee would be waived. The inspection was done on 10/16/19 the citation generated 10/2/19.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157745V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468917		Morganton	2015	06/08/2021	Recurring Cert	Active	Parts Store Rm

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Franco Italian Bistro (Arc3)** **Location ID:** 3931263
Address: 803 Frederick Rd Catonsville, MD 21228-4506 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Franco Italian Bistro (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163531V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021120		Taylor	1995	02/28/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Frankel & Chesapeake Cadillac** **Location ID:** 706763
Address: 10240 York Rd Cockeysville, MD 21030-3252 **Phone:** 410-666-6000
County: Baltimore **NOB/SIC:**
Primary Contact: Vince Zasadzinski, Service Manager - Phone: 410-666-6000 - Email: vincez@frankelauto.com
Billing Contact: Vince Zasadzinski - 10240 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6000 - Email: vincez@frankelauto.com
Cert Contact: Vince Zasadzinski, Service Manager - 10240 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6000 - Email: vincez@frankelauto.com
Owner Contact: Vince Zasadzinski, Service Manager - 10240 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6000 - Email: vincez@frankelauto.com
Other Contact(s): Ron Johnston, VP of Fixed Operations - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Vince Zasadzinski, Service Manager - 10240 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6000 - Email: vincez@frankelauto.com

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140267V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000584979		Steel Fab	2009	07/21/2021	Recurring Cert	Active	Compressor Shed

Copyright © 2020 CentralSquare

		w/comment								
MD140268V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000593064		Steel Fab	2010	07/21/2021	Recurring Cert	Active	Compressor Shed

Total Objects at this location 2

Location: **Frankel Acura** **Location ID:** 711239
Address: 10400 York Rd Cockeysville, MD 21030-2502 **Phone:** 410-666-5300
County: Baltimore **NOB/SIC:**
Primary Contact: George J. Hader - Phone: 410-666-5300 - Email: ghader@frankelauto.com
Billing Contact: George J. Hader - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: ghader@frankelauto.com
Cert Contact: George J. Hader - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: ghader@frankelauto.com
Owner Contact: George J. Hader - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: ghader@frankelauto.com
Other Contact(s): George J. Hader - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: ghader@frankelauto.com
Ron Johnston, VP of Fixed Operations - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Scott Donaldson, Parts & Service Director - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: sdonaldson@frankelauto.com
Xavier John, Service Manager - 10400 York Rd Cockeysville, MD 21030-2502 - Phone: 410-666-5300 - Email: xjohn@frankelauto.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063833V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000823498		Buckeye	1988	07/21/2021	Recurring Cert	Active	Outside
MD143068V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000247064		Manchester	2010	07/21/2021	Recurring Cert	Active	Outside

Total Objects at this location 2

Location: **Franklin Blvd. Exxon** **Location ID:** 722563
Address: 11904 Reisterstown Rd Reisterstown, MD 21136-3001 **Phone:** 410-526-9089
County: Baltimore **NOB/SIC:**
Primary Contact: Joe Cavey - Phone: 410-526-9089

Copyright © 2020 CentralSquare

Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Cert Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Owner Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Other Contact(s): Diana Cavey - 11904 Reisterstown Rd Reisterstown, MD 21136-3001 - Phone: 410-526-9089 - Email: dianacavey@gmail.com
Joe Cavey - 11904 Reisterstown Rd Reisterstown, MD 21136-3001 - Phone: 410-526-9089
Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Mark Onheiser - 11904 Reisterstown Rd Reisterstown, MD 21136-3001 - Phone: 410-526-9089 - Email: mark.onheiser@gmail.com

My Company Comments:

Overdue Violation 11904 Reisterstown Rd Sunoco 0735-5548
Boilers@dllr
x

Connolly, Marsha E (Contractor) via maryland.gov
Attachments
7:36 AM (5 hours ago)
to MA_BOILERS

Hello DLLR-

FYI-
This location is scheduled for inspection this week by American Boiler. Any questions, please let me know.

Thanks,
Marsha
Sunoco Env Compliance
610-276-5984

My Shared Comments:

Location name and contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131438V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000978867		Manchester	2008	09/29/2021	Recurring Cert	Active	Car Wash
MD158305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000160456		CHART	2005	08/04/2021	Recurring Cert	Active	Outside

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Free State Arena (Arc3)** **Location ID:** 3918187
Address: 5811 Allender Rd White Marsh, MD 21162-1314 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Free State Arena (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161858V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024601		Taylor	1995	12/11/2020	Recurring Cert	Active	Closet

Total Objects at this location 1

Location: **Full Moon Pub & Grill (Arc3)** **Location ID:** 4006478
Address: 1100 Westminster Pike Reisterstown, MD 21136-4621 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Full Moon Pub & Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165400V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000182667		CHART	2007	01/10/2022	Recurring Cert	Active	Basement

Copyright © 2020 CentralSquare

Location: **Full Moon Pub and Grill**
Address: 1100 Westminster Rd Reisterstown, MD 21136-4621
County: Baltimore
Primary Contact: Robin Bitner, owner - Phone: 410-526-5565
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Robin Bitner, owner - 1100 Westminster Pike Reisterstown, MD 21136-4621 - Phone: 410-526-5565

Location ID: 722556
Phone: 410-526-5565
NOB/SIC:

My Company Comments:

Hello,
Thank you for contacting our office regarding your boiler inspections at 1100 Westminster Pk,An inspector will need to conduct a reinspection to clear the violations that were written on 9/5/19 by Insparisk inspector Dale Watson. I will have our State inspector contact you to schedule a time to visit the property to clear the outstanding violations.I am including our State inspector Jeremy Mcdonald along with my email response.He will be contacting you to set up a time to inspect.
Thank you,

Full Moon <fullmoonpub@gmail.com>
Dec 22, 2019, 2:16 PM (16 hours ago)
to dldliboilerinspection-dllr

I filed my boiler inspection and promptly had it fixed by Shaneybrook Plumbing service. I did not know I had to do anything else. Can I send in completed work order from Shaneybrook Plumbing to show the completed work? Please advise
Robin Bitner
Full Moon Pub & Grill
1100 Westminster Pike, Reisterstown, MD 21136

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074818H	0	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	12061591	Burnham	1990	08/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Fusco Financial Assoc** **Location ID:** 711389
Address: 505 Baltimore Ave Towson, MD 21204-4503 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Donna - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Billing Contact: Donna - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Cert Contact: Donna - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Owner Contact: Donna - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Other Contact(s): Donna - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Friends Research Institute - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 4108373977

My Company Comments:

My Shared Comments: New Owner. Did not know about inspection of boiler. Sent AIA list. Says she will try to contact someone ASAP
Updated new owner info. HSB has account, inspection done,not entered.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050686H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	260837	Weil-McLain	1978	09/29/2020	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **Future Care Health & Management** **Location ID:** 711481
Address: 5412 Old Court Rd Randallstown, MD 21133-5104 **Phone:** 410-922-3200
County: Baltimore **NOB/SIC:**
Primary Contact: Renard Whitfield, Maintenance Director - Email: WhitfieldR@futurecare.com
Billing Contact: Jean Raiche - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200 - Email: raichej@futurecarehealth.com
Cert Contact: Melton Nichols, Maintenance Supervisor - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200
Owner Contact: Jean Raiche - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200 - Email: raichej@futurecarehealth.com
Other Contact(s): Jean Raiche - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200 - Email: raichej@futurecarehealth.com
Marshall Vosburg, Consulting Director - 151 N Franklin St Chicago, IL 60606-1915 - Phone: 717-659-9330 - Email: marshall.vosburg@cna.com
Melton Nichols, Maintenance Supervisor - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200
OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
Renard Whitfield, Maintenance Director - 5412 Old Court Rd Randallstown, MD 21133-5104 - Email: WhitfieldR@futurecare.com
Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com
Samuel Greenridge - 5412 Old Court Rd Randallstown, MD 21133-5104 - Phone: 410-922-3200

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161880H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000224182		State Industries	2016	12/08/2020	Recurring Cert	Active	Mech Rm

Total Objects at this location 1

Location: **G & M Automotive Inc**
Address: 11825 Belair Rd Kingsville, MD 21087-1313
County: Baltimore
Primary Contact: G & M Automotive Inc - Phone: 410-592-6868
Billing Contact: G & M Automotive Inc - PO Box 260 Kingsville, MD 21087-0260 - Phone: 410-592-6868
Cert Contact: G & M Automotive Inc - PO Box 260 Kingsville, MD 21087-0260 - Phone: 410-592-6868
Owner Contact:
Other Contact(s): G & M Automotive Inc - 11825 Belair Road Kingsville, MD 21087 - Phone: 410-592-6868
G & M Automotive Inc - PO Box 260 Kingsville, MD 21087-0260 - Phone: 410-592-6868

Location ID: 711495
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD046257V	CAT	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000097085		Kargard	1964	07/27/2022	Recurring Cert	Active	Store Room
MD046258V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000097167		Kargard	1964	07/27/2022	Recurring Cert	Active	Store Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **G and S Automotive**
Location ID: 1739817
Address: 501 Mace Ave Essex, MD 21221-6607
Phone: 410-238-0520
County: Baltimore
NOB/SIC:
Primary Contact: G and S Automotive - Phone: 410-238-0520
Billing Contact: G and S Automotive - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520
Cert Contact: G and S Automotive - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520
Owner Contact: G and S Automotive - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520
Other Contact(s): G and S Automotive - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520
P and C Automotive - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520

My Company Comments: Location name and contact update.
Received a call from Chuck the owner, he had a date set to the inspection on 7/28/16 with Insparisk and they didn't show and have not answered his calls. He is trying to comply and doesn't want a fine. He will be contacting MAC Inspection.

My Shared Comments: Received a call from Chuck the owner(410-238-0520), doesn't remember receiving letters before. He received a card from RMF, but they didn't show, and he has put a call in to them. He's waiting for a response.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124205V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001049716		Manchester	2000	08/18/2022	Recurring Cert	Active	Compressor Room

Total Objects at this location 1

Location: **Gardiners Furniture**
Location ID: 711632
Address: 6415 Baltimore National Pike Catonsville, MD 21228-3904
Phone: 410-719-6900
County: Baltimore
NOB/SIC:
Primary Contact: Larry Wolf, General Manager - Phone: 410-719-6900 - Email: lwolfe@wolffurniture.com
Billing Contact: Scott Frazier - 23100 Broadway Ave Oakwood Village, OH 44146-6012 - Phone: 440-374-2400 X3099 - Cell: 216-287-2766 - Email: sfrazier@LevinFurniture.com
Cert Contact: Scott Frazier, Director of Operations - 23100 Broadway Ave Oakwood Village, OH 44146-6012 - Phone: 440-374-2400 X3099 - Cell: 216-287-2766 - Email: sfrazier@LevinFurniture.com
Owner Contact: Scott Frazier, Director of Operations - 23100 Broadway Ave Oakwood Village, OH 44146-6012 - Phone: 440-374-2400 X3099 - Cell: 216-287-2766 - Email: sfrazier@LevinFurniture.com
Other Contact(s): Larry Wolf, General Manager - 6415 Baltimore National Pike Catonsville, MD 21228-3904 - Phone: 410-719-6900 - Email: lwolfe@wolffurniture.com
Mike Case, Director of Loss Prevention - 6500 E 14 Mile Rd Warren, MI 48092-1281 - Phone: 586-939-2100 - Cell: 586-596-4699 - Email: mcase@artvan.com
Scott Frazier, Director of Operations - 23100 Broadway Ave Oakwood Village, OH 44146-6012 - Phone: 440-374-2400 X3099 - Cell: 216-287-2766 - Email: sfrazier@LevinFurniture.com

My Company Comments: Contact update.
Uploaded name plate for MD156609V, wrong location.
Uploaded name plate for MD156609V.

My Shared Comments: Contact update.

Copyright © 2020 CentralSquare

MAC inspected and sending report.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097304H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000128018	9512128018	Raypak	1996	05/29/2021	Recurring Cert	Active	Basement, Boiler Room

Total Objects at this location 1

Location: **Garlands Garage**
Address: 12300 Owings Mill Blvd. Unit #2 Reisterstown, MD 21136-1744
County: Baltimore
Primary Contact: Garland - Phone: 410-526-0882
Billing Contact: Garland - 12300 Owings Mills Blvd Ste 2 Reisterstown, MD 21136-1744 - Phone: 410-526-0882
Cert Contact: Garland - 12300 Owings Mills Blvd Ste 2 Reisterstown, MD 21136-1744 - Phone: 410-526-0882
Owner Contact: Garland - 12300 Owings Mills Blvd Ste 2 Reisterstown, MD 21136-1744 - Phone: 410-526-0882
Other Contact(s): Garland - 12300 Owings Mills Blvd Ste 2 Reisterstown, MD 21136-1744 - Phone: 410-526-0882

Location ID: 711642
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159352V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000543340	565972	Morganton	2016	10/02/2021	Recurring Cert	Active	Shop Comp. Shed

Total Objects at this location 1

Location: **Georgetown Paper Stock**
Address: 1404 Benson Ct Halethorpe, MD 21227-1413
County: Baltimore
Primary Contact: Curt Wheeler, Plant Manager - Phone: 301-500-7581
Billing Contact: Kay Grundy - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-762-6990
Cert Contact: Curt Wheeler, Plant Manager - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-500-7581
Owner Contact: Lewis Seus - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-762-6990
Other Contact(s): Curt Wheeler, Plant Manager - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-500-7581
Kay Grundy - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-762-6990
Lewis Seus - 1404 Benson Ct Halethorpe, MD 21227-1413 - Phone: 301-762-6990
Quyen Pham, Operation Manager - 1404 Benson Ct Baltimore, MD 21227-1413 - Phone: 410-977-6302 - Email: quyen.pham@cbbr.ipaper.com

Location ID: 728915
Phone: 410-737-1760
NOB/SIC:

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: Email Received 5/30/13 due to citation warning being sent to International Paper. New owner is Georgetown Paper Stock as of 2011. Curt Wheeler, the new GM is requesting assistance with the inspection process. Will respond by phone. Updated company name and contact info.
Safety Glasses

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162773V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468541		MAT INDUST	2018	03/19/2021	Recurring Cert	Active	O/S MAINT

Total Objects at this location 1

Location: **German Hill Exxon (Sunoco)**
Location ID: 711897
Address: 1300 Merritt Blvd Dundalk, MD 21222-2108
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: German Hill Exxon - Phone: 410-285-0555
Billing Contact: German Hill Exxon - 1300 Merritt Blvd Dundalk, MD 21222-2108 - Phone: 410-285-0555
Cert Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Owner Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Other Contact(s): German Hill Exxon - 1300 Merritt Blvd Dundalk, MD 21222-2108 - Phone: 410-285-0555
Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110099V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073680		Brunner	1998	09/18/2021	Recurring Cert	Active	Car Wash

Total Objects at this location 1

Location: **Glen Manor Apartments**
Location ID: 1591090
Address: 1027 Old Eastern Ave Essex, MD 21221-3711
Phone: 410-686-6383
County: Baltimore
NOB/SIC:
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net

Copyright © 2020 CentralSquare

Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121587H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-1	Dedietrich	2004	04/16/2021	Recurring Cert	Active	1027 Old Eastern Ave

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590578
Address: 1103 Old Eastern Ave Essex, MD 21221-3804 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121583H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-4	Dedietrich	2004	04/06/2021	Recurring Cert	Active	1103 Old Eastern

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Glen Manor Apartments** **Location ID:** 1590577
Address: 1109 Old Eastern Ave Essex, MD 21221-3807 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): Angela OLD CONTACT - Sansone - 1427 Clarkview Rd Ste 500 Baltimore, MD 21209-0016 - Phone: 443-921-4370 - Email: angelas@crcrealty.com
Gail OLD CONTACT - Brodie, Account Executive - 123 Main St Fl 14 White Plains, NY 10601-3114 - Phone: 914-220-6885 - Email: gbrodie@skcg.com
House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121581H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-10	Dedietrich	2004	05/19/2021	Recurring Cert	Active	1109 Old Eastern

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590436
Address: 1125 Old Eastern Ave Essex, MD 21221-3814 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): Angela OLD CONTACT - Sansone - 1427 Clarkview Rd Ste 500 Baltimore, MD 21209-0016 - Phone: 443-921-4370 - Email: angelas@crcrealty.com
Gail OLD CONTACT - Brodie, Account Executive - 123 Main St Fl 14 White Plains, NY 10601-3114 - Phone: 914-220-6885 - Email: gbrodie@skcg.com
House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

Copyright © 2020 CentralSquare

My Company Comments: Citation letter Return to Sender - Attempted - Not Known - Unable to Forward

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121578H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-1A	Dedietrich	2004	04/16/2021	Recurring Cert	Active	1125 Old Eastern

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590576
Address: 15 Glenwood Rd Essex, MD 21221-3833 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121580H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-8	Dedietrich	2003	04/16/2021	Recurring Cert	Active	15 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1591087
Address: 18 Glenwood Rd Essex, MD 21221-3836 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Shelby Smith, Regional Leader - Phone: 585-287-5773 - Email: shelbysm@homeleasing.net

Copyright © 2020 CentralSquare

Billing Contact: Shelby Smith - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-287-5773 - Email: shelbysm@homeleasing.net
Cert Contact: Shelby Smith, Regional Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-287-5773 - Email: shelbysm@homeleasing.net
Owner Contact: Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Shelby Smith, Regional Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-287-5773 - Email: shelbysm@homeleasing.net

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121585H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-11	Dedietrich	2004	04/28/2021	Recurring Cert	Active	18 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590437
Address: 19 Glenwood Rd Essex, MD 21221-3837 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121579H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-9	Dedietrich	2004	04/16/2021	Recurring Cert	Active	19 Glenwood

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590434
Address: 27 Glenwood Rd Essex, MD 21221-3845 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121575H	0	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-6	Dedietrich	2003	04/28/2021	Recurring Cert	Active	27 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590758
Address: 34 Glenwood Rd Essex, MD 21221-3852 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Talea Norris, Community Leader - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Billing Contact: Talea Norris - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Cert Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Owner Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121584H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-3	Dedietrich	2004	04/16/2021	Recurring Cert	Active	34 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590435
Address: 35 Glenwood Rd Essex, MD 21221-3853 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Talea Norris, Community Leader - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Billing Contact: Talea Norris - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Cert Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Owner Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121576H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-5	Dedietrich	2003	04/16/2021	Recurring Cert	Active	35 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590756
Address: 45 Glenwood Rd Essex, MD 21221-3860 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Talea Norris, Community Leader - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Billing Contact: Talea Norris - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Cert Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

Copyright © 2020 CentralSquare

Owner Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

Other Contact(s): Angela OLD CONTACT - Sansone - 1427 Clarkview Rd Ste 500 Baltimore, MD 21209-0016 - Phone: 443-921-4370 - Email: angelas@crcrealty.com
Gail OLD CONTACT - Brodie, Account Executive - 123 Main St Fl 14 White Plains, NY 10601-3114 - Phone: 914-220-6885 - Email: gbrodie@skcg.com
House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121577H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-2A	Dedietrich	2004	04/16/2021	Recurring Cert	Active	45 Glenwood

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1590754
Address: 5 Glenwood Rd Essex, MD 21221-3823 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Grecco, Maintenance - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Billing Contact: Mike Grecco - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Cert Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Owner Contact: Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121582H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-6A	Dedietrich	2004	04/16/2021	Recurring Cert	Active	5 Glenwood

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Glen Manor Apartments** **Location ID:** 1591088
Address: 6 Glenwood Rd Essex, MD 21221-3800 **Phone:** 410-686-6383
County: Baltimore **NOB/SIC:**
Primary Contact: Talea Norris, Community Leader - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Billing Contact: Talea Norris - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Cert Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Owner Contact: Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net
Other Contact(s): House Leasing/ Glen Manor Apartments - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 585-262-6210
James Nance, Maintenance Supervisor - 1031 Old Eastern Ave Essex, MD 21221-3713 - Phone: 410-686-6383 - Cell: 443-324-4695
Mike Grecco, Maintenance - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-934-8522 - Email: michaelgr@homeleasing.net
Sarah Struzzi, Property Manager - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 585-262-6210 - Email: sarahst@homeleasing.com
Talea Norris, Community Leader - 40 Glenwood Rd Essex, MD 21221-3817 - Phone: 410-686-6383 - Email: taleano@homeleasing.net

My Company Comments:

My Shared Comments: Albert Inches would be site contact -- If unavailable use Rental Office to gain access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121586H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	10427-2	Dedietrich	2004	04/16/2021	Recurring Cert	Active	6 Glenwood

Total Objects at this location 1

Location: **Glen Meadows Retirement Community** **Location ID:** 721848
Address: 11630 Glen Arm Rd Glen Arm, MD 21057-9403 **Phone:** 410-592-5310
County: Baltimore **NOB/SIC:**
Primary Contact: Dan Golliday, Director of Environmental Services - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Billing Contact: Dan Golliday - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Cert Contact: Dan Golliday, Director of Environmental Services - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Owner Contact: Dan Golliday, Director of Environmental Services - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Other Contact(s): Brian Townsley, Plant Operations Supervisor - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 4105925310 ext 2529
Brian Wood - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-592-5310 - Email: bwood@presbyteriansenorliving.org
Dan Golliday, Director of Environmental Services - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Richard Williams II - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-592-5310/1-800-382-1385 - Email: riwilliams@presbyteriansenior living.org
Tom Connors - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-592-5310/ 1-800-382-1385 - Email: tconnors@presbyteriansenior living.org

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments: Contact update to 5340302
Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161877H	#4	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000238132	238132	A O Smith	2018	12/08/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Glory Days Grill**
Address: 1220 E Joppa Rd Towson, MD 21286-5811
County: Baltimore
Primary Contact: Glory Days Grill
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 4038224
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167276V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000258225		CHART	2014	08/21/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **God's Will Apostolic Ministries**
Address: 155 Orville Rd Essex, MD 21221-1309
County: Baltimore
Primary Contact: Barbara Bennett, Financial Director - Phone: 443-838-1078 - Email: barbbennett46@comcast.net
Billing Contact: Barbara Bennett - 155 Orville Rd Essex, MD 21221-1309 - Phone: 443-838-1078 - Email: barbbennett46@comcast.net
Cert Contact: Barbara Bennett, Financial Director - 155 Orville Rd Essex, MD 21221-1309 - Phone: 443-838-1078 - Email: barbbennett46@comcast.net
Owner Contact: Barbara Bennett, Financial Director - 155 Orville Rd Essex, MD 21221-1309 - Phone: 443-838-1078 - Email: barbbennett46@comcast.net
Other Contact(s): Barbara Bennett, Financial Director - 155 Orville Rd Essex, MD 21221-1309 - Phone: 443-838-1078 - Email: barbbennett46@comcast.net

Location ID: 722025
Phone: 410-687-2836
NOB/SIC:

Copyright © 2020 CentralSquare

Charles Bennett - 155 Orville Rd Essex, MD 21221-1309 - Phone: 410-391-1234

My Company Comments:

MacDonald - End of Day Summary - 3/3/20 God's Will Apostolic Ministries - 155 Orville Rd (location 722025) - 2 Boilers

I was unable to gain access to this location. After finding a food pantry attached to the church, I was able to get into contact with one of the deacons, Deacon Clarence (443-248-8037). He told me he would meet me there. I waited around and when he finally arrived he had forgotten the key to the boiler room. We were able to make another appointment for tomorrow, at 10am.

Pastor Charles Bennet Cell: 443-813-388
MacDonald - End of Day Summary 3/4/20 God's Will Apostolic Ministries - 155 Orville Rd (Location 722025) - 2 Objects

I was able to gain access to this location and perform cert inspections on two boilers. I also explained the inspection process to Deacon Clarence, because he stated that he didnt think the Pastor knew that the boilers had to be inspected every two years, which is why these became overdue.
MacDonald - End of Day Summary 7/15/20
God's Will Apostolic Ministries - 155 Orville Rd (location 722025)

I visited this location to check on the status of 2 boilers with violations. The violations are still open. I called and left a voicemail with the Pastor also so that he is aware that the issues still need to be taken care of.
Per Scott R- spoke to Deacon Johnson and set to meet someone Friday 1/15/2016 at noon I will just add to my schedule.

My Shared Comments:

Mrs. Warnick called back to let the State know that HSB has now completed an inspection and told her all is fine.
Ms. Warnick called this am to schedule a periodic inspection. I advised her of the law change and sent her the AIA list. She is to call back once she has an inspection scheduled.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130423H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UCCI-17909	Utica	2006	01/15/2022	Recurring Cert	Active	Boiler Room, Boiler #2
MD130424H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UID-29072	Utica	2006	01/15/2022	Recurring Cert	Active	Boiler Room, Boiler #1

Total Objects at this location 2

Location: **Green Contracting**
Location ID: 707837
Address: 8837 Yellow Brick Rd Rosedale, MD 21237-2301
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Peggy DeLetis - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com
Billing Contact: Peggy DeLetis - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com
Cert Contact: Peggy DeLetis - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com
Owner Contact: Green Contracting - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500
Other Contact(s): Green Contracting - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500
Peggy DeLetis - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136736V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965773		Manchester	2008	06/30/2022	Recurring Cert	Active	SHOP

Total Objects at this location 1

Location: **Greene's Family Butcher Shop**
Location ID: 715781
Address: 12037 Belair Rd Kingsville, MD 21087-1169
Phone: 410-592-6202
County: Baltimore
NOB/SIC:
Primary Contact: Red's Wine & Spirits - Phone: 410-592-6202
Billing Contact: Red's Wine & Spirits - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202
Cert Contact: Red's Wine & Spirits - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202
Owner Contact: Red's Wine & Spirits - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202
Other Contact(s): Brian Kurrle - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202
Elmer Kurrle (DECEASED 7/2018) - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202
Kingsville Market - 12037 Belair Rd Kingsville, MD 21087-1126 - Phone: 410-592-6202
Red's Wine & Spirits - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117373V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000211112		Steel Fab	1999	06/16/2022	Recurring Cert	Active	Basement Boiler Room
MD167282H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65694906	Burnham	2019	09/01/2022	Recurring Cert	Active	Basement

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Greenspring Valley Hounds** **Location ID:** 712718
Address: 13920 Mantua Mill Rd Reisterstown, MD 21136-4824 **Phone:** 410-833-4884
County: Baltimore **NOB/SIC:**
Primary Contact: Sam Clifton - Phone: 410 526 2628
Billing Contact: John Warden - PO Box 1123 Westminster, MD 21158-5123 - Phone: 410-707-3127
Cert Contact: John Warden - PO Box 1123 Westminster, MD 21158-5123 - Phone: 410-707-3127
Owner Contact: John Warden - PO Box 1123 Westminster, MD 21158-5123 - Phone: 410-707-3127
Other Contact(s): John Warden - PO Box 1123 Westminster, MD 21158-5123 - Phone: 410-707-3127
Sam Clifton - 13920 Mantua Mill Rd Reisterstown, MD 21136-4824 - Phone: 410 526 2628

My Company Comments: Contact update.
Greenspring Valley Hounds (Location: 712718) - 13920 Mantua Mill Rd:1 CED followed up.

I visited this site because at the time that I made the appointment there was an overdue boiler on site. When I arrived, I was told that HSB was recently on site and had inspected the boiler. While there, the inspector wrote a violation for not having a boiler log. The owner was in the process of starting a log for the boiler, but not yet complete. The violation remains. MacDonald - End of Day 6/12/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087928H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1994	04/29/2020	Recurring Cert	Active	CLUBHOUSE BS
NEW		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2019	06/01/2020	Recurring Cert	Active	Unknown

Total Objects at this location 2

Location: **Groff Tractor Mid-Atlantic, LLC.** **Location ID:** 959473
Address: 2300 Eskow Ave Baltimore, MD 21227-4728 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Bouma, Mgr. - Phone: 410-247-7454 - Email: jasonbouma@grofftractor.com
Billing Contact: Susan Chance - 629 S Philadelphia Blvd Aberdeen, MD 21001-3613 - Phone: 410-575-6580 - Email: susanchance@grofftractor.com
Cert Contact: Jason Bouma, Mgr. - 2300 Eskow Ave Baltimore, MD 21227-4728 - Phone: 410-247-7454 - Email: jasonbouma@grofftractor.com
Owner Contact: Jason Bouma, Mgr. - 2300 Eskow Ave Baltimore, MD 21227-4728 - Phone: 410-247-7454 - Email: jasonbouma@grofftractor.com
Other Contact(s): Jason Bouma, Manager - 2300 Eskow Ave Baltimore, MD 21227-4728 - Phone: 410 247-7454 - Email: jason.bouma@folcomer.com
Jason Bouma, Mgr. - 2300 Eskow Ave Baltimore, MD 21227-4728 - Phone: 410-247-7454 - Email: jasonbouma@grofftractor.com
Susan Chance, Sr. Accountant - 629 S Philadelphia Blvd Aberdeen, MD 21001-3613 - Phone: 410-575-6580 - Email: susanchance@grofftractor.com

My Company Location name and contact update.

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144489V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000018050		Industrial Air	1986	12/08/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Gunpowder Auto Marine**
Address: 9715 Belair Rd Perry Hall, MD 21128
County: Baltimore
Primary Contact: Kenneth Antkowiak
Billing Contact: Kenneth Antkowiak - 9715 Belair Rd Perry Hall, MD 21128
Cert Contact: Kenneth Antkowiak - 9715 Belair Rd Perry Hall, MD 21128
Owner Contact: Kenneth Antkowiak - 9715 Belair Rd Perry Hall, MD 21128
Other Contact(s): Kenneth Antkowiak - 9715 Belair Rd Perry Hall, MD 21128

Location ID: 3356294
Phone: 443-469-3364
NOB/SIC:

My Company Comments: boiler inspection---

Kenneth Antkowiak <gunpowderauto@gmail.com>
Mar 5, 2020, 11:26 AM (1 day ago)
to boilers---

Dear sirs, I have been at this location for six years and when inspections were needed an inspector showed up completed inspection. I was later billed for inspection than was later billed for Lisense. I do not understand why I am receiving a citation letter. PLease advse me as to how to resolve this issue. Thank You respectfully, Kenneth Antkowiak.Gunpowder Auto Marine 9715 Belair rd.
Gunpowder Auto Marine - 9715 Belair Rd - 1 CED reduced

I was able to get to this location and complete and external certificate inspection. MacDonald 3/7/18
Kenneth Antkowiak
Mon, Mar 9, 12:31 PM (1 day ago)
Thank you for the information. scheduled inspect thur the12th of march

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD110509V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001088558	Manchester	2000	03/07/2022	Recurring Cert	Active	Utility Room

Total Objects at this location 1

Location: **Gunpowder Lodge (Arc3)**
Location ID: 3950074
Address: 10092 Belair Rd Kingsville, MD 21087-1452
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Gunpowder Lodge (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163587V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209945		CHART	2010	04/16/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Gwynn Oaks Landing Apts**
Location ID: 2209973
Address: 3109 Woodford Pl Gwynn Oak, MD 21207-5576
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Tammi Cunningham, Property Manager - Phone: 410-944-1300 - Email: tcunningham@srhllc.com
Billing Contact: Tammi Cunningham - 3103 Windsor Blvd Baltimore, MD 21207-5550 - Phone: 410-944-1300 - Email: tcunningham@srhllc.com
Cert Contact: Tammi Cunningham, Property Manager - 3103 Windsor Blvd Baltimore, MD 21207-5550 - Phone: 410-944-1300 - Email: tcunningham@srhllc.com
Owner Contact: Tammi Cunningham, Property Manager - 3103 Windsor Blvd Baltimore, MD 21207-5550 - Phone: 410-944-1300 - Email: tcunningham@srhllc.com
Other Contact(s): Les Douglas, Maintenance Supervisor - 6725 Townbrook Dr Baltimore, MD 21207-5523 - Phone: 410-944-1300
Natalie Williams, Senior Loss Control Consultant - 2100 Ross Ave Ste 1400 Dallas, TX 75201-6706 - Phone: 214-720-3428 - Cell: 214-893-2560 - Email: nwilliams@lockton.com
Tammi Cunningham, Property Manager - 3103 Windsor Blvd Baltimore, MD 21207-5550 - Phone: 410-944-1300 - Email: tcunningham@srhllc.com

My Company Comments: All BPV forms dated 6/2/17 returned, "unable to forward'. mailing to primary Tammi Cunningham.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165352H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119695		Bradford White	2016	10/10/2021	Recurring Cert	Active	3109 WOODFOR

Total Objects at this location 1

Location: **H & N Printing & Graphics, Inc.**
Location ID: 712940
Address: 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113
Phone: 410-252-5300
County: Baltimore
NOB/SIC:
Primary Contact: Jen Wirginis, Associate - Phone: 410 252-5300
Billing Contact: Jen Wirginis - 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113 - Phone: 410 252-5300
Cert Contact: Jen Wirginis, Associate - 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113 - Phone: 410 252-5300
Owner Contact: Jen Wirginis, Associate - 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113 - Phone: 410 252-5300
Other Contact(s): Jen Wirginis, Associate - 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113 - Phone: 410 252-5300

My Company Comments: Stephen Gain
--
Mar 11, 2020, 11:42 AM (1 day ago)--

Good Afternoon Robin, Sending you a copy of the installation notice. Insparisk will be doing the inspection just waiting for a scheduled date from them. Thanks again enjoy the rest of your day !

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167281V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002187354	2187354	Manchester	2019	03/18/2022	Recurring Cert	Active	Compressor Shed

Total Objects at this location 1

Location: **H Mart - 14**
Location ID: 3218908
Address: 800 N Rolling Rd Catonsville, MD 21228-4136
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Eric Lim - Email: judy.lim@hmart.com

Copyright © 2020 CentralSquare

Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com
Cert Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com
Owner Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com
Other Contact(s): Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com
Eric Lim - 7460 Conowingo Ave Ste 70 Jessup, MD 20794-9361 - Phone: 443-755-1538

My Company Comments: H Mart #3218908 still has violations I gave them 10 days to fix.
To whom it may concern, Please let our address updated for your mail to get received at the new address. Old Address: H Mart 7460 Conowingo Ave Ste 70 Jessup, MD 20794-9361 New Address: H Mart 350 Prince Georges Blvd., Upper Marlboro, MD 20774 sujin.suh@hmart.com 6/8/17 email

My Shared Comments: Eric (443-755-1536) said that the inspector cleared the violations on 9/11/14. I said no, just for 1 of 3 units. He then said those violations were fixed after the 9/11/14 inspection. I asked if they are ready to schedule an inspection to confirm and he said yes so I passed his number to Miwa.
Eric said they weren't getting mail for the H Mart in Catonsville, which is why the units are >2 years without certs. He asked for leniency. I said they need to get into compliance first. He said he will asap. I decided to look into the other properties that they "were" getting mail for they are >2 years without certs in Silver Spring.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143958V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087415		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room
MD143959V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087413		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room
MD143960V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000198412		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room

Total Objects at this location 3

Location: **Hampton Plaza** **Location ID:** 713181
Address: 302 E Joppa Rd Towson, MD 21286-3152 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Kemp Thomas - Phone: 410-296-6600
Billing Contact: Kemp Thomas - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-6600
Cert Contact: Kelly Muncy, Chief Engineer - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-9416 - Cell: 443-934-6905
Owner Contact: Kelly Muncy, Chief Engineer - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-9416 - Cell: 443-934-6905
Other Contact(s): Kelly Muncy, Chief Engineer - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-9416 - Cell: 443-934-6905
Kemp Thomas - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-6600

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: Received an email from Kelly Muncy 2/14/13, MD098448H, MD137483H are inactive. M. Dawson (HSB) should be sending the reports. Violations from 1/2015 continues /dc 5/20/15

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156880H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108825		Bradford White	2014	02/07/2021	Recurring Cert	Active	2nd Fl Blrm

Total Objects at this location 1

Location: **Haris Auto Center**
Location ID: 727870
Address: 7600 Harford Rd Parkville, MD 21234-6402
Phone: 410-663-0074
County: Baltimore
NOB/SIC:
Primary Contact: Haris Auto Center - Phone: 410-663-0074
Billing Contact: Haris Auto Center - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410-663-0074
Cert Contact: Haris Auto Center - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410-663-0074
Owner Contact: Haris Auto Center - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410-663-0074
Other Contact(s): Haris Auto Center - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410-663-0074
Parks - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410 665 2072

My Company Comments:

My Shared Comments: Ivan called about citation warning(443-722-4282), checking with insurance company about inspection. Faxing AIA list, contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000129192		Manchester	2000	04/22/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Harryman House (Arc3)**
Location ID: 3992522
Address: 340 Main St Reisterstown, MD 21136-1904
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Harryman House (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166327V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151292		CHART	2003	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **HAV Auto Services**
Location ID: 1600315
Address: 6126 Edmondson Ave Baltimore, MD 21228-1825
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Art Mele, Owner - Phone: 410-455-9100 - Email: havauto1@verizon.net
Billing Contact: Art Mele - 6126 Edmondson Ave Baltimore, MD 21228-1825 - Phone: 410-455-9100 - Email: havauto1@verizon.net
Cert Contact: Art Mele, Owner - 6126 Edmondson Ave Baltimore, MD 21228-1825 - Phone: 410-455-9100 - Email: havauto1@verizon.net
Owner Contact: Art Mele, Owner - 6126 Edmondson Ave Baltimore, MD 21228-1825 - Phone: 410-455-9100 - Email: havauto1@verizon.net
Other Contact(s): Art Mele, Owner - 6126 Edmondson Ave Baltimore, MD 21228-1825 - Phone: 410-455-9100 - Email: havauto1@verizon.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066596V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000490444		Buckeye	1984	07/11/2020	Recurring Cert	Active	Outside Shed
MD126984V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019638		Cylsa	2000	07/11/2020	Recurring Cert	Active	Shop

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Hawthorne Bi Rite**
Address: 2007 Eastern Blvd Middle River, MD 21220-4701
County: Baltimore
Primary Contact: Hawthorne Bi Rite - Phone: 4105744190
Billing Contact: Hawthorne Bi Rite - 2007 Eastern Blvd Middle River, MD 21220-4701 - Phone: 4105744190
Cert Contact: Hawthorne Bi Rite - 2007 Eastern Blvd Middle River, MD 21220-4701 - Phone: 4105744190
Owner Contact:
Other Contact(s): Hawthorne Bi Rite - 2007 Eastern Blvd Middle River, MD 21220-4701 - Phone: 4105744190

Location ID: 713424
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD035642V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089899		STOVER	1965	07/07/2021	Recurring Cert	Active	Z UTILITY RM
MD143126V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001685521		CAMPBELL	2010	07/07/2021	Recurring Cert	Active	UTILITY RM

Total Objects at this location 2

Location: **Health for Life**
Address: 4741 Ridge Rd Baltimore, MD 21236-3817
County: Baltimore
Primary Contact: John Seifert - Phone: 410-665-1560
Billing Contact: John Seifert - 4741 Ridge Rd Baltimore, MD 21236-3817 - Phone: 410-665-1560
Cert Contact: John Seifert - 4741 Ridge Rd Baltimore, MD 21236-3817 - Phone: 410-665-1560
Owner Contact: John Seifert - 4741 Ridge Rd Baltimore, MD 21236-3817 - Phone: 410-665-1560
Other Contact(s): John Seifert - 4741 Ridge Rd Baltimore, MD 21236-3817 - Phone: 410-665-1560

Location ID: 724953
Phone:
NOB/SIC:

My Company Comments: The florist is no longer in business. There were several contractors working in the building and they said all of the equipment had been removed. They also said that it was going to be a medical supply business. I changed the status of the objects to lost in JO. Rob Snyder 12/11/17

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165338H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2018001045	Columbia	2018	11/22/2021	Recurring Cert	Active	Dispensary Basement

Total Objects at this location 1

Location: **Heaver Properties Limited Partnership**
Location ID: 713502
Address: 1301 York Road Suite 707 Lutherville/Timonium, MD 21093-6010
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Tom Gentry, Property Manager - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Billing Contact: Tom Gentry - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Cert Contact: Tom Gentry, Property Manager - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Owner Contact: Tom Gentry, Property Manager - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Other Contact(s): Heaver Properties Limited Partnership - 1301 York Road - Suite 707 Lutherville/Timonium, MD 21093 - Phone: 4103217501
Tom Gentry, Property Manager - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com

My Company Comments: BPV form returned with updated address on label.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001127H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1970	09/29/2020	Recurring Cert	Active	Penthouse Boiler Room

Total Objects at this location 1

Location: **Hebbville Auto Repair Inc.**
Location ID: 713504
Address: 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990
Phone: 410-655-0480
County: Baltimore
NOB/SIC:
Primary Contact: Hebbville Auto Repair Inc. - Phone: 410-655-0480
Billing Contact: Hebbville Auto Repair Inc. - 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990 - Phone: 410-655-0480
Cert Contact: Hebbville Auto Repair Inc. - 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990 - Phone: 410-655-0480
Owner Contact: Hebbville Auto Repair Inc. - 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990 - Phone: 410-655-0480
Other Contact(s): Hebbville Auto Repair Inc. - 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990 - Phone: 410-655-0480

My Company Comments: MD107609V & MD138883V are completed with 1 violation each. We will process there reports accordingly. MAC Inspection & Welding Agency Wed, Nov 28, 10:15 AM

My Shared Comments: MD138883V to be inspected. Spoke to HSB states it is not in their records. Spoke with customer states HSB missed it.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107609V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0043981	43981	R L Faubion	1972	09/13/2020	Recurring Cert	Active	Store Room
MD138883V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1081205		Melben	2002	09/13/2020	Recurring Cert	Active	Tire Shed

Total Objects at this location 2

Location: **Hereford Collision Center**
Location ID: 3812192
Address: 16917 York Rd Monkton, MD 21111-1023
Phone: 410-357-9061
County: Baltimore
NOB/SIC:
Primary Contact: North County Unlimited Inc
Billing Contact: Steven Galasso - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Cert Contact: Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Owner Contact: Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Other Contact(s): Hereford Collision Center - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061
North County Unlimited Inc - 16917 York Rd Monkton, MD 21111-1023
Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net

My Company Comments: Inspection Scheduled - LOC 3812192

MAC Inspection & Welding Agency
11:29 AM (3 hours ago)
to MD, citations, herefordvalley2

Good morning all, I was contacted by JoAnn of Hereford Collision Center(cc'd in this email), to schedule the inspection of their air compressors which were due by 10/16/19. Their inspections are scheduled for this Friday, 12/13/19. We will input their reports as soon as possible.

Best regards,

Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962 fax: (410) 676-9963
www.macinspection.com

Copyright © 2020 CentralSquare

The object was moved per Lionel van D.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD039538V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000003851		Steel Fab.	1978	10/16/2021	Recurring Cert	Active	Shop
MD158776V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001478854		Manchester	2014	10/16/2021	Recurring Cert	Active	Storage Room
MD158777V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000122317		Manchester	2000	10/16/2021	Recurring Cert	Active	Storage Room

Total Objects at this location 3

Location: **Heritage Honda** **Location ID:** 996910
Address: 9213 Harford Rd Baltimore, MD 21234-3102 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Sam Bongiovano, Director of Risk Management - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Billing Contact: Sam Bongiovano - 1 Olympic Pl Ste 1100 Towson, MD 21204-4108 - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Cert Contact: Sam Bongiovano, Director of Risk Management - 1 Olympic Pl Ste 1100 Towson, MD 21204-4108 - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Owner Contact: Sam Bongiovano, Director of Risk Management - 1 Olympic Pl Ste 1100 Towson, MD 21204-4108 - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Other Contact(s): Sam Bongiovano, Director of Risk Management - 1 Olympic Pl Ste 1100 Towson, MD 21204-4108 - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Sam Bongiovano, Director of Risk Management - 23 Walker Ave Baltimore, MD 21208-4004 - Phone: 410 415 0509

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115995V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001218604		Manchester	2001	01/28/2021	Recurring Cert	Active	Rear Outside Shed
MD115996V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	001218629		Manchester	2001	01/28/2021	Recurring Cert	Active	Rear Outside Shed

Copyright © 2020 CentralSquare

		Vessel w/comment									

Total Objects at this location 2

Location: **Hi Tech Boyz Inc**
Address: 8527 Liberty Rd # A Randallstown, MD 21133-4836
County: Baltimore
Primary Contact: Hi Tech Boyz Inc - Phone: 410-922-4797
Billing Contact: Hi Tech Boyz Inc - 8527 A Liberty Rd Randallstown, MD 21133-4832 - Phone: 410-922-4797
Cert Contact: Hi Tech Boyz Inc - 8527 A Liberty Rd Randallstown, MD 21133-4832 - Phone: 410-922-4797
Owner Contact:
Other Contact(s): Hi Tech Boyz Inc - 8527 A Liberty Rd Randallstown, MD 21133-4832 - Phone: 410-922-4797

My Company Comments:

My Shared Comments:

Location ID: 785569
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125174V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000308161		Steel Fab	2002	10/28/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **High's Convenience Store**
Address: 15301 Hanover Pike Upperco, MD 21155-9716
County: Baltimore
Primary Contact: High's Convenience Store
Billing Contact: Manager on Duty - 15301 Hanover Pike Upperco, MD 21155-9716 - Phone: 410-429-5250
Cert Contact: Manager on Duty - 15301 Hanover Pike Upperco, MD 21155-9716 - Phone: 410-429-5250
Owner Contact: Manager on Duty - 15301 Hanover Pike Upperco, MD 21155-9716 - Phone: 410-429-5250
Other Contact(s): Manager on Duty - 15301 Hanover Pike Upperco, MD 21155-9716 - Phone: 410-429-5250

My Company Comments:

My Shared Comments:

Location ID: 4032374
Phone: 410- 429-5250
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD167259V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000329580	31934006	CHART	2019	07/21/2022	Recurring Cert	Active	Outside Rear of Building

Total Objects at this location 1

Location: **Hillen Tire**
Location ID: 3757992
Address: 200 W Padonia Rd Ste A Lutherville Timonium, MD 21093-6922
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Hillen Tire
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Brian Smith - 200 W Padonia Rd Ste A Lutherville Timonium, MD 21093-6922 - Phone: 410-252-3500
My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0000627337		Morganton	2017	03/06/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Hilton Garden Inn- White Marsh**
Location ID: 2651079
Address: 5015 Campbell Blvd Baltimore, MD 21236-4967
Phone: 410-427-0600
County: Baltimore
NOB/SIC:
Primary Contact: Maddie Zimmer, Manager - Phone: 410-427-0600 X 5001 - Cell: 410-372-5141 - Email: maddie.zimmer@hilton.com
Billing Contact: Madeline Zimmer - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600
Cert Contact: Madeline Zimmer, GM - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600
Owner Contact: Madeline Zimmer, GM - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600
Other Contact(s): Ely Adams, GM - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600
Maddie Zimmer, Manager - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600 X 5001 - Cell: 410-372-5141 - Email: maddie.zimmer@hilton.com
Madeline Zimmer, GM - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600
Tina Stone, Senior Accountant - 4940 Campbell Blvd Ste 110 Baltimore, MD 21236-5910 - Phone: 410-931-9050 - Email: tina@skychospitality.com
My Company Comments: Skye Asset Mgmt. no longer owner of this location. Updating to GM at location, reprinting BPV form.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104060H	Water heater #1	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100461		Lochinvar	1999	05/11/2022	Recurring Cert	Active	Mechanical Room
MD104061H	Heater #2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100460		Lochinvar	1999	05/11/2022	Recurring Cert	Active	Mechanical Room

Total Objects at this location 2

Location: **Howard Johnson** **Location ID:** 709656
Address: 407 Reisterstown Rd Pikesville, MD 21208-5353 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Hiren Shah, Manager - Phone: 4104841800 - Email: greenhospitality@gmail.com
Billing Contact: Hiren Shah - 407 Reisterstown Rd Pikesville, MD 21208-5353 - Phone: 4104841800 - Email: greenhospitality@gmail.com
Cert Contact: Hiren Shah, Manager - 407 Reisterstown Rd Pikesville, MD 21208-5353 - Phone: 4104841800 - Email: greenhospitality@gmail.com
Owner Contact:
Other Contact(s): Hiren Shah, Manager - 407 Reisterstown Rd Pikesville, MD 21208-5353 - Phone: 4104841800 - Email: greenhospitality@gmail.com

My Company Comments: Both boilers inspected by C, Schindler on 10/29/2018 and had a Violation that was cleared on the same day as they repaired the boilers. Reinspected by Rob Snyder on 12/6/2018 and was reinspected and issued Cert again. Mann, Donald
Attachments
Feb 28, 2019, 6:10 PM (13 hours ago)
to Leah, Karl, Heather, Joey, Christopher, me, Boiler, citations

Here are the results that I was sent.

Donald E. (Donnie) Mann

Risk Engineering Specialist

Liberty Mutual Insurance

Equipment Breakdown – Engineering

13 Riverside Road MS:03BN Weston, MA 02493-2231
Direct Dial: 410-568-0557 Cell: 717-515-4474 Fax: 603.334.3710
Hiren Shah, general manager for hotel. call to find out what was citation for. I explained that it is for a violation to be fixed. After which they are to contact

Copyright © 2020 CentralSquare

insurance to verify.

My Shared Comments: Boiler inspection scheduled for 10/29/18. Location is having a new water heater installed. CJ Schindler

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123106H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000068288		Jet Glass	2005	09/20/2020	Recurring Cert	Active	basement
MD162317H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126654		Bradford White	2018	10/30/2020	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 2

Location: **Howell Funeral Home**
Location ID: 714233
Address: 4600 Liberty Heights Ave Woodlawn, MD 21207-7552
Phone: 410-664-6800
County: Baltimore
NOB/SIC:
Primary Contact: Howell Funeral Home - Phone: 410-664-6800
Billing Contact: Howell Funeral Home - 4600 Liberty Heights Ave Woodlawn, MD 21207-7552 - Phone: 410-664-6800
Cert Contact: Howell Funeral Home - 4600 Liberty Heights Ave Woodlawn, MD 21207-7552 - Phone: 410-664-6800
Owner Contact: Howell Funeral Home - 4600 Liberty Heights Ave Woodlawn, MD 21207-7552 - Phone: 410-664-6800
Other Contact(s): Howell Funeral Home - 4600 Liberty Heights Ave Woodlawn, MD 21207-7552 - Phone: 410-664-6800

My Company Comments: Howell Funeral Home #714233 spoke to employees they told me boiler room was locked and couldn't give me access. I told them to call offic and to schedule an appointment as soon as possible.
Steve Noonan & Scott Reynolds inspected a heating boiler at Howell funeral Home

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089067H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1995	10/16/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Hunt Valley Cleaners**
Location ID: 714278
Address: 11319 York Rd Cockeysville, MD 21030-1909
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Dong Yu, Owner - Phone: 410-527-1741 - Cell: 410-440-8382

Copyright © 2020 CentralSquare

Billing Contact: Hunt Valley Cleaners - 11319 York Rd Cockeysville, MD 21030-1909 - Phone: 4105271741
Cert Contact: Hunt Valley Cleaners - 11319 York Rd Cockeysville, MD 21030-1909 - Phone: 4105271741
Owner Contact: Hunt Valley Cleaners - 11319 York Rd Cockeysville, MD 21030-1909 - Phone: 4105271741
Other Contact(s): Dong Yu, Owner - 11319 York Rd Cockeysville, MD 21030-1909 - Phone: 410-527-1741 - Cell: 410-440-8382
Hunt Valley Cleaners - 11319 York Rd Cockeysville, MD 21030-1909 - Phone: 4105271741

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004498		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000138181	148201	Columbia	1998	05/19/2020	Recurring Cert	Active	Boiler Room
MD070229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022081		Manchester	1989	05/19/2020	Recurring Cert	Active	Rear Of Shop, Bathroom

Total Objects at this location 2

Location: **Hunt Valley EuroCar** **Location ID:** 1084497
Address: 10807 York Rd Cockeysville, MD 21030-2116 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Brendan O'Rourke, Owner - Phone: 443-330-5575 - Cell: 443-330-5758
Billing Contact: Brendan O'Rourke - 10801 York Rd Cockeysville, MD 21030-2116 - Phone: 443-330-5575 - Cell: 443-330-5758
Cert Contact: Brendan O'Rourke, Owner - 10801 York Rd Cockeysville, MD 21030-2116 - Phone: 443-330-5575 - Cell: 443-330-5758
Owner Contact: Brendan O'Rourke, Owner - 10801 York Rd Cockeysville, MD 21030-2116 - Phone: 443-330-5575 - Cell: 443-330-5758
Other Contact(s): Brendan O'Rourke, Owner - 10801 York Rd Cockeysville, MD 21030-2116 - Phone: 443-330-5575 - Cell: 443-330-5758
Indok Kin, Owner - 10807 York Rd Cockeysville, MD 21030-2116 - Phone: 443-851-1180
Mo Hameed, Manager - 10807 York Rd Cockeysville, MD 21030-2116 - Phone: 410-666-1550
Paul , Owner - 10807 York Rd Cockeysville, MD 21030-2116 - Phone: 410-628-0397

My Company Comments: Location name and contact update per Scott Reynolds.

My Shared Comments: Mike (410-628-0397) said they were confused as to what their boiler was but have since scheduled Insparisk to come out for their air compressors. They will be taking one out of service.
no contact please do not wave citation
Owner acted like he was employee taking message. I call back and stated to employee owner need to contact me by 3:30 today or the citation will stick

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD120049V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000350769		Melben	1991	01/20/2021	Recurring Cert	Active	Basement
MD144466V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000090196		Mat Industries	2012	01/20/2021	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: **Hunt Valley Imported**
Address: 10722 York Rd Cockeysville, MD 21030-2120
County: Baltimore
Primary Contact: Hunt Valley Imported - Phone: 4106663600
Billing Contact: Hunt Valley Imported - 10722 York Rd Cockeysville, MD 21030-2120 - Phone: 4106663600
Cert Contact: Hunt Valley Imported - 10722 York Rd Cockeysville, MD 21030-2120 - Phone: 4106663600
Owner Contact: Hunt Valley Imported - 10722 York Rd Cockeysville, MD 21030-2120 - Phone: 4106663600
Other Contact(s): Hunt Valley Imported - 10722 York Rd Cockeysville, MD 21030-2120 - Phone: 4106663600

Location ID: 714279
Phone:
NOB/SIC:

My Company Comments: Hunt Valley Imported 9007
Inbox
x

Chris Cockey <cdcockey@yahoo.com>
9:24 AM (2 hours ago)
to me

I currently have an appointment to have my compressor inspected this week by American boiler inspection services. I can be reached on my cell which is 410-961-1285. Thank you very much, Chris Cockey

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109961V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000083498		Industrial Comb	1987	01/29/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **HyperHeal Hyperbarics Inc**
Location ID: 3868690
Address: 10540 York Rd Cockeysville, MD 21030-2300
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Larry Abramson, COO - Phone: 301-910-0248 - Email: larry@hyperhealonline.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Larry Abramson, COO - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 301-910-0248 - Email: larry@hyperhealonline.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164201V	PV-1	Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment		42664	Perry	2000	06/06/2021	Recurring Cert	Active	Hyperbaric Room
MD164202V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000728		Perry	2012	06/19/2021	Recurring Cert	Active	HYPERBARIC ROOM
MD164203V		Other w/comment	V - Storage (NOT Cryogenic)	000000550		Perry	2008	06/19/2021	Recurring Cert	Active	HYPERBARIC ROOM
MD164204V	PV-4	Other w/comment	O - Other (PV Use) w/comment		4159	Perry	2000	06/06/2021	Recurring Cert	Active	Hyperbaric Room

Total Objects at this location 4

Location: **HyperHeal Hyperbarics Inc/Rosedale Center**
Location ID: 3839978
Address: 9411 Philadelphia Rd Ste F Rosedale, MD 21237-4168
Phone: 410-433-4300 x3
County: Baltimore
NOB/SIC:
Primary Contact: Michael Gendreau, CEO - Phone: 207-956-1637 - Email: gendreau@hyperheal.com
Billing Contact: Mindy Paul - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 443-761-6569 - Email: mpaul@hyperhealonline.com
Cert Contact: Michael Gendreau, CEO - 7600 Osler Dr Ste 305 Towson, MD 21204-7702 - Phone: 207-956-1637 - Email: gendreau@hyperheal.com
Owner Contact: Dr. Samer Saiedy, President - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 301-910-0248 - Email: larry@hyperhealonline.com
Other Contact(s): Dr. Samer Saiedy, President - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 301-910-0248 - Email: larry@hyperhealonline.com
Eric Shapiro, Owner - 9411 Philadelphia Rd Rosedale, MD 21237-4168 - Phone: 443-802-3278 - Email: eric@hyperhealonline.com
Larry Abramson, COO - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 301-910-0248 - Email: larry@hyperhealonline.com

Copyright © 2020 CentralSquare

Michael Gendreau, CEO - 7600 Osler Dr Ste 305 Towson, MD 21204-7702 - Phone: 207-956-1637 - Email: gendreau@hyperheal.com
Mindy Paul, Financial Biller - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 443-761-6569 - Email: mpaul@hyperhealonline.com

My Company Comments:

11/22/2017 Mr Rogelio Gonzalez, 714-579-8334, is manufacturer. They are installing four PVs at 9411 Philadelphia Rd for Hyperseal Hyperbarics Inc. Installation and startup to begin 11/29/2017. CSD-1 is not required for PVs. He does not know AIA but will try to have AIA there at same time as BIU.
12-7-17 Email - The insurance for HyperHeal Hyperbarics' 3 locations is written through Chubb Insurance. The coverage includes Chubb Boiler & Machinery coverage. Please let me know if anything else is needed. I can be contacted by email or cell# 410-241-2595.

Sincerely,

Peter Stellmann| Insurance Advisor
HyperHeal Hyperbalics-3839978
We registered 4 hyperbaric chambers at this location. No issues were encountered. Rob Snyder 2-6-18
I was able to gain access to and complete certificate inspections on 4 pressure vessels which were overdue for inspection. Greg and I encountered no issues while at the location. J. MacDonald 1/7/20
Larry stated on 12-7-17 the other addresses are MD050635V Cockeysville Center
4 chambers, opened in 2012
10540 York Road
Suite H
Cockeysville Md 21030

Rosedale Center
9411 Philadelphia Road
Suite F
Baltimore, Md 21237

Glen Burnie Center
1811 Crain Hwy South
Suite B
Glen Burnie, Md 21061
The insurance for HyperHeal Hyperbarics' 3 locations is written through Chubb Insurance. The coverage includes Chubb Boiler & Machinery coverage. Please let me know if anything else is needed. I can be contacted by email or cell# 410-241-2595.
New Location/Owners
Primary and cert contact update.
Rec'd Call from Seacrest Industries. explained to her the trail of calls and what was said and what should be done. She stated that it is their court and they know what should be done.
Spoke with H Meyers, Maintenance. He explained that objects are installed and ready for use. I send him the strand of emails from Larry and Peter. I also told Mr. Meyers that in the emails are insured by Chubb. He will contact Chubb and make sure they are insured or he will contact a AIA. I sent him the list. I also request he tell me when would a good time for the State to be scheduled.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160131V	Model 4100HR	Other w/comment	O - Other (PV Use) w/comment	000003978	41HS0102	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160132V	Model 4100H	Other w/comment	O - Other (PV Use) w/comment	000003975	41HS0098	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160133V	Model 4100HR	Other w/comment	O - Other (PV Use) w/comment	000003976	41HS0100	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160134V		Other w/comment	O - Other (PV Use) w/comment	000003977		Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Suite F - First Floor

Total Objects at this location 4

Location: **HyperHeal Hyperbarics, Inc. (Roberts Oxygen)** **Location ID:** 3840601
Address: 10540 York Rd Cockeysville, MD 21030-2300 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161409V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000058834		CHART	2002	06/03/2022	Recurring Cert	Active	Outside/Caged Area

Total Objects at this location 1

Location: **Illiano's Italian Restaurant** **Location ID:** 4029737
Address: 4821 Butler Rd Glyndon, MD 21071 **Phone:** 410-833-7812
County: Baltimore **NOB/SIC:**
Primary Contact: Illiano's Italian Restaurant - Phone: 410-833-7812
Billing Contact: Illiano's Italian Restaurant - 4821 Butler Rd Glyndon, MD 21071 - Phone: 410-833-7812
Cert Contact: Illiano's Italian Restaurant - 4821 Butler Rd Glyndon, MD 21071 - Phone: 410-833-7812

Copyright © 2020 CentralSquare

Owner Contact: Illiano's Italian Restaurant - 4821 Butler Rd Glyndon, MD 21071 - Phone: 410-833-7812
Other Contact(s): Illiano's Italian Restaurant - 4821 Butler Rd Glyndon, MD 21071 - Phone: 410-833-7812

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167239V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028602		MVE Inc	1989	06/23/2022	Recurring Cert	Active	Outside Rear of building

Total Objects at this location 1

Location: **Immanuel Episcopal Church** **Location ID:** 714469
Address: 1509 Glencoe Rd Sparks Glencoe, MD 21152-9348 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Dary Schmidt, Parish Administrator - Phone: 410-472-2828 - Email: dary@immanuelglencoe.org
Billing Contact: Dary Schmidt - 1509 Glencoe Rd Sparks Glencoe, MD 21152-9348 - Phone: 410-472-2828 - Email: dary@immanuelglencoe.org
Cert Contact: Dary Schmidt, Parish Administrator - 1509 Glencoe Rd Sparks Glencoe, MD 21152-9348 - Phone: 410-472-2828 - Email: dary@immanuelglencoe.org
Owner Contact: Dary Schmidt, Parish Administrator - 1509 Glencoe Rd Sparks Glencoe, MD 21152-9348 - Phone: 410-472-2828 - Email: dary@immanuelglencoe.org
Other Contact(s): Dary Schmidt, Parish Administrator - 1509 Glencoe Rd Sparks Glencoe, MD 21152-9348 - Phone: 410-472-2828 - Email: dary@immanuelglencoe.org

My Company Comments:

My Shared Comments: Customer called to state boiler had been updated with a new one. Notice of Installation should have been submitted. Dorian 410.472.2828

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151003H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2014	11/02/2020	Recurring Cert	Active	Blrm

Total Objects at this location 1

Location: **Immanuel Lutheran Church** **Location ID:** 714470
Address: 3184 Church St Manchester, MD 21102-2001 **Phone:** 410-374-4463
County: Baltimore **NOB/SIC:**
Primary Contact: Tim Rill, Property Chairman - Cell: 443 340 4904 - Email: timrill5@gmail.com

Copyright © 2020 CentralSquare

Billing Contact: Office Administration - 3184 Church St PO Box 739 Manchester, MD 21102-2001 - Phone: 410-374-4465
Cert Contact: Tim Rill, Property Chairman - 3184 Church St Manchester, MD 21102-2001 - Cell: 443 340 4904 - Email: timrill5@gmail.com
Owner Contact:
Other Contact(s): Office Administration - 3184 Church St PO Box 739 Manchester, MD 21102-2001 - Phone: 410-374-4465
Rachel Murphy, Secretary - PO Box 739 Manchester, MD 21102-0739 - Phone: (410) 374-4463
Steve Burris - 3184 Church St Manchester, MD 21102-2001 - Cell: Cell 410-598-5823
Steve Burris - 3184 Church St PO Box 739 Manchester, MD 21102-2001 - Phone: 410-374-4463
Tim Rill, Property Chairman - 3184 Church St Manchester, MD 21102-2001 - Cell: 443 340 4904 - Email: timrill5@gmail.com

My Company Comments:

My Shared Comments: Representaive for the church called to say he missed the inspection date of April 1, and needed an AIA listing. The fax # is 410-374-2828.

To Dorothy: "Please call Brian Kremen (443-286-5688) to schedule an inspector to verify if MD060591H exists at loc 714470. Brian swears they only have two (MD092830H and MD0119899H). Please let him know if there will be a charge for the visit, as I don't think he'd be too keen on paying a surprise invoice."

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092830H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1995	06/08/2021	External Cert, Recurring Cert	Active	Scout Boiler Room
MD119899H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2003	06/08/2021	External Cert, Recurring Cert	Active	Santuary Boiler Room
			Total Objects at this location		2						

Location: **Indulgence**
Location ID: 2656693
Address: 6245 Falls Rd Baltimore, MD 21209-2135
Phone: 410-321-1711
County: Baltimore
NOB/SIC:
Primary Contact: Indulgence
Billing Contact:
Cert Contact: Melissa A. King - 605 S Eden St Ste 250 Baltimore, MD 21231-2869 - Phone: 410-296-1770 x21 - Email: mking@vanguardretaildev.com
Owner Contact:
Other Contact(s): Indulgence Inc - 6245 Falls Rd Baltimore, MD 21209-2135 - Phone: 410-321-1711
Melissa A. King - 605 S Eden St Ste 250 Baltimore, MD 21231-2869 - Phone: 410-296-1770 x21 - Email: mking@vanguardretaildev.com
Natercia Jackson, Owner - 1 Starlight Farm Dr Phoenix, MD 21131-1027 - Phone: 410-321-1711 - Cell: 410-472-0637

My Company Comments: 6245 Falls Rd., Baltimore, MD
Boilers@dllr

Copyright © 2020 CentralSquare

x

Melissa King <mking@vanguardretaildev.com>
Attachments5:07 PM (13 hours ago)

to boilers
The above referenced boiler was inspected today. I am waiting on the results and/or any necessary repairs. Please let me know what I need to do after the inspection/repairs are complete.

Thank you,
Melissa King

Melissa A. King
Vanguard Equities, Inc.
605 South Eden Street, Suite 250
Baltimore, MD 21231
(410) 296-1770 x21
Certificate update.
Insparisk to inspect 3/6/17.
This is confirmed re inspection, with Wendy Barnes property manager 410 235 8776
Natercia # 410 321 1711 for March 2nd to do a violation follow up

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152252H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ECR	2012	12/17/2020	Recurring Cert	Active	6245B- BASEMENT

Total Objects at this location 1

Location: **Innterim**
Address: 112 Sudbrook Ln Pikesville, MD 21208-4148
County: Baltimore
Primary Contact: Innterim - Phone: 410-486-8175
Billing Contact: Innterim - 112 Sudbrook Ln Pikesville, MD 21208-4148 - Phone: 410-486-8175
Cert Contact: Innterim - 112 Sudbrook Ln Pikesville, MD 21208-4148 - Phone: 410-486-8175
Owner Contact: Innterim - 112 Sudbrook Ln Pikesville, MD 21208-4148 - Phone: 410-486-8175
Other Contact(s): Innterim - 112 Sudbrook Ln Pikesville, MD 21208-4148 - Phone: 410-486-8175

Location ID: 714550
Phone:
NOB/SIC:

My Company Comments: Citation--347-358-8258- Christina Morgan called inspection performed on the 60th day 11/15/19. Citation dated 12/10/19, violations were corrected. MAC Inspections was booked and unable to give a date for the return inspection. She will call again to see if a date is available.
LOC 714550

Copyright © 2020 CentralSquare

MAC Inspection & Welding Agency
1:07 PM (1 minute ago)
to MD, citations, cmorgan

Good afternoon all, I was contacted by Ms. Morgan of Innterim Housing Corporation(cc'd in this email), to schedule the inspection of their boiler which was due by 9/15/19. We have scheduled the inspection for tomorrow, 11/15/19. We will input their report as soon as possible.

Best regards,

Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962 fax: (410) 676-9963
www.macinspection.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097942H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	NA	Weil-McLain	1997	09/15/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **J & J Alterations & Cleaning** **Location ID:** 714679
Address: 1516 York Rd Lutherville Timonium, MD 21093-5625 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Haralambos Sigambris, Owner - Phone: 410-823-0545 - Email: sigambris@aol.com
Billing Contact: J & J Alterations & Cleaning - 1516 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-823-0545
Cert Contact: J & J Alterations & Cleaning - 1516 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-823-0545
Owner Contact: J & J Alterations & Cleaning - 1516 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-823-0545
Other Contact(s): Haralambos Sigambris, Owner - 1516 York Rd Lutherville Timonium, MD 21093-5625 - Phone: 410-823-0545 - Email: sigambris@aol.com
J & J Alterations & Cleaning - 1516 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-823-0545

My Company Comments:

My Shared Comments:

Called location owner said new insurance company it Cincinnati insurance. CJ Schindler 9/17/18
HSB confirmed for July 23rd

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078584V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000038488		Brunner	1992	07/20/2022	Recurring Cert	Active	BLRM 1516
MD129147V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730634		Manchester	2006	07/20/2022	Recurring Cert	Active	BLRM
MD161772		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000123899		Fulton	2018	03/31/2021	External Non-Cert	Active	Blrm

Total Objects at this location 3

Location: **J & J Alterations & Cleaning** **Location ID:** 714678
Address: 2434 Broad Ave Lutherville Timonium, MD 21093-2262 **Phone:** 410-252-8200
County: Baltimore **NOB/SIC:**
Primary Contact: John Garcia - Phone: 410-252-8200 - Cell: 410-790-2352 - Email: jnjalterations@gmail.com
Billing Contact: John Garcia - 2434 Broad Ave Lutherville Timonium, MD 21093-2262 - Phone: 410-252-8200 - Cell: 410-790-2352 - Email: jnjalterations@gmail.com
Cert Contact: John Garcia - 2434 Broad Ave Lutherville Timonium, MD 21093-2262 - Phone: 410-252-8200 - Cell: 410-790-2352 - Email: jnjalterations@gmail.com
Owner Contact: Haralambos Sigambris, Owner - 1516 York Rd Lutherville Timonium, MD 21093-5625 - Phone: 410-823-0545 - Email: sigambris@aol.com
Other Contact(s): Haralambos Sigambris, Owner - 1516 York Rd Lutherville Timonium, MD 21093-5625 - Phone: 410-823-0545 - Email: sigambris@aol.com
John Garcia - 2434 Broad Ave Lutherville Timonium, MD 21093-2262 - Phone: 410-252-8200 - Cell: 410-790-2352 - Email: jnjalterations@gmail.com

My Company Comments:

My Shared Comments:

Boiler inspection scheduled for 11/1/18, CJ Schindler
Contact update.
HSB confirmed 6-12-14 inspection
Object MD124497 has been removed and a new unit is in the process of being installed. Owner (John Garcia) 410.252.8200 said he would have the installer send information to our office so we can arrange for the verification and a tag for the new unit.
standardized 5/19/06/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112007V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000946945		Manchester	2000	07/20/2020	Recurring Cert	Active	BLRM
MD148069		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000116515		Fulton	2013	09/22/2020	Internal Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

Location: **J G Edelen Co**
Address: 8901 Kelso Dr Essex, MD 21221-3113
County: Baltimore
Location ID: 714765
Phone:
NOB/SIC:

Primary Contact: Gary Brown - Phone: 410 918 1200 - Email: garyb@jgedelen.com
Billing Contact: J G Edelen Co - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: (410) 918-1200
Cert Contact: Gary Brown - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: 410 918 1200 - Email: garyb@jgedelen.com
Owner Contact: J G Edelen Co - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: (410) 918-1200
Other Contact(s): Gary Brown - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: 410 918 1200 - Email: garyb@jgedelen.com
J G Edelen Co - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: (410) 918-1200
John Healy, President - 8901 Kelso Dr Essex, MD 21221-3113 - Phone: 410-918-1200

My Company Comments: Gary Brown <GaryB@jgedelen.com>
Wed, Mar 6, 8:45 AM (1 day ago)
to boilers@dllr.state.md.us

Good morning,

This is to follow up on my phone conversation with Dorothy Clements.

The inspector will be here Monday 11th approx. 9 am. The person's name is Lionel Van Dommenlen.

Thanks,

Gary Brown

Manufacturing Operations Manager

J.G. Edelen Co., Inc.

8901 Kelso Drive

Baltimore, MD 21221

Ph: 410-918-1200 x131

Fx: 410-918-1018

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161917V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000660613		Morganton	2017	01/07/2021	Recurring Cert	Active	Loft

Total Objects at this location 1

Location: **J W Treuth & Sons**
Address: 328 Oella Ave Baltimore, MD 21228-5416
County: Baltimore
Primary Contact: Michael Treuth or Jason Trippett - Phone: 410-465-4650
Billing Contact: Michael Treuth or Jason Trippett - PO Box 3288 Baltimore, MD 21228-0288 - Phone: 410-465-4650
Cert Contact: Michael Treuth or Jason Trippett - PO Box 3288 Baltimore, MD 21228-0288 - Phone: 410-465-4650
Owner Contact: Michael Treuth or Jason Trippett - PO Box 3288 Baltimore, MD 21228-0288 - Phone: 410-465-4650
Other Contact(s): Michael Treuth or Jason Trippett - PO Box 3288 Baltimore, MD 21228-0288 - Phone: 410-465-4650
Mike Trueth - 328 Oella Ave Baltimore, MD 21228-5416 - Phone: 410-465-4650

Location ID: 987236
Phone: 410-465-4650
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162732H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000040024		R B I	2018	03/14/2021	Recurring Cert	Active	O/S Shed
MD162733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000872877		Steel Fab	2018	03/14/2021	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: **J&K Carwash**
Address: 1100 North Point Rd Dundalk, MD 21222-1454
County: Baltimore
Primary Contact: Billy Johnson - Phone: 410-288-2886 - Email: jandkautomotive@comcast.net

Location ID: 725164
Phone: 410-288-2886
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Billy Johnson - 1100 N Point Rd Dundalk, MD 21222-1454 - Phone: 410-288-2886 - Email: jandkautomotive@comcast.net
Cert Contact: Billy Johnson - 1100 N Point Rd Dundalk, MD 21222-1454 - Phone: 410-288-2886 - Email: jandkautomotive@comcast.net
Owner Contact: Billy Johnson - 1100 N Point Rd Dundalk, MD 21222-1454 - Phone: 410-288-2886 - Email: jandkautomotive@comcast.net
Other Contact(s): Billy Johnson - 1100 N Point Rd Dundalk, MD 21222-1454 - Phone: 410-288-2886 - Email: jandkautomotive@comcast.net
Tom - 722 Dulaney Valley Rd # 298 Towson, MD 21204-5109 - Phone: 410-456-0177

My Company Comments:

My Shared Comments: AIA list sent to jandkautomotive@comcast.net on 12/18/14. He just called back and asked for it again. Sent again.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD073364H	Coil Wtr Htr	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	0014577		Weben-Jarco	1990	03/27/2021	Recurring Cert	Active	Equipment Room
MD073365H	Coil Wtr Htr	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000014997		Weben-Jarco	1980	03/27/2021	Recurring Cert	Active	Equipment Room
MD117393V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000107781		Manchester	2002	03/27/2021	Recurring Cert	Active	Carwash

Total Objects at this location 3

Location: **Jad's Caddy Shack (Arc3)** **Location ID:** 3949969
Address: 137 Back River Neck Rd Essex, MD 21221-3925 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jad's Caddy Shack (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163579V		Vertical Unfired Pressure	V - Storage (Cryogenic)	000151233		CHART	2003	04/16/2021	Recurring Cert	Active	Store Room

Copyright © 2020 CentralSquare

		Vessel w/comment									

Total Objects at this location 1

Location: **Jaguar Land Rover Hunt Valley** **Location ID:** 2984927
Address: 10260 York Rd Cockeysville, MD 21030-3252 **Phone:** 410-666-6060
County: Baltimore **NOB/SIC:**
Primary Contact: Ron Johnston, VP of Fixed Operations - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Billing Contact: Ron Johnston - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Cert Contact: Ron Johnston, VP of Fixed Operations - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Owner Contact: Ron Johnston, VP of Fixed Operations - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com
Other Contact(s): Ron Johnston, VP of Fixed Operations - 10260 York Rd Cockeysville, MD 21030-3252 - Phone: 410-666-6066 - Cell: 410-627-6560 - Email: rjohnston@frankelauto.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070382V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000802013		Buckeye	1987	07/21/2021	Recurring Cert	Active	Compressor Room
MD140269V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001067887		Manchester	2000	07/21/2021	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **Jay's Auto Service** **Location ID:** 702415
Address: 5506 Baltimore National Pike Catonsville, MD 21228-1531 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jay Shasti, Owner - Phone: 410-747-0044
Billing Contact: Jay Shasti - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044
Cert Contact: Jay Shasti, Owner - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044
Owner Contact: Jay's Auto Service - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044
Other Contact(s): Jay Shasti, Owner - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044
Jay's Auto Service - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144597V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000397591		Steel Fab	2005	09/20/2022	Recurring Cert	Active	Shop, Rear Corner

Total Objects at this location 1

Location: **JD Neuhaus**
Address: 9 Loveton Cir Sparks Glencoe, MD 21152-9201
County: Baltimore
Primary Contact: Carol White - Phone: 410-472-0500
Billing Contact: Carol White - 9 Loveton Cir Sparks Glencoe, MD 21152-9201 - Phone: 410-472-0500
Cert Contact:
Owner Contact:
Other Contact(s): Carol White - 9 Loveton Cir Sparks Glencoe, MD 21152-9201 - Phone: 410-472-0500

Location ID: 3673150
Phone: 410-472-0500
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153291V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032424		Ross	1900	10/02/2021	Recurring Cert	Active	Back of Shop
MD153292V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000532003		Buckeye	1984	10/02/2021	Recurring Cert	Active	Back of Shop

Total Objects at this location 2

Location: **Jemicy School**
Address: 11 Celadon Rd Owings Mills, MD 21117-3009
County: Baltimore
Primary Contact: Steve Kolar - Phone: 410-753-8018

Location ID: 714960
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Steve Kolar - 11 Celadon Rd Owings Mills, MD 21117-3009 - Phone: 410-753-8018
Cert Contact: Steve Kolar - 11 Celadon Rd Owings Mills, MD 21117-3009 - Phone: 410-753-8018
Owner Contact: Steve Kolar - 11 Celadon Rd Owings Mills, MD 21117-3009 - Phone: 410-753-8018
Other Contact(s): Steve Kolar - 11 Celadon Rd Owings Mills, MD 21117-3009 - Phone: 410-753-8018

My Company Comments: I went to the Jemicy School to check on two boilers which had not be issued certificates due to violations which had yet to be cleared. Upon inspection of the boilers, I was able to confirm that the emergency shutoffs had been moved from inside the locked boiler room, to outside the room where they can be easily accessed in case of emergency. MacDonald - 1/11/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095751H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16002948	Burnham	1996	07/07/2021	Recurring Cert	Active	Meyers Boiler Room
MD095752H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7704073	Burnham	1996	07/07/2021	Recurring Cert	Active	White Building Boiler Room
MD144638H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65104096	Burnham	2008	07/07/2021	Recurring Cert	Active	White Building Boiler Room

Total Objects at this location 3

Location: **Jerry's Chevrolet Inc** **Location ID:** 714981
Address: 1940 E Joppa Rd Parkville, MD 21234-2730 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Grant Monks, Service Manager - Phone: 4106619100 - Cell: 4437173880 - Email: gmonks@jerryschevrolet.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Grant Monks, Service Manager - 1940 E Joppa Rd Parkville, MD 21234-2730 - Phone: 4106619100 - Cell: 4437173880 - Email: gmonks@jerryschevrolet.com
Jerry's Chevrolet Inc - 1940 E Joppa Rd Parkville, MD 21234-2730 - Phone: 410-661-9100

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD020247V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000442946		Kargard	1969	04/09/2022	Recurring Cert	Active	Rear Bldg Comp Room

Copyright © 2020 CentralSquare

	Vessel w/comment								
MD159020V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000405128	Manchester	2018	04/09/2022	Recurring Cert	Active	Rear Bldg Comp Room

Total Objects at this location 2

Location: **Jerrys Auto Body**
Location ID: 714985
Address: 1800 S Caton Ave Halethorpe, MD 21227-1601
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jerry Jeffrey - Phone: 410-644-5505
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Jerry Jeffrey - 1800 S Caton Ave Halethorpe, MD 21227-1601 - Phone: 410-644-5505

My Company Comments: MAC Inspections inspected.

My Shared Comments:
Faxed AIA info 410-644-6040
HSB is awaiting their underwriting dept. to assist
RMF to busy. MAC inspected 11-4-14
RMF wk of 10-27-14

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151830V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00002891 D		Brunner	1984	11/11/2020	Recurring Cert	Active	Small Bay

Total Objects at this location 1

Location: **Jerrys Mitsubishi**
Location ID: 1338394
Address: 1906 E Joppa Rd Parkville, MD 21234-2730
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Donald Harris, Service Manager - Phone: 4106684200 - Email: dharris@jerrysmitsubishi.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Donald Harris, Service Manager - 1906 E Joppa Rd Parkville, MD 21234-2730 - Phone: 4106684200 - Email: dharris@jerrysmitsubishi.com
Jerrys Mitsubishi - 1906 E Joppa Rd Parkville, MD 21234-2730 - Phone: 410-668-4200

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121594V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	409220		Manchester	2005	05/04/2022	Recurring Cert	Active	Rear Bldg Comp Room

Total Objects at this location 1

Location: **Jerrys Toyota**
Location ID: 714984
Address: 8001 Belair Rd Baltimore, MD 21236-3709
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jessica Smithson, Service Manager - Phone: 4106615700 - Email: jsmithson@jerrystoyota.com
Billing Contact: Jerrys Toyota - 8001 Belair Rd Baltimore, MD 21236-3709 - Phone: 410-661-5700
Cert Contact: Jerrys Toyota - 8001 Belair Rd Baltimore, MD 21236-3709 - Phone: 410-661-5700
Owner Contact: Jerrys Toyota - 8001 Belair Rd Baltimore, MD 21236-3709 - Phone: 410-661-5700
Other Contact(s): Jerrys Toyota - 8001 Belair Rd Baltimore, MD 21236-3709 - Phone: 410-661-5700
Jessica Smithson, Service Manager - 8001 Belair Rd Baltimore, MD 21236-3709 - Phone: 4106615700 - Email: jsmithson@jerrystoyota.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154565V	#1 (LEFT)	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040395	442396	AIR COM	2014	05/04/2022	Recurring Cert	Active	Outside Side Comp Gage
MD154566V	#2 (RIGHT)	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040802	43306	AIR COM	2014	05/04/2022	Recurring Cert	Active	Outside Side Comp Cage

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Jiffy Lube #1061**
Address: 10602 Reisterstown Rd Owings Mills, MD 21117-2802
County: Baltimore
Primary Contact: Matt Blauvelt, Owner - Phone: 410-833-9063
Billing Contact: Jiffy Lube # 1061 - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-363-7950
Cert Contact: Jiffy Lube # 1061 - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-363-7950
Owner Contact: Matt Blauvelt, Owner - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-833-9063
Other Contact(s): Jiffy Lube # 1061 - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-363-7950
Matt Blauvelt, Owner - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-833-9063

Location ID: 715020
Phone: 410-363-7950
NOB/SIC:

My Company Comments:

My Shared Comments: Matt said Mutual Boiler is supposed to be coming out but the inspector flaked on the date.
Matt(443-803-2071) called, there's a discrepancy between which insurance company will be doing the inspection. He wanted to call to let us know, in case the inspection was done after the CED of 8/15/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139170V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000621007		Steel Fab	2010	10/13/2021	Recurring Cert	Active	BASM'T

Total Objects at this location 1

Location: **Jim Jennings Transmissions**
Address: 601 Eastern Blvd Essex, MD 21221-4908
County: Baltimore
Primary Contact: Gary Jennings - Phone: 410-686-6700
Billing Contact: Gary Jennings - 601 Eastern Blvd Essex, MD 21221-4908 - Phone: 410-686-6700
Cert Contact: Gary Jennings - 601 Eastern Blvd Essex, MD 21221-4908 - Phone: 410-686-6700
Owner Contact: Gary Jennings - 601 Eastern Blvd Essex, MD 21221-4908 - Phone: 410-686-6700
Other Contact(s): Gary Jennings - 601 Eastern Blvd Essex, MD 21221-4908 - Phone: 410-686-6700

Location ID: 715071
Phone:
NOB/SIC:

My Company Comments: Mr. Jennings called to say ins is scheduled to inspect on Jan 20th

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162848V		Horizontal Unfired	V - Storage (NOT Cryogenic)	000470314		Steel Fab	2007	03/22/2021	Recurring Cert	Active	Outside Shed

Copyright © 2020 CentralSquare

Pressure
Vessel
w/comment

Total Objects at this location 1

Location: **Jim's Auto Repair and Body Works, LLC.** **Location ID:** 709394
Address: 1008 Leslie Ave Unit A Catonsville, MD 21228-2923 **Phone:** 410-455-9734
County: Baltimore **NOB/SIC:**
Primary Contact: Wilson or Cesar Romero - Phone: 410-455-9734
Billing Contact: Wilson or Cesar Romero - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734
Cert Contact: Wilson or Cesar Romero - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734
Owner Contact: Wilson or Cesar Romero - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734
Other Contact(s): Cesar Romero, Owner - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734 - Email: jimsautorepairandbodywork@gmail.com
Rapid Auto Service - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734
Wilson , Owner - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734 - Email: jimsautorepairandbodywork@gmail.com
Wilson or Cesar Romero - 1008 Leslie Ave Ste A Catonsville, MD 21228-2923 - Phone: 410-455-9734

My Company Comments: New ownership info is as follows:
Jim's Auto Repair and Body Work LLC. - 1008 Leslie Ave, Suite A, Catonsville, MD 21228.
Owners: Wilson or Cesar Romero
410-455-9734
jimsautorepairandbodywork@gmail.com

I completed a certificate external inspection for the object MD121981V.
This property that I was originally scheduled to look at an object was called Rapid Auto Service. The location is no longer Rapid Auto Service, but rather a new name and ownership. THE ORIGINAL OBJECT REMAINED. JMacDonald

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121981V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254507		Manchester	2003	11/29/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Jimmy John's** **Location ID:** 4018718
Address: 5209A Campbell Blvd Nottingham, MD 21236-5047 **Phone:** 410-931-9300
County: Baltimore **NOB/SIC:**
Primary Contact: Jimmy John's - Phone: 410-931-9300

Copyright © 2020 CentralSquare

Billing Contact: Jimmy John's - 5209A Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-9300
Cert Contact: Jimmy John's - 5209A Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-9300
Owner Contact: Jimmy John's - 5209A Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-9300
Other Contact(s): Jimmy John's - 5209A Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-9300

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166522V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015276		Taylor-Wharton	1997	05/01/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Jimmy John's - 1933 (Arc3)**
Location ID: 3925616
Address: 10128 York Rd Cockeysville, MD 21030-3306
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jimmy John's - 1933 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163511V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000127253		MVE	2001	02/27/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Jimmy John's - 2285 (Arc3)**
Location ID: 3925604
Address: 1819 York Rd Lutherville Timonium, MD 21093-5144
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jimmy John's - 2285 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163509V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000159951		CHART	2005	02/27/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Joppa Exxon Service Center**
Location ID: 715288
Address: 2320 E Joppa Rd Parkville, MD 21234-2808
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jannett Ferber - Cell: 410-303-9379
Billing Contact: Jannett Ferber - 2320 E Joppa Rd Parkville, MD 21234-2808 - Cell: 410-303-9379
Cert Contact: Jannett Ferber - 2320 E Joppa Rd Parkville, MD 21234-2808 - Cell: 410-303-9379
Owner Contact: Jannett Ferber - 2320 E Joppa Rd Parkville, MD 21234-2808 - Cell: 410-303-9379
Other Contact(s): Jake - 2320 E Joppa Rd Parkville, MD 21234-2808 - Phone: 410-663-8377
Jannett Ferber - 2320 E Joppa Rd Parkville, MD 21234-2808 - Cell: 410-303-9379
Joppa Exxon Service Center - 2320 E Joppa Rd Parkville, MD 21234-2808 - Phone: 4106610788

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127319V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000418657		Steel Fab	2006	12/21/2020	Recurring Cert	Active	store

Copyright © 2020 CentralSquare

Vessel w/comment

Total Objects at this location 1

Location: **KCL Auto Services**
Location ID: 3807059
Address: 6852 German Hill Rd Dundalk, MD 21222-1149
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: KCL Auto Services
Billing Contact: KCL Auto Services - 807 Stiles Ct Joppa, MD 21085-1321 - Phone: 410 285 7240
Cert Contact: KCL Auto Services - 807 Stiles Ct Joppa, MD 21085-1321 - Phone: 410 285 7240
Owner Contact: KCL Auto Services - 807 Stiles Ct Joppa, MD 21085-1321 - Phone: 410 285 7240
Other Contact(s): KCL Auto Services - 807 Stiles Ct Joppa, MD 21085-1321 - Phone: 410 285 7240

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158324V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019378		ice	2012	09/01/2021	Recurring Cert	Active	Front Shop

Total Objects at this location 1

Location: **Keyway Apartments**
Location ID: 2785467
Address: 117 Kinship Rd Dundalk, MD 21222-3860
Phone: 410-262-1990
County: Baltimore
NOB/SIC:
Primary Contact: Jeff Blum - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Billing Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Cert Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Owner Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Other Contact(s): Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Keyway Management - PO Box 32092 Baltimore, MD 21282-2092 - Phone: 410-985-1333
Keyway Management, LLC - 3106 Pinkney Rd Baltimore, MD 21215-3709
Progressive Property Corp. - 6718 Holabird Ave Baltimore, MD 21222-1047

My Company Comments: I called and left voicemails at two numbers for Keyway Apartments in Dundalk. I have not yet received a phone call back but will follow up again the beginning of next week to gain access to this area. Many of the other locations for Keyway Apartments in JO have been updated to objects which are exempt, so I assume this will be the case for 117 Kinship, but will folow up regardless.
Invoice 109664 returned 1/12/18, it was addressed to the PO Box 32092.

Copyright © 2020 CentralSquare

MacDonald - End of Day Summary 1/16/20 Keyway Apartments = 117 Kinship (Location 2785467)

I was not able to gain access to this location. I was however able to get into contact with the leasing company, and schedule an appointment to inspect the object tomorrow 1/17/20 at 9am. Jeff Blum is my contact (443-243-0543)
No access, BK 9/16/15.

My Shared Comments: Jenny (443-371-9754) said they have had problems with the owner but that she is working on getting an AIA ASAP.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145376H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000172188		A O Smith	2012	11/16/2021	Recurring Cert	Active	117 Kinship

Total Objects at this location 1

Location: **Keyway Apartments** **Location ID:** 715698
Address: 129 Willow Spring Rd Dundalk, MD 21222-3871 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jeff Blum - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Billing Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Cert Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Owner Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Other Contact(s): Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Keyway Management - PO Box 32092 Baltimore, MD 21282-2092 - Phone: 410-985-1333
Keyway Management, LLC - 3106 Pinkney Rd Baltimore, MD 21215-3709
Lori Cain, Property Manager - 6718 Holabird Ave Baltimore, MD 21222-1047 - Phone: 410 282 5800

My Company Comments: Contact update.
No access, BK 9/16/15.
Registration form returned, was addressed to PO box 32092.

My Shared Comments: Jenny (443-371-9754) said they have had problems with the owner but that she is working on getting an AIA ASAP.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152726H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000184572	184572	A O Smith	2013	12/31/2021	Recurring Cert	Active	129 Boiler Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Kings Court Motel**
Address: 12200 Belair Rd Kingsville, MD 21087-1176
County: Baltimore
Primary Contact: Kings Court Motel - Phone: 410-592-8333
Billing Contact: Esther Hou - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-2857/410-592-8333
Cert Contact: Esther Hou - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-2857/410-592-8333
Owner Contact: Esther Hou - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-2857/410-592-8333
Other Contact(s): Esther Hou - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-2857/410-592-8333
Kings Court Motel - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-8333

Location ID: 715762
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097922H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3314732	Valiant	1994	06/16/2022	Recurring Cert	Active	Upper Boiler Room
MD097923H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7736225	Burnham	1997	06/16/2022	Recurring Cert	Active	Lower Boiler Room

Total Objects at this location 2

Location: **Kleim's Service Center**
Address: 153 Church Ln Cockeysville, MD 21030-4970
County: Baltimore
Primary Contact: Tim Kleim, Owner - Phone: 410-666-3818
Billing Contact: Tim Kleim - 153 Church Ln Cockeysville, MD 21030-4903 - Phone: 410-666-3818
Cert Contact: Tim Kleim, Owner - 153 Church Ln Cockeysville, MD 21030-4903 - Phone: 410-666-3818
Owner Contact: Tim Kleim, Owner - 153 Church Ln Cockeysville, MD 21030-4903 - Phone: 410-666-3818
Other Contact(s): Tim Kleim, Owner - 153 Church Ln Cockeysville, MD 21030-4903 - Phone: 410-666-3818

Location ID: 1590840
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: Tim Kleim called, his certificate date has expired. Gave Hartfords' phone number.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD123126V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000925646	Buckeye	1989	06/16/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Koons Chevrolet**
Location ID: 1082966
Address: 10207 Philadelphia Rd White Marsh, MD 21162-3401
Phone: 410-931-8600
County: Baltimore
NOB/SIC:
Primary Contact: Koons Chevrolet - Phone: 410-931-8600
Billing Contact: Koons Chevrolet - 10207 Philadelphia Rd White Marsh, MD 21162-3401 - Phone: 410-931-8600
Cert Contact: Koons Chevrolet - 10207 Philadelphia Rd White Marsh, MD 21162-3401 - Phone: 410-931-8600
Owner Contact: Koons Chevrolet - 10207 Philadelphia Rd White Marsh, MD 21162-3401 - Phone: 410-931-8600
Other Contact(s): Koons Chevrolet - 10207 Philadelphia Rd White Marsh, MD 21162-3401 - Phone: 410-931-8600

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118674V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000555060		Manchester	1999	06/20/2022	Recurring Cert	Active	comp rm

Total Objects at this location 1

Location: **Koons Lincoln Mercury Volvo**
Location ID: 715866
Address: 9610 Reisterstown Rd Owings Mills, MD 21117-4128
Phone: 410-363-3333
County: Baltimore
NOB/SIC:
Primary Contact: Lee Ferguson - Phone: 301-780-2363 - Cell: 240-417-8389
Billing Contact: Lee Ferguson - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 301-780-2363 - Cell: 240-417-8389
Cert Contact: Lee Ferguson - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 301-780-2363 - Cell: 240-417-8389
Owner Contact: Lee Ferguson - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 301-780-2363 - Cell: 240-417-8389
Other Contact(s): Alex Goldstein - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 410-363-3333 - Email: alex.goldstein@koons.com
Brian Paul - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 410-363-3333 x18254
Lee Ferguson - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 301-780-2363 - Cell: 240-417-8389
Lee Ferguson - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 410-363-3333
Rudy Schmidt - 9610 Reisterstown Rd Owings Mills, MD 21117-4128 - Phone: 410-363-3333

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065802V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000774677		Buckeye	1987	05/28/2021	Recurring Cert	Active	BLRM
MD065804H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1974	05/28/2021	Recurring Cert	Active	BLRM
MD163206V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000689796		Morganton	2017	03/20/2021	Recurring Cert	Active	BLRM

Total Objects at this location 3

Location: **Kustom**
Location ID: 1869099
Address: 3518 Ellen Rd Windsor Mill, MD 21244-3038
Phone: 443-272-7960
County: Baltimore
NOB/SIC:
Primary Contact: Kustom
Billing Contact: Kustom - 3518 Ellen Rd Windsor Mill, MD 21244-3038
Cert Contact: Kustom - 3518 Ellen Rd Windsor Mill, MD 21244-3038
Owner Contact: Kustom - 3518 Ellen Rd Windsor Mill, MD 21244-3038
Other Contact(s): Kustom - 3518 Ellen Rd Windsor Mill, MD 21244-3038
R & J Investments, LLC. - 224 N Franklintown Rd Baltimore, MD 21223-1039
Rockdale Auto Body, Inc. - 3518 Ellen Rd Windsor Mill, MD 21244-3038 - Phone: 443- 272-5006
Samuel Lewis, Owner - 3518-20 Ellen Rd Windsor Mill, MD 21244-3038 - Phone: 410-496-4656
Steven or JoAnne Galasso, Owner - 3518 Ellen Rd Windsor Mill, MD 21244-3038 - Phone: 443-272-7960 - Email: rockdaleautobody2@comcast.net

My Company Comments: No longer owned by Steven and JoAnne Galasso and the name has also changed.
R & J Investments - 3518 Ellen Rd - Location: 1869099 - 1 Followed up

I was here to check the status of an overdue object, but was unable to gain access to the object. I attempted to call the contact listed but with no luck. I left a voicemail. MacDonald - 3/6/18
R & J Investments - 3518 Ellen Rd, Windsor Mill, 21244 -1869099 - 1 Follow up
I went to this location to check on the status of a pressure vessel which was operating without certificate. Upon arrival, the sign on the door says Rockdale Auto Body (443-272-7960). There was no one at the shop, and no sign of business going on. I called number and left voicemail. Jeremy Macdonald 1-16-18

Copyright © 2020 CentralSquare

My Shared Comments:

Joanne faxed me the MAC inspection report from 1/20/15 to attempt to not get a citation.
NEW owner, Sent AIA to get an inspection schedule
Owner state not responsibile for compressor. Asked if other compressor on property states he did not know. I changed name to Auto body. Told man that the location address is responible not name. He hung up. Requesting robin to send citation
Received new owner info.
Owner states inspection to be done within 2 weeks, not given a specific date yet.
Didn't mention name of company.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129040V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000286660		Manchester	1995	04/30/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **L & J Auto, LLC.**
Address: 103 Back River Neck Rd Essex, MD 21221-3920
County: Baltimore
Primary Contact: L & J Auto, LLC.
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Abby LLC - 5019 Eastern Ave Baltimore, MD 21224-2702
Abdelkrim - 103 Back River Neck Rd Essex, MD 21221-3920 - Phone: 410-686-0384
Mirza Baig, Owner - 103 Back River Neck Rd Essex, MD 21221-3920 - Cell: 443-969-4784
Peter Che - 103 Back River Neck Rd Essex, MD 21221-3920 - Phone: 410 918 1669

Location ID: 708503
Phone: 443-590-6129/443-766-8707
NOB/SIC:

My Company Comments:

Building was not open at time of inspection. It appears as though a new tenant is moving in. Will return to gather more information in a week or two. 9/27/19 JMacDonald
citation returned-not delieverable as addressed- unable to forward

Citation warning returned- not deliverable as addressed
I then went to B and M auto repair located at 103 Back River Neck Rd. It turns out there is a new owner/renter of the shop space, and I was able to register a new air tank, as well as inspect the tank which was on site. There should now be two air tanks on site. The new information for this site is as follows.

Walid Auto Shop
103 Back River Neck Rd
Owner: Abdelkrim
410-686-0384 Jeremy Macdonald 11-27-17
MacDonald - End of Day Summary - 3/3/20 Walid Auto Shop - 103 Back River Neck Rd (location 708503)- 2 Objects

I was able to gain access and complete certificate external inspections for these two objects. The business is now under new ownership however.

Copyright © 2020 CentralSquare

The new name is : L&J Auto LLC - 443-590-6129 and 443-766-8707

The name has not yet been changed in JO
No access to site. Sign on door said " Beginning June 15th, we will be closed until the middle of July." No phone number was left on the sign. I should be sent back to try and get more information about the status of the object or to get more information on the business sometime in late July.

6/20/17 JMacDonald
per Scott - B&M Car Care location#708503 business appears closed. Called phone number person would not give name only said business was closedand hung up.
Sent letter w/AIA list to 5019 Eastern Ave. SDAT owner

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135809V	Air Tank	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001442943		CAMPBELL HAUSFELD	2007	08/21/2021	Recurring Cert	Active	Shop
MD158988V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000486780		Morganton	2015	11/27/2021	Recurring Cert	Active	Back Room

Total Objects at this location 2

Location: **L A Fitness**
Location ID: 703578
Address: 8221 Town Center Dr Nottingham, MD 21236-5904
Phone: 410-931-8080
County: Baltimore
NOB/SIC:
Primary Contact: Fitness International - Phone: 949-255-7479 - Email: permits@fitnessintl.com
Billing Contact: Fitness International - PO Box 52110 Irvine, CA 92619-2110 - Phone: 949-255-7479 - Email: permits@fitnessintl.com
Cert Contact: Fitness International - PO Box 52110 Irvine, CA 92619-2110 - Phone: 949-255-7479 - Email: permits@fitnessintl.com
Owner Contact: Fitness International - PO Box 52110 Irvine, CA 92619-2110 - Phone: 949-255-7479 - Email: permits@fitnessintl.com
Other Contact(s): Attn Maria DeFrank, Facilities Acct Mgr - 8700 W Bryn Mawr Ave Chicago, IL 60631-3512 - Phone: 773-399-7645 - Email: vdale@ballyfitness.com
Fitness International - PO Box 52110 Irvine, CA 92619-2110 - Phone: 949-255-7479 - Email: permits@fitnessintl.com
L A Fitness - 8221 Town Center Drive White Marsh, MD 21162 - Phone: 410-931-8080

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD151597H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000257078	LC	2013	11/20/2021	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **La Tolteca (Arc3)** **Location ID:** 3925617
Address: 10010 York Rd Cockeysville, MD 21030-3304 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: La Tolteca (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163510V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000109883		MVE	1999	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **La Tolteca (Arc3)** **Location ID:** 3992519
Address: 11515 Reisterstown Rd Owings Mills, MD 21117-1815 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: La Tolteca (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165836V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000302008		CHART	2017	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **LaQuinta Inn & Suites-2044**
Location ID: 710321
Address: 4 Philadelphia Ct Rosedale, MD 21237-4600
Phone: 410-574-8100
County: Baltimore
NOB/SIC:

Primary Contact: Frank Winner, General Manager - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Billing Contact: Frank Winner - 4 Philadelphia Ct Rosedale, MD 21237-4600 - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Cert Contact: Frank Winner, General Manager - 4 Philadelphia Ct Rosedale, MD 21237-4600 - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Owner Contact: Frank Winner, General Manager - 4 Philadelphia Ct Rosedale, MD 21237-4600 - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Other Contact(s): Allison Davis - 909 Hidden Rdg, Ste 600 Irving, TX 75038-3822 - Phone: 214 492 6824

Amber Smith - 909 Hidden Rdg Ste 600 Irving, TX 75038-3822 - Phone: 214.492.6886 - Email: murry.cathlina@laquinta.com

Ben Renfrow, Sr Risk Engineer - 777 S Figueroa St - Ste 3900 Los Angeles, CA 90017-5836 - Phone: 661 252-1005 - Email: ben.renfrow@zurichna.com

Frank Winner, General Manager - 4 Philadelphia Ct Rosedale, MD 21237-4600 - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Jacqueline Roberts, SR Underwriter - 777 S Figueroa St Ste 3900 Los Angeles, CA 90017-5836 - Phone: 909-795-4705 - Cell: 818-653-6942 - Email: jacqueline.roberts@zurichna.com

Jesica Rodonis - 909 Hidden Rdg Ste 600 Tax Dept Irving, TX 75038-3822 - Phone: 469-417-7185 - Email: Melissa.Maldonado@LaQuinta.com

John Wink, First Vice President - 17900 Doctor Walling Rd Poolesville, MD 20837-2418 - Email: jwink@alliantinsurance.com

La Quinta - 9780 S Meridian Blvd Ste 450 Englewood, CO 80112-6074 - Phone: (214) 492-6642 - Email: laquinta.elevators@lerchbates.com

LaQuinta Inn and Suites - 909 Hidden Rdg Ste 600 Irving, TX 75038-3822 - Phone: 214-492-6823 - Email: management@laquintainn.com

LQ Management LLC - 3500 Park Ave Denver, CO 80216 - Phone: 254-526-8331 - Email: david.mims@laquinta.com

LQ Management, LLC. - 909 Hidden Rdg Ste 600 Irving, TX 75038-3822 - Phone: 214-492-6824

Philip Van Valkenburg, Reg Mgr - 525 Market St San Francisco, CA 94105-2705 - Phone: (559) 299-5514 - Email: philip.van.valkenburg@zurichna.com

Tax Dept. LQ MD Business Trust - 909 Hidden Rdg Ste 600 Irving, TX 75038-3822 - Phone: 214-492-6823 - Email: julia.johnson@LQ.com

Yvonne Wilson, Risk Management - 909 Hidden Rdg Ste 660 Irving, TX 75038-3816 - Email: yvonne.wilson@laquinta.com

My Company Comments: MacDonald - End of Day Summary 6/4/20 La Quinta Inn and Suites - 4 Philadephia Ct. (location 710321) - 3 objects
I was able to access the boiler room through appointment and inspect 3 overdue water heaters at this location. There were no adverse conditions noted at this location. Certificates can be generated.

My Shared Comments: CHUBB DROPPED POLICY EFFECTIVE 04/01/06.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145205H	Middle Heater	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000155090		A O Smith	2011	05/08/2022	Recurring Cert	Active	5th Floor Mechanical

Copyright © 2020 CentralSquare

MD145206H	Right Heater	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000154346		A O Smith	2010	05/08/2022	Recurring Cert	Active	5th Floor Mechanical
MD159019H	left	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000235916		A O Smith	2018	05/08/2022	Recurring Cert	Active	5th Floor Mechanical Room

Total Objects at this location 3

Location: **Law Office of Jane Frankel Sims**
Location ID: 702755
Address: 500 York Rd Towson, MD 21204-5110
Phone: 410-769-5800
County: Baltimore
NOB/SIC:
Primary Contact: Law Office of Jane Frankel Sims
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Americas Bank - 500 York Rd Towson, MD 21204-5103 - Phone: 4108230500
Ashley Sigai, Customer Service Rep - 500 York Rd Towson, MD 21204-5110 - Phone: 410-769-5800
David Garman - 500 York Rd Towson, MD 21204-5103 - Phone: 410 769 5907
Holly Long, Office Mgr. - 500 York Rd Towson, MD 21204-5110 - Phone: 410-494-7777 - Email: helong@tph-law.com
Marshall Vosburg, Consulting Director - 151 N Franklin St Chicago, IL 60606-1915 - Phone: 717-659-9330 - Email: marshall.vosburg@cna.com
Marust LLC - 29 W Susquehanna Ave Ste 110 Towson, MD 21204-5219
OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com
Russell J. Pope, Partner/ president - 500 York Rd Towson, MD 21204-5110 - Phone: 410-494-7777 - Email: rjpope@TPH-LAW.com

My Company Comments: Contact update.

My Shared Comments: BPV form returned, remailing to location.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134924H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Utica	2010	08/22/2020	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Ledo Pizza (Arc3)**
Location ID: 3992524
Address: 9706 Groffs Mill Dr Owings Mills, MD 21117-6341
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Ledo Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165838V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111899		MVE	1999	11/22/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Legg Mason Tech. Services/DFLA, LLC.**
Location ID: 2635954
Address: 11155 Red Run Blvd Owings Mills, MD 21117-3256
Phone: 410-594-7080
County: Baltimore
NOB/SIC:
Primary Contact: Jennifer Dunstone, Manager - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Billing Contact: Jennifer Dunstone - 1 E Pratt St Ste 700 Baltimore, MD 21202-1244 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Cert Contact: Jennifer Dunstone, Manager - 1 E Pratt St Ste 700 Baltimore, MD 21202-1244 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Owner Contact: Jennifer Dunstone, Manager - 1 E Pratt St Ste 700 Baltimore, MD 21202-1244 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Other Contact(s): Cassidy Turley, Owner - 11155 Red Run Blvd Owings Mills, MD 21117-3256 - Phone: 410-580-7727
DFLA, LLC. c/o Cushman & Wakefield - 100 Light St Fl 1400 Baltimore, MD 21202-1188
Jen Dunstone, Property Manager - 7133 Rutherford Rd Ste 108 Windsor Mill, MD 21244-2712 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Jennifer Dunstone, Manager - 1 E Pratt St Ste 700 Baltimore, MD 21202-1244 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Sam Johnstone - 11155 Red Run Blvd Owings Mills, MD 21117-3256 - Phone: 443-569-9486

My Company Comments: Contact update.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137713H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103097		PVI Industries	2001	03/02/2020	Recurring Cert	Active	1st Floor Closet
MD155015H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141530	0216141530	PVI Industries	2016	05/09/2020	Recurring Cert	Active	First Floor Mech. Room

Total Objects at this location 2

Location: **Len Stoler Ford**
Location ID: 716453
Address: 11275 Reisterstown Rd Owings Mills, MD 21117-1906
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Al Scholz, Chief Engineer - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Cert Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Owner Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Other Contact(s): Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117 - Phone: 443-463-5660 - Cell: 410-356-2635
Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
David Leibowtiz, CFO - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-998-3458
Denver Huffman - 11405 Reisterstown Rd Owings Mills, MD 21117-1813 - Phone: 443-463-5768/410-356-7000 - Email: dhuffman@lenstoler.com
Len Stoler Ford - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 410-356-7000
Len Stoler Inc. - 11309 Reisterstown Rd Owings Mills, MD 21117

My Company Comments: Al Scholz called back and stated Zurich is the insurance company and is waiting a call back
Al Scholz Ch eng. stated he will set up inspection asap / dc 10/25/16

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063850V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000715081		Wood	1978	11/02/2020	Recurring Cert	Active	Ford Service - Rear Room
MD063851V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000715076		Wood	1978	11/02/2020	Recurring Cert	Active	Ford Service
MD084206V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000408333		S M C	1993	11/02/2020	Recurring Cert	Active	Body Shop

Copyright © 2020 CentralSquare

MD135265V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001568999	Campbell Hausfield	2009	11/02/2020	Recurring Cert	Active	Body Shop outside shed
MD144148V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965890	Manchester	2000	11/02/2020	Recurring Cert	Active	Hyundai rear comp shed
MD148467V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001313375	Manchester	2012	11/02/2020	Recurring Cert	Active	Body Shop outside shed
MD156185V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000379110	Morganton	2014	11/02/2020	Recurring Cert	Active	Hyundai Service
MD161844V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000761200	Steel Fab	2014	12/10/2020	Recurring Cert	Active	Body/Collison Shop Shed

Total Objects at this location 8

Location: **Len Stoler Lexus**
Location ID: 716456
Address: 11311 Reisterstown Rd Owings Mills, MD 21117-1811
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Al Scholz, Chief Engineer - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Cert Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Owner Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Other Contact(s): Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
David Leibowitz - 11311 Reisterstown Rd Owings Mills, MD 21117-1811 - Phone: 410-998-3458
Denver Huffman - 11405 Reisterstown Rd Owings Mills, MD 21117-1813 - Phone: 443-463-5768/410-356-7000 - Email: dhuffman@lenstoler.com
Len Stoler Ford - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 410-356-7000
Len Stoler Lexus - 11311 Reisterstown Rd Owings Mills, MD 21117-1811 - Phone: 410-356-7000 - Email: dhuffman@lenstoler.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD072378V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000952984		Buckeye	1990	11/17/2020	Recurring Cert	Active	Outside Shed
MD112096V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001108147		Manchester	2001	11/17/2020	Recurring Cert	Active	Outside Shed

Total Objects at this location 2

Location: **Len Stoler Porsch & Audi**
Location ID: 2658709
Address: 11309 Reisterstown Rd Owings Mills, MD 21117-1811
Phone: 410-356-7000
County: Baltimore
NOB/SIC:
Primary Contact: Al Scholz, Chief Engineer - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Cert Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Owner Contact: Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
Other Contact(s): Al Scholz, Chief Engineer - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660
David Leibowtiz, CFO - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-998-3458
Denver Hoffman, Fixed Operations Director - 11275 Reisterstown Rd Owings Mills, MD 21117 - Phone: 410-356-7000
Denver Huffman - 11405 Reisterstown Rd Owings Mills, MD 21117-1813 - Phone: 443-463-5768/410-356-7000 - Email: dhuffman@lenstoler.com
Len Stoler Inc - 11275 Reisterstown Rd Owings Mills, MD 21117 - Phone: 410-356-7000
Len Stoler Porsch & Audi - 11309 Reisterstown Rd Owings Mills, MD 21117-1811 - Phone: 410-356-7000

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135266V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000350753		Manchester	2004	11/17/2020	Recurring Cert	Active	Outside Shed
MD135267V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000350767		Manchester	2004	11/17/2020	Recurring Cert	Active	Outside Shed

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Lenny's Deli (Arc3)** **Location ID:** 3992514
Address: 9107 Reisterstown Rd Owings Mills, MD 21117-4503 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Lenny's Deli (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165830V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000148490		CHART	2003	11/22/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Lenox Laser** **Location ID:** 1724827
Address: 12530 Manor Rd Glen Arm, MD 21057-9503 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Lenox Laser - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com
Billing Contact: Lenox Laser - 12530 Manor Rd Glen Arm, MD 21057-9503 - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com
Cert Contact: Lenox Laser - 12530 Manor Rd Glen Arm, MD 21057-9503 - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com
Owner Contact: Lenox Laser - 12530 Manor Rd Glen Arm, MD 21057-9503 - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com
Other Contact(s): Lenox Laser - 12530 Manor Rd Glen Arm, MD 21057-9503 - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com

My Company Comments: Lenox Laser-1724827. I registered an air tank at this location. No issues were encountered. snyder-3/30/18

My Shared Comments: Joe d'Entremont (410-592-3106, joedentremont02@gmail.com) said they got a new tank. I emailed the Notice of Installation and AIA list.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166525V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001068981		Manchester	2009	05/07/2022	Recurring Cert	Active	Outside Shed

Copyright © 2020 CentralSquare

MD166575V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015519		Morganton	2017	05/07/2022	Recurring Cert	Active	Outside Shed

Total Objects at this location 2

Location: **LGIT - Baltimore Co/Sunny Brook Pumping Sta** **Location ID:** 726034
Address: 13535 Jarrettsville Pike Phoenix, MD 21131-2025 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067354V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028162		Ellicott	1965	02/03/2021	Recurring Cert	Active	Plant
MD126966V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000580002		Manchester	2006	02/03/2021	Recurring Cert	Active	Plant

Total Objects at this location 2

Location: **LGIT - Baltimore County / Eastwood Center** **Location ID:** 709631
Address: 428 Westham Way Baltimore, MD 21224-1933 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Cert Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114902H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	2002	12/16/2021	Recurring Cert	Active	Boiler Room
MD114903H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0	Weil-McLain	2002	12/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County / Maintenance Facility**

Location ID: 717205

Address: 12200A Long Green Pike # A Glen Arm, MD 21057-9704

Phone: 410-887-6217

County: Baltimore

NOB/SIC:

Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD003541H	Boiler #2	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000026135	6820003	Orr & Sembower	1968	08/24/2020	Recurring Cert	Active	Boiler Room
MD010193H	Boiler #1	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000025298	6620060	Orr & Sembower	1966	08/24/2020	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

MD099482V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000259709	Silvan	1998	08/24/2020	Recurring Cert	Active	Compressor Room

Total Objects at this location 3

Location: **LGIT - Baltimore County / Parks & Rec Garage** **Location ID:** 1592309
Address: 100 W Susquehanna Ave Towson, MD 21204-4721 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: 6/5/13 - Facility has been closed.
Shop located in underground garage.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121906V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000021696		Manchester	2002	08/17/2021	Recurring Cert	Active	Compressor Room
MD121907V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000049526		Manchester	2003	08/17/2021	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **LGIT - Baltimore County / VOM Shop #1** **Location ID:** 702945
Address: 9420 Liberty Rd Randallstown, MD 21133-2702 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112053V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000567207		Manchester	2000	12/12/2020	Recurring Cert	Active	Outside
MD112054V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000567177		Manchester	2000	12/12/2020	Recurring Cert	Active	Outside

Total Objects at this location 2

Location: **LGIT - Baltimore County Central Acceptance Facilit**

Location ID: 2683616

Address: 10275 Beaver Dam Rd Cockeysville, MD 21030-2203

Phone: 410-628-1130

County: Baltimore

NOB/SIC:

Primary Contact: Willie Bruce - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

Billing Contact: Willie Bruce - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

Cert Contact: Willie Bruce - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

Owner Contact: Willie Bruce - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

Other Contact(s): Maryland Environmental Service - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 410-628-1130

Thomas Lipka, Maintenance Manager - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 410-628-1130 - Cell: 410-685-5668 - Email: tlipk@menv.com

Willie Bruce - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

My Company Comments:

Good morning,
We received a letter for inspection for air tanks.
Please be advised that the ownership has changed from
Maryland Environmental Service to Baltimore County Government.
The adress is the same as the primary loction .
10275 Beaver Dam Road Cockeysville MD 21030-2203

BPV #'s MD067367V MD148008V MD148009V MD148010V
Thanks
Bill

Copyright © 2020 CentralSquare

Bill Stiffler
Maintenance Manager
Wstiffler@Baltimorecountymd.gov 11/29/17 email

My Shared Comments:

Insparisk 11/15/13 inspected, sent in with BPV form.
Thomas Lipka has a wrong phone number it should be 443-685-5668

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067367V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045019		Kargard	1981	12/30/2021	Recurring Cert	Active	Transportation Shop
MD148010V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730342		Silvan	2012	12/30/2021	Recurring Cert	Active	Single Stream Recycle
MD163548V	1	Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000623806		Lagrange	2018	12/30/2021	Recurring Cert	Active	Single Stream Recycle Compressor Room
MD163549V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000623184		Lagrange	2018	12/30/2021	Recurring Cert	Active	Single Stream Recycle Compressor Room

Total Objects at this location 4

Location: **LGIT - Baltimore County Pumping Station** **Location ID:** 3850632
Address: 328 Riverside Dr Essex, MD 21221-6828 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact:
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact:
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Baltimore County Pumping Station-3850632 I registered an air tank at this location. No issues were encountered. snyder-2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160139V		Horizontal Unfired	V - Storage (NOT Cryogenic)	000033609		Morgantown	2012	02/05/2022	Recurring Cert	Active	Rear Mechanical

Copyright © 2020 CentralSquare

Pressure
Vessel
w/comment

Total Objects at this location 1

Location: **LGIT - Baltimore County Utilities Shop** **Location ID:** 3850688
Address: 332 Riverside Dr Essex, MD 21221-6828 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Rick Kelly - Phone: 410-887-0275 - Email: Rkelly@baltimorecountymd.gov
Billing Contact:
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact:
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Rick Kelly - 332 Riverside Dr Essex, MD 21221-6828 - Phone: 410-887-0275 - Email: Rkelly@baltimorecountymd.gov

My Company Comments: Baltimore County Utilities Shop-3850688 I registered an air tank at this location. No issues were encountered. snyder-2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160138V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000927619		Melben	2001	02/06/2022	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: **LGIT - Baltimore County, Highlands - Lansdowne Hea** **Location ID:** 720186
Address: 3902 Annapolis Rd Halethorpe, MD 21227-2249 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Eric Bethke, Customer Service Supervisor/Maintenance - 9610 Pulaski Park Dr Ste 204 Middle River, MD 21220-1418 - Phone: 443 809 6300 - Cell: 410-852-9017 - Email: ebethke@bcps.org

My Company Comments: 4.) Baltimore County Landsdowne Health Center - (3902 Annapolis Rd.):

Copyright © 2020 CentralSquare

No access to verify status on violations. The workers at the location do not have a key to access the boiler room. Appointment should be made with property manager ahead of time to ensure access. Chris Croucher - 410-887-5922 10/11/17 JMacDonald
Violations remain as of 11/29/16. I spoke with property manager Chris Croucher who said he was waiting to hear back from the contractor to get an update on the work needing to be completed at this site. He has both my email and cell phone now so that he can let me know when repairs are completely finished. JMacDonald

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154560H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1990	02/02/2022	Recurring Cert	Active	Rear Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County-Eastern Family Resource** **Location ID:** 3668048
Address: 9150 Franklin Square Dr Rosedale, MD 21237 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact:
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Greg Doran, Property Manager - 12200 Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-2584 - Email: gdoran@baltimorecounty.md.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Greg Doran, Property Manager - 12200 Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-2584 - Email: gdoran@baltimorecounty.md.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158369H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65518185	Burnham	2017	08/15/2021	Recurring Cert	Active	Penthouse Mechanical
MD158370H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65518186	Burnham	2017	08/15/2021	Recurring Cert	Active	Penthouse Mechanical
MD158371H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	66518187	Burnham	2017	08/15/2021	Recurring Cert	Active	Penthouse Mechanical Rm 401

Copyright © 2020 CentralSquare

MD158372H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000144252	PVI Industries	2017	08/15/2021	Recurring Cert	Active	Penthouse Mechanical Rm 401
MD158373H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000144218	PVI Industries	2017	08/15/2021	Recurring Cert	Active	Penthouse Mechanical Rm 401
MD158374V	Other w/comment	V - Storage (NOT Cryogenic)	000144322	PVI Industries	2017	08/29/2021	Recurring Cert	Active	Penthouse Mech

Total Objects at this location 6

Location: **LGIT - Baltimore County/Agricultural Center** **Location ID:** 2660899
Address: 1114 Shawan Rd Cockeysville, MD 21030-1385 **Phone:** 410-887-8570
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Baltimore County Government - 12200 Long Green Pike Suite A Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-887-2584
Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Gregory Duran, Facilities Inspector - 12200 Long Green Pike Suite A Glen Arm, MD 21057-9704 - Phone: 443-824-7559 - Cell: 410-292-6088, 410-887-2748, 410-887-2584 - Email: gduran@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136748H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000128157	B10H10128157	Lochinvar	2010	05/02/2022	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Alms House** **Location ID:** 703683
Address: 9811 Van Buren Ln Hunt Valley, MD 21030-5022 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086115H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CIB	7FDA-8250-07-93	Peerless	1993	03/16/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **LGIT - Baltimore County/Animal Shelter**

Location ID: 703651

Address: 13800 Manor Rd Baldwin, MD 21013-9605

Phone:

County: Baltimore

NOB/SIC:

Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152253H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063248		AIC GDYNIA	2015	12/01/2021	Recurring Cert	Active	Rear Boiler Room
MD152254H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210	000062411		AIC GDYNIA	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room

Copyright © 2020 CentralSquare

			F)								
MD152255H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Aluminum	118160	Weil-McLain	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room
MD152256H	#1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Aluminum		Weil-McLain	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room
			Total Objects at this location		4						

Location: **LGIT - Baltimore County/Ateaze Senior Center** **Location ID:** 703652
Address: 7401 Holabird Ave Dundalk, MD 21222-1827 **Phone:** 410-887-7266
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Gregory Duran, Facilities Inspector - 12200 Long Green Pike Suite A Glen Arm, MD 21057-9704 - Phone: 443-824-7559 - Cell: 410-292-6088, 410-887-2748, 410-887-2584 - Email: gduran@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Keith Osman, Maintenance Supervisor - 12200 Long Green Pike #A Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-285-4270

Nancy Schwartz, Assistant Director - 7401 Holabird Ave Dundalk, MD 21222-1827 - Phone: 410-887-7233 - Email: nschwartz@baltimorecountymd.gov

My Company Comments: Ateaze Senior Center (Location:703652) - 7401 Holabird Ave - 2 CEDs

I went to this location to check the status of two boilers with outstanding violations. I was able to gain access and determined that the necessary corrections have not yet been made. The parts to make the repairs are sitting on the boiler waiting to be installed. Beckie Ebert, manager, said that she does not have control over when it gets repaired as it is a county maintained facility. She did say she would scan and forward my inspection reports to the county. MacDonald - End of Day 8/6/19

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092933H	Boiler #1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron		Weil-McLain	1996	08/31/2021	Recurring Cert	Active	Boiler Room
MD092934H	Boiler #2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron		Weil-McLain	1996	08/31/2021	Recurring Cert	Active	Boiler Room
			Total Objects at this location		2						

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Bengies Community Ctr** **Location ID:** 704304
Address: 11601 Eastern Ave Middle River, MD 21220-1604 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Bengies Community Center - 11601 Eastern Ave Middle River, MD 21220-1604 - Phone: 410-335-3485
Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: Bengies-Chase Recreation
410-335-3485 • 11601 Eastern Ave, Baltimore,MD 21220

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137472H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	ULF27209	Columbia	2009	09/14/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Carver Community Center** **Location ID:** 706215
Address: 300 Lennox Ave Towson, MD 21286-5342 **Phone:** 410-887-6957
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086802H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-8036-1092	Peerless	1992	06/03/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Catonsville Library** **Location ID:** 706271
Address: 1100 Frederick Rd Catonsville, MD 21228-5031 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Purnell Sterrett, Operation Support Manager - 320 York Rd Towson, MD 21204-5121 - Phone: 410-887-6136 - Email: facilitiesforms@bcpl.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD069326H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1988	05/13/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Catonsville Senior Center** **Location ID:** 706281
Address: 501 N Rolling Rd Catonsville, MD 21228-4139 **Phone:** 410-887-0900
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084997H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0050468	68350468	PVI	1983	04/06/2021	Recurring Cert	Active	Boiler Room
MD084998H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		H B Smith	1987	04/06/2021	Recurring Cert	Active	Boiler Room
MD084999H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	CP1424362	Weil-McLain	1987	04/06/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 3

Location: **LGIT - Baltimore County/Central Alarmers** **Location ID:** 703659
Address: 7856 Belair Rd Nottingham, MD 21236-3703 **Phone:** 410-661-9321
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Sent Jeremy to add NEW to schedule

My Shared Comments: Client is aware of boiler leak and has submitted paperwork to get it replaced, because of the size of the organization it might take a few months.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		US Boiler	2019	05/17/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **LGIT - Baltimore County/Chesaco Pumping Station** **Location ID:** 706738
Address: 299 Patapsco Ave Rosedale, MD 21237-3209 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mark Thiess, Superintendent - Phone: 410-887-5318

Copyright © 2020 CentralSquare

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000046622		Adamson	1970	02/03/2021	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: **LGIT - Baltimore County/Courts Building** **Location ID:** 703666
Address: 401 Bosley Ave Towson, MD 21204-4420 **Phone:** 410-887-2139
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016453V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067526		Delta Tank	1972	10/02/2021	Recurring Cert	Active	Boiler Room
MD147708V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056565		McQuay	2013	10/04/2021	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

MD147709V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056556		McQuay	2013	10/04/2021	Recurring Cert	Active	Boiler Room
MD153257H	#1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2015	10/04/2021	Recurring Cert	Active	Basement Boiler Room
MD153258H	#2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2015	10/02/2021	Recurring Cert	Active	Basement Boiler Room
MD153259H	#2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001938	15037	Easco	2015	10/02/2021	Recurring Cert	Active	Basement Boiler Room
MD153260H	#1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001942	15038	Easco	2015	10/04/2021	Recurring Cert	Active	Basement Boiler Room
MD158337H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000060512		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room
MD158338H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000060521		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room
MD158339H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063247		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 10

Location: **LGIT - Baltimore County/Department of Corrections**
Location ID: 703662
Address: 720 Bosley Ave Towson, MD 21204-4011
Phone: 410-512-3302
County: Baltimore
NOB/SIC:
Primary Contact: Captain Steven Tignor, Director of Operations - Phone: 410-512-3302 - Email: stignor@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Captain Steven Tignor, Director of Operations - 720 Bosley Ave Towson, MD 21204-4011 - Phone: 410-512-3302 - Email: stignor@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Terry Gury, Maintenance Supervisor - 720 Bosley Ave Towson, MD 21204-4011 - Phone: 410-337-6700 - Email: tgury@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments: 10/15/18 - Have left (3) telephone messages regarding scheduling - No response -

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD052086V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004828		Steel Fab	1980	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD055624V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000397		Reco Penn Inc	1980	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD055625V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000394		Reco Penn Inc	1980	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD086696V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001076858		Manchester	1992	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD086697H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	7FDA-8204-0693	Peerless	1993	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD086698H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	7FDA-8203-06-93	Peerless	1993	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD086699V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00086952 G		Brunner	1992	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD093389V		Heat Exchanger - Shell and Tube	V - Storage (NOT Cryogenic)	000001801		York International	1993	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD093390V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000001475		York International	1993	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD093391V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0031154H		Brunner	1993	10/24/2020	Recurring Cert	Active	MC148 Mechanical
MD093392V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	00031132 H		Brunner	1993	10/24/2020	Recurring Cert	Active	MC148 Mechanical

Copyright © 2020 CentralSquare

		w/comment									
MD093393V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000502095		Manchester	1993	10/24/2020	Recurring Cert	Active	MC148 Mechanical
MD099514V	Chiller #2	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000035295		McQuay	1998	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD099515V	Chiller #1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000035403		McQuay	1998	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD099516H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0093694	029893694	PVI	1998	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD099517V		Steam Coil Water Heater	V - Storage (NOT Cryogenic)	000021099		Reco	1998	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD113725H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	64314746	Burnham	2001	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD113726H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Burnham	2001	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD121023H	Boiler #2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	0012891	OL103250	Cleaver Brooks	2004	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD121024H	Boiler #1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000012888	OL103249	Cleaver Brooks	2004	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD121025H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0111897	1203111897	PVI	2003	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD121026H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0111896	1203111896	PVI	2003	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD121027H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0111894	1203111894	PVI	2003	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD121028H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0111895	1203111895	PVI	2003	10/24/2020	Recurring Cert	Active	Bosley Boiler Room
MD123166V		Horizontal Unfired Pressure	V - Storage (Cryogenic)	000216219		Manchester	2003	10/24/2020	Recurring Cert	Active	Bosley Boiler Room

Copyright © 2020 CentralSquare

	Vessel w/comment									
MD123167V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000353347		Manchester	2004	10/24/2020	Recurring Cert	Active	MC453M
MD123168V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000353350		Manchester	2004	10/24/2020	Recurring Cert	Active	MC453M
MD123169V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000335515		Manchester	2004	10/24/2020	Recurring Cert	Active	MC453M
MD123170V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000599154		Manchester	2004	10/24/2020	Recurring Cert	Active	AD 410C Central Control
MD123171V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000599152		Manchester	2004	10/24/2020	Recurring Cert	Active	AD410C Central Control
MD123172V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000333294		Manchester	2004	10/24/2020	Recurring Cert	Active	MC354M
MD123173V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000599608		Manchester	2004	10/24/2020	Recurring Cert	Active	MC255M
MD123174V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000599158		Manchester	2004	10/24/2020	Recurring Cert	Active	MC255M
MD130871H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0122824	1007122824	PVI Industries	2007	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD137487	Vertical Tubeless	S - Power-Cooking (Steam > 15 psig)	000108640		Fulton	2009	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD137488H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126948	0409126948	PVI Industries	2009	10/24/2020	Recurring Cert	Active	Annex Boiler Room
MD156878H	Miniature Boiler (NOT Fired Kettle)	H - Heating-Cooking (Steam <= 15 psig)	000118981		Cleveland	2015	10/25/2020	Recurring Cert	Active	Kitchen

Copyright © 2020 CentralSquare

Total Objects at this location 37

Location: **LGIT - Baltimore County/Double Rock Maintenance** **Location ID:** 3323725
Address: 7704 Belair Rd Nottingham, MD 21236-4004 **Phone:** 410-887-5217
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146175V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000845889		Melben	1999	04/23/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **LGIT - Baltimore County/Duck Creek Pumping Station** **Location ID:** 709298
Address: 328 Riverside Dr Essex, MD 21221-6828 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mark Thiess, Superintendent - Phone: 410-887-5318
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments: Baltimore County/Duck Creek Pumping Station-709298 I registered an air tank at this location. No issues were encountered. snyder-2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD160140V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000103775		Morgantown	2011	02/06/2022	Recurring Cert	Active	Pump Building

Total Objects at this location 1

Location: **LGIT - Baltimore County/Dundalk Center** **Location ID:** 709319
Address: 120 Trading Pl Dundalk, MD 21222-5145 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137182H	Boiler #2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000210167		Lochinvar	2008	06/26/2021	Recurring Cert	Active	Boiler Room
MD137183H	Boiler #1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000210164		Lochinvar	2008	06/26/2021	Recurring Cert	Active	Boiler Room
MD146937V	Water Heater #2	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000122437		A O Smith	2008	06/26/2021	Recurring Cert	Active	Boiler Room Office
MD146938V	Water Heater #1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000122426		A O Smith	2008	06/26/2021	Recurring Cert	Active	Boiler Room Office
MD157381H	1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000434972		Raypak	2016	05/08/2021	Recurring Cert	Active	Pool Equipment Room
MD157382H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000435379		Raypak	2016	05/08/2021	Recurring Cert	Active	Pool Equipment Room

Total Objects at this location 6

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Dundalk Health Center** **Location ID:** 709323
Address: 7700 Dunmanway Dundalk, MD 21222-5436 **Phone:** 410-887-7182
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137505H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	64651071	Burnham	2008	05/14/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Eastern Landfill** **Location ID:** 703663
Address: 6259 Days Cove Rd White Marsh, MD 21162-1205 **Phone:** 410-887-2000
County: Baltimore **NOB/SIC:**
Primary Contact: Ken Naumann, Management Analysis - Phone: 410-887-8693
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Ken Minton, Contractor - 701 9th St NW Washington, DC 20001-4572 - Phone: 484-877-1818 - Cell: 484-877-1818 - Email: kenneth.minton@constellation.com
Ken Naumann, Management Analysis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Phone: 410-887-8693

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD082601V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001088277	Manchester	1993	03/25/2021	Recurring Cert	Active	Building #1 - 1st Floor

Total Objects at this location 1

Location: **LGIT - Baltimore County/Edgemere Senior Center** **Location ID:** 709710
Address: 6600 North Point Rd Sparrows Point, MD 21219-1020 **Phone:** 410-887-7530
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121588H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64715595	Burnham	2004	05/14/2021	Recurring Cert	Active	Basement Mech Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Engineering & Regulation D** **Location ID:** 710010
Address: 4419 Bucks School House Rd Rosedale, MD 21237-3310 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097313V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000619526		Melben	1996	11/10/2020	Recurring Cert	Active	Sample Drop-Off Area
MD097314H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	1996	11/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Essex Senior Center** **Location ID:** 708835

Address: 600 Dorsey Ave Essex, MD 21221-4927 **Phone:** 410-887-0267

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: I was able to gain access to this location without issue. There were two boilers on site which had to be registered and inspected. I was able to number them and inspect the boilers. There were outstanding violations for each of the boilers, but I was able to determine that they had been corrected satisfactorily. J. MacDonald 2/3/2020

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166373H	#1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000450536		Sermeta	2018	01/17/2022	Recurring Cert	Active	Basement Boiler Room
MD166374H	#2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000450535		Sermeta	2018	01/17/2022	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Fire Station #12** **Location ID:** 703700
Address: 609 Compass Rd E Middle River, MD 21220-2543 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144621H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65214140	Burnham	2012	10/13/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #13** **Location ID:** 728899
Address: 6300 Johnnycake Rd Gwynn Oak, MD 21207-3931 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144937H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65297669	Burnham	2012	10/10/2020	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #14** **Location ID:** 705236
Address: 10017 Falls Road Brooklandville, MD 21022 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145238H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65306715	Burnham	2012	09/26/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #16** **Location ID:** 710652
Address: 6814 Golden Ring Rd Rosedale, MD 21237-2105 **Phone:** 410-887-0266
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147711H		Cast Iron	H - Hot Water Heat (Water <=	CI	65353702	Burnham	2013	11/02/2020	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

160 psig, 250 F)

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #17** **Location ID:** 703675
Address: 9835 York Rd Cockeysville, MD 21030-4913 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144901H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65214143	Burnham	2012	10/26/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #19** **Location ID:** 703676
Address: 15 Kenmar Ave Owings Mills, MD 21117-4131 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD147467H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	65353705	Burnham	2013	09/10/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #2** **Location ID:** 721376
Address: 22 Walker Ave Pikesville, MD 21208-4003 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100320H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP3406784	Weil-McLain	1998	10/10/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #3** **Location ID:** 703669
Address: 7223 Windsor Mill Rd Windsor Mill, MD 21244-2837 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090169H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-8714-0495	Peerless	1995	10/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #4** **Location ID:** 710653
Address: 756 Frederick Rd Catonsville, MD 21228-4504 **Phone:** 410-887-0917
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113700H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64460202	Burnham	2002	06/03/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #5** **Location ID:** 713067
Address: 4525 Washington Blvd Halethorpe, MD 21227-4404 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144598H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65306716	Burnham	2012	10/26/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #54** **Location ID:** 706677
Address: 12426 Eastern Ave Middle River, MD 21220-1308 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151021H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65319662	Burnham	2014	10/13/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #55** **Location ID:** 703673
Address: 9325 Belair Rd Nottingham, MD 21236-1608 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144891H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65208350	Burnham	2012	07/21/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #6** **Location ID:** 703667
Address: 2815 Sollers Point Rd Dundalk, MD 21222-4648 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158323H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000154082		Columbia	2017	08/22/2021	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #8** **Location ID:** 711447
Address: 4401 Fitch Ave Nottingham, MD 21236-3908 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144993H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65253654	Burnham	2012	07/20/2020	Recurring Cert	Active	Blrm

Total Objects at this location 1

Location: **LGIT - Baltimore County/Fire Station #9** **Location ID:** 709708
Address: 6800 North Point Rd Edgemere, MD 21219-1214 **Phone:** 410-887-7527
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082603H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000037569		State Industries	1991	07/17/2020	Recurring Cert	Active	Boiler Room
MD161497H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2015	07/17/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Gaudenzia Owings Mills Fac** **Location ID:** 709389
Address: 10225 Jensen Ln Owings Mills, MD 21117-3700 **Phone:** 410-887-1503
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Re: Case Name: LGIT - Baltimore County / Gaudenzia Owings Mills (Fac 8963)
Inbox
x

Jeffrey DeBois <jdebois@baltimorecountymd.gov>
Attachments
7:46 AM (52 minutes ago)
to Citations.BPV@Maryland.gov, John, Jarrod, Jason, Michael

We are requesting that the Citation referenced above be closed as the violation has been corrected as evidenced by the inspection report attached hereto.

Please contact this office if you have aNy questions or comments or require any additional information.

Thank you,

Jeffrey DeBois

Property Management Specialist

Office of Budget and Finance

Baltimore County Property Management

12200A Long Green Pike

Glen Arm, Maryland 21057

Office: 410-887-0216

E-mail: jdebois@baltimorecountymd.gov

My Shared Comments: MD162327H - Owner in process of removing old duct work while in process of renovation - Contractor is old ducting in front of the boiler then will be installing

Copyright © 2020 CentralSquare

louvered ais space this will provide the required amount of air - DZ
Mr. John Schatz called to schedule Mick back to this location. On 1/10/14 Mick inspected a PV at this location & found violations. He gave 10 days to correct the violations. Mr. Schatz said they are unable to correct the violations within that time so have installed a temporary PV until they can. Mick is now scheduled to return on 1/27 to inspect the temporary boiler. Mr. Schatz is trying to coordinate having the AIA inspector there with Mick so he may call to adjust the time of the appointment. He wanted it noted that he is doing his best to comply with Mick's 10 day requirement but Mick is not available within that time frame.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162327H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2018	11/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Grounds Maintenance** **Location ID:** 1666735
Address: 801 Galloway Ave Cockeysville, MD 21030-4975 **Phone:** 410-887-7733
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Larry Phillips, Supervisor - 500 Galloway Ave Cockeysville, MD 21030-4900 - Phone: 410-887-7733

My Company Comments:

My Shared Comments: Revisited today - no changes made - Unit not in operation

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117854V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020680		Casale Indust.	2000	05/15/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Halethorpe Community Cente** **Location ID:** 713063
Address: 1900 Northeast Ave Halethorpe, MD 21227-4521 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: Not FM Global insured effective 7/1/2002 - BLJ 2/4/2004

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106649H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	64044377	Burnham	1998	01/27/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Hannah Moore Shelter** **Location ID:** 1866037

Address: 12041 Reisterstown Rd Reisterstown, MD 21136-3042 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): Baltimore County Government - 12200 Long Green Pike Suite A Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-887-2584

Gregory Duran, Facilities Inspector - 12200 Long Green Pike Suite A Glen Arm, MD 21057-9704 - Phone: 443-824-7559 - Cell: 410-292-6088, 410-887-2748, 410-887-2584 - Email: gduran@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: Building is behind school next to playground - must ring busser to get in boiler room is in basement through kitchen

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139847H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	2010	09/10/2021	Recurring Cert	Active	Women's Shelter

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Hannah More Center** **Location ID:** 713197
Address: 12035 Reisterstown Rd Reisterstown, MD 21136-3042 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Hannah More Center - 12035 Reisterstown Rd Reisterstown, MD 21136-3042 - Phone: 410-887-1152
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD056242H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K82-47	H B Smith	1982	02/11/2022	Recurring Cert	Active	Boiler Room
MD056243H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K82-46	H B Smith	1982	02/11/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Heritage Society of Essex** **Location ID:** 710118
Address: 516 Eastern Blvd Essex, MD 21221-6701 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065522H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	E86-1986C	H B Smith	1986	08/01/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **LGIT - Baltimore County/Highway Shop** **Location ID:** 713739
Address: 1947 Brady Ave Halethorpe, MD 21227-4109 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
George Haddaway, Safety Officer - 3101C Paper Mill Rd Jacksonville, MD 21131-1431 - Phone: 410-887-1843 - Cell: 410-967-9714 - Email: ghaddaway@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114213V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001211298		Manchester	2001	03/11/2022	Recurring Cert	Active	Compressor Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Highway Shop #2** **Location ID:** 713741
Address: 7222 Windsor Mill Rd Windsor Mill, MD 21244-2836 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125654V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000208790		Manchester	2003	04/22/2021	Recurring Cert	Active	Oil Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Highway Shop #3** **Location ID:** 703657

Address: 8 Clarks Ln Reisterstown, MD 21136-5810 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): George Haddaway, Safety Officer - 3101C Paper Mill Rd Jacksonville, MD 21131-1431 - Phone: 410-887-1843 - Cell: 410-967-9714 - Email: ghaddaway@baltimorecountymd.gov

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130404V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000491653		Steel Fab	2007	04/15/2022	Recurring Cert	Active	Main Building
MD148466V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000814869		Manchester	2007	04/15/2022	Recurring Cert	Active	Lower Building

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Highway Shop #71** **Location ID:** 709001
Address: 7801 Perry Rd Nottingham, MD 21236-3922 **Phone:** 410-887-5302
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: 8/3/04 Address verified with Bal Co/k2

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116016V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001211217		Manchester	2001	05/14/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **LGIT - Baltimore County/Highway Shop #72** **Location ID:** 3344265
Address: 5239 Hydes Rd Hydes, MD 21082-9520 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128857V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	1032709		Manchester	2000	02/25/2021	Recurring Cert	Active	Highway Shop Compressor Rm

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **LGIT - Baltimore County/Highway Shop #8** **Location ID:** 703649
Address: 14 Emala Ave Middle River, MD 21220-2808 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096434V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0545024		Springfield	1995	08/30/2020	Recurring Cert	Active	Environmental Garage
MD116020V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028794		Cylsa	2001	04/08/2022	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Highway Shop 4-2** **Location ID:** 713740
Address: 20046 Middletown Rd Freeland, MD 21053-9427 **Phone:** 410-887-1927
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: David Johnson -DLLR-
8:43 AM (3 hours ago)
to me

Copyright © 2020 CentralSquare

No Ma'am. With the way the compressor was positioned, the labels were obstructed and corroded so it was a little difficult to get any information on it.
David Johnson -DLLR- <david.johnson2@maryland.gov>
Attachments
Mon, Jul 22, 3:06 PM (21 hours ago)
to boilers, Brendan

Good Afternoon,
Brendan and myself went on an inspection last week where we came across an air compressor without any inspection certification. It does get utilized to fill tires on vehicles. The site location and a picture of the compressor is enclosed. If you have any questions please let me know.

Site Information
Baltimore County Highways Shop 4-2
20046 Middletown Road
Freeland, Maryland 21053
Site phone (410) 887-1924
The compressor is located in the lower garage shed closest to the salt dome. It looks like a 30 to 40 gallon size, but not sure due to nameplate being obstructed.

--

David E. Johnson
Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>
7:40 AM (4 hours ago)
to David, Licensing, Brendan

Did you happen to see the National Board Number?

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111330V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0032306		Cylsa	2001	02/17/2021	Recurring Cert	Active	Compressor Room
MD164245V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000D10601		Pressed Steel	1965	07/24/2021	Recurring Cert	Active	Shop near Salt Bin

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Highway Shop 4-3** **Location ID:** 703655
Address: 19128 Graystone Rd White Hall, MD 21161-9127 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082807V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	093644B		Brunner	1981	02/02/2022	Recurring Cert	Active	Maintenance Shed
MD128559V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045628		Cylsa	2002	02/02/2022	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Hillendale PAL Center** **Location ID:** 1590627
Address: 1111 Halstead Rd Parkville, MD 21234-6660 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: This indepedent facility is on the property of Halstead Academy. It is a separate location because the owner/operator of each is different.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099530H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1998	06/16/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Human Resources** **Location ID:** 702445
Address: 308 Allegheny Ave Towson, MD 21204-4257 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Baltimore Co/Human Resources (Locaiton: 702445) 308 allegheny - 2 followed up on

I visited this site to check the status of a variety of violations for two boilers. I was able to determine that the violations for the flue piping, and emergency shutoff were fixed correctly. I was not however able to verify if the combustion air damper being connected with the burner, or that the CSD-1 report was completed. There was no engineer on site, so I left a report with my card. MacDonald - 5/24/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084977V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035942		Manchester	1990	11/23/2021	Recurring Cert	Active	Boiler Room
MD159406H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	655766682	Burnham	2016	11/14/2021	Recurring Cert	Active	Basement Boiler Room
MD159407H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65576685	Burnham	2016	11/14/2021	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 3

Location: **LGIT - Baltimore County/Hydes Road Pumping Station** **Location ID:** 714387
Address: 5239 Hydes Rd Hydes, MD 21082-9520 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067356V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0072687		Manchester	1980	02/03/2021	Recurring Cert	Active	Pumping Station

Total Objects at this location 1

Location: **LGIT - Baltimore County/Inwood Maintenance Shop** **Location ID:** 714623
Address: 7400 Johnnycake Rd Gwynn Oak, MD 21207 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD056010V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000189678		Wessels	1981	10/26/2020	Recurring Cert	Active	Shop
MD098040V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000545038		CPC	1995	10/26/2020	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

MD117458V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000847845	Melben	1999	10/26/2020	Recurring Cert	Active	Welding Room

Total Objects at this location 3

Location: **LGIT - Baltimore County/Liberty Family Resource Ce** **Location ID:** 953007
Address: 3525 Resource Dr Randallstown, MD 21133-4733 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085348V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000153565		Manchester	1988	06/12/2021	Recurring Cert	Active	Room A-13

Total Objects at this location 1

Location: **LGIT - Baltimore County/Mars Estates PAL Center** **Location ID:** 730987
Address: 1498 E Homberg Ave Essex, MD 21221-3759 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113714H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4157735	Weil-McLain	2001	02/11/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/North Point Branch Library** **Location ID:** 719809
Address: 1716 Merritt Blvd Dundalk, MD 21222-3212 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117852H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	01/15/2022	Recurring Cert	Active	Boiler Room
MD117853H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	01/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/North Point Government Cen** **Location ID:** 719808
Address: 7701 Wise Ave Dundalk, MD 21222-3296 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): Christopher Brown - 1207 Wilson Rd Glen Burnie, MD 21061-3239 - Phone: 410-787-1450 - Email: cdbrown@eastcoastweldingandconstruction.com

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments: Requested status from insured, he is out of office through November 14, 2019 - Will update once status is known

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007061H	Boiler #1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		H B Smith	1972	01/12/2022	Recurring Cert	Active	Boiler Room
MD007062H	Boiler #2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		H B Smith	1972	01/12/2022	Recurring Cert	Active	Boiler Room
MD007063H	Boiler #3	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		H B Smith	1972	01/12/2022	Recurring Cert	Active	Boiler Room
MD062876V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0009798		Steel Fab	1984	01/12/2022	Recurring Cert	Active	Boiler Room
MD110902H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000098395	079988395	PVI	1999	01/12/2022	Recurring Cert	Active	Boiler Room
MD110910H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100846	0400100846	PVI	2000	01/12/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 6

Location: **LGIT - Baltimore County/Old Courthouse**

Location ID: 703661

Address: 400 Washington Ave Towson, MD 21204-4606

Phone: 410-446-3879

County: Baltimore

NOB/SIC:

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Paul Wienecke, Maintenance Mechanic - 400 Washington Ave Towson, MD 21204-4606 - Cell: 410-446-3879

My Company Comments:

My Shared Comments: Inspection scheduled for Tuesday, November 13, 2018

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061111V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000936937		Pressed Steel Tank	1957	11/10/2020	Recurring Cert	Active	Penthouse
MD148457V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056670		Daikin	2013	11/10/2020	Recurring Cert	Active	Penthouse
MD151537H	1	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008858		Fulton	2014	11/10/2020	Recurring Cert	Active	Basement Boiler Room
MD151538H	2	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008861		Fulton	2014	11/10/2020	Recurring Cert	Active	Basement Boiler Room
			Total Objects at this location		4						

Location: **LGIT - Baltimore County/Oregon Ridge Nature Center** **Location ID:** 720336

Address: 13555 Beaver Dam Rd Cockeysville, MD 21030-1506 **Phone:** 410-887-1815

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Pam Salkowitz - 13401 Beaver Dam Rd Cockeysville, MD 21030-1530 - Phone: 410 889 1818

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123572H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64589261	Burnham	2003	04/30/2021	Recurring Cert	Active	Nature Center Boiler Room

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **LGIT - Baltimore County/Phoenix Water System** **Location ID:** 721270
Address: 2918 Paper Mill Rd Phoenix, MD 21131-1318 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318
Public Works/Fullerton Complex - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 4108875318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110512V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438857		Melben	1993	02/25/2021	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: **LGIT - Baltimore County/Pipeline Maintenance** **Location ID:** 1930317
Address: 1943 Brady Ave Halethorpe, MD 21227-4109 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Chris Croucher, Property Management - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Cert Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Owner Contact: Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Other Contact(s): Chris Croucher, Property Management - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Gene Miller - 1943 Brady Ave Halethorpe, MD 21227-4109 - Phone: 410-887-7415
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments: This site is not part of the LGIT account and not insured by Chubb.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000610730		Melben	1996	03/10/2022	Recurring Cert	Active	Tool Cage

Total Objects at this location 1

Location: **LGIT - Baltimore County/Police Pistol Range** **Location ID:** 721614
Address: 2001 Dulaney Valley Rd Towson, MD 21204 **Phone:** 410-887-2330
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145395H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65218011	Burnham	2011	12/12/2020	Recurring Cert	Active	Training Building

Total Objects at this location 1

Location: **LGIT - Baltimore County/Police Precinct #1** **Location ID:** 716751
Address: 901 Walker Ave Catonsville, MD 21228-5327 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007241H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1962	04/06/2021	Recurring Cert	Active	Basement Mech Room
MD079187V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000176279		Carrier	1989	04/06/2021	Recurring Cert	Active	Basement Mech Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Police Precinct #2**
Location ID: 703690
Address: 6424 Windsor Mill Rd Woodlawn, MD 21207-6005
Phone: 410-887-1340
County: Baltimore
NOB/SIC:
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Officer Amy Page, Facilities Supervisor - 6424 Windsor Mill Rd Woodlawn, MD 21207-6005 - Phone: 410-887-1340

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082000H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-6996-0590	Peerless	1990	12/12/2020	Recurring Cert	Active	Boiler Room
MD082001H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-6995-0590	Peerless	1990	12/12/2020	Recurring Cert	Active	Boiler Room
MD084141V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000052987		Manchester	1990	12/12/2020	Recurring Cert	Active	Second Floor Mechanical

Copyright © 2020 CentralSquare

MD144896H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000056282	A O Smith	2000	12/12/2020	Recurring Cert	Active	Second Floor Mechanical

Total Objects at this location 4

Location: **LGIT - Baltimore County/Police Precinct #4** **Location ID:** 1879850
Address: 215 Milford Mill Rd Pikesville, MD 21208-5918 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125226H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64773200	Burnham	2006	10/10/2020	Recurring Cert	Active	Mechanical Room
MD145378H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000107421		A O Smith	2005	10/10/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Police Precinct #6** **Location ID:** 703687
Address: 115 W Susquehanna Ave Towson, MD 21204-4705 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108031H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N2000-373	H B Smith	2000	10/10/2020	Recurring Cert	Active	Mechanical Room
MD108032H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100812	0400100812	PVI	2000	10/10/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Police Precinct #7** **Location ID:** 707468

Address: 111 Wight Ave Cockeysville, MD 21030-2016 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007253H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1968	05/20/2021	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this location 1

Location: **LGIT - Baltimore County/Police Precinct #8** **Location ID:** 2001772

Address: 8532 Old Harford Rd Parkville, MD 21234-3920 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126751H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	64903906	Burnham	2006	11/10/2020	Recurring Cert	Active	Mechanical Room
MD145199H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0119614	0906119614	PVI Industries	2006	11/10/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Police Precinct #9**

Location ID: 729014

Address: 8220 Perry Hall Blvd Nottingham, MD 21236-4904

Phone: 410-887-5000

County: Baltimore

NOB/SIC:

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): Baltimore County/Police Precinct #9 - 8220 Perry Hall Blvd Nottingham, MD 21236-4904 - Phone: 410-887-5000

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Todd Akins - 8220 Perry Hall Blvd Nottingham, MD 21236-4904 - Email: tadkins@denver-elek.com

My Company Comments: I was able to gain access to this location and complete inspection and registration for two new boilers. There were violations for each of the boilers written by the insurance inspector on a previous visit. I could tell that work was currently underway to correct these violations. However, they were not yet complete. I left my paperwork with Officer Twigg in the precinct captain's office.
J. MacDonald 2/3/2020

My Shared Comments: Boilers are in the process of being replaced - once done combustion air and check valve issues will be corrected

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166376H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB		Burnham	2019	01/30/2022	Recurring Cert	Active	Penthouse
MD166377H	Boiler #2	Cast Iron	H - Hot Water	CIB		Burnham	2019	01/30/2022	Recurring Cert	Active	Penthouse

Copyright © 2020 CentralSquare

			Heat (Water <= 160 psig, 250 F)								

Total Objects at this location 2

Location: **LGIT - Baltimore County/Public Safety Building** **Location ID:** 722057
Address: 700 E Joppa Rd Towson, MD 21286-5505 **Phone:** 410-887-5510
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mike Emig, Maintenance Supervisor - 700 E Joppa Rd Towson, MD 21286-5505 - Phone: 410-887-5510

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081445V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000926652		Kargard	1978	08/03/2021	Recurring Cert	Active	Penthouse
MD104464V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000822902		Melben	1999	08/03/2021	Recurring Cert	Active	Cube
MD125664V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000115203		Manchester	2002	08/03/2021	Recurring Cert	Active	Penthouse
MD155649H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000209059		A O Smith	2015	08/03/2021	Recurring Cert	Active	Penthouse
MD157206H	B3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	6528113	Burnham	2016	08/03/2021	Recurring Cert	Active	12th Mechanical Penthouse
MD157207H	B1	Cast Iron	H - Hot Water Heat (Water <=	CI	65258112	Burnham	2016	08/03/2021	Recurring Cert	Active	12th Mechanical Penthouse

Copyright © 2020 CentralSquare

			160 psig, 250 F)								
MD157208H	B2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65258111	Burnham	2016	08/03/2021	Recurring Cert	Active	12th Mechanical Penthouse
MD158134V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000070042	70042	Cemline	2016	08/03/2021	Recurring Cert	Active	Penthouse
MD159371H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000233454		A O Smith	2017	08/03/2021	Recurring Cert	Active	Penthouse

Total Objects at this location 9

Location: **LGIT - Baltimore County/Public Works Fullerton Com** **Location ID:** 722081
Address: 4423 Bucks School House Rd Rosedale, MD 21237-3310 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067344V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000378331		Kargard	1969	11/10/2020	Recurring Cert	Active	Rear Garage

Total Objects at this location 1

Location: **LGIT - Baltimore County/Randallstown Community Cen** **Location ID:** 2450598
Address: 3505 Resource Dr Randallstown, MD 21133-4769 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Copyright © 2020 CentralSquare

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137658H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000125298		PVI Industries	2008	05/12/2021	Recurring Cert	Active	Pool Deck Mechanical

Total Objects at this location 1

Location: **LGIT - Baltimore County/Randallstown Library** **Location ID:** 1224882

Address: 8604 Liberty Rd Randallstown, MD 21133-4707 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123973H	Boiler #3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4284639	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm
MD123976H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP5155467	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm
MD123977H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4722679	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/Rosedale Library** **Location ID:** 723333
Address: 6105 Kenwood Ave Rosedale, MD 21237-2019 **Phone:** 410-887-0512
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Ed Cook, Director of Maintenance - 320 York Rd Towson, MD 21204-5121 - Phone: 410-887-6136 - Cell: 443-790-3426
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Ppam Kryglik, Admin. Asst. - 6105 Kenwood Ave Rosedale, MD 21237-2019 - Phone: 410-887-6132 - Email: pkryglik@bcpl.net
Purnell Sterrett, Operation Support Manager - 320 York Rd Towson, MD 21204-5121 - Phone: 410-887-6136 - Email: facilitiesforms@bcpl.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124673H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2005	03/11/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Scotts Branch PAL Center** **Location ID:** 724468
Address: 3651 Rolling Rd Windsor Mill, MD 21244-2206 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD112083H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-2000-244	HB Smith	2001	11/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Shady Spring PAL Center** **Location ID:** 986825
Address: 8876 Goldenwood Rd Rosedale, MD 21237-2221 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118908H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-99-68	H B Smith	1999	11/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Sherwood House** **Location ID:** 1739646
Address: 2002 Cromwell Bridge Rd Parkville, MD 21234-1419 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146164H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	13865	Burnham	2011	05/20/2021	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **LGIT - Baltimore County/Stemmers Run Pumping Stati**
Location ID: 725734
Address: 1100 Hengemihle Ave Essex, MD 21221-3310
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mark Thiess, Superintendent - Phone: 410-887-5318
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141339V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015897		Morganton	2009	02/03/2021	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: **LGIT - Baltimore County/Towson Library**
Location ID: 726968
Address: 320 York Rd Towson, MD 21204-5121
Phone: 410-887-6103
County: Baltimore
NOB/SIC:
Primary Contact: Ed Cook, Director of Maintenance - Phone: 410-887-6136 - Cell: 443-790-3426
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Ed Cook, Director of Maintenance - 320 York Rd Towson, MD 21204-5121 - Phone: 410-887-6136 - Cell: 443-790-3426
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121977H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000156197		Lochinvar	2003	06/13/2020	Recurring Cert	Active	Garge Boiler Room
MD121978H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000156196		Lochinvar	2003	06/13/2020	Recurring Cert	Active	Garge Boiler Room

Total Objects at this location 2

Location: **LGIT - Baltimore County/Turkey Point Pumping Stati**

Location ID: 727229

Address: 726 Back River Neck Rd Essex, MD 21221-1918

Phone:

County: Baltimore

NOB/SIC:

Primary Contact: Mark Thiess, Superintendent - Phone: 410-887-5318

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125238V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000039963		Cylsa	2002	02/03/2021	Recurring Cert	Active	Upper Level

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **LGIT - Baltimore County/VOM Shop #2** **Location ID:** 703698
Address: 511 Mace Ave Essex, MD 21221-6607 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074351V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00026604 D		Brunner	1985	06/01/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Westchester Community Ctr** **Location ID:** 728732
Address: 2414 Westchester Ave Oella, MD 21043-4749 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD015281V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000031471		Kargard	1962	01/11/2022	Recurring Cert	Active	BLRM

Copyright © 2020 CentralSquare

		Vessel w/comment									
MD133829H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	65056704	Burnham	2008	01/11/2022	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: **LGIT - Baltimore County/Windlass Run Pumping** **Location ID:** 3850797
Address: 6030 Ebenezer Rd White Marsh, MD 21162-1932 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact:
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact:
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments: Baltimore County/Windlass Run Pumping-3850797 I registered an air tank at this location. No issues were encountered. snyder-2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160141V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001059274		Manchester	2000	02/07/2022	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: **LGIT - Baltimore County/Winfield PAL Center** **Location ID:** 729316
Address: 8304 Carlson Ln Windsor Mill, MD 21244-1309 **Phone:** 410-887-4707
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Jeffrey Santo - 8304 Carlson Ln Windsor Mill, MD 21244-1309 - Phone: 410-887-4707 - Email: jsanto@baltimorecountymd.gov
John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112080H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-2000-243	HB Smith	2000	02/04/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Baltimore County/Woodmoor PAL Center** **Location ID:** 729469
Address: 7111 Croydon Rd Gwynn Oak, MD 21207-4474 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112082H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000099360		H B Smith	1999	06/04/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **LGIT - Baltimore Cty/Dept of Utilities-Hunt Valley** **Location ID:** 705471
Address: 11112 Gilroy Rd Hunt Valley, MD 21031-1328 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): Baltimore County/Bureau of Utilities - 11112 Gilroy Rd Hunt Valley, MD 21031-1328 - Phone: 410-887-1885/1832

Copyright © 2020 CentralSquare

John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Mark Thiess, Superintendent - 4423 Bucks School House Rd Rosedale, MD 21237-3310 - Phone: 410-887-5318

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108796H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000079832		Rheem/Ruud	1998	06/03/2021	Recurring Cert	Active	Election Board - Cleaning Closet
MD120452V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000697474		Melben	1997	06/03/2021	Recurring Cert	Active	Electronics Shop Suite 101
MD120453V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000424704		Melben	1993	06/03/2021	Recurring Cert	Active	Comp Room Suite 102

Total Objects at this location 3

Location: **LGIT - Baltimore Cty/Highway Shop District 8**
Location ID: 708994
Address: 504 Galloway Ave Cockeysville, MD 21030-4900
Phone: 410-887-7763
County: Baltimore
NOB/SIC:
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146966V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000582682		Manchester	2009	04/30/2021	Recurring Cert	Active	Compressor Room (Hwy Shop)

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **LGIT - Baltimore Cty/Special Forces Bldg 402** **Location ID:** 2129222
Address: 9819 Van Buren Ln Cockeysville, MD 21030-5022 **Phone:** 410-887-7844
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127306V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000739990		Melben	1998	03/16/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **LGIT - Dundalk Historical Society** **Location ID:** 3570150
Address: 6 Center Pl Dundalk, MD 21222-4306 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD151528H	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	64629735	Burnham	2014	11/02/2020	Recurring Cert	Active	Basement Boiler Room

Total Objects at this location 1

Location: **LGIT - Fullerton Maintenance Building** **Location ID:** 3904677
Address: 4421 Bucks School House Rd Rosedale, MD 21237-3310 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Schatz, HVAC Supervisor - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Cert Contact: John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Owner Contact:
Other Contact(s): John Schatz, HVAC Supervisor - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161793V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000471857		Morganton	2015	09/20/2020	Recurring Cert	Active	Truck Bay Compressor Rm

Total Objects at this location 1

Location: **Libertore's Restaurant (Arc3)** **Location ID:** 3925622
Address: 9515 Deereco Rd Lutherville Timonium, MD 21093-2116 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Libertore's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163506V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139740		CHART	2002	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Liberty Auto Body**
Location ID: 716557
Address: 5916 Liberty Rd Woodlawn, MD 21207-6202
Phone: 410-298-6006
County: Baltimore
NOB/SIC:
Primary Contact: Liberty Auto Body - Phone: 410-298-6006
Billing Contact: Liberty Auto Body - 5916 Liberty Rd Woodlawn, MD 21207-6202 - Phone: 410-298-6006
Cert Contact: Liberty Auto Body - 5916 Liberty Rd Woodlawn, MD 21207-6202 - Phone: 410-298-6006
Owner Contact: Liberty Auto Body - 5916 Liberty Rd Woodlawn, MD 21207-6202 - Phone: 410-298-6006
Other Contact(s): Liberty Auto Body - 5916 Liberty Rd Woodlawn, MD 21207-6202 - Phone: 410-298-6006

My Company Comments:

My Shared Comments: Object is removed and replaced. Faxing over AIA and Notice of installation. And Information to contact me back with the company and inspection date

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150212V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001404614		Manchester	2013	12/19/2020	Recurring Cert	Active	COMP ROOM

Total Objects at this location 1

Location: **Liberty BP**
Location ID: 716556
Address: 6006 Liberty Rd Woodlawn, MD 21207-6205
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Emran Mian - Phone: 443-265-0059 - Cell: 443-829-3128
Billing Contact: Mohammed Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-250-5391 - Email: mianmohammad@hotmail.com
Cert Contact: Mohammed Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-250-5391 - Email: mianmohammad@hotmail.com
Owner Contact: Mohammed Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-250-5391 - Email: mianmohammad@hotmail.com
Other Contact(s): Emran Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-265-0059 - Cell: 443-829-3128
Liberty Amoco - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 4102657036
Mohammed Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-250-5391 - Email: mianmohammad@hotmail.com

My Company I was unable to get access to this location due to roadwork and non-existent parking. I will try to revisit the site as soon as I return to this area again. J

Copyright © 2020 CentralSquare

Comments: MacDonald 1-18-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137683V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060268		Sanborn	2010	05/10/2020	Recurring Cert	Active	Storage Room

Total Objects at this location 1

Location: **Liberty Car Wash & Details**
Address: 8120 Liberty Rd Windsor Mill, MD 21244-3040
County: Baltimore
Primary Contact: Armin Vahora
Billing Contact: Armin Vahora - 8120 Liberty Rd Windsor Mill, MD 21244-3040
Cert Contact: Armin Vahora - 8120 Liberty Rd Windsor Mill, MD 21244-3040
Owner Contact: Armin Vahora - 8120 Liberty Rd Windsor Mill, MD 21244-3040
Other Contact(s): Armin Vahora - 8120 Liberty Rd Windsor Mill, MD 21244-3040
Kathleen Chavis - 8120 Liberty Rd Baltimore, MD 21244-3040 - Phone: 410-922-5158
Larry Haynes, GM - 8120 Liberty Rd Windsor Mill, MD 21244-3040 - Phone: 410-963-4490 - Email: whizcarwash@verizon.net

Location ID: 729065
Phone:
NOB/SIC:

My Company Comments: Liberty Car Wash + Details (8120 Liberty Rd): MD135223V-overdue.
No access. Banners on building say "Now open" but doors were locked and no one was on site to give me access. 10/27/16 JMacDonald
Ownership and location name change.
Seif Mgr, 410 656 3200 called and stated hot water heaters are removed.
He mentioned an inspector was at location in the past year and confirmed, I requested he send in the documentation he may have from that visit.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD039790V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000370730		Buckeye	1982	01/12/2022	Recurring Cert	Active	Self Serv Mechanical Room
MD039791H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		URC	1983	01/12/2022	Recurring Cert	Active	Self Service Mechanical Rm
MD039792H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027391	058210451	Raypak	1983	01/12/2022	Recurring Cert	Active	Self Service Mechanical Rm

Copyright © 2020 CentralSquare

MD112081H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061531	B 01 61531	A O Smith	2001	01/12/2022	Recurring Cert	Active	Self Serve Mechanical Room

Total Objects at this location 4

Location: **Liberty Place Apartments**
Address: 10 Liberty Pl Windsor Mill, MD 21244-2791
County: Baltimore
Primary Contact: Liberty Place Apartments
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716587
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101207H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076921		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Liberty Place Apartments**
Address: 17 Liberty Pl Windsor Mill, MD 21244-2545
County: Baltimore
Primary Contact: Liberty Place Apartments
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716589
Phone:
NOB/SIC:

My Company Comments: citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
2:10 PM (4 minutes ago)
to Gabrielle, Darryl

Copyright © 2020 CentralSquare

Thank you for responding to the Citation and Notification of Proposed Penalty issued by this office. The penalty will be reviewed after the object is verified to be inactive.

Thank you for your prompt attention to this matter.

Case Number 11157
Inbox
x
Citation/Hearing Requested
x

Gabrielle Nixon <gnixon@smcmail.com>
12:57 PM (1 hour ago)
to me, Darryl

??Hello

This correspondence is in reference to case #11157. On 2/26/19 John from American Boiler Inspection Service Inc came out to perform inspections for 14 HVAC units located in our bullrings. In building 17 an abandon unit was found out of service but it was still connected to the lines. We were informed to disconnect it and call the company back for a re-inspection for the certificate. My Lead Tech Darryl Bell disconnected it the next day 2/27/19 and called in to to schedule the re-inspection. The inspector dropped the ball and will be out on Monday June 17th in the afternoon to complete the paperwork.

I am asking for the citation to be waived at this time for registration number MD101211H.

Gabrielle D. Nixon, PMM CAM | Property Manager
Liberty Place Apartment Homes | A Southern Management Community
1 Liberty Place Road | Windsor Mill, Maryland 21244
410-922-8400 Office | 410-922-8402 Fax
www.libertyplaceapts.com (website) | libertyplace@smcmail.com (email)www.facebook.com/southernmanagementcorp

Leaders in Quality Apartment Home Living and Service Since 1965

Champ (240)288-8320 called, requested leniency because the business switched insurances and believed that there was boiler coverage.
Gabrielle Nixon
12:49 PM (1 hour ago)
to me, Darryl

?Hello

I wanted to follow up with the citation 11157. The inspector was out to verify that water heater on Monday June 17th and he stated that he put the information needed in the system. Can you let me know if the penalty has been reviewed and will it be waived?

Thank you for your time.

Copyright © 2020 CentralSquare

Gabrielle D. Nixon, PMM CAM | Property Manager
Liberty Place Apartment Homes | A Southern Management Community
1 Liberty Place Road | Windsor Mill, Maryland 21244
410-922-8400 Office | 410-922-8402 Fax
www.libertyplaceapts.com (website) | libertyplace@smcmail.com (email)
Object inactive- recommend to close citation. Pls disregard last comment.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101210H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078814		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Liberty Place Apartments**
Address: 18 Liberty Pl Windsor Mill, MD 21244-2550
County: Baltimore
Primary Contact: Liberty Place Apartments
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716590
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101208H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078763		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Laundry
MD163532H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023988		A O Smith	2018	02/26/2021	Recurring Cert	Active	Bldg 18

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Liberty Place Apartments**
Address: 4 Liberty Pl Windsor Mill, MD 21244-2770
County: Baltimore
Primary Contact: Liberty Place Apartments
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716591
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100254H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076922		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement
MD100255H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077422		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: **Liberty Place Apartments**
Address: 7 Liberty Pl Windsor Mill, MD 21244-2742
County: Baltimore
Primary Contact: Liberty Place Apartments - Phone: 410 922 8400
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716592
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD101202H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076938		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement
MD101204H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077421		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement
MD101205H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077800		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 3

Location: **Liberty Place Apartments**
Address: 8342 Church Ln Windsor Mill, MD 21244-3145
County: Baltimore
Primary Contact: Liberty Place Apartments
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410-922-8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410-922-8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410-922-8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410-922-8400

My Company Comments:

My Shared Comments:

Location ID: 716593
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163533H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000236107		A O Smith	2017	02/26/2021	Recurring Cert	Active	Bldg 8342
MD163534H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000236106		A O Smith	2017	02/26/2021	Recurring Cert	Active	Bldg 8342

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Liberty Place Apartments**
Address: 8343 Church Ln Windsor Mill, MD 21244-3173
County: Baltimore
Location ID: 716594
Phone:
NOB/SIC:
Primary Contact: Liberty Place Apartments - Phone: 410 922 8400
Billing Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Cert Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Owner Contact: Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400
Other Contact(s): Liberty Place Apartments - 1 Liberty Pl Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101212H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078827		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement
MD101213H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078805		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: **Liberty West Apts.**
Address: 3508 Langrehr Rd Windsor Mill, MD 21244-3010
County: Baltimore
Location ID: 730519
Phone:
NOB/SIC:
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000251426	251426	A O Smith	2019	09/06/2021	Recurring Cert	Active	Store room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 730521
Address: 3505 Langrehr Rd Windsor Mill, MD 21244-3004 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147451H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000176806	176806	A O Smith	2013	09/24/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 716604
Address: 3512 Langrehr Rd Windsor Mill, MD 21244-3013 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138821H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153886	153886	A O Smith	2010	09/24/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 730524
Address: 3516 Langrehr Rd Windsor Mill, MD 21244-3017 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158730H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000222172	222172	A O Smith	2016	09/25/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 730517
Address: 3520 Langrehr Rd Windsor Mill, MD 21244-4506 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683

Copyright © 2020 CentralSquare

Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147450H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000161795	161795	A O Smith	2013	09/24/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 730518
Address: 3522 Langrehr Rd Windsor Mill, MD 21244-3022 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683
Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138820H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119599	119599	A O Smith	2007	09/24/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Liberty West Apts.** **Location ID:** 716606
Address: 3526 Langrehr Rd Windsor Mill, MD 21244-3026 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Audrey Pope, Site Manager - Phone: 410-922-3683

Copyright © 2020 CentralSquare

Billing Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Cert Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Owner Contact: Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com
Other Contact(s): Audrey Pope, Site Manager - .. .., .. 00000-3013 - Phone: 410-922-3683
Thomas Uh - 3526 Langrehr Rd Ste 1A Baltimore, MD 21244-4535 - Phone: 410-922-3683 - Cell: 240-478-1390 - Email: thomaswu1107@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158729H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000209605	209605	A O Smith	2015	09/25/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Libs Restaurant (Arc3)** **Location ID:** 3918184
Address: 5009 Honeygo center dr Nottingham, MD 21218 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Libs Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161856V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000139921		CHART	2002	12/11/2020	Recurring Cert	Active	Outside Dumpster Area

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Lifebridge Health and Fitness** **Location ID:** 725028
Address: 1836 Greene Tree Rd Pikesville, MD 21208-1381 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Pete Goins, On Site Engineer - Cell: 443-413-9599 - Email: PGoins@lifebridgehealth.org
Billing Contact: Terry Reeves - 5401 Old Court Rd Randallstown, MD 21133-5103 - Phone: 410-521-2200 x 50488 - Cell: 443-487-3755 - Email: treeves@lifebridgehealth.org
Cert Contact: Terry Reeves, Chief Engineer - 5401 Old Court Rd Randallstown, MD 21133-5103 - Phone: 410-521-2200 x 50488 - Cell: 443-487-3755 - Email: treeves@lifebridgehealth.org
Owner Contact: Lifebridge Health and Fitness - 1836 Greene Tree Rd Pikesville, MD 21208-1381
Other Contact(s): Lifebridge Health and Fitness - 1836 Greene Tree Rd Pikesville, MD 21208-1381
Pete Goins, On Site Engineer - 1836 Greene Tree Rd Pikesville, MD 21208-1381 - Cell: 443-413-9599 - Email: PGoins@lifebridgehealth.org
Terry Reeves, Chief Engineer - 5401 Old Court Rd Randallstown, MD 21133-5103 - Phone: 410-521-2200 x 50488 - Cell: 443-487-3755 - Email: treeves@lifebridgehealth.org

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097003H	Boiler #1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027515	G-95-659	Aerco	1995	10/14/2021	Recurring Cert	Active	Mechanical Rm A, Boiler #1
MD097004H	Boiler #2	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027525	G-95-662	Aerco	1995	10/14/2021	Recurring Cert	Active	Mechanical Rm A, Boiler #2
MD097005H	Boiler #3	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027524	G-95-661	Aerco	1995	10/14/2021	Recurring Cert	Active	Mechanical Rm A, Boiler #3
MD097006H	Boiler #4	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027514	G-95-658	Aerco	1995	10/14/2021	Recurring Cert	Active	Mechanical Rm A, Boiler #4
MD097007H	Boiler #5	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027543	G-95-663	Aerco	1995	10/14/2021	Recurring Cert	Active	Mechanical Rm A, Boiler #5
MD135468H	DWH-2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000285746	0807285746	Raypak	2007	10/14/2021	Recurring Cert	Active	Mechanical Rm B, DWH-2
MD135469H		Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000029393	39393	Electro-Steam	2010	10/14/2021	Recurring Cert	Active	Spa Mechanical Room
MD163574H	DWH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000101086	FL06-19-40904	Patterson Kelley	2019	04/10/2021	Recurring Cert	Active	Mechanical Rm B, DWH-1

Copyright © 2020 CentralSquare

Total Objects at this location 8

Location: **Lima's Chicken (Arc3)** **Location ID:** 3931266
Address: 6473 Baltimore National Pike Catonsville, MD 21228-3904 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Lima's Chicken (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163519V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000153160		CHART	2004	02/28/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Loafer's Lounge (Arc3)** **Location ID:** 3931267
Address: 6518 Baltimore National Pike Catonsville, MD 21228-3905 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Loafer's Lounge (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163520V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000050401		Taylor	1990	02/28/2021	Recurring Cert	Active	Outside

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **Lochearn Auto Body**
Location ID: 716810
Address: 7030 Liberty Rd Woodlawn, MD 21207-5801
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Shop Manager - Phone: 410-484-5507
Billing Contact: Shop Manager - 7030 Liberty Rd Woodlawn, MD 21207-5801 - Phone: 410-484-5507
Cert Contact: Shop Manager - 7030 Liberty Rd Woodlawn, MD 21207-5801 - Phone: 410-484-5507
Owner Contact:
Other Contact(s): Shop Manager - 7030 Liberty Rd Woodlawn, MD 21207-5801 - Phone: 410-484-5507

My Company Comments: MAC Inspection inspected 10/28/19.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104462V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000855372		Manchester	1999	09/04/2021	External Cert, Recurring Cert	Active	Shop
MD116376V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000135297		Manchester	2001	09/04/2021	External Cert, Recurring Cert	Active	Shop

Total Objects at this location 2

Location: **Looney's Pub (Arc3)**
Location ID: 3950079
Address: 8706 Belair Rd Nottingham, MD 21236-2420
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Looney's Pub (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163588V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021065		Taylor	1995	04/16/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Lorraine Park Cemetery**
Location ID: 716953
Address: 5608 Dogwood Rd Woodlawn, MD 21207-5906
Phone: 410-298-8118
County: Baltimore
NOB/SIC:
Primary Contact: Corey Dunning - Phone: 410-298-8118
Billing Contact: Lorraine Park Cemetary - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118
Cert Contact: Lorraine Park Cemetary - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118
Owner Contact: Corey Dunning - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118
Other Contact(s): Corey Dunning - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118
James Tomlin, SUPERINTENDENT - 311 Veterans Hwy Suite B Levittown, PA 19056-1422 - Phone: 215-826-2800 - Cell: 410-298-8118
Lorraine Park Cemetary - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118

My Company Comments: Lorraine Park Cemetary - 5608 Dogwood Rd (location 716953)

I went to this location to inspect two overdue boilers. I was not able to gain access to the buildings however due to some work being completed on site. J. MacDonald 8/3/20
Lorraine Park Cemetery - 5608 Dogwood Rd - Location: 716953 - 3 CED reduced
I was able to inspect one overdue boiler on site, and also designate another overdue boiler on site as lost. It is no longer on site and was replaced with a new object. I was also able to complete a certificate external inspection on the new object and numbered that object as well. J. MacDonald 1-30-18
Lorraine Park Cemetery has two objects which are overdue for inspection. I went to the location to complete the inspections, but the building/gatehouse was closed. I am not sure why, as its normal hours depicted that it should be open, but I called and left a voicemail for the cemetery so that they know the boilers are overdue. I will follow up again next week. MacDonald 1-11-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112796H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2002	01/30/2020	Recurring Cert	Active	Mausoleum
MD158997H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-654-000369-5178452	Buderus	2017	01/30/2020	Recurring Cert	Active	Gatehouse Basement

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location:	**Lower Level Hangar 3**	**Location ID:**	705550
Address:	701 Wilson Point Rd Box 29 Baltimore, MD 21220-4238	**Phone:**	410-391-1738
County:	Baltimore	**NOB/SIC:**	

Primary Contact: Jared Keeny, D. O. M. - Phone: 410-687-7463 - Email: jared@jadeair.org

Billing Contact: Deletta Scopel - 10706 Beaver Dam Rd Cockeysville, MD 21030-2207 - Phone: 410-568-1781

Cert Contact: Jared Keeny, D. O. M. - 701 Wilson Point Rd Ste 6 Baltimore, MD 21220-4202 - Phone: 410-687-7463 - Email: jared@jadeair.org

Owner Contact: Jared Keeny, D. O. M. - 701 Wilson Point Rd Ste 6 Baltimore, MD 21220-4202 - Phone: 410-687-7463 - Email: jared@jadeair.org

Other Contact(s): Chris Penxa - PO Box 4970 Baltimore, MD 21220-0970 - Phone: 410 574 5500
Deletta Scopel, Accountant - 10706 Beaver Dam Rd Cockeysville, MD 21030-2207 - Phone: 410-568-1781
Jane Toskes - 701 Wilson Point Rd Baltimore, MD 21220-4238 - Phone: 410-391-1738
Jared Keeny, D. O. M. - 701 Wilson Point Rd Ste 6 Baltimore, MD 21220-4202 - Phone: 410-687-7463 - Email: jared@jadeair.org
Joseph Toskes, Owner - 701 Wilson Point Rd Baltimore, MD 21220-4238 - Phone: 410-391-1738 - Email: jmtoskes@comcast.net

My Company Comments:

jared@jadeair.org
2:12 PM (2 hours ago)
to boilers

I apologize for the late reply. But wanted to inform you that our pressure vessel was inspected as of 9/25/18 and was submitted to the state.

Located at

701 Wilson Point Rd, Lower Level Hangar 3, Baltimore Md.

Jared Keeny

Director Of Maintenance

Sierra Bravo Graco Inc.

Office 410-687-7463

Moble 717-332-6259

Fax 410-687-2182

jared@jadeair.org 9/26/18
2:12 PM (2 hours ago)
to boilers

Copyright © 2020 CentralSquare

I apologize for the late reply. But wanted to inform you that our pressure vessel was inspected as of 9/25/18 and was submitted to the state.

Located at

701 Wilson Point Rd, Lower Level Hangar 3, Baltimore Md.

Jared Keeny

Director Of Maintenance

Sierra Bravo Graco Inc.

Office 410-687-7463

Moble 717-332-6259

Fax 410-687-2182

Karl Kraft -DLLR- <karl.kraft@maryland.gov>
1:13 PM (5 hours ago)
to Dorothy, MAC, Boiler, bcc: me
Dorothy,
Please investigate to determine who is responsible for md030505v.
Let me know. Thank you.

On Tue, Sep 25, 2018 at 12:52 PM, MAC Inspection & Welding Agency <miwallc@gmail.com> wrote:
All,

The above pressure vessel was inactive 2 years ago but as you can see it has been re-connected to MD135044V.

The hanger bay owner, Sierra Bravo Greco, says they are not responsible for MD030505V because it is the State's responsibility to supply air to all the hangers not them. They state MD135044V is there's and there's only so I have not inspected MD030505V.

I am not sure how you all want to handle this.

Best regards

Mike
All,

The above pressure vessel was inactive 2 years ago but as you can see it has been re-connected to MD135044V.

Copyright © 2020 CentralSquare

The hanger bay owner, Sierra Bravo Greco, says they are not responsible for MD030505V because it is the State's responsibility to supply air to all the hangers not them. They state MD135044V is there's and there's only so I have not inspected MD030505V.

I am not sure how you all want to handle this.

Best regards

Mike
Location name and contact update.

My Shared Comments:

Contact info corrected per phone call, 4/18/05; RHD
Inspection performed 6/17/14 per Jane Toskes, returned her call and left a message.
Jane Toske called, location had trouble receiving mail, just realized cert had expired. Will be calling Insparisk.
Jane Toskes called and verified that Insparisk inspected yesterday 6/17/14, payment was also made to them. The address for the mailing is not a PO Box, its just box number 29 for the airport. JO list PO Box, so I entered the address and box # and JO then list it as suite.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135044V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000950569		Manchester	2008	07/12/2020	Recurring Cert	Active	Compressor Room Hanger 2

Total Objects at this location 1

Location: **Maaco**
Address: 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114
County: Baltimore
Primary Contact: Timonium Collision Center LLC
Billing Contact: Timonium Collision Center LLC - 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114
Cert Contact: Timonium Collision Center LLC - 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114
Owner Contact: Timonium Collision Center LLC - 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114
Other Contact(s): Timonium Collision Center LLC - 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114

Location ID: 3331457
Phone: 443-841-7292
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145845V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000008593	06364	AIR COM	2006	07/07/2021	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

		w/comment									
MD145846V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008492	06193	AIR COM	2006	07/07/2021	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: **Maaco Auto Painting & Body**
Address: 4030 N Point Blvd Dundalk, MD 21222-3636
County: Baltimore
Primary Contact: Ed Evans, Owner - Phone: 410 477 2800
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Ed Evans, Owner - 4030 N Point Blvd Dundalk, MD 21222-3618 - Phone: 410 477 2800

Location ID: 717115
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110913V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000111138		Manchester	1983	02/28/2021	Recurring Cert	Active	SHOP
MD129750V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016845	25481	Air Com	2007	02/28/2021	Recurring Cert	Active	SHOP
MD129751V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016861	25497	Air Com	2007	02/28/2021	Recurring Cert	Active	SHOP

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **Marks Motors**
Address: 12300 Owings Mill Blvd. Unit #6 Reisterstown, MD 21136-1744
County: Baltimore
Location ID: 717404
Phone:
NOB/SIC:

Primary Contact: Marks Motors - Phone: 410-526-2994
Billing Contact: Marks Motors - 12300 Owings Mills Blvd Ste 6 Reisterstown, MD 21136-1744 - Phone: 410-526-2994
Cert Contact: Marks Motors - 12300 Owings Mills Blvd Ste 6 Reisterstown, MD 21136-1744 - Phone: 410-526-2994
Owner Contact: Marks Motors - 12300 Owings Mills Blvd Ste 6 Reisterstown, MD 21136-1744 - Phone: 410-526-2994
Other Contact(s): Marks Motors - 12300 Owings Mills Blvd Ste 6 Reisterstown, MD 21136-1744 - Phone: 410-526-2994

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116374V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000132320		Manchester	2002	10/23/2021	Recurring Cert	Active	Comp. Room

Total Objects at this location 1

Location: **Marriottsville Exxon #0829-7285 (Sunoco)**
Address: 9835 Liberty Rd Randallstown, MD 21133-2005
County: Baltimore
Location ID: 717497
Phone:
NOB/SIC:

Primary Contact: Malik Chan - Phone: 410-922-2711
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Cert Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Owner Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Other Contact(s): Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Malik Chan - 9835 Liberty Rd Randallstown, MD 21133-2005 - Phone: 410-922-2711

My Company Comments: Contact update.
Sunoco has contacted American Boiler concerning the overdue inspections. American Boiler has confirmed with me that they will be conducting inspections at each of these sites Monday and Tuesday of next week (11/20/17 & 11/21/17).

I apologize for the delay. American Boiler will submit the required inspection reports ASAP after inspection. Please forward the certificates for these sites, when processed, to my attention as referenced on the Billing Contact info.

Contact me with any questions or issues. Thank you.

Kathleen McCaney

Copyright © 2020 CentralSquare

Sunoco Environmental Compliance
3801 West Chester Pike
Newtown Square, PA 19073
Ph: 610-833-3761
Fax: 866-342-1672

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151870V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001875347		CAMPBELL HAUSFELD	2014	10/15/2021	Recurring Cert	Active	Car Wash - left door

Total Objects at this location 1

Location: **Martin's East (Arc3)**
Location ID: 3949963
Address: 9000 Pulaski Hwy Middle River, MD 21220-3307
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Martin's East (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163594V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157876		CHART	2004	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Maryland Precision Spring Co.**
Location ID: 717776
Address: 8900 Kelso Dr Essex, MD 21221-3120
Phone: 410-391-7400
County: Baltimore
NOB/SIC:
Primary Contact: Kelle Dillard - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com

Copyright © 2020 CentralSquare

Billing Contact: Kelle Dillard - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com
Cert Contact: Kelle Dillard - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com
Owner Contact: Kelle Dillard - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com
Other Contact(s): Facilities Mgr. - 8900 Kelso Dr Baltimore, MD 21221-3120 - Phone: 410-391-7400
James Laning, Safety Coordinator - 8900 Kelso Dr Baltimore, MD 21221-3120 - Phone: 410-391-7400 ext. 250 - Email: jlaning@mw-ind.com
Kelle Dillard - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com
Maryland Precision Spring Co - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 4103917400
Pauline Carey, Field Service Asst. - 180 W Germantown Pike Ste B-1 East Norriton, PA 19401-1378 - Phone: 610-239-2060 X3575 - Email: pauline.carey@airliquide.com

My Company Comments:

My Shared Comments: Spoke with Kelle Dillard, she has recently taken over. I mentioned that the insurance changed Ms. Dillard will find out from corporate, who insures and will schedule the inspection.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107973V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000861715		Melben	1999	08/16/2022	Recurring Cert	Active	Coiling
MD107974V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000737051		Melben	1998	08/16/2022	Recurring Cert	Active	Tool Room
MD115441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000283541		Steel Fab	2002	08/16/2022	Recurring Cert	Active	Comp Room

Total Objects at this location 3

Location: **Maryland Presbyterian Church**
Location ID: 717777
Address: 1105 Providence Rd Towson, MD 21286-1700
Phone: 410-825-0719
County: Baltimore
NOB/SIC:
Primary Contact: Rocky Gaut, Property Chairman - Cell: 410-303-6723 - Email: mpc@mpchurch.org
Billing Contact: Maryland Presbyterian Church - 1105 Providence Rd Towson, MD 21286-1744 - Phone: 410-825-0719
Cert Contact: Maryland Presbyterian Church - 1105 Providence Rd Towson, MD 21286-1744 - Phone: 410-825-0719
Owner Contact: Maryland Presbyterian Church - 1105 Providence Rd Towson, MD 21286-1744 - Phone: 410-825-0719
Other Contact(s): David Norse, Pastor - 1105 Providence Rd Towson, MD 21286-1700 - Phone: 410-825-0719
Maryland Presbyterian Church - 1105 Providence Rd Towson, MD 21286-1744 - Phone: 410-825-0719
Rocky Gaut, Property Chairman - 1105 Providence Rd Towson, MD 21286-1700 - Cell: 410-303-6723 - Email: mpc@mpchurch.org

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125236H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP5078132	WILLIAMSON	2006	02/02/2022	Recurring Cert	Active	Boiler Room
MD129951H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65007609	Burham	2007	02/02/2022	Recurring Cert	Active	School Boiler Room

Total Objects at this location 2

Location: **Matthew's 1600 (Arc3)** **Location ID:** 3931264
Address: 1600 Frederick Rd Catonsville, MD 21228-5021 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163521V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151245		CHART	2005	02/28/2021	Recurring Cert	Active	Closet - Banquet Room

Total Objects at this location 1

Location: **McAvoy's (Arc3)** **Location ID:** 4030692
Address: 2531 Putty Hill Ave Parkville, MD 21234-4307 **Phone:** 410-882-0500
County: Baltimore **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-882-0500
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Manager on Duty - 2531 Putty Hill Ave Parkville, MD 21234-4307 - Phone: 410-882-0500

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000299298		CHART	2017	07/06/2022	Recurring Cert	Active	Outside Rear of Bldg

Total Objects at this location 1

Location: **McDonald's**
Address: 8483 Cordon Way Nottingham, MD 21236-4976
County: Baltimore
Location ID: 3954079
Phone: 410-931-9321
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 410-931-9321
Billing Contact: McDonald's - 8483 Cordon Way Nottingham, MD 21236-4976
Cert Contact: Manager on Duty - 8483 Cordon Way Nottingham, MD 21236-4976 - Phone: 410-931-9321
Owner Contact: McDonald's - 8483 Cordon Way Nottingham, MD 21236-4976
Other Contact(s): Manager on Duty - 8483 Cordon Way Nottingham, MD 21236-4976 - Phone: 410-931-9321
McDonald's - 8483 Cordon Way Nottingham, MD 21236-4976

My Company Comments:

My Shared Comments: Spoke to Alfredo Diaz, Roberts Oxygen device owner they are replacing device on 6/4/2019. They will contact me when replacement is installed.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000321147		CHART	2019	06/04/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **MedStar Surgery Center**
Address: 2118 Greenspring Dr Ste 300 Lutherville Timonium, MD 21093-3112
County: Baltimore
Primary Contact: MedStar Surgery Center
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3844581
Phone: 410-252-5671
NOB/SIC:

My Company Comments:

Green Card Rec'd 9-17-18
MAC Inspection & Welding Agency
Mon, Feb 25, 7:07 PM (10 days ago)
to Brie, Samantha, Robin

Robin,

Can you look at these pressure vessel records (MD159563V & MD159565V), correct them and negate the Citation Warning please? The record has a 12 month inspection when it should be a 24 months, which would have them due in December 2019.

If you see something else we should do on our end please let me know.

Best regards,

Michael Coleman
President/CEO
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962
cell: (443) 617-3681
www.macinspection.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159563V		Autoclave	V - Process-Sterilizing	000047340	0384190	Amsco	1984	12/16/2021	Recurring Cert	Active	Clean Work Room
MD159564		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002665	42295	Pemberton	2017	12/16/2020	Recurring Cert	Active	Clean Work Room
MD159565V		Autoclave	V - Process-Sterilizing	000018489	1117013	Steris Corp	2017	12/16/2021	Recurring Cert	Active	Clean Work Room

Copyright © 2020 CentralSquare

MD159566	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000009178	49178	Chromalox	2017	12/16/2020	Recurring Cert	Active	Clean Work Room

Total Objects at this location 4

Location: **Meineke**
Location ID: 715733
Address: 790 Merritt Blvd Dundalk, MD 21222-1409
Phone: 410-288-1322
County: Baltimore
NOB/SIC:
Primary Contact: Meineke - Phone: 410-288-1322
Billing Contact: Crista Campbell - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322
Cert Contact: Crista Campbell - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322
Owner Contact: Meineke - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322
Other Contact(s): Crista Campbell - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322
Kimmel Automotive - 505 Kane St Highlandtown, MD 21224-2929 - Phone: 410-744-3500
Meineke - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322

My Company Comments:

My Shared Comments:
Location no longer Kimmel Tire, RWO 4-28-05.
Received a call from Christa Campbell, she's been waiting for someone to return her call and for someone to inspect. She received an overdue letter. She said Century is the insurance company she will call them to see if they are covered and will call back with an inspection date.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150701V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000327404		Manchester	2004	04/02/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Meineke Car Care Center**
Location ID: 704656
Address: 210 Reisterstown Rd Pikesville, MD 21208-5309
Phone: 410-486-0600
County: Baltimore
NOB/SIC:
Primary Contact: Goerge Pratt, Owner - Phone: 443-548-3745 - Email: shop.2735@meineke.net
Billing Contact: Goerge Pratt - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 443-548-3745 - Email: shop.2735@meineke.net
Cert Contact: Goerge Pratt, Owner - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 443-548-3745 - Email: shop.2735@meineke.net
Owner Contact: Goerge Pratt, Owner - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 443-548-3745 - Email: shop.2735@meineke.net
Other Contact(s): Binghams Tire & Auto - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 4104860600
Brian Hanson, President - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 410-486-0600
Goerge Pratt, Owner - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 443-548-3745 - Email: shop.2735@meineke.net

Copyright © 2020 CentralSquare

My Company Comments: George Pratt (443-548-3745/gpratt3445@gmail.com) called for instructions on the PV inspection. I emailed AIA list

My Shared Comments: Got a call from Mrs. Tami Harp-Hanson about the Citation Warning they had received. she was not aware of the law change & need for an AIA. I sent her the AIA list earlier and she just responded by email that Atlantic Services is scheduled to inspect on 6/21. She'd also reported while we were speaking that she'd already contacted her property insurer but the commercial "guy" would not be in until tomorrow 6/11.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159012V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000005334		Morganton	2017	04/04/2020	Recurring Cert	Active	Break Room

Total Objects at this location 1

Location: **Meineke Car Care Center** **Location ID:** 718200
Address: 5520 Baltimore National Pike Catonsville, MD 21228-1531 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Betty Chan - Phone: 410-747-8000, ext. 233
Billing Contact: Teri Merrick - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450 - Email: terimerrick@msn.com
Cert Contact: Teri Merrick - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450 - Email: terimerrick@msn.com
Owner Contact: Teri Merrick - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450 - Email: terimerrick@msn.com
Other Contact(s): ASIA PLAZA, LLC
Betty Chan - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-8000, ext. 233
Kenny Clark, Service Manager - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450
Teri Merrick - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450 - Email: terimerrick@msn.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000063679		Brunner	2002	04/11/2021	Recurring Cert	Active	comp rm

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Meineke Discount Mufflers** **Location ID:** 718199
Address: 9918 York Rd Cockeysville, MD 21030-3401 **Phone:** 410-628-1411
County: Baltimore **NOB/SIC:**
Primary Contact: Jun - Phone: 410-628-1411 - Email: junpak81@gmail.com
Billing Contact:
Cert Contact:
Owner Contact: Jun - 9918 York Rd Cockeysville, MD 21030-3401 - Phone: 410-628-1411 - Email: junpak81@gmail.com
Other Contact(s): Jun - 9918 York Rd Cockeysville, MD 21030-3401 - Phone: 410-628-1411 - Email: junpak81@gmail.com
Pete Bird - 9918 York Rd Cockeysville, MD 21030-3401 - Phone: 410-628-1411

My Company Comments: Meineke Discount Mufflers - 9918 York Rd - Location: 718199 - 1 Reduced
I visited this location and completed a certificate external inspection on the compressor tank in the shop. MacDonald - 2/7/18
Inspection set for the end of this week with Atlantic Services
Spoke with Jun. He contacted Insparisk but no return call. He is now going to contact other AIA's

My Shared Comments:
Called location. They state compressor was inspected. Will have Jim call me back
Spoke with Jun and sent him by email the AIA list.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106197V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000883980		Buckeye	1988	10/12/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Mercedes Benz of Hunt Valley** **Location ID:** 727820
Address: 9800 York Rd Cockeysville, MD 21030-4914 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Ken Bromley, Shop Foreman - Phone: 410-666-4107 - Email: kbromley@valleymotors.com
Billing Contact: Ken Bromley - 9800 York Rd Cockeysville, MD 21030-4914 - Phone: 410-666-4107 - Email: kbromley@valleymotors.com
Cert Contact: Ken Bromley, Shop Foreman - 9800 York Rd Cockeysville, MD 21030-4914 - Phone: 410-666-4107 - Email: kbromley@valleymotors.com
Owner Contact: Ken Bromley, Shop Foreman - 9800 York Rd Cockeysville, MD 21030-4914 - Phone: 410-666-4107 - Email: kbromley@valleymotors.com
Other Contact(s): Ken Bromley, Shop Foreman - 9800 York Rd Cockeysville, MD 21030-4914 - Phone: 410-666-4107 - Email: kbromley@valleymotors.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD015883V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000147213	183462	Curtis	1971	07/27/2022	Recurring Cert	Active	Audi comp rm
MD128307V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000741266		Manchester	2006	07/27/2022	Recurring Cert	Active	Detail Shop
MD154608V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000756871		Steel Fab	2014	07/27/2022	Recurring Cert	Active	Audi Comp rm
MD167307V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000525764	591669	Morganton	2015	07/29/2022	Recurring Cert	Active	Mercedes Compressor Room

Total Objects at this location 4

Location: **Merritt Athletic Club**
Location ID: 718345
Address: 8757 Mylander Ln Towson, MD 21286-2102
Phone: 410-821-0160
County: Baltimore
NOB/SIC:
Primary Contact: Merritt Athletic Club - Phone: 410-821-0160
Billing Contact: Merritt Athletic Club - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160
Cert Contact: Melissa Stansbury - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160 - Email: mstansbury@merrittclubs.com
Owner Contact: Melissa Stansbury - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160 - Email: mstansbury@merrittclubs.com
Other Contact(s): Melissa Stansbury - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160 - Email: mstansbury@merrittclubs.com
Merritt Athletic Club - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160

My Company Comments:

My Shared Comments: HSB going to schedule

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137190H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000151075		A O Smith	2010	07/21/2022	Recurring Cert	Active	Mens locker room
MD137191H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000149677		A O Smith	2010	07/21/2022	Recurring Cert	Active	Mens locker room

Copyright © 2020 CentralSquare

MD146222H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000173134		A O Smith	2012	07/21/2022	Recurring Cert	Active	Mens Locker
MD155234H	Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 210 F)	000341843		Raypak	2009	07/21/2022	Recurring Cert	Active	Pump Rm
MD156671H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000379064		Raypak	2016	07/21/2022	Recurring Cert	Active	Pump Rm
MD161273H	Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000005035		Amerec	2017	07/21/2022	Recurring Cert	Active	Mens Locker Room
MD167274V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000308197	31737453	CHART	2017	08/20/2022	Recurring Cert	Active	Pump Room

Total Objects at this location 7

Location: **Mezcal Mexican (Arc3)**
Location ID: 3925605
Address: 6 W Ridgely Rd Lutherville Timonium, MD 21093-5112
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mezcal Mexican (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163504V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000165375		CHART	2005	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Mezcal Mexican Restaurant (Arc3)** **Location ID:** 3992516
Address: 9958 Reisterstown Rd Owings Mills, MD 21117-3945 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mezcal Mexican Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165829V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021091		Taylor	1995	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Michael Schroeder Engine (Model)/Leakin Park** **Location ID:** 786553
Address: 1941 Sloman Dr Baltimore, MD 21207-8034 **Phone:** 410-672-3351
County: Baltimore **NOB/SIC:**
Primary Contact: Michael Schroeder - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Billing Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Cert Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Owner Contact: Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Other Contact(s): Michael Schroeder - 1941 Sloman Dr Leakin Park Baltimore, MD 21207-8034 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Michael Schroeder - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Paul Seyfrit, Secretary - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309 - Email: seyfritp@verizon.net

My Company Comments:

My Shared Comments: Chesapeake and Allegheny Steam Preservation Society. 5000 Windsor Mill is address of track area. 4921 Windsor Mill is address of Leakin Park entrance. Michael said he sent a check on 4/15/16. Nothing in JO or GDrive. I advised him to cancel and submit another.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017646		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	7941	Hamilton Eng	1980	04/09/2021	Recurring Cert	Active	Portable

Copyright © 2020 CentralSquare

MD017900	Horizontal Fire Tube	P - Portable w/comment	Model	Jn Andrews	1985	04/09/2021	Recurring Cert	Active	Portable

Total Objects at this location 2

Location: **Michael's Cafe (Arc3)**
Location ID: 3925606
Address: 2119 York Rd Lutherville Timonium, MD 21093-3110
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Michael's Cafe (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163508V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010821		Taylor	1992	02/27/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Michaels Automotive & Sound**
Location ID: 995057
Address: 8609 Liberty Rd Randallstown, MD 21133-4713
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Michael Ayd, Owner - Phone: 410-922-8411
Billing Contact: Michael Ayd - 8609 Liberty Rd Randallstown, MD 21133-4713 - Phone: 410-922-8411
Cert Contact: Michael Ayd, Owner - 8609 Liberty Rd Randallstown, MD 21133-4713 - Phone: 410-922-8411
Owner Contact:
Other Contact(s): Michael Ayd, Owner - 8609 Liberty Rd Randallstown, MD 21133-4713 - Phone: 410-922-8411

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD019329V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000451910		John Wood	1969	12/14/2020	External Cert, Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Mid Atlantic Health Care of Chapel Hill**
Location ID: 706521
Address: 4511 Robosson Rd Randallstown, MD 21133-1018
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Randy Melchor - Phone: 443-576-1551/410-922-2443
Billing Contact: Michael Barrett - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 240-577-0512
Cert Contact: Michael Barrett - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 240-577-0512
Owner Contact: Michael Barrett - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 240-577-0512
Other Contact(s): Amy Fox, Vice President, Senior Underwriter - 5018 Bristol Industrial Way Buford, GA 30518-1776 - Email: amy.fox@axaxl.com
Babs Richards, Maintenance Director - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 410-922-2443
Michael Barrett - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 240-577-0512
Mike Baker, Administrator - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 4109222443
Pat Dunphy, (Former)EBSC Manager - 190 S La Salle St Ste 3900 Chicago, IL 60603-3431 - Phone: 312-821-8912 - Cell: 724-799-4278 - Email: pat.dunphy@axaxl.com
Randy Melchor - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 443-576-1551/410-922-2443
Tom Gallagher - 5885 Cumming Hwy Ste 108 Sugar Hill, GA 30518-8921 - Email: thomas.gallagher@axaxl.com
Wayne Fisher - 4511 Robosson Rd Randallstown, MD 21133-1018 - Phone: 410-308-2300

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150758H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	81416006	Burnham	2014	03/10/2021	Recurring Cert	Active	Inside Blr rm
MD157789H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2016	04/19/2021	Recurring Cert	Active	New Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Midas Auto Systems**
Location ID: 2252258
Address: 6555 Baltimore National Pike Catonsville, MD 21228-3906
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Midas Auto Systems
Billing Contact: Ray Determan - 6555 Baltimore National Pike Catonsville, MD 21228-3906 - Phone: 410-744-7822
Cert Contact: Ray Determan - 6555 Baltimore National Pike Catonsville, MD 21228-3906 - Phone: 410-744-7822
Owner Contact:
Other Contact(s): Ray Determan - 6555 Baltimore National Pike Catonsville, MD 21228-3906 - Phone: 410-744-7822

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128888V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438001		J Wood	1969	03/16/2022	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Midas Muffler Pikesville the Bah**
Location ID: 787281
Address: 9710 Reisterstown Rd Owings Mills, MD 21117-4120
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Stanley Shapiro, Store Manager - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com
Billing Contact: Stanley Shapiro - 9710 Reisterstown Rd Owings Mills, MD 21117-4120 - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com
Cert Contact: Stanley Shapiro, Store Manager - 9710 Reisterstown Rd Owings Mills, MD 21117-4120 - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com
Owner Contact: Stanley Shapiro, Store Manager - 9710 Reisterstown Rd Owings Mills, MD 21117-4120 - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com
Other Contact(s): Stanley Shapiro, Store Manager - 9710 Reisterstown Rd Owings Mills, MD 21117-4120 - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com

My Company Comments: Green Card Rec'd 10-3-18
MD116768V inspection is completed with no violations. We will process the report accordingly. Thanks Mike, MAC Inspection & Welding Agency

My Shared Comments: Travelers scheduled for 8-15-18

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116768V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001069870		Manchester	1992	06/27/2020	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Middleborough Volunteer Fire Co** **Location ID:** 718527
Address: 1913 Middleborough Rd Essex, MD 21221-3019 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Daniel - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net
Billing Contact: Wayne Daniel - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net
Cert Contact: Wayne Daniel - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net
Owner Contact: Wayne Daniel - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net
Other Contact(s): Middleborough Volunteer Fire Co - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: 410-686-0063
Middleborough Volunteer Fire Co - PO Box 16634 Essex, MD 21221-0634
Wayne Daniel - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net

My Company Comments: Middleborough Volunteer Fire Department (location: 718527) - 1913 Middleborough Rd - 1 CED.
I was finally able to get contact with the owners of this property and set an appointment to inspect this object. The contact for this location should be John Alban - 443-677-9766, and the name is now Essex Volunteer Fire Department. I was able to complete the inspection as scheduled. MacDonald - End of Day Summary 8/2/18
Middleborough Volunteer Fire Department. 1913 Middleborough Rd (Location: 718527) 1 followed up

I was scheduled to check the status of an overdue boiler for this location. it turns out that this volunteer fire department has closed down, and the people in this house have now joined with 3 other locations. I spent time traveling to each of the three locations listed in hopes of finding someone who could give me access to the building on Middleborough Rd, but there was no one at the location I found to be active (Essex Volunteer Fire Company on Sussex Rd.) Jeremy Macdonald 3/16/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067055H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1988	08/02/2020	Recurring Cert	Active	Boiler room

Total Objects at this location 1

Location: **Mo's Seafood Bar & Grill Restaurant** **Location ID:** 719065
Address: 7600 Eastern Ave Baltimore, MD 21224-1921 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mark , Facility Manager - Phone: 410-288-2424
Billing Contact: Mark - 7600 Eastern Ave Baltimore, MD 21224-1921 - Phone: 410-288-2424
Cert Contact: Mark , Facility Manager - 7600 Eastern Ave Baltimore, MD 21224-1921 - Phone: 410-288-2424
Owner Contact: Mark , Facility Manager - 7600 Eastern Ave Baltimore, MD 21224-1921 - Phone: 410-288-2424
Other Contact(s): Mark , Facility Manager - 7600 Eastern Ave Baltimore, MD 21224-1921 - Phone: 410-288-2424

Copyright © 2020 CentralSquare

My Company Comments: Hartford 12/29/15, waiting for report.
Mo's Seafood - 7600 Eastern Ave - 1 CED reduced

I was able to complete external certificate inspections on both the boiler and the CO2 tank which were located at this address. The CO2 tank is fine, but I wrote a violation for the flue piping on the boiler. I told them I would be back in 10 days to check the status of the violation. MacDonald - 3/7/18

My Shared Comments:

I spoke with Mark today. Stated he is in the process of having the violations fixed. There is one repairman for all locations. I gave him till September 16th to have all violations fixed and to Call CNA Insurance to re-inspect. Then can me to let me know.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154265V		Other w/comment	V - Storage (NOT Cryogenic)	000020566		Taylor	1994	03/29/2020	Recurring Cert	Active	Soda Rm

Total Objects at this location 1

Location: **Monro Muffler Brake - 726** **Location ID:** 715723
Address: 1000 York Rd Towson, MD 21204-2515 **Phone:** 410-823-6800
County: Baltimore **NOB/SIC:**
Primary Contact: Greg Peterson, Facilities & Asset Mgr. - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Cert Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Owner Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Other Contact(s): Brandy - 1000 York Rd Towson, MD 21204-2515 - Phone: 410 823 6800
Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Tom Giannone, Director of Facilities - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com

My Company Comments: No longer Monro location.

It looks like the stores labeled 416, 587, & 138 should all be removed as well.
Greg Peterson | Assistant Facilities Manager
200 Holleder Parkway, Rochester, NY 14615
585-784-3283 | mobile: 585-746-3660
greg.peterson@monro.com | www.monro.com 2/28/18 email

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115222V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000103888		Manchester	2002	07/07/2020	Recurring Cert	Active	Upper shop
MD115223V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000103916		Manchester	2002	07/07/2020	Recurring Cert	Active	lower shop

Copyright © 2020 CentralSquare

	Vessel w/comment

Total Objects at this location 2

Location: **Morningside Heights Apartments** **Location ID:** 719029
Address: 101 Willow Bend Dr Owings Mills, MD 21117-2603 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost.

The management company has changed within the last 7 months. The new management company and contact info is:

Element National Management
Bryant Hannie, Service Manager
Phone: 410-356-4800
Fax: 410-356-6360
Cell: 443-607-7557
https://morningsideheights.elementmgt.com
email: morningsideheightsme@elementmgt.com-----Jeremy Macdonald -3/2/20
Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015,
719018,
719032,
719029,
719034,
719037,
719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166572H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C50601		A O Smith	2018	03/02/2022	Recurring Cert	Active	101 Willow Bend

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719024
Address: 102 Twin Willow Ct Owings Mills, MD 21117-2780 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156198H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C39256		A O Smith	2013	11/21/2020	Recurring Cert	Active	102 TWIN WIL

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719030
Address: 104 Twin Willow Ct Owings Mills, MD 21117-2787 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Copyright © 2020 CentralSquare

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156218H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C41527		A O Smith	2014	11/21/2020	Recurring Cert	Active	104 TWIN WIL

Total Objects at this location 1

Location: **Morningside Heights Apartments**

Location ID: 719025

Address: 105 Willow Bend Dr Owings Mills, MD 21117-2607

Phone: 410-356-4800

County: Baltimore

NOB/SIC:

Primary Contact: Tammy Solomon, Property Manager - Phone: 410-356-4800

Billing Contact: Tammy Solomon - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

Cert Contact: Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

Owner Contact: Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Other Contact(s): Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD161355H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000059026	A O Smith	2016	11/20/2020	Recurring Cert	Active	105 WILLOW

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719032
Address: 109 Willow Bend Dr Owings Mills, MD 21117-2611 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151885H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C40683		A O Smith	2014	12/02/2021	Recurring Cert	Active	109 Willow Bend Dr

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 2060674
Address: 11 Old Coach Ln Owings Mills, MD 21117-2756 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Copyright © 2020 CentralSquare

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126779H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000059026		A O Smith	2000	11/21/2020	Recurring Cert	Active	11 OLD COACH

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719012

Address: 113 Willow Bend Dr Owings Mills, MD 21117-2615 **Phone:** 410-356-4800

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156199H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C45714		A O Smith	2014	11/21/2020	Recurring Cert	Active	113 Willow Bend

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719027

Address: 119 Willow Bend Dr Owings Mills, MD 21117-2619 **Phone:** 410-356-4800

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121952H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000071012		A O Smith	2002	12/03/2020	Recurring Cert	Active	119 WILLOW B

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Morningside Heights Apartments** **Location ID:** 719034
Address: 18 Straw Hat Rd Owings Mills, MD 21117-2845 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151890H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000069430		A O Smith	2002	12/03/2021	Recurring Cert	Active	18 Strawhat Rd

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719028
Address: 204 Mid Pines Ct Owings Mills, MD 21117-2760 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Copyright © 2020 CentralSquare

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145360H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000026680		A O Smith	2009	11/21/2020	Recurring Cert	Active	204 MID PINE
MD161354H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C46733		A O Smith	2016	11/20/2020	Recurring Cert	Active	204 MID PINE

Total Objects at this location 2

Location: **Morningside Heights Apartments** **Location ID:** 2451051

Address: 208 Mid Pines Ct Owings Mills, MD 21117-2782 **Phone:** 410-356-4800

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD132745H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018803	K 07 18803	A O Smith	2007	11/21/2020	Recurring Cert	Active	208 MID PINE

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719009
Address: 23 Cue Ct Owings Mills, MD 21117-2775 **Phone:** 410-356-6360
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144188H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090270		Bradford White	2010	11/21/2020	Recurring Cert	Active	23 CUE CT

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719015
Address: 23 Straw Hat Rd Owings Mills, MD 21117-2819 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Copyright © 2020 CentralSquare

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166571H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C52290		A O Smith	2019	03/02/2022	Recurring Cert	Active	23 Straw Hat Laundry

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719037

Address: 27 Cue Ct Owings Mills, MD 21117-3155 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151891H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106500		Bradford White	2014	12/03/2021	Recurring Cert	Active	27 Cue Ct

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719016

Address: 3 Old Coach Ln Owings Mills, MD 21117-2712 **Phone:** 410-356-4800

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145359H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000031229		A O Smith	2011	11/21/2020	Recurring Cert	Active	3 OLD COACH

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Morningside Heights Apartments** **Location ID:** 719038
Address: 31 Straw Hat Rd Owings Mills, MD 21117-2824 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151887H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000041780		A O Smith	2014	12/03/2021	Recurring Cert	Active	31 Straw Hat Rd

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 754487
Address: 35 Straw Hat Rd Owings Mills, MD 21117-2827 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Copyright © 2020 CentralSquare

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115876H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000065362	65362	A O Smith	2001	11/21/2020	Recurring Cert	Active	37 STRAW HAT

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719018

Address: 43 Straw Hat Rd Owings Mills, MD 21117-2835 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD167273H	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000052432	A O Smith	2019	08/19/2022	Recurring Cert	Active	Storage Room

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719019
Address: 63 Straw Hat Rd Owings Mills, MD 21117-2852 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132101H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000017044		A O Smith	2007	11/21/2020	Recurring Cert	Active	63 STRAW HAT

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719020
Address: 69 Straw Hat Rd Owings Mills, MD 21117-2855 **Phone:** 410-356-4800
County: Baltimore **NOB/SIC:**
Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Copyright © 2020 CentralSquare

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121950H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005827		A O Smith	2004	11/21/2020	Recurring Cert	Active	69 STRAW HAT

Total Objects at this location 1

Location: **Morningside Heights Apartments** **Location ID:** 719039

Address: 8 Straw Hat Rd Owings Mills, MD 21117-2809 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Bryant Hannie, Service Mgr. - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Billing Contact: Bryant Hannie - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Cert Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Owner Contact: Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Other Contact(s): Bryant Hannie, Service Mgr. - 19 Straw Hat Rd Ofc Owings Mills, MD 21117-2858 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Robert Hixson, Service Manager - 19 Straw Hat Rd Owings Mills, MD 21117-2858 - Phone: 4103563388

Tammy Solomon, Property Manager - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

My Company Comments: Morningside Heights Apartments - I went to a bunch of locations at this apartment complex for overdue boilers. There were no issues in completing my inspections. I completed cert inspections for 8 new boilers and marked two other boilers as lost. The management company has changed within the last 7 months. The new management company and contact info is: Element National Management Bryant Hannie, Service Manager Phone: 410-356-4800 Fax: 410-356-6360 Cell: 443-607-7557 https://morningsideheights.elementmgt.com email: morningsideheightsme@elementmgt.com-----719015, 719018, 719032, 719029, 719034, 719037, 719038------ Jeremy Macdonald -3/2/20

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151888H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000037003		A O Smith	2013	12/03/2021	Recurring Cert	Active	8 Strawhat Rd

Total Objects at this location 1

Location: **Mother's North (Arc3)**
Location ID: 3925621
Address: 2450 Broad Ave Lutherville Timonium, MD 21093-2262
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mother's North (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163507V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000282152		CHART	2016	02/27/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Mount Parran Presbyterian Church**
Location ID: 703621
Address: 10308 Liberty Rd Randallstown, MD 21133-1209
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mount Parran Presbyterian Church
Billing Contact: Mount Parran Presbyterian Church - 10308 Liberty Rd Randallstown, MD 21133-1209
Cert Contact: Mount Parran Presbyterian Church - 10308 Liberty Rd Randallstown, MD 21133-1209
Owner Contact: Mount Parran Presbyterian Church - 10308 Liberty Rd Randallstown, MD 21133-1209
Other Contact(s): Baltimore Christian Faith Center - 10308 Liberty Rd Randallstown, MD 21133-1209 - Phone: 4106553777
Mount Parran Presbyterian Church - 10308 Liberty Rd Randallstown, MD 21133-1209

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: Jemila called to say they no longer own this property as of about 3 years ago. The new owners are Mount Parran Presbyterian Church. Updating and resending registration form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121957H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2002	09/08/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Mr. Tire - 732** **Location ID:** 715724

Address: 10320 Reisterstown Rd Owings Mills, MD 21117-3609 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Greg Peterson, Facilities & Asset Mgr. - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Cert Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Owner Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Other Contact(s): Brett Buddemeyer, Manager - 10320 Reisterstown Rd Owings Mills, MD 21117-3609 - Phone: 410-363-6333

Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Tom Giannone, Director of Facilities - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000793468		Manchester	1999	07/07/2022	Recurring Cert	Active	Comp Shed
MD102243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000736137		Manchester	1998	07/07/2022	Recurring Cert	Active	Comp Shed

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Mr. Tire - 760** **Location ID:** 719169
Address: 720A Main St Reisterstown, MD 21136-2502 **Phone:** 410-833-9377
County: Baltimore **NOB/SIC:**
Primary Contact: Greg Peterson, Facilities & Asset Mgr. - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Cert Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Owner Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Other Contact(s): Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Harry Leibowitz, Assiatant Manager - 720 Main St Reisterstown, MD 21136-2502 - Phone: 410-833-9377
Mr Tire - 720 Main St Reisterstown, MD 21136-2502 - Phone: 3013363330
Tom Giannone, Director of Facilities - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com

My Company Comments:

My Shared Comments: Per Tom Giannone, Director of Facilities, Monro Muffler/Brake, acquisition effective 3/1/04, all correspondence should be sent to him; RHD 2/10/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000667574		Manchester	2006	07/07/2022	Recurring Cert	Active	Compressor shed
MD128304V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000667605		Manchester	2006	07/07/2022	Recurring Cert	Active	compressor shed

Total Objects at this location 2

Location: **Mr. Tire - 767** **Location ID:** 719165
Address: 6332 Baltimore National Pike Catonsville, MD 21228-3901 **Phone:** 410-455-0077
County: Baltimore **NOB/SIC:**
Primary Contact: Greg Peterson, Facilities & Asset Mgr. - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Cert Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Owner Contact: Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Other Contact(s): Greg Peterson, Facilities & Asset Mgr. - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Mr Tire - 6332 Baltimore National Pike Catonsville, MD 21228-3901 - Phone: 3018808400
Tom Giannone, Director of Facilities - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143956V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001086769		Manchester	2009	04/28/2021	Recurring Cert	Active	Comp Room

Total Objects at this location 1

Location: **Murray Corporation** **Location ID:** 719343

Address: 260 Schilling Cir Hunt Valley, MD 21031-1435 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Thomas C. Branch, Operations/Purchasing Manager - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

Billing Contact: Thomas C. Branch - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

Cert Contact: Thomas C. Branch, Operations/Purchasing Manager - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

Owner Contact: Thomas C. Branch, Operations/Purchasing Manager - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

Other Contact(s): Ed Banks - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 4107710380

Marshall Vosburg, Consulting Director - 151 N Franklin St Chicago, IL 60606-1915 - Phone: 717-659-9330 - Email: marshall.vosburg@cna.com

OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com

Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com

Thomas C. Branch, Operations/Purchasing Manager - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007591H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1968	11/02/2020	Recurring Cert	Active	Boiler Room
MD135840V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000503043		Steel Fab	2007	11/02/2020	Recurring Cert	Active	QC Area
MD161916V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000731388		Morganton	2018	11/18/2020	Recurring Cert	Active	Plant

Copyright © 2020 CentralSquare

Total Objects at this location 3

Location: **My Mechanic Zanti** **Location ID:** 2679707
Address: 9617 Liberty Rd Randallstown, MD 21133-2405 **Phone:** 410-922-2700
County: Baltimore **NOB/SIC:**
Primary Contact: Victor Zanti, Owner - Phone: 410-922-2700 - Email: mymechanic9617@aol.com
Billing Contact: Victor Zanti - 9617 Liberty Rd Randallstown, MD 21133-2405 - Phone: 410-922-2700 - Email: mymechanic9617@aol.com
Cert Contact: Victor Zanti, Owner - 9617 Liberty Rd Randallstown, MD 21133-2405 - Phone: 410-922-2700 - Email: mymechanic9617@aol.com
Owner Contact: Victor Zanti, Owner - 9617 Liberty Rd Randallstown, MD 21133-2405 - Phone: 410-922-2700 - Email: mymechanic9617@aol.com
Other Contact(s): Bryce Hart, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 610-413-3665 - Email: bryce.hart@onecis.com
Drew Thomas, Jurisdictional Inspection Specialist - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 732-718-0794 - Email: drew.thomas@onecis.com
Victor Zanti, Owner - 9617 Liberty Rd Randallstown, MD 21133-2405 - Phone: 410-922-2700 - Email: mymechanic9617@aol.com

My Company Comments:

My Shared Comments:
Mr. Zanti called because he received the invoice #107308 for MD129983V, which was overdue. Penn National is his insurance company and they were supposed to have the inspection done. Hartford performed the last inspection 4/26/14. I told him to contact his insurance company and let them know that he received the invoice. He doesn't know when it will be paid, but he will contact his insurance company.
Mr. Zanti called today in response to a Citation Warning. He wondered why no one had just come out. I explained the change in law & the number of notices sent out to HSB (AIA of record). He said he will contact his direct insurer & HSB directly but is working to resolve this & wanted us to know. MW 6/12/14

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129983V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000217686		Buckeye	1979	10/12/2022	Recurring Cert	Active	Outside Shed

Total Objects at this location 1

Location: **Nalley Fresh** **Location ID:** 4042771
Address: 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 **Phone:** 410-356-1900
County: Baltimore **NOB/SIC:**
Primary Contact: Nalley Fresh
Billing Contact: Manager on Duty - 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 - Phone: 410-356-1900
Cert Contact: Manager on Duty - 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 - Phone: 410-356-1900
Owner Contact: Manager on Duty - 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 - Phone: 410-356-1900
Other Contact(s): Manager on Duty - 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 - Phone: 410-356-1900

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010425		Taylor-Wharton	1992	09/30/2022	Recurring Cert	Active	Outside Rear

Total Objects at this location 1

Location: **Nalley Fresh**
Address: 5201B Campbell Blvd Nottingham, MD 21236-5047
County: Baltimore
Location ID: 4018715
Phone: 410-931-1500
NOB/SIC:
Primary Contact: Nalley Fresh - Phone: 410-931-1500
Billing Contact: Nalley Fresh - 5201B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-1500
Cert Contact: Nalley Fresh - 5201B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-1500
Owner Contact: Nalley Fresh - 5201B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-1500
Other Contact(s): Nalley Fresh - 5201B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-1500

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166520V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000034971		MVE Inc	1990	05/01/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **National Tire & Battery**
Address: 6405 Baltimore National Pike Catonsville, MD 21228-3904
County: Baltimore
Location ID: 719475
Phone: 410-869-0861
NOB/SIC:
Primary Contact: Shawn Martinelli, Store Manager - Phone: 410-869-0861
Billing Contact: Ericka Kies - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33418 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com
Cert Contact: Ericka Kies - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33418 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com
Owner Contact: Ericka Kies - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33418 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com
Other Contact(s): Ericka Kies - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33418 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com
Ericka Kies - 6405 Baltimore National Pike Catonsville, MD 21228-3904 - Email: ekies@TBCCORP.com

Copyright © 2020 CentralSquare

Shawn Martinelli, Store Manager - 6405 Baltimore National Pike Catonsville, MD 21228-3904 - Phone: 410-869-0861

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144990V	CO 1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012883	035328	ICE Ind	2012	11/29/2020	Recurring Cert	Active	Compressor Room, CO 1
MD162305V	CO 2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025118	A25118	Morganton	2017	11/29/2020	Recurring Cert	Active	Compressor Room, CO 2

Total Objects at this location 2

Location: **National Tire & Battery** **Location ID:** 719476

Address: 9424 Reisterstown Rd Owings Mills, MD 21117-4405 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Store Manager - Phone: (410) 998-3540

Billing Contact: TBC Corporation Attn: EHS Dept - 4280 Professional Center Drive, Suite 400 Palm Beach Garden, FL 33418

Cert Contact: TBC Corporation Attn: EHS Dept - 4280 Professional Center Drive, Suite 400 Palm Beach Garden, FL 33418

Owner Contact: TBC Corporation Attn: EHS Dept - 4280 Professional Center Drive, Suite 400 Palm Beach Garden, FL 33418

Other Contact(s): EHS Dept. - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33410-4280 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com

Ericka Kies, Permit Coord. - 4300 Professional Center Dr, Ste 400 Palm Beach Gardens, FL 33410-4280 - Phone: 561-383-3000 x 2515 - Email: opspermits@tirekingdom.com

Store Manager - 9424 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: (410) 998-3540

TBC Corporation Attn: EHS Dept - 4280 Professional Center Drive, Suite 400 Palm Beach Garden, FL 33418

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143995V	Comp CO2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000893980		Manchester	2007	12/18/2020	Recurring Cert	Active	Tire Storage, Comp CO2
MD161886V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000032126	A32126	Morganton	2018	12/18/2020	Recurring Cert	Active	Compressor Room

Copyright © 2020 CentralSquare

		Vessel w/comment									

Total Objects at this location 2

Location: **Nationwide Infiniti** **Location ID:** 719484
Address: 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 **Phone:** 410-561-1000
County: Baltimore **NOB/SIC:**
Primary Contact: Dave Reidt, Service Manager - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Billing Contact: Dave Reidt - 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Cert Contact: Dave Reidt, Service Manager - 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Owner Contact: Dave Reidt, Service Manager - 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Other Contact(s): Dave Reidt, Service Manager - 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Roland Jewett, Service Director - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: rjewett@nationwidemotors.net
William Schaefer - 2085 York Rd Timonium, MD 21093 - Phone: 410 252 8000

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086727V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000162062		Manchester	1989	05/27/2022	Recurring Cert	Active	2nd floor of Parts Room
MD112308V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000662729		Manchester	1998	05/27/2022	Recurring Cert	Active	Rear of parts Storage room

Total Objects at this location 2

Location: **Nationwide Service Center** **Location ID:** 719488
Address: 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 **Phone:** 410-252-7420
County: Baltimore **NOB/SIC:**
Primary Contact: Carol Lester, Service Manager - Phone: 410-252-7420 - Email: clester@nationwidemotors.net
Billing Contact: Carol Lester - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: clester@nationwidemotors.net
Cert Contact: Carol Lester, Service Manager - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: clester@nationwidemotors.net
Owner Contact: Carol Lester, Service Manager - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: clester@nationwidemotors.net
Other Contact(s): Carol Lester, Service Manager - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: clester@nationwidemotors.net

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127891V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000393575		Manchester	2004	05/17/2022	Recurring Cert	Active	Compressor Room
MD127892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000369866		Manchester	2004	05/17/2022	Recurring Cert	Active	Compressor Room

Total Objects at this location 2

Location: **New Light Lutheran Church**
Address: 2120 Dundalk Ave Dundalk, MD 21222-3717
County: Baltimore
Primary Contact: New Light Lutheran Church - Phone: 410-284-6840
Billing Contact: New Light Lutheran Church - 2120 Dundalk Ave Dundalk, MD 21222-3717 - Phone: 410-284-6840
Cert Contact: New Light Lutheran Church - 2120 Dundalk Ave Dundalk, MD 21222-3717 - Phone: 410-284-6840
Owner Contact: New Light Lutheran Church - 2120 Dundalk Ave Dundalk, MD 21222-3717 - Phone: 410-284-6840
Other Contact(s): Bill Hayman, Pastor - 2120 Dundalk Ave Dundalk, MD 21222-3717 - Phone: 410-284-6840
New Light Lutheran Church - 2120 Dundalk Ave Dundalk, MD 21222-3717 - Phone: 410-284-6840

Location ID: 724205
Phone: 410-284-6840
NOB/SIC:

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123141H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0	Weil-McLain	2001	05/27/2021	Recurring Cert	Active	BLRM

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **North American Trade School** **Location ID:** 1335411
Address: 6901 Security Blvd Ste 16 Windsor Mill, MD 21244-8419 **Phone:** 410-298-4844
County: Baltimore **NOB/SIC:**
Primary Contact: Matt Daly, Director - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu
Billing Contact: Matt Daly - 6901 Security Blvd Ste 16 Baltimore, MD 21244-8419 - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu
Cert Contact: Matt Daly, Director - 6901 Security Blvd Ste 16 Baltimore, MD 21244-8419 - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu
Owner Contact: Matt Daly, Director - 6901 Security Blvd Ste 16 Baltimore, MD 21244-8419 - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu
Other Contact(s): Matt Daly, Director - 6901 Security Blvd Ste 16 Baltimore, MD 21244-8419 - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147002V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031485		Morgan	2009	11/15/2020	Recurring Cert	Active	Penthouse

Total Objects at this location 1

Location: **North County Unlimited, Inc.** **Location ID:** 2507432
Address: 16910 York Rd Monkton, MD 21111-1025 **Phone:** 410-357-9061
County: Baltimore **NOB/SIC:**
Primary Contact: Steven Galasso, Vice President - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Billing Contact: Steven Galasso - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Cert Contact: Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Owner Contact: Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Other Contact(s): Robert Miller - 16910 York Rd Monkton, MD 21111-1025 - Phone: 410 358 4830
Steven Galasso, Vice President - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158775V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000456892		Buckeye	1983	10/16/2021	Recurring Cert	Active	Shop

Copyright © 2020 CentralSquare

Vessel
w/comment

Total Objects at this location 1

Location: **NTS Technical Systems** **Location ID:** 3576936
Address: 5 North Park Dr Hunt Valley, MD 21030 **Phone:** 410-229-4375
County: Baltimore **NOB/SIC:**
Primary Contact: Sarah Brammer, Office Manager - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com
Billing Contact: Sarah Brammer - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com
Cert Contact: Sarah Brammer, Office Manager - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com
Owner Contact: NTS- Technical Systems - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-584-9099 - Email: NTS-AP@NTS.com
Other Contact(s): Katherine Higgs, Safety Manager - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-229-4371 - Email: katherine.higgs@nts.com
Keith Sellers, Ops. Mgr. - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-584-9099 - Email: keith.sellers@nts.com
NTS Inc.; National Technical Systems, Inc. Acton E
NTS- Technical Systems - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-584-9099 - Email: NTS-AP@NTS.com
Sarah Brammer, Office Manager - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com
Willie Seebert, Director of Safety - 20970 Centre Pointe Pkwy Santa Clarita, CA 91350-2975 - Phone: (661)290-2133 - Cell: 661-816-1590 - Email: willie.seebert@nts.com

My Company Comments: Sarah Brammar emailed 6/17/16, she had received an OD letter. She thought that the inspection done 5/13/16 by the State was their inspection. I asked if the location was insured and she would check. Today's email (6/30/16), she says the safety mgr. has been in contact with FM and is waiting for a response.

My Shared Comments: Added location, and contact, NOI received dated 11/18/13.
Contact update.
Heard from Trena, Keith Sellers is not the correct point of contact for this location, she is. Also we've now received the HSB report so an object shows up there. She said the compressor began having issues about two weeks after the HSB inspection & is now scheduled for service. She will call me once it's ready for inspection to complete registration.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153549V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000349122	379571	Manchester	2014	01/23/2021	Recurring Cert	Active	Chamber Room

Total Objects at this location 1

Location: **O'Donnell Honda Service Center** **Location ID:** 719970
Address: 5530 Baltimore National Pike Catonsville, MD 21228-1500 **Phone:** 410-869-1300
County: Baltimore **NOB/SIC:**
Primary Contact: Roy Fordyce, Manager - Phone: 410-869-1205 - Cell: 410-598-5238 - Email: rfordyce@odonnellhonda.com
Billing Contact: Ernie Pepe - 5530 Baltimore National Pike Baltimore, MD 21228-1500 - Phone: 410-869-1500 - Email: epepe@odonnell.com
Cert Contact: Roy Fordyce, Manager - 5530 Baltimore National Pike Catonsville, MD 21228-1500 - Phone: 410-869-1205 - Cell: 410-598-5238 - Email: rfordyce@odonnellhonda.com

Copyright © 2020 CentralSquare

Owner Contact: Ernie Pepe, Manager - 5530 Baltimore National Pike Baltimore, MD 21228-1500 - Phone: 410-869-1500 - Email: epepe@odonnell.com

Other Contact(s): Ernie Pepe, Manager - 5530 Baltimore National Pike Baltimore, MD 21228-1500 - Phone: 410-869-1500 - Email: epepe@odonnell.com

Roy Fordyce, Manager - 5530 Baltimore National Pike Catonsville, MD 21228-1500 - Phone: 410-869-1205 - Cell: 410-598-5238 - Email: rfordyce@odonnellhonda.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042024V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000412962		Kargard	1969	07/09/2021	Recurring Cert	Active	Body Shop Loft
MD042025V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000412966		Kargard	1969	07/09/2021	Recurring Cert	Active	Body Shop Loft
MD059528V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000604966		Buckeye	1985	07/09/2021	Recurring Cert	Active	Service Center Outside
MD122512V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000282278		Manchester	2004	07/09/2021	Recurring Cert	Active	Body Shop Rear Outside
MD127341V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000635767		Manchester	2006	07/09/2021	Recurring Cert	Active	Service Center Outside

Total Objects at this location 5

Location: **Ocean Pride (Arc3)**

Location ID: 3925603

Address: 1534 York Rd Lutherville Timonium, MD 21093-5609

Phone:

County: Baltimore

NOB/SIC:

Primary Contact: Ocean Pride (Arc3)

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163505V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000119170		MVE	2000	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Oheb Shalom Congregation** **Location ID:** 720176
Address: 7310 Park Heights Ave Pikesville, MD 21208-5436 **Phone:** 410-385-0105
County: Baltimore **NOB/SIC:**
Primary Contact: Michael Paige - Phone: 410-916-8901 - Email: michael@templeohebshalom.org
Billing Contact: Michael Paige - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-916-8901 - Email: michael@templeohebshalom.org
Cert Contact: Michael Paige - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-916-8901 - Email: michael@templeohebshalom.org
Owner Contact: Michael Paige - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-916-8901 - Email: michael@templeohebshalom.org
Other Contact(s): John Burnham, Maintenance Supervisor - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-358-0105/443-824-2267
Michael Paige - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-916-8901 - Email: michael@templeohebshalom.org

My Company Comments:
Bruce King -DLLR-
Sep 21, 2018, 6:00 PM (3 days ago)
to Department, Karl
Loc# 720176 - MD081547H, MD101418H, MD101419H, MD101420V, MD159070H & MD159071H - Oheb Shalom Cong. - Four objects passed, of which two were new objects. Two objects were removed/replaced. Note: AIA came to the location earlier today and inspected all four objects.
Contact update. Spoke with Michael Paige 410-916-8901, he says they have 2 replacements, I emailed him the NOI. I asked did he contact Hartford and he said they use Insparisk. I tried to tell him Harford insures the objects and there was no additional cost. He told me Hartford did show up and they turned them away. He then called back and said the tanks were replaced and there was some welding, so I sent the R-1. I told him to make sure whoever inspects puts a report in inactivating any objects replaced. I contacted Bruce King to go to the location.
Good Afternoon,

We are in receipt of your citation warning dated August 24, 2016 for past due inspections of our boilers. (Location ID #720176, FIPS:24005.)

We apologize for our lateness of this inspection. Our long-time maintenance supervisor, John Burnham, to whom your notices and or/phone calls are currently being directed, had left our employ on August 28, 2015 and did not leave instruction for this inspection with his replacement or with our Executive Director, Kenneth Davidson.

We have contacted the inspection company and their first availability is September 12, 2016. We trust that your office will consider our circumstance and

Copyright © 2020 CentralSquare

accept this inspection date, at which time they will also file our inspection report with your office.

We would appreciate as well your office changing all contact information regarding our equipment to the name of Kenneth Davidson. The direct number contact number for Mr. Davidson is 443-278-9348 and the Temple main number remains the same at 410-358-0105.

We thank you in advance for your consideration.

Sincerely,

Linda Yaniger
Controller
Temple Oheb Shalom
443-278-9361

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159070H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153929	153929	RHEEM	2018	09/21/2020	Recurring Cert	Active	BLRM
MD159071H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000154647	154647	RHEEM	2018	09/21/2020	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: **Olive Branch Italian Grill**
Location ID: 3992520
Address: 11706 Reisterstown Rd Reisterstown, MD 21136-3302
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Olive Branch Italian Grill
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD166330V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000000031504	Taylor	1996	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **One Hunt Valley** **Location ID:** 723429
Address: 11311 McCormick Rd Hunt Valley, MD 21031-1004 **Phone:** 610-667-5800
County: Baltimore **NOB/SIC:**
Primary Contact: Tara Williams, Property Manager - Phone: 215-567-5311 - Email: twilliams@stolzusa.com
Billing Contact: Tara Williams - PO Box 2087 Bala Cynwyd, PA 19004-6087 - Phone: 215-567-5311 - Email: twilliams@stolzusa.com
Cert Contact: Tara Williams, Property Manager - PO Box 2087 Bala Cynwyd, PA 19004-6087 - Phone: 215-567-5311 - Email: twilliams@stolzusa.com
Owner Contact: Tara Williams, Property Manager - PO Box 2087 Bala Cynwyd, PA 19004-6087 - Phone: 215-567-5311 - Email: twilliams@stolzusa.com
Other Contact(s): C/O Greenfield Partners Baltimore MD. Green II, LLC. - 50 N Water St Norwalk, CT 06854-2278
Don Bauer, Maintenance Technician - 11311 McCormick Rd Hunt Valley, MD 21031-1004 - Cell: 443-731-0752 - Email: dbauer@stoltzusa.com
Harry Williams, Chief Engineer - 11311 McCormick Rd Ste 180 Hunt Valley, MD 21031-1004 - Phone: 410 771 7703X3551 - Email: harry.williams@copt.com
Kevin Kimmel, Facility Manager - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-494-4897 - Email: kkimmel@mackenziemanagement.com
Mat Faris - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1523 - Email: farism@greenfieldpartners.com
Paula Schwanebeck, Property Manager - 11311 McCormick Rd - Ste 180 Hunt Valley, MD 21031-8615 - Phone: 410-771-7703 - Email: paula.schwanebeck@copt.com
Steve Antonsen, Sr. Property Mgr. - 11311 McCormick Rd Ste 180 Hunt Valley, MD 21031-8615 - Phone: 410-771-3513
Tara Williams, Property Manager - PO Box 2087 Bala Cynwyd, PA 19004-6087 - Phone: 215-567-5311 - Email: twilliams@stolzusa.com
Tom Gentry, Property Manager - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Yates Dunaway - 50 N Water St Norwalk, CT 06854 - Phone: 312 932 1516 - Email: dunawayy@greenfieldpartners.com
Zach Kowalchek, Building Engineer - 11311 McCormick Rd Hunt Valley, MD 21031-1004 - Phone: 410-321-1277 - Cell: 443-865-5088 - Email: zkowalchek@mackenziemanagement.com

My Company Comments: MacDonald - End of Day Summary 3/10/20 One Hunt Valley -11311 McCormick Rd (location 723429) - 2 Objects

I was able to number and inspect two new boilers for this location. I am entering non-cert inspections into JO. The insurance company, Cincinnati Insurance, is scheduled to visit the site later this week. They will enter the cert inspection.
Ownership was changed 12/7/17, updated and reprinted the certs.

My Shared Comments:

Mick accidentally put in 2 inspections on consecutive days for MD126523H. Voiding Invoice 106971, deleting 1 inspection, fixing mailing address, adjusting CCU, and issuing a new invoice. Yeah, it's like that.
New owners, contact info updated, certs reprinted

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126523H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000072359	VC150NG	Weben-Jarco	2006	04/06/2021	Recurring Cert	Active	PENTHOUSE
MD126525H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000072362		Weben-Jarco	2006	04/06/2021	Recurring Cert	Active	PENTHOUSE

Copyright © 2020 CentralSquare

MD153578H	1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	383600013	Weil-McLain	2015	04/11/2021	Recurring Cert	Active	Penthouse
MD153579H	4	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	SV595187	Weil-McLain	2015	04/11/2021	Recurring Cert	Active	Penthouse
MD163547V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000650847		Morganton	2017	03/29/2021	Recurring Cert	Active	B Mechanical Room
MD166506H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP7815017	Weil-McLain	2020	02/24/2020	Recurring Cert	Active	Penthouse
MD166507H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP7828001	Weil-McLain	2020	02/24/2020	Recurring Cert	Active	Penthouse

Total Objects at this location 7

Location: **One Price Cleaners**
Location ID: 707356
Address: 8717 Liberty Rd Randallstown, MD 21133-4708
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Pong Kim - Phone: 410-496-1800 - Cell: 443-851-2499
Billing Contact: Pong Kim - 8717 Liberty Rd Randallstown, MD 21133-4708 - Phone: 410-496-1800 - Cell: 443-851-2499
Cert Contact: Pong Kim - 8717 Liberty Rd Randallstown, MD 21133-4708 - Phone: 410-496-1800 - Cell: 443-851-2499
Owner Contact:
Other Contact(s): One Price Dry Cleaners - 8717 Liberty Rd Randallstown, MD 21133-4708 - Phone: 4104961800
Pong Kim - 8717 Liberty Rd Randallstown, MD 21133-4708 - Phone: 410-496-1800 - Cell: 443-851-2499

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103896V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000661435		Manchester	1998	02/24/2022	Recurring Cert	Active	Boiler Room
MD144614		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000113151	PV843JJ	Fulton	2011	10/05/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Original Crackpot** **Location ID:** 720344
Address: 8102 Loch Raven Blvd Towson, MD 21286-8305 **Phone:** 410-828-1095
County: Baltimore **NOB/SIC:**
Primary Contact: Neil Smith, Owner - Phone: 410-828-1095 - Cell: 410-375-4879 - Email: psmith6242@gmail.com
Billing Contact: Neil Smith - 8102 Loch Raven Blvd Towson, MD 21286-8305 - Phone: 410-828-1095 - Cell: 410-375-4879 - Email: psmith6242@gmail.com
Cert Contact: Neil Smith, Owner - 8102 Loch Raven Blvd Towson, MD 21286-8305 - Phone: 410-828-1095 - Cell: 410-375-4879 - Email: psmith6242@gmail.com
Owner Contact: Neil Smith, Owner - 8102 Loch Raven Blvd Towson, MD 21286-8305 - Phone: 410-828-1095 - Cell: 410-375-4879 - Email: psmith6242@gmail.com
Other Contact(s): Dirk Smith, Ops VP Eng - 1200 Atwater Dr Ste 250 Malvern, PA 19355-8793 - Phone: 610-407-7826 - Email: dirk.smith@mutualboilerre.com
Ed Mim, Owner - XX Sykesville, MD 21784-7960 - Phone: 410-549-5525 - Cell: Pager 410-232-1224
Mark Mim, Owner's Son - XX Wesminster, MD 21157 - Cell: 443-277-4588
Neil Smith, Owner - 8102 Loch Raven Blvd Towson, MD 21286-8305 - Phone: 410-828-1095 - Cell: 410-375-4879 - Email: psmith6242@gmail.com
Original Crackpot - 8102 Loch Raven Blvd Towson, MD 21286-8305 - Phone: 4108281095 - Email: crackpotcrabs@comcast.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107850	Boiler #2	Vertical Fire Tube	S - Power-Cooking (Steam > 15 psig)	000140597	150617	Columbia	2000	01/18/2021	Recurring Cert	Active	Rear Boiler Room, Boiler #2

Total Objects at this location 1

Location: **Outback Steakhouse** **Location ID:** 4023165
Address: 10904 Boulevard Cir Owings Mills, MD 21117-7813 **Phone:** 410-205-6100
County: Baltimore **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-205-6100
Billing Contact: Manager on Duty - 10904 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-205-6100
Cert Contact: Manager on Duty - 10904 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-205-6100
Owner Contact: Manager on Duty - 10904 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-205-6100
Other Contact(s): Manager on Duty - 10904 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-205-6100

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD167227V	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000044042	Taylor-Wharton	1999	05/28/2022	Recurring Cert	Active	Outside Dumpster Area

Total Objects at this location 1

Location: **Outback Steakhouse**
Location ID: 4019056
Address: 4215 Ebenezer Rd Nottingham, MD 21236-2141
Phone: 410-529-7200
County: Baltimore
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 410-529-7200
Billing Contact:
Cert Contact: Manager on Duty - 4215 Ebenezer Rd Nottingham, MD 21236-2141 - Phone: 410-529-7200
Owner Contact: Manager on Duty - 4215 Ebenezer Rd Nottingham, MD 21236-2141 - Phone: 410-529-7200
Other Contact(s): Manager on Duty - 4215 Ebenezer Rd Nottingham, MD 21236-2141 - Phone: 410-529-7200

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000006382		Taylor-Wharton	1989	05/07/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Owings Mills Mall #0907-2907 (Sunoco)**
Location ID: 3656556
Address: 10375 Red Run Blvd Owings Mills, MD 21117-3520
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Owings Mills Mall #0907-2907 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Cert Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Owner Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Other Contact(s): Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152019V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020556		Taylor	1994	09/29/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Padonia Park Club**
Location ID: 720588
Address: 12006 Jenifer Rd Cockeysville, MD 21030-1706
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Padonia Corp - Phone: (410) 252-2046 - Email: info@padoniaparkclub.com
Billing Contact: Padonia Corp - 12006 Jenifer Rd Cockeysville, MD 21030-1706 - Phone: (410) 252-2046 - Email: info@padoniaparkclub.com
Cert Contact: Padonia Corp - 12006 Jenifer Rd Cockeysville, MD 21030-1706 - Phone: (410) 252-2046 - Email: info@padoniaparkclub.com
Owner Contact: Padonia Corp - 12006 Jenifer Rd Cockeysville, MD 21030-1706 - Phone: (410) 252-2046 - Email: info@padoniaparkclub.com
Other Contact(s): Padonia Corp - 12006 Jenifer Rd Cockeysville, MD 21030-1706 - Phone: (410) 252-2046 - Email: info@padoniaparkclub.com

My Company Comments:

Robin Rouse
3:44 PM (0 minutes ago)
to me

Hartford Steam Boilers will be coming out this Monday April 22nd for a re-inspection.

citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
3:32 PM (5 minutes ago)
to Robin

There has been a recommendation to reduce the penalty to $250.00

Please respond to accept the reduction or if you have any questions.

citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
3:39 PM (4 minutes ago)
to robin

The boiler received a citation because there is an open violation for the hot water cut off. The violation needed to be corrected within 30 days or our system populates the object on the citation queue.

Please advise of a re-inspection date when your schedule it.

Thank you for your prompt attention to this matter.

Copyright © 2020 CentralSquare

Padonia Park Club
Inbox
x

Robin Rouse
11:30 AM (1 hour ago)
to me

Good morning,

Yesterday I gave the Notice of Installation and the Start up check list-CSD-1 paperwork to our Installer. He said that he already filled these papers out but will fill them out again. This is for the boiler PoolSide MD161924H

I called Hartford Steam Boiler yesterday to have the Inspector call us back. Waiting on the call. When the inspector was out here inspecting the boiler at Lakeside Building MD093351H. He said that the Pressure Indicator was damaged. Once the boiler was on the indicator was working. Justin, our employee told him that and the inspector said OK.

I am waiting on a call back from the inspector to get his side of the story.

I will keep you posted on these two things

Thank you

Robin Rouse

Accounting

Padonia Park Club

Padonia Park Child Centers

Lakeside Day Camp

12006 Jenifer Road

Cockeysville, MD 21030

410-252-2046 ext 306

Copyright © 2020 CentralSquare

443-279-1043 fax
Robin, Accounting office call to inform us that violations has been corrected. she is going to email me the forms needed. And have HSB verify that the last violation has been corrected. This citation should be reduced to $250.00 Violations on MD161924H have been corrected before citation letter went out except for paper violations. And on MD093351H the violation is still open but being check if corrected.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161924H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000436618		Burnham	2018	02/04/2021	Recurring Cert	Active	POOL AREA

Total Objects at this location 1

Location: **Pappas Restaurant, Sports Bar and Liqour Store**
Location ID: 717402
Address: 1725 Taylor Ave Parkville, MD 21234-6109
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Lando Orsino, General Manager - Phone: 443-955-4671
Billing Contact: Steve Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357
Cert Contact: Steve Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357
Owner Contact: Steve Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357
Other Contact(s): Lando Orsino, General Manager - 1725 Taylor Ave Parkville, MD 21234-6109 - Phone: 443-955-4671
Markos Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 4106614357
Pappas Restaurant - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357 - Email: pap3333@aol.com
Steve Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357

My Company Comments:
Brian (maintenance 443-653-9786) waiting on a part and should be fixed 2/10/2020
Brian- 1968 Boiler is replaced and will have an inspection
Pappas Restaurant, Sports Bar, Liquor Store - 1725 Taylor Ave (location 717402)

I went to this location to register and inspect two new boilers. I was able to gain safe access and number both boilers. There were a few violations for each object, which I made the employee who was working aware of. I will schedule a re-visit to check on the status of the violations in a few weeks. The new objects are MD167261H and MD167262H. J. MacDonald 7/30/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167261H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2317005475	ECR International	2019	03/18/2022	Recurring Cert	Active	Liquor Store/Basement
MD167262H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210	000C50996	1842112294299	A O Smith	2018	03/18/2022	Recurring Cert	Active	Liquor Store/Basement

Copyright © 2020 CentralSquare

F)

Total Objects at this location 2

Location: **Pappas' (Arc3)**
Location ID: 3925608
Address: 550 Cranbrook Rd Cockeysville, MD 21030-3702
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Pappas' (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163495V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000050523		Taylor	2000	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Paradise Assisted Living**
Location ID: 720651
Address: 6348 Frederick Rd Baltimore, MD 21228-2303
Phone: 410-744-8433
County: Baltimore
NOB/SIC:
Primary Contact: Chris McIntosh - Phone: 410-744-8433
Billing Contact: Chris McIntosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433
Cert Contact: Chris McIntosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433
Owner Contact: Chris McIntosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433
Other Contact(s): Amit Ghosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 443-802-9071/410-744-8433 - Email: amitghosh@hotmail.com
Chris McIntosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433
Suzanne Bartley - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433
William Young, Executive Director - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433 - Email: wyoung@shangrilaliving.com

My Company Comments: Contact update.

My Shared Comments: Contact and location update, no mailings sent after 6/2014. Suzanne Bartley called she was wondering about an old BPV form from 5/2014. Her maintenance

Copyright © 2020 CentralSquare

told her that they needed to be inspected. She says she thinks Travelers is the insurer, will check with the home office. She will call back with a schedule date.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131725H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000123003		A O Smith	2008	04/28/2020	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this location 1

Location: **Pat's Select Pizza (Arc3)**
Location ID: 3925609
Address: 10150 York Rd Cockeysville, MD 21030-3340
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Pat's Select Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163496V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000181959		CHART	2007	02/27/2021	Recurring Cert	Active	Outside/Storage

Total Objects at this location 1

Location: **Payne Trucking Co.**
Location ID: 3882626
Address: 8225 Fischer Rd Dundalk, MD 21222-3612
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: John Payne - Phone: 410-388-1346
Billing Contact: John Payne - 8225 Fischer Rd Dundalk, MD 21222-3612 - Phone: 410-388-1346
Cert Contact: John Payne - 8225 Fischer Rd Dundalk, MD 21222-3612 - Phone: 410-388-1346
Owner Contact: John Payne - 8225 Fischer Rd Dundalk, MD 21222-3612 - Phone: 410-388-1346
Other Contact(s): John Payne - 8225 Fischer Rd Dundalk, MD 21222-3612 - Phone: 410-388-1346

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161330V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000818806		Steel Fab	2016	06/08/2020	Recurring Cert	Active	SHOP

Total Objects at this location 1

Location: **Peerces Plantation GL LLC**
Location ID: 988809
Address: 12460 Dulaney Valley Rd Phoenix, MD 21131-2302
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Kehar Singh - Phone: 410-961-4878 - Email: keirbasi@yahoo.com
Billing Contact: Kehar Singh - 6208 Mossway Baltimore, MD 21212-2437 - Phone: 410-961-4878 - Email: keirbasi@yahoo.com
Cert Contact: Kehar Singh - 6208 Mossway Baltimore, MD 21212-2437 - Phone: 410-961-4878 - Email: keirbasi@yahoo.com
Owner Contact: Kehar Singh - 6208 Mossway Baltimore, MD 21212-2437 - Phone: 410-961-4878 - Email: keirbasi@yahoo.com
Other Contact(s): Joe Bivona, Owner - 12460 Dulaney Valley Rd Phoenix, MD 21131-2302 - Phone: 410-252-7111 not in service - Email: Joebivona@comcast.net
Joeseph Bivona - 12450 Dulaney Valley Rd Phoenix, MD 21131-2302 - Phone: 410-252-1033
Kehar Singh - 6208 Mossway Baltimore, MD 21212-2437 - Phone: 410-961-4878 - Email: keirbasi@yahoo.com
Robert Taylor Jr., Resident Agent - 407 W Pennsylvania Ave Towson, MD 21204-4229 - Phone: 410-337-0900

My Company Comments:
Citation - 410-961-4878 Owner (heavy accent)called said the inspection was done. I told him to address the citations email.
Citation - Kehar Singh <keirbasi@yahoo.com>
Sep 26 (2 days ago)
to me
Cited Location:
Peerces Plantation GL LLC
12460 Dulaney Valley Road
Phoenix, Maryland 21131-2302

Dear Sir or Madam,
Please update the records to reflect that the inspections were completed in April 2018 as per the conversation with Ms. Robin.
Sincerely,
Kehar Singh

Citation -I was able to gain access to this location because there was a worker on site painting. He did not however, speak any English, and there was no one else on site. I
looked through the site, but was not able to see either of the boilers. We will have to figure out another way to contact the owner of the site to gain access.
8/27/18 JMacDonald
citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by robin.mason@maryland.gov)
10:44 AM (0 minutes ago)
to Kehar

Copyright © 2020 CentralSquare

Good Morning,

Thank you for responding to the citation issued by this office. On April 27, 2018, the inspector was not able to gain access to inspect the boilers. There was also an inspector on 8/27/18 and that inspector was unable to find the boilers. An inspection is needed for your boilers. Please let us know what date and time someone will be available for the inspection. Thank you for your prompt attention to this matter.

Citation Department
BPV Safety Inspection Unit
Maryland DLLR, DLI RM
From Erica Boyce Coakley Insurance Group LLC - Good morning. We insure Mr. Singh and have been in contact with Hartford Steam Boiler Inspection and Insurance CO. Please see email below in regards to the boiler inspection at 12460 Dulaney Valley Rd. We will be following up with them shortly to finalize the inspection date.
Good Morning Erica, (from Maurice Martin HSB Customer Solution Associate)
Per our conversation, Hartford Steam Boiler is currently in the process of generating a work order for boiler inspection at 12460 Delaney Valley Road ,Pheonix MD 21131. Please allow us 3-5 business days for us to call and schedule. If you have any questions or concerns please call 1-800-333-4677 and reference case ID 879422. Thanks for your time, and have a great day.
I have contacted HSB (Jan Kormick) to verify this. They do insure this location and will contact me with the inspection date.
Green Card Rec'd 10-1-18
Mr Singh has contacted HSB to schedule an Inspection. He will contact me next week with Inspection date. Location is not opened.
Peerces #988809
MD118421H no access
MD147461H no access Reynolds 4/27/2018
PEERCES PLANTATION
12460 DULANEY VALLEY RD., PHOENIX, MD 21131
MD118421h & MD147461h
CONFIRMED FOR 3/15/16
PER: Janice Kormick, Inspection Support Unit,
The Hartford Steam Boiler Inspection and Insurance Company
Penalty invoice # 110724
Inbox
x
___Pending Review
x

Kehar Singh
Thu, Dec 27, 2018, 11:03 AM (12 days ago)
to me

Dear Sir/Madam,
We have completed all the inspections as soon as we could could get the inspector to the site. I had communication with your office on October 20, 2018 and I was informed that the inspection was completed. A little while later, they sent the email informing me the inspection needed to be completed. I am not able to come up with any money to pay the fine since the property is still closed and unoccupied. I would appreciate your kindness and consideration in this matter.
Thank you.
Keir Singh
12460 Dulaney LLC
6208 Mossway
Baltimore MD 21212

Copyright © 2020 CentralSquare

Per Beth Samm HSB now has the account
per Erica Boyce - Good afternoon. I just spoke with the boiler inspection company and the inspection is set up for March 15th (Tuesday) between 8-12am. The inspector's name is Carl Browder (?spelling). As soon as I receive the confirmation email from the company I will forward that to you as well. Feel free to call or email me if you have any questions or concerns,

Sent email to Keir Singh requesting update.
Sent letter to 12460 Dulaney LLC, asking them to contact me. Inserted Overdue letter and AIA list
Spoke to Robert Taylor, resident agent. He gave me the owner Keir Singh phone number, I contacted Mr Singh and emailed him the AIA list. Also explained for him to contact me back with the company and date.
Updated 4/27/18 inspection from cert to a non-cert, the report says no access.

My Shared Comments: According to SDAT Peerces Plantation GL LLC was sold to 12460 Dulaney LLC, 6208 Mossway, Baltimore 21212

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118421H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1987	11/29/2020	Recurring Cert	Active	OFFICE BLRM
MD147461H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2011	11/29/2020	Recurring Cert	Active	Restaurant Shed
			Total Objects at this location		2						

Location: **Penn-Mar Human Services** **Location ID:** 721046
Address: 310 Old Freeland Rd Freeland, MD 21053-9676 **Phone:** 410-343-1069
County: Baltimore **NOB/SIC:**
Primary Contact: William Cambley, Director of Facilities - Phone: 717-235-8068 x-238 - Email: wesadley@penn-mar.com
Billing Contact: William Cambley - 310 Old Freeland Rd Freeland, MD 21053-9676 - Phone: 717-235-8068 x-238 - Email: wesadley@penn-mar.com
Cert Contact: Liz Dauberman, Administrative Assistant - 310 Old Freeland Rd Freeland, MD 21053-9676 - Phone: 717-235-8068
Owner Contact: William Cambley - PO Box 36 Maryland Line, MD 21105-0036 - Phone: 410-343-1069 - Email: penmar.recreationcenter@lacity.org
Other Contact(s): Liz Dauberman, Administrative Assistant - 310 Old Freeland Rd Freeland, MD 21053-9676 - Phone: 717-235-8068
Penn-Mar Organization
William Cambley - PO Box 36 Maryland Line, MD 21105-0036 - Phone: 410-343-1069 - Email: penmar.recreationcenter@lacity.org
William Cambley, Director of Facilities - 310 Old Freeland Rd Freeland, MD 21053-9676 - Phone: 717-235-8068 x-238 - Email: wesadley@penn-mar.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD166682H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000444938	1.18.34.00108	Lochinvar	2018	06/01/2020	Recurring Cert	Active	Boiler Room
MD166683H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000444946	1.18.34.00116	Lochinvar	2018	06/01/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Penske Corporation "059710"**
Location ID: 2608679
Address: 5 Nashua Ct Baltimore, MD 21221-3147
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Bob Zang, Branch Service Manager - Phone: 410-687-5900 - Email: robert.zang@penske.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Barry Kemper, Risk Manager - PO Box 563 Reading, PA 19603-0563 - Phone: 610-775-6277 - Email: barry.kemper@penske.com
Bob Zang, Branch Service Manager - 5 Nashua Ct Baltimore, MD 21221-3147 - Phone: 410-687-5900 - Email: robert.zang@penske.com
Carla Maccord - 5 Nashua Ct Baltimore, MD 21221-3147 - Phone: 410-687-5900 - Email: Carla.MacCord@penske.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101665V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00040569 K		Brunner	1996	03/02/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Penske Corporation "704310"**
Location ID: 721094
Address: 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jim Ward, Service Manager - Phone: 410-242-6000
Billing Contact: Penske Corporation - 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733
Cert Contact: Penske Corporation - 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733

Copyright © 2020 CentralSquare

Owner Contact: Penske Corporation - 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733

Other Contact(s): Jim Ward, Service Manager - 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733 - Phone: 410-242-6000
Judy Sartwell, District Administration - 8820 Corridor Rd Annapolis Junction, MD 20701-1159 - Phone: 301-497-2354
Penske Corporation - 3206 Hammonds Ferry Rd Baltimore, MD 21227-4733

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146992V	Kaeser SM-10	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011759		BWB	2010	04/20/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **PepsiCo, Inc.**
Address: 6210 Days Cove Rd White Marsh, MD 21162-1203
County: Baltimore
Primary Contact: PepsiCo, Inc.
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3885424
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161741V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047305	56324	AIR COM	2016	07/16/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Perry Hall Shell**
Address: 9005 Belair Rd Baltimore, MD 21236-2102
County: Baltimore
Primary Contact: Junaid Ranjha - Phone: 443-538-2425
Billing Contact: Baldev Singh - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 410-256-2580
Cert Contact: Baldev Singh, Manager - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 410-256-2580
Owner Contact: Baldev Singh, Manager - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 410-256-2580
Other Contact(s): Baldev Singh, Manager - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 410-256-2580
Junaid Ranjha - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 443-538-2425

Location ID: 721212
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150461V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000260000		Morganton	2012	01/19/2021	Recurring Cert	Active	Car Wash

Total Objects at this location 1

Location: **Peters Body Shop**
Address: 5629 Deer Park Rd Reisterstown, MD 21136-6021
County: Baltimore
Primary Contact: Ron Peters - Phone: 410-526-4346
Billing Contact: Ron Peters - 5629 Deer Park Rd Reisterstown, MD 21136-6021 - Phone: 410-526-4346
Cert Contact: Ron Peters - 5629 Deer Park Rd Reisterstown, MD 21136-6021 - Phone: 410-526-4346
Owner Contact: Ron Peters - 5629 Deer Park Rd Reisterstown, MD 21136-6021 - Phone: 410-526-4346
Other Contact(s): Ron Peters - 5629 Deer Park Rd Reisterstown, MD 21136-6021 - Phone: 410-526-4346

Location ID: 721246
Phone: 410-526-4346
NOB/SIC:

My Company Comments: I was able to verify that the violation that was outstanding on an air compressor had been fixed and a certificate could be issued for the object. J MacDonald 1-10-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140119V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000590256		Steel Fab	2009	09/27/2021	Recurring Cert	Active	Shed

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **Phillips Foods, Inc.** **Location ID:** 2060169
Address: 3761 Commerce Dr Ste 413 Halethorpe, MD 21227-1644 **Phone:** 443-263-1336
County: Baltimore **NOB/SIC:**
Primary Contact: Gary Feldstein - Phone: 410-247-6721 x112
Billing Contact: Jessica Torres - 3761 Commerce Dr Accounts Payable Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1227 - Email: jtorres@phillipsfoods.com
Cert Contact: Sheila Stewart, In-House Counsel - 3761 Commerce Dr Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1252 - Email: sstewart@phillipsfoods.com
Owner Contact: Dean E. Flowers, President & COO - 3761 Commerce Dr Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1336 - Email: dflowers@phillipsfoods.com
Other Contact(s): Becky Tate, Owner - 4721 Morrison Dr Ste 300 Mobile, AL 36609-3350 - Phone: 251-461-3050 - Email: btate@iammorrison.com
Dean E. Flowers, President & COO - 3761 Commerce Dr Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1336 - Email: dflowers@phillipsfoods.com
Gary Feldstein - 3761 Commerce Dr Ste 401 Halethorpe, MD 21227-1644 - Phone: 410-247-6721 x112
Jessica Torres, Customer Service Rep. - 3761 Commerce Dr Accounts Payable Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1227 - Email: jtorres@phillipsfoods.com
Phillips Foods, Inc. - 3761 Commerce Dr Ste 401 Halethorpe, MD 21227-1644 - Phone: 443-263-1336
Sheila Stewart, In-House Counsel - 3761 Commerce Dr Ste 413 Halethorpe, MD 21227-1644 - Phone: 443-263-1252 - Email: sstewart@phillipsfoods.com
Tax&License Dept , Do Not Use - 4721 Morrison Dr Ste 300 Mobile, AL 36609-3350 - Phone: 410 247 6721 X 112
Valerie Richardson, Production Manager - 3761 Commerce Dr Ste 401 Halethorpe, MD 21227-1644 - Phone: 410-409-9603

My Company Comments:

MAC Inspection & Welding Agency
Fri, Oct 11, 7:00 PM (4 days ago)
to gfeldstein, MD

All, I am just reposted the same email for Mr. Feldstein's information. This is his correct email address.

Location 3962879 (Morrison Healthcare) should be under Location 2060169 (Phillips Foods).

Additionally, Mr. Feldstein says he does not have ANY of his Certificates. Can you all send him his Registration Form so he can verify all MD#'s are under one Location and that the information (addresses, etc) are correct.
Citation MD155652V-----This location was inspected 8/16/18 and violations attached. A report clearing the violations on 9/3/18 was entered on 9/12/18, the comment clearing all violations was entered, but the violation was not closed. The mistake was caught on 11/27/18 and the violation was closed. Recommend closing citation, no fee assessed.-----MAC Inspection & Welding Agency

Nov 27, 2018, 5:40 PM (7 days ago)
to Gary, Robin

Gary,

Here is the State generated reports we just pulled up. As you can see we cleared the violation on 9/12 and Ms. Mason accepted it on 9/14. The only thing missing was the certificate was not automatically generated and issued to you; therefore the system flagged it as overdue.

Copyright © 2020 CentralSquare

The State has been working with new software and has been working the bugs out, so I am glad you contacted us.

Robin, can you remove this Citation and have the certificate issued.

Best regards

Mike
Location name and contact update.
This location closed 2/28/19, see attached.

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126696V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000860870		Steel Fab	2004	08/24/2022	Recurring Cert	Active	Boiler Room
MD155652V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000513248	552504	Morganton	2015	08/24/2022	Recurring Cert	Active	Boiler Room
MD155653H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000206964	206964	A O Smith	2015	08/24/2022	Recurring Cert	Active	Boiler Room
MD161751H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000241568	241568	A O Smith	2018	08/20/2022	Recurring Cert	Active	Boiler Room
MD164213		Vertical Fire Tube	S - Power-Cooking (Steam > 15 psig)	000124672	31579	Fulton	2019	06/03/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 5

Location: **Pie Five (NuCo2) # 527148**
Location ID: 3633082
Address: 10995 Owings Mills Blvd Owings Mills, MD 21117-1019
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Copyright © 2020 CentralSquare

Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156463V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027406	SNECE89E296	MVE Inc	1989	12/18/2020	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Pikesville Tailors & Cleaners**

Location ID: 721386

Address: 1407 Reisterstown Rd Pikesville, MD 21208-3808

Phone:

County: Baltimore

NOB/SIC:

Primary Contact: Bom Se Oh - Phone: 410 486 4220

Billing Contact:

Cert Contact:

Owner Contact:

Other Contact(s): Ann Hawkins - 6030 Bancroft Ave Saint Louis, MO 63109-2204 - Phone: 800-325-9522 - Email: Hawkins@nie.biz

BOM SE OH - 1407 REISTERSTOWN RD PIKESVILLE, MD 21208 - Phone: 4104864220

Bom Se Oh - 1407 Reisterstown Rd Pikesville, MD 21208-3808 - Phone: 410 486 4220

Ed Belski, Senior Risk Engineering Consultant - 1299 Zurich Way Schaumburg, IL 60196-1056 - Phone: 815-337-3927 - Cell: 815-355-6493 - Email: ed.belski@zurichna.com

JOE NGUYEN - 8033 MARTIN LUTHER KING BLVD HOUSTON, TX 77033 - Phone: 713 550 2106

Shantel gamble PREVIOUS CONTACT, Production Manager - 7686 State Route 167 Kingsley, PA 18826-6966 - Phone: 570-289-8760 - Email: sgamble@dfp.com

Zurich Equipment Breakdown Reinsurance Assumed - 1400 American Lane Schaumburg, IL 60196-5452 - Email: ZEBRA@zurichna.com

My Company Comments: 7/7/20 BPV letter returned.
citatgions returned- not deliverable as addressed- unable to forward

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099346V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00000528K		Brunner	1996	08/17/2021	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

MD143975		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000106666		Fulton	2008	08/16/2020	Recurring Cert	Active	Blrm

Total Objects at this location 2

Location: **Pilgrim Shoes**
Location ID: 2985031
Address: 6744 Whitestone Rd Gwynn Oak, MD 21207-4102
Phone: 410-277-8855
County: Baltimore
NOB/SIC:
Primary Contact: Arkady Altskan, General Manager - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com
Billing Contact: Arkady Altskan - 6744 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com
Cert Contact: Arkady Altskan, General Manager - 6744 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com
Owner Contact: Arkady Altskan, General Manager - 6744 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com
Other Contact(s): Arkady Altskan, General Manager - 6744 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com

My Company Comments: Location name update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144561V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074167		Morganton	2010	08/13/2021	Recurring Cert	Active	Rear Plant
MD156395V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000902189		Manchester	1999	07/18/2021	Recurring Cert	Active	Loft
MD156396V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000117551		Manchester	2001	07/18/2021	Recurring Cert	Active	Loft

Total Objects at this location 3

Location: **Pizza Hut**
Location ID: 4031444
Address: 8641 Belair Rd Nottingham, MD 21236-2703
Phone: 410-256-4388
County: Baltimore
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 410-256-4388
Billing Contact: Manager on Duty - 8641 Belair Rd Nottingham, MD 21236-2703 - Phone: 410-256-4388
Cert Contact: Manager on Duty - 8641 Belair Rd Nottingham, MD 21236-2703 - Phone: 410-256-4388

Copyright © 2020 CentralSquare

Owner Contact: Manager on Duty - 8641 Belair Rd Nottingham, MD 21236-2703 - Phone: 410-256-4388
Other Contact(s): Manager on Duty - 8641 Belair Rd Nottingham, MD 21236-2703 - Phone: 410-256-4388

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167248V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000061947	CCHA97A250	MVE Inc	1997	07/10/2022	Recurring Cert	Active	Outside Rear of building

Total Objects at this location 1

Location: **Pleasant Hill / Stone Chapel UMC**
Location ID: 725808
Address: 18 Stone Chapel Ln Pikesville, MD 21208-1200
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Edward D. Scott
Billing Contact: Edward D. Scott - 117 W Patrick St Frederick, MD 21701-5798
Cert Contact: Edward D. Scott - 117 W Patrick St Frederick, MD 21701-5798
Owner Contact: Edward D. Scott - 117 W Patrick St Frederick, MD 21701-5798
Other Contact(s): Edward D. Scott - 117 W Patrick St Frederick, MD 21701-5798
John Wagener - 10911 Reisterstown Rd Owings Mills, MD 21117-2503 - Phone: 410-486-5635
John Wagener, Trustee - 18 Stone Chapel Ln Pikesville, MD 21208-1200 - Phone: 410-486-5635
Stone Chapel United Methodist Church - 18 Stone Chapel Ln Pikesville, MD 21208-1200 - Phone: 4104864036

My Company Comments:

citations bpv -DLLR-
7:45 AM (0 minutes ago)
to King

I do see that according to Praeses that Hartford Steam Boiler is still claiming location Pleasant Hill/Stone Chapel UMC at 18 Stone Chapel Ln.

I apologize for the inconvenience. Invoice 110782 was voided. But due to the unit still being overdue and still claimed by your company invoice 110903 was generated.

citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by elizabeth.samm@maryland.gov)
Oct 1, 2018, 11:19 AM
to King

You may disregard the Citation & Proposed Penalty.

Copyright © 2020 CentralSquare

Thank you for responding to the Citation and Proposed Penalty for the above-listed boiler or pressure vessel.
We have investigated and found that the object MD has been verified in compliance

HSB-BDL-Fines Fees
Attachments
10:01 AM (1 hour ago)
to me

Good Morning,

We received the attached invoice on 2/18/2019 but were advised in October to disregard.
10-1-19 HSB submission still includes Pleasant Hill UMC
Church is no longer at the location. Mary Torres (301-694-8444/ Atlas Real Estate) called to explain that the building is vacant and find out what needs to be don to change the status of the object.
Green Card Rec'd 10-1-18
I was scheduled to this location for the purpose of verifying that object MD024299H is no longer in service. This object is a coal fired conversion to an oil fired boiler. I pointed out to the building's owner the lines that need to be disconnected before confirming that the boiler is no longer in service. The owner is selling the property and decided to employ an AIA to inspect the boiler to determine if the asset is serviceable. Noonan – 5/18/2018
JO Location # 725808
JO Location Address: 18 Stone Chapel Ln
JO BPV # MD024299H

Dear Karen King

Thank you for responding to the Citation and Proposed Penalty for the above-listed boiler or pressure vessel.
We have investigated and found that the Object is still overdue as of 3/30/18.

Please advise an Inspection date.
Karen King of Hartford called to say she received an invoice for this location. On 10/1/18 she received an email from Beth saying to disregard the citation. The invoice has been voided.
King Karen - ValleyForge-HSB
8:53 AM (17 minutes ago)
to me

The location is cancelled and you should be receiving this information on the next inforce file.

Thank you,

Karen King
Phoned Kline Scott Visco Commercial Real Estate 301-694-8444. The receptionist will contact the person that she thinks is associated with this location and have them call me. ES
Property sold 1/27/17, to Old Stone Chapel, LLC. , the information listed on SDAT website. John Wagener.
We were advised by John Wagener at 410-486-5636 that Pleasant Hill UMC has sold this property and no longer need our services.

Copyright © 2020 CentralSquare

Thank you,

Karen King

Inspection Support Team Lead, Technical Support

The Hartford Steam Boiler Inspection and Insurance Company

My Shared Comments: Location name and contact updated.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD024299H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	25-250	H B Smith	1968	03/30/2018	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Pollard's Towing**
Location ID: 721616
Address: 3 Ensor Ave Towson, MD 21204-2543
Phone: 410-823-1808
County: Baltimore
NOB/SIC:
Primary Contact: Cooper Pollard, VP - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net
Billing Contact: Cooper Pollard - 3 Ensor Ave Towson, MD 21204-2543 - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net
Cert Contact: Cooper Pollard, VP - 3 Ensor Ave Towson, MD 21204-2543 - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net
Owner Contact: Cooper Pollard, VP - 3 Ensor Ave Towson, MD 21204-2543 - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net
Other Contact(s): Cooper Pollard, VP - 3 Ensor Ave Towson, MD 21204-2543 - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net

My Company Comments:

My Shared Comments: Owner called to say that he contacted MAC Inspection to perform inspection today. Hartford insures but when he contacts them, they say they no nothing about his location, so he's going with an outside company.
Received faxed BPV form, noting MD100835V has been removed. Waiting for report from MAC.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127880V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001411779		Campbell Hausfield	2006	12/11/2021	Recurring Cert	Active	Outside Shed

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Pooles Island Brewing Company**
Address: 11695 Crossroads Cir Middle River, MD 21220-2863
County: Baltimore
Primary Contact: Pooles Island Brewing Company
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):
My Company Comments:
My Shared Comments:

Location ID: 3918243
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159975V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000284007	31605700	CHART	2016	02/01/2021	Recurring Cert	Active	Brewing Floor
MD163479H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	65621369	Burnham	2017	02/01/2021	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: **Popeye's (AirgasNC#3817415)**
Address: 1211 Eastern Blvd Essex, MD 21221-3422
County: Baltimore
Primary Contact: Airgas National Carbonation - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
Billing Contact: Brandon Loveridge - 5018 Bristol Ind Way Ste 203 Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
Cert Contact: Airgas National Carbonation - 5018 Bristol Industrial Way Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
Owner Contact: Airgas National Carbonation - 5018 Bristol Industrial Way Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
Other Contact(s): Airgas National Carbonation - 5018 Bristol Industrial Way Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
Brandon Loveridge - 5018 Bristol Ind Way Ste 203 Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllcga.com
My Company Comments:
My Shared Comments:

Location ID: 3972122
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD167247V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000289781	31619452	CHART	2016	06/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Portas Total Car Care**
Location ID: 721678
Address: 3916 N Point Rd Dundalk, MD 21222-2808
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: David Portas - Phone: 410 388 2576
Billing Contact: David Portas - 3916 N Point Rd Dundalk, MD 21222-2808 - Phone: 410 388 2576
Cert Contact: David Portas - 3916 N Point Rd Dundalk, MD 21222-2808 - Phone: 410 388 2576
Owner Contact: David Portas - 3916 N Point Rd Dundalk, MD 21222-2808 - Phone: 410 388 2576
Other Contact(s): David Portas - 3916 N Point Rd Dundalk, MD 21222-2808 - Phone: 410 388 2576

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145178V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000639956		Steel Fab	2010	11/17/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Practical Technologies Inc.**
Location ID: 701818
Address: 9600 Pulaski Park Dr #124 Middle River, MD 21220-1472
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Ken Starck - Phone: 410-682-4013
Billing Contact: Ken Starck - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 410-682-4013
Cert Contact: Ken Starck - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 410-682-4013
Owner Contact: Ken Starck - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 410-682-4013
Other Contact(s): Dotty - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 4106824013
Ken Starck - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 410-682-4013

My Company Comments:

My Shared Comments: State scheduled 2/13/13, inspected by Insparisk 12/7/12, report entered 2/13/13. Deleting citation.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088747V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1073758		Manchester	1992	10/20/2020	Recurring Cert	Active	Trailer

Total Objects at this location 1

Location: **Precision Auto Tune** **Location ID:** 704928
Address: 11015 York Rd Cockeysville, MD 21030-2004 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Nolan Warfield, Mgr. - Phone: 410-628-0060
Billing Contact: Nolan Warfield - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: 410-628-0060
Cert Contact: Nolan Warfield, Mgr. - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: 410-628-0060
Owner Contact: Nolan Warfield, Mgr. - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: 410-628-0060
Other Contact(s): Anthony Terry, Manager - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: (410)785-1655
Jason Hatch, Manager - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: 410-785-1655
Nolan Warfield, Mgr. - 11015 York Rd Cockeysville, MD 21030-2004 - Phone: 410-628-0060
Stephen Hoffman, Owner - 3421 Manor Hill Rd Baltimore, MD 21208-1825 - Phone: (443) 540-6121 - Email: midashoff1@verizon.net

My Company Comments: Certs returned, resending info was update 6/2015.

My Shared Comments: Contact update.
HSB inspected this location today 4/15. Found location has been bought out by Precision Tune. MD109958V is still there and they also brought in a previously unregistered PV.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157337V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000482205		Buckeye	1984	03/27/2021	Recurring Cert	Active	Bk Comp Shed

Total Objects at this location 1

Location: **Preserve @ Owings Crossing** **Location ID:** 720469
Address: 16 Brookebury Dr Reisterstown, MD 21136-2810 **Phone:** 410-833-8040
County: Baltimore **NOB/SIC:**
Primary Contact: Kevin Johnson - Phone: 410-833-8040 - Email: kevin.Johnson@watertonresisential.com

Copyright © 2020 CentralSquare

Billing Contact: Corinne DeVincentis - 160 Clubhouse Rd King Of Prussia, PA 19406-3300 - Phone: 610-945-1507 - Email: cdevincentis@morgan-properties.com

Cert Contact: Corinne DeVincentis, Contract Coordinator - 160 Clubhouse Rd King Of Prussia, PA 19406-3300 - Phone: 610-945-1507 - Email: cdevincentis@morgan-properties.com

Owner Contact: Corinne DeVincentis, Contract Coordinator - 160 Clubhouse Rd King Of Prussia, PA 19406-3300 - Phone: 610-945-1507 - Email: cdevincentis@morgan-properties.com

Other Contact(s): Acct Payable - 216 Schilling Cir Ste 104 Hunt Valley, MD 21031-8624 - Phone: 410-628-6000

Corinne DeVincentis, Contract Coordinator - 160 Clubhouse Rd King Of Prussia, PA 19406-3300 - Phone: 610-945-1507 - Email: cdevincentis@morgan-properties.com

Kevin Johnson - 10A Brookebury Dr Reisterstown, MD 21136-2801 - Phone: 410-833-8040 - Email: kevin.Johnson@watertonresisential.com

Maintenance Manager - 10A Brookebury Dr Ofc Rental Reisterstown, MD 21136-2801 - Phone: 410-833-8040

Winthrop Financial Associates - 1 International Plaza Boston, MA 02222 - Phone: 6173308600

My Company Comments:

1.) Preserve @ Owings Mills Crossing, location 720469, I registered a hot water supply heater under Maryland number MD161332H with no violations. After researching the object histories for this location in JO, it looks to be that this site has not had an insurance or third party inspection agency completing the inspections. I then decided to visit the site and speak with the maintenance manager, Andrew Lebrun. Andrew is new to the site, but seemed to be sort of familiar with the inspection process. I informed him that there are over 20 boilers at this site which are currently not operating with a valid certificate. I gave him the list of AIA's, and told him that I would follow up with him later this week to see his progress on getting these boilers inspected.
I also explained to him that it may be in his best interest to have ALL of the boilers at this apartment complex inspected at the same time, so that we do not run into this issue again in a few months or next year. I will follow up again in a few games.
Other:
I have not heard back yet from any of the businesses which I called and left voicemail's at last Thursday, 11/9/17. I will follow up with these businesses Thursday, 11/16/17, as I have to complete an accident investigation tomorrow. MacDonald - 11/14/17
I emailed Andrew Lebrun, maintenance manager for morgan properties at the Preserve @ Owings Crossing to try and get a status update on the inspection process for over 20 water heaters located on site. I have visited this site two weeks ago to inform him of the issue, and to try and get them to have insurance or 3rd party inspectors complete the inspections due to the high number of objects at the location.

I emailed him a list of the 3rd party and insurance inspectors, and said I would follow up in a week. I emailed today after being off for vacation, and have not received any emails back. I will follow up monday, but urged Mr. Lebrun that if I do not hear back by next week, I will inspect all of the objects at a rate of 250$ per object.
I made it clear that it is normally a 3rd party or insurance inspection agency to do the inspections, and hoped the 250$ threat would push him to follow through. If not, I will inspect these objects next week. Jeremy MacDonald 11-30-17
I then traveled to the preserve at owings crossing where there are 22 water heaters that need to be inspected. I have left numerous voicemails and emails regarding getting these inspected, with no help. Per Karl's request, he told me to visit the site again to try one more time to get through. I was able to talk with Andy Huff, who is the regional maintenance director and was able to explain the process to him. He seemed very willing to work with me, and said he was going to call corporate to see who their insurance provider uses for these inspections. J MacDonald 1-8-18

My Shared Comments:

Contact info updated per fax note from Melissa of Home Sales; RHD 5/5/05

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161332H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108100		Bradford White	1996	04/26/2020	Recurring Cert	Active	16 Brookebu

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Prince of Peace Lutheran Church** **Location ID:** 710157
Address: 8212 Philadelphia Rd Rosedale, MD 21237-2833 **Phone:** 410-866-8766
County: Baltimore **NOB/SIC:**
Primary Contact: Steve Warminski, Property Chairman - Phone: 410-456-8589 - Email: miswarm@aol.com
Billing Contact: Steve Warminski - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 410-456-8589 - Email: miswarm@aol.com
Cert Contact: Steve Warminski, Property Chairman - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 410-456-8589 - Email: miswarm@aol.com
Owner Contact: Steve Warminski, Property Chairman - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 410-456-8589 - Email: miswarm@aol.com
Other Contact(s): Bernard Schweigman - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 443-791-6994
Berriard Schweigman - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 410-308-4717/410-866-8766
Living Waters Evangelical Lutheran Church - 8912 Philadelphia Rd Rosedale, MD 21237-4313 - Phone: 4103910755
Steve Warminski, Property Chairman - 8212 Philadelphia Rd Rosedale, MD 21237-2833 - Phone: 410-456-8589 - Email: miswarm@aol.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006714H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		American Standard	1973	10/07/2020	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **Pulaski Tire Service Inc** **Location ID:** 722087
Address: 7804 Pulaski Hwy Rosedale, MD 21237-2608 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Pulaski Tire Service Inc
Billing Contact: Pulaski Tire Service Inc - 7804 Pulaski Hwy Rosedale, MD 21237-2608
Cert Contact: Pulaski Tire Service Inc - 7804 Pulaski Hwy Rosedale, MD 21237-2608
Owner Contact: Pulaski Tire Service Inc - 7804 Pulaski Hwy Rosedale, MD 21237-2608
Other Contact(s): Pulaski Tire Service Inc - 7804 Pulaski Hwy Rosedale, MD 21237-2608
Pulaski Tire Service Inc - 7808 Pulaski Hwy Rosedale, MD 21237-2608 - Phone: 410 391 2907

My Company Comments:

My Shared Comments: Address update from SDAT, certificate returned, phone number listed disconnected. M. Wolf inspected 4/18/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD159242V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000202294	Brunner	1987	01/09/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Putty Hill Body Shop**
Location ID: 722111
Address: 8225 Belair Rd Baltimore, MD 21236-3400
Phone: 410-668-0660
County: Baltimore
NOB/SIC:
Primary Contact: Charles F. Schluter - Phone: 410-668-0660
Billing Contact: Putty Hill Body Shop - 8225 Belair Rd Baltimore, MD 21236-3423 - Phone: 4106680660
Cert Contact: Putty Hill Body Shop - 8225 Belair Rd Baltimore, MD 21236-3423 - Phone: 4106680660
Owner Contact: Charles F. Schluter - 8225 Belair Rd Baltimore, MD 21236-3400 - Phone: 410-668-0660
Other Contact(s): Charles F. Schluter - 8225 Belair Rd Baltimore, MD 21236-3400 - Phone: 410-668-0660
Putty Hill Body Shop - 8225 Belair Rd Baltimore, MD 21236-3423 - Phone: 4106680660

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146244V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067825		Steel Fab	2005	10/13/2020	Recurring Cert	Active	Comp Shed

Total Objects at this location 1

Location: **Qdoba (NuCo2) #694366**
Location ID: 4003443
Address: 1470 Martin Blvd Middle River, MD 21220-4105
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Cert Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Owner Contact: NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

My Company Comments: No access. This business is not yet open. Although it appears to be very near to opening. I will have to return in a few weeks when it is open to complete the registration of the NEW co2 tank located here. J. MacDonald 2/3/2020

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166399V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000330142	31935743	CHART	2019	01/17/2022	Recurring Cert	Active	Beverage Carbonation

Total Objects at this location 1

Location: **Quality Discount Mufflers (in Rear)**
Location ID: 723607
Address: 7720 Wise Ave Dundalk, MD 21222-3210
Phone: 410-288-1140
County: Baltimore
NOB/SIC:
Primary Contact: Chris Nadler, Owner - Phone: 410-288-1140 - Email: quality7720@yahoo.com
Billing Contact: Chris Nadler - 7720 Wise Ave Dundalk, MD 21222-3210 - Phone: 410-288-1140 - Email: quality7720@yahoo.com
Cert Contact: Chris Nadler, Owner - 7720 Wise Ave Dundalk, MD 21222-3210 - Phone: 410-288-1140 - Email: quality7720@yahoo.com
Owner Contact: Nadine Lee Cates, Property Owner/Landlord - 7600 Old Battle Grove Rd Baltimore, MD 21222-3507
Other Contact(s): Chris Nadler, Owner - 7720 Wise Ave Dundalk, MD 21222-3210 - Phone: 410-288-1140 - Email: quality7720@yahoo.com
Nadine Lee Cates, Property Owner/Landlord - 7600 Old Battle Grove Rd Baltimore, MD 21222-3507
Pete Tetso (Deased) - 7720 Wise Ave Dundalk, MD 21222-3210 - Phone: 410-285-8550
Quality Discount Mufflers - 7720 Wise Ave Dundalk, MD 21222-3210 - Phone: 410-288-1140

My Company Comments: Chris Nadler 410-288-1140
Customer stated he knows he knew nothing about the inspection process.
Recommend to close citation and penalty Owner passed away.

My Shared Comments:
Mrs. Cates called she received the BPV form, she is the property owner the tenant is the owner of the objects. Updating contact to Chris Nadler.
New ownership, business name changed from original citation. Cert inspection done 2/14/13, M. Wolf, deleting citation.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135820V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468910		Steel Fab	2007	09/20/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Ramada Inn**
Location ID: 709654
Address: 10100 York Rd Cockeysville, MD 21030-3306
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Hiren Shah, General Manager - Phone: 410-667-4900 - Email: greenhospitality@gmail.com

Copyright © 2020 CentralSquare

Billing Contact: Hiren Shah - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 410-667-4900 - Email: greenhospitality@gmail.com
Cert Contact: Hiren Shah, General Manager - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 410-667-4900 - Email: greenhospitality@gmail.com
Owner Contact: Hiren Shah, General Manager - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 410-667-4900 - Email: greenhospitality@gmail.com
Other Contact(s): Bhavsar - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 4106674900
Hiren Shah, General Manager - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 410-667-4900 - Email: greenhospitality@gmail.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153028H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103433	118433	Bradford White	2013	12/30/2021	Recurring Cert	Active	Boiler Room, Room 140
MD153029H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000104438	119438	Bradford White	2013	12/30/2021	Recurring Cert	Active	Laundry, Room 140
			Total Objects at this location		2						

Location: **Ramada Inn**
Location ID: 722371
Address: 1721 Reisterstown Rd Pikesville, MD 21208-2915
Phone: 410-486-5600
County: Baltimore
NOB/SIC:
Primary Contact: Yolande A. M. Lacan - Phone: 410-486-5600410-484-9377 - Email: ra@ramadabaltimorewest.com
Billing Contact: Ramada Inn - 1721 Reisterstown Rd Pikesville, MD 21208-2906 - Phone: 4104865600
Cert Contact: Raveen Arora - 1721 Reisterstown Rd Pikesville, MD 21208-2915 - Phone: 410-486-5000 - Email: ra@ramadabaltimorewest.co
Owner Contact: Yolande A. M. Lacan - 1721 Reisterstown Rd Pikesville, MD 21208-2915 - Phone: 410-486-5600410-484-9377 - Email: ra@ramadabaltimorewest.com
Other Contact(s): American Motor Inns - 1917 Franklin Road Baltimore, MD 21201 - Phone: 0000000000
Larry Warner - 910 E 25th St Baltimore, MD 21218-5503 - Phone: 410 396-7400
Ramada Inn - 1721 Reisterstown Rd Pikesville, MD 21208-2906 - Phone: 4104865600
Raveen Arora - 1721 Reisterstown Rd Pikesville, MD 21208-2915 - Phone: 410-486-5000 - Email: ra@ramadabaltimorewest.co
Yolande A. M. Lacan - 1721 Reisterstown Rd Pikesville, MD 21208-2915 - Phone: 410-486-5600410-484-9377 - Email: ra@ramadabaltimorewest.com

My Company Comments: Green Card Rec'd 10-1-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD135416H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000197117	Lochinvar	2007	05/31/2020	Recurring Cert	Active	BLRM
MD161427H	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000287995	Laars	2017	05/24/2020	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: **Randallstown Self Service Car Repair & Bay Rental**
Address: 8527 Liberty Rd Ste B Randallstown, MD 21133-4836
County: Baltimore
Primary Contact: Randallstown Self Service Car Repair & Bay Rental
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):
My Company Comments:
My Shared Comments:

Location ID: 3002217
Phone: 410-665-6605
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125175V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001214781		CAMPBELL	2004	10/28/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Ray Machine Inc**
Address: 12 Lynnbrook Road Middle River, MD 21220-2830
County: Baltimore
Primary Contact: Paul Kowalewski - Phone: 410 686 6955 - Email: jdandora@compcomp.com
Billing Contact: Paul Kowalewski - 12 Lynbrook Rd Middle River, MD 21220-2830 - Phone: 410 686 6955 - Email: jdandora@compcomp.com
Cert Contact: Paul Kowalewski - 12 Lynbrook Rd Middle River, MD 21220-2830 - Phone: 410 686 6955 - Email: jdandora@compcomp.com
Owner Contact: Paul Kowalewski - 12 Lynbrook Rd Middle River, MD 21220-2830 - Phone: 410 686 6955 - Email: jdandora@compcomp.com
Other Contact(s): Paul Kowalewski - 12 Lynbrook Rd Middle River, MD 21220-2830 - Phone: 410 686 6955 - Email: jdandora@compcomp.com
My Company Comments: Citation Closed 5/15/19 - Citation was received after inspection was input.
Updated 12/29/16 inspection to a cert, location contacted MAC about certificate.

Location ID: 722435
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Vertical Unfired Pressure Vessel Inspection MD114949V Boilers@dllr x Dan Solomon dsolomon@raymach.com via maryland.gov Mon, Mar 25, 5:31 PM (16 hours ago) to boilers Good afternoon, Need some guidance. I have been unsuccessful in scheduling the inspection of our Vertical Unfired Pressure Vessel. I have called and emailed the following inspection agencies from section 1 MAC Inspection – Attempted contact 1/25/19 & 2/27/19 with no response RMF Engineering – Attempted contact 3/1/19 & 3/8/19 with no response Atlantic Services – Attempted contact 3/13/19 with no response I reached out today to Insparisk and also tried MAC Inspection again. Is there any direction you can provide to assist in closing this inspection? Regards, Dan Solomon General Manager Ray Machine Inc. (410) 686-6955 X221 Fax (410) 686-5860 Mobile (410) 299-7181 www.raymachine.com

My Shared Comments: State scheduled 2/13/13, inspected by Insparisk 12/7/12, report entered 2/13/13. Deleting citation. Customer phoned to say inspection was done in December.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114949V	0	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000298201	298201	Silvan	1999	01/12/2021	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: **Red Brick Station (Arc3)**
Location ID: 3918188
Address: 8149 Honeygo Blvd Nottingham, MD 21236-8209
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Red Brick Station (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161854V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000149247		CHART	2003	12/11/2020	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Red Lion Hotel North Baltimore** **Location ID:** 713896
Address: 2004 Greenspring Drive Lutherville/Timonium, MD 21093-4114 **Phone:** 410-252-7373
County: Baltimore **NOB/SIC:**
Primary Contact: Robert White, Chief Engineer - Phone: 410-252-7373 ext 768 - Email: rwhite@innercirclehotels.com
Billing Contact: Dana Boros - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: dboros@innercircleus.com
Cert Contact: Dana Boros, Administrative Assistant - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: dboros@innercircleus.com
Owner Contact: Joseph G. Gillespie, Manager - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: jbrian@innercircleus.com
Other Contact(s): Andrew Knecht, Underwriter - 100 High Street, Floor 14 Boston, MA 02110 - Phone: 617-570-8953 - Cell: 617-413-9764 - Email: andrew.knecht@zurichna.com
Anthony Cline, Sr. Account Executive - 600 Red Brook Blvd., Owings Mills, MD 21117-5192 - Phone: (410) 559-8827 - Email: anthony.cline@zurichna.com
Audrey Johnson-Richins, Accounting - 2004 Greenspring Dr Lutherville Timonium, MD 21093-4114 - Phone: 410-252-7373 x702 - Email: ajrichins@innercirclehotels.com
Crowne Plaza - 2004 Greenspring Dr Lutherville Timonium, MD 21093-4114 - Phone: 410-252-7373 ext 258
Dana Boros, Administrative Assistant - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: dboros@innercircleus.com
John Goucher, Chief Engineer - 2004 Greenspring Dr Lutherville Timonium, MD 21093-4114 - Phone: 4102527373X758
Joseph G. Gillespie, Manager - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: jbrian@innercircleus.com
Joseph Gillespie, Owner - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7721
Paul Seekford - 2004 Greenspring Dr Lutherville Timonium, MD 21093-4114 - Phone: 410-252-7373 x758
Robert White, Chief Engineer - 2004 Greenspring Dr Lutherville Timonium, MD 21093-4114 - Phone: 410-252-7373 ext 768 - Email: rwhite@innercirclehotels.com

My Company Comments: Location name and contact update.

My Shared Comments: Paul Seekford (410-252-7373 x758) said they are scheduling to get the repairs completed asap.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119173H	HWH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109621	0203109621	PVI	2003	07/07/2021	Recurring Cert	Active	Penthouse
MD119174H	HWH-2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109620	0203109620	PVI	2003	07/07/2021	Recurring Cert	Active	Penthouse
MD158009V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000096243	102045-02	Niles Steel Tank Co.	2011	05/31/2021	Recurring Cert	Active	Penthouse
MD158010V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010417	95-6-G08901	A O Smith	1995	05/31/2021	Recurring Cert	Active	Penthouse

Total Objects at this location 4

Copyright © 2020 CentralSquare

Location: **Red Lobster (NuCo2) # 117145** **Location ID:** 3633557
Address: 3 Restaurant Park Dr Owings Mills, MD 21117-3578 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161875V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052742		Taylor-Wharton	2001	01/24/2021	Recurring Cert	Active	Water Heater Rm
MD161881H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000052742		A O Smith	2017	01/24/2021	Recurring Cert	Active	Water Heater Rm

Total Objects at this location 2

Location: **Redbrook Financial Center** **Location ID:** 722505
Address: 300 Red Brook Blvd Owings Mills, MD 21117-5144 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: William Zawart, HVAC Department Manager - Cell: 443-677-6951 - Email: wzawart@davidsbrown.com
Billing Contact: Nick Sachs - 100 Painters Mill Rd Ste 120 Owings Mills, MD 21117-7301 - Phone: 410-581-2420 - Direct - Cell: 410-363-3434 - Email: nick@davidsbrown.com
Cert Contact: Nick Sachs, Head of Services - 100 Painters Mill Rd Ste 120 Owings Mills, MD 21117-7301 - Phone: 410-581-2420 - Direct - Cell: 410-363-3434 - Email: nick@davidsbrown.com
Owner Contact: David S. Brown Enterprises, Ltd. - 400 Red Brook Blvd Owings Mills, MD 21117
Other Contact(s): David S. Brown Enterprises, Ltd. - 400 Red Brook Blvd Owings Mills, MD 21117
Eileen Wilcox - 1661 N Forest Park Ave Woodlawn, MD 21207-4919 - Phone: 443-632-3327 - Email: ewilcox@hmsia.com
Gary Lauer, Property Manager - 100 Painters Mill Rd Ste 900 Owings Mills, MD 21117-4793 - Cell: 443-677-7901 - Email: gary@davidsbrown.com
Nick Sachs, Head of Services - 100 Painters Mill Rd Ste 120 Owings Mills, MD 21117-7301 - Phone: 410-581-2420 - Direct - Cell: 410-363-3434 - Email: nick@davidsbrown.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108163H	Boiler #1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000106784	J992139	Lochinvar	1999	08/27/2021	Recurring Cert	Active	Basement Boiler Rm, BLR #1
MD108164H	Boiler #2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00106785	J992138	Lochinvar	1999	08/27/2021	Recurring Cert	Active	Basement Boiler Rm, BLR #2
			Total Objects at this location		2						

Location: **Reisterstown Lumber & Glen Morris Rental**
Location ID: 722565
Address: 13040 Old Hanover Rd Reisterstown, MD 21136-4717
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Duncan Forbes, Mgr. - Phone: 410-833-1300
Billing Contact: Lisa Schuster - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300 - Email: lschuster@reisterstownlumber.com
Cert Contact: Lisa Schuster, Controller - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300 - Email: lschuster@reisterstownlumber.com
Owner Contact: Duncan Forbes, Mgr. - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300
Other Contact(s): Barbara Perdon-Woods, Risk Engineer - 1299 Zurich Way Schaumburg, IL 60196-5870 - Cell: 908-415-9738 - Email: barbara.perdon-woods@zurichna.com
Dana PREVIOUS CONTACT/Dean, Technical Assistant - 2005 Market St Ste 1200 Philadelphia, PA 19103-7008 - Phone: 800 752 1895x9131 - Email: ddean@plmins.com
Duncan Forbes, Mgr. - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300
Jeff Hendershot previous contact, Loss Control Manager - 8888 Keystone Xing Ste 250 Indianapolis, IN 46240-7602 - Phone: 317-875-3626 - Cell: 267-825-9402 - Email: jhendershot@plmins.com
Joanne Smith, Controller - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300
Justin Tyler, Service Manager - 11 Production Ave Keene, NH 03431-3920 - Phone: 603-355-5000 - Cell: 888-466-1070 - Email: jtyler@fentonautosales.com
Lisa Palmer-Maysonet, Underwriter - 1 Liberty Plz New York, NY 10006-1404 - Phone: 212-553-5284 - Cell: 347-281-2546 - Email: lisa.palmer-maysonet@zurichna.com
Lisa Schuster, Controller - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300 - Email: lschuster@reisterstownlumber.com
Lori Vander Heyden, Loss Service Manager - 2005 Market St Ste 1200 Philadelphia, PA 19103-7008 - Phone: 267-825-9128 - Cell: 920-883-5080 - Email: lvheyden@plmins.com
Melodye Zapalac, AVP Equipment Breakdown Reinsurance Assumed - 2000 Market St Philadelphia, PA 19103-3231 - Phone: 215-861-6774 - Cell: 610-639-0682 - Email: melodye.zapalac@zurichna.com
Shantel gamble PREVIOUS CONTACT, Production Manager - 7686 State Route 167 Kingsley, PA 18826-6966 - Phone: 570-289-8760 - Email: sgamble@dfp.com

My Company Comments:
citations bpv -DLLR-
9:26 AM (14 minutes ago)
to Jeremy, Duncan

Copyright © 2020 CentralSquare

Hello,

We have received that report for MD131210H however it has an open violation (Water Level Indicator contains sediment. - Date Entered: 04/19/2018 - Inspector: Jeremy MacDonald (State of Maryland)). Since it was opened by a state inspector, only a state inspector would be able to close it. I have copied them to this thread in order to coordinate an inspection.

Additionally, MD158304H was missing the CSD-1 checklist. Would you be able to provide it during the reinspection?

Thank you for your attention to this matter.

citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
8:52 AM (47 minutes ago)
to Duncan

Good morning,

This is a follow-up email. I see that MD131210H still has violations. Can you advise on the status of that object?

I have also sent a request to lower penalties for MD068504H and MD064341V to $250 for becoming in compliance.

Duncan Forbes
Attachments
9:02 AM (38 minutes ago)
to me

Good morning,

Attached is the report from Hartford Steam Boiler. I am waiting on the ASME CSD-1 and testing of the low water cut off. Item 3, on page 3 has been corrected. I need to schedule an electrician to address item 4 on page 4.
Citation Response
Inbox
x

Duncan Forbes <duncanforbes@reisterstownlumber.com>
Attachments
10:46 AM (38 minutes ago)
to me, boilers

RE: Citation & Notification Reisterstown Lumber & Glen Morris Rental 10419

Commissioner of Labor and Industry,

I received a 'citation and notification of proposed penalty' in regards to two boilers on our property (MD064341V and MD068504H). Both units do have a track record of displaying current certification in compliance with the State. Both units, however fell out of compliance last year. One, for not displaying a "notice of installation of a boiler or pressure vessel", which is attached to this email. The other, for not having a clear sight glass, and some corroded steel pipe, both of which have been corrected. Pictures attached.

Copyright © 2020 CentralSquare

I understand we fell out of compliance temporarily, and my response may be just outside the 15 day time frame required, but please consider our track record of compliance as we having been operating at this locations for 93 years.

Thank you,
Duncan Forbes I Vice President
citations bpv -DLLR-
11:22 AM (3 minutes ago)
to Duncan, Boiler

Hello,

I see that the violations are still open in the system. It appears that Hartford Steam Boilers is the insurer on the objects. Please contact them to have the objects inspected. Once you set up an inspection date, please advise us in order to make a note in the system.

Thank you for your prompt attention to this matter.

closed 5/15/19 - Citation issued to HSB 11/28/18, the location has uncorrected violation on other objects and did not grant HSB access.
Contact update.
HSB email 12-5-18: Subject: Request for Hearing
Public Safety Article, Title 12, Subtitle 9, Annotated Code of Maryland
Code of Maryland Regulations (COMAR) 09.12.01

ATTN: Commission of Labor and Industry

The Hartford Steam Boiler Inspection and Insurance Company hereby requests a hearing with regard to the citation letter received in our office 12/04/2018 for the cited location:

Cited Location: Reisterstown Lumber & Glen Morris Rental 8172

Reisterstown Lumber & Glen Morris Rental 8172
13040 Old Hanover Rd
Reisterstown, MD 21136-4717

Registration No. MD064341V, MD068504H

Respectfully,

Chris Mastrolia
Operations Manager, Inspection Services Division
Valley Forge Engineering

I was able to verify that the CSD-1/start up report had been completed for the boiler in the paint shop. I recommended leaving a copy near the boiler and also keeping one in the office for future inspectors. J MacDonald 1-26-18
I was here to check the status of a missing CSD-1 report for the boiler in the paint shop (MD158304H). I spoke with Lisa in the office who said she did not have a copy of the form, but that another employee, Duncan, was responsible for this boiler. I left a copy of my inspection report stating which violation was open. I also left them my card so that I could be contacted when Duncan returned to work. I have not yet heard back from him as of 12/11/17. Jeremy MacDonald 12/11/17

Copyright © 2020 CentralSquare

Left a vm for Mr. Duncan 8:56am
Reisterstown Lumber
Inbox
x

Duncan Forbes
3:01 PM (30 minutes ago)
to me

Hi Barbara,

I just got off the phone with Hartford Steam Boiler. We have a re-inspection for the two non-compliant units next Tuesday the 28th. I'll send over the results once I have them.

Thanks,
Duncan Forbes I Vice President
Response - Thank you for responding to the citation issued by this office. These units are still overdue as of 12-12-18. They need to be inspected ASAP to be considered for a review.
Spoke to Mr. Forbes- will be calling HSB to schedule reinspection

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090608V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000068106		Manchester	1994	06/21/2021	Recurring Cert	Active	Paint Shop

Total Objects at this location 1

Location: **Reisterstown Physical Therapy**
Location ID: 1934510
Address: 461 Main St Reisterstown, MD 21136-1930
Phone: 410-526-5300
County: Baltimore
NOB/SIC:
Primary Contact: Herb Weiss - Phone: 410-526-5300
Billing Contact: Herb Weiss - 461 Main St Reisterstown, MD 21136-1930 - Phone: 410-526-5300
Cert Contact: Herb Weiss - 461 Main St Reisterstown, MD 21136-1930 - Phone: 410-526-5300
Owner Contact: Herb Weiss - 461 Main St Reisterstown, MD 21136-1930 - Phone: 410-526-5300
Other Contact(s): Herb Weiss - 461 Main St Reisterstown, MD 21136-1930 - Phone: 410-526-5300

My Company Comments: Green Card Rec'd 9-11-18
Hello Mr. Weiss,
Thank you for contacting me regarding the invoice # 110618 for $750.After evaluating your situation and discussing the case with Central Collection Unit, Chief Boiler Inspector Karl Kraft has reduced the penalty amount to $250.I am sending a copy of the invoice with this email and the orignal through regular

Copyright © 2020 CentralSquare

mail.

Payment for this invoice should be mailed to:DLI/ Safety Inspection Unit1100 N Eutaw St Rm 605Baltimore, MD 21201

Thank you,
Herb Weiss 443 226 8879
called and stated this boiler is out of service.
also equipment is in place.
Will call back to schedule
HERB WEISS hweisspt@verizon.net via yahoo.com
Oct 31 (2 days ago)
to me
Dear Inspectors,

I received the fine invoice and am continuing to work at getting my installer to rectify the deficiencies found in Citation #MD158991H. Hopefully this fine will motivate him to get the job finished. I do believe he is sincere about resolving this longstanding issue. It has been very frustrating but I think it will be done soon.

I have two questions: Should I call the inspector as soon as the work has been done? And, if the work meets code, would the State be willing to abate the fine?

I appreciate the patience your office has shown in this matter.

Thankyou,

Herb Weiss
I went to this location and was able to determine that the boiler that had not received a certificate inspection for a few years (MD125247H) had in fact been removed and replaced with a new unit. I numbered the new boiler, and inspected it. I found a variety of violations for the new boiler, and gave them 30 days to correct the violations. I will follow back up next month. Jeremy MacDonald 12/11/17
Karl Kraft -DLLR- <karl.kraft@maryland.gov>
Jun 18, 2019, 12:30 PM
to Barbara, Boiler, citations

Thank you for contacting us etc etc

Concerning the invoice 110618, The amount of the invoice remains at $750.
Mr Herbert Weiss, the owner of MD 158991H operated the boiler from the date of installation (10/6/14 according to Mr Weiss) until the successful inspection on 12/11/17 by Deputy Boiler Inspector MacDonald.
This boiler was operated in violation of the Maryland Boiler and Pressure Vessel Safety Act for a period of 1164 days, over 3 years.
The Boiler Inspection Unit made efforts to inspect the BPV on 11/1/16, 12/11/17, 3/14/18, on 12/19/2018. We also notified Mr Weiss by mail of the need for a successful inspection and prompt payment on 6/14/16, 6/16/17, 8/30/18, 10/24/18. We also talked to My Weiss by phone on 7/18/16
We appreciate the cooperation the Mr Weiss finally gave to compliance with the safety inection laws of Maryland, but the delay on compliance requires that the penalty stands as issued.
Reisterstown Physical Therapy - 461 Main St. (Location: 1934510) 1 follow up

Copyright © 2020 CentralSquare

I visited this site to check the status of violations on a boiler I wrote a few weeks ago. The CSD-1 form has been submitted, but the other physical violations on the boiler remain. 30 days to correct. JMacDonald 3/14/18

My Shared Comments: HSB confirmed 4-30-14 Inspection Date

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158991H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	351400170	Utica	2016	12/11/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Reisterstown Shell**
Location ID: 722588
Address: 11903 Reisterstown Rd Reisterstown, MD 21136-3030
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Mohammad Ahmad - Phone: 410-833-1878
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Mohammad Ahmad - 11903 Reisterstown Rd Reisterstown, MD 21136-3030 - Phone: 410-833-1878

My Company Comments:

My Shared Comments: Location IO, 3-10-05, RWO.
Travelers scheduled for 8-15-18

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000079582		Manchester	1995	07/25/2022	External Cert, Recurring Cert	Active	Parts Room

Total Objects at this location 1

Location: **Reliable Auto Care**
Location ID: 718498
Address: 902 Reisterstown Rd Pikesville, MD 21208-4204
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: J. Shin - Phone: 410-486-1584 - Email: reliableautocare1@gmail.com
Billing Contact: J. Shin - 902 Reisterstown Rd Pikesville, MD 21208-4204 - Phone: 410-486-1584 - Email: reliableautocare1@gmail.com
Cert Contact: J. Shin - 902 Reisterstown Rd Pikesville, MD 21208-4204 - Phone: 410-486-1584 - Email: reliableautocare1@gmail.com

Copyright © 2020 CentralSquare

Owner Contact: J. Shin - 902 Reisterstown Rd Pikesville, MD 21208-4204 - Phone: 410-486-1584 - Email: reliableautocare1@gmail.com

Other Contact(s): J. Shin - 902 Reisterstown Rd Pikesville, MD 21208-4204 - Phone: 410-486-1584 - Email: reliableautocare1@gmail.com
Lynn , Manager - 902 Reisterstown Rd Pikesville, MD 21208-4204 - Phone: 4104861585

My Company Comments:

My Shared Comments: mac inspection 8-20-14
MD104459V lost with comment HSB sending report

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104458V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028965		Melben	1976	05/27/2021	Recurring Cert	Active	Shop
MD149070V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047697		Morganton	2010	05/27/2021	Recurring Cert	Active	shop

Total Objects at this location 2

Location: **Republic Services Honeygo Run Reclamation Ctr.**
Location ID: 2704162
Address: 10710 Philadelphia Rd Perry Hall, MD 21128-9624
Phone: 410-335-9500
County: Baltimore
NOB/SIC:
Primary Contact: Shannon Hunter - Phone: 410-335-9500
Billing Contact: Shannon Hunter - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Cert Contact: Shannon Hunter - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Owner Contact: Shannon Hunter - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Other Contact(s): Accts. Payable - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Chad Ulrich - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Debra Buckles, Safety Mgr. - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500 - Email: dbuckles@republicservices.com
Joeseph Smith, Site Manager - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: (410)335-9500
John Blevins, GM - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-355-9500 - Email: jblevins2@republicservices.com
Michael Neafsey, Division Mgr. - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500 - Email: mneafsey@republicservices.com
Republic Services Inc - 18500 N Allied Way Phoenix, AZ 85054-6164 - Phone: (480) 627-2700
Rick Klonowski, Ops Supervisor - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500 - Email: rklonowski@republicservices.com
Shannon Hunter - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500
Vernard Jones, Ops Supervisor - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-355-9500 - Email: vjones3@republicservices.com

My Company Comments: Contact update.
Location name and contact update.

Copyright © 2020 CentralSquare

My Shared Comments: Deborah called, mail went of home office instead of location. Updated contact info.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135096V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000430125		Manchester	2005	03/02/2022	Recurring Cert	Active	Maint Truck
MD153317V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001930927		CAMPBELL HAUSFELD	2015	03/02/2022	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: **Research Park Assoc., LLC.** **Location ID:** 3487582
Address: 5525 Research Park Dr Catonsville, MD 21228-4873 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Keener, Prop. Mgr. - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com
Billing Contact: Wayne Keener - 7301 Parkway Dr Hanover, MD 21076-1159 - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com
Cert Contact: Wayne Keener, Prop. Mgr. - 7301 Parkway Dr Hanover, MD 21076-1159 - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com
Owner Contact: Wayne Keener, Prop. Mgr. - 7301 Parkway Dr Hanover, MD 21076-1159 - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com
Other Contact(s): Wayne Keener, Prop. Mgr. - 7301 Parkway Dr Hanover, MD 21076-1159 - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com

My Company Comments:

My Shared Comments:

Rhee from Knott Mechanical called to see if inspections have been entered. Entered 5/2/14 and state is scheduled to number 5/12/14.
Rhee from Knott Mechanical called with national board #'s for the news. Hartford doesn't cover them so Insparisk performed the inspections 4/9/14.
Rhee from Knott Mechanical(410-561-2000) called to see if Insparisk had entered the inspections. Not as of today.
Rhee From Knott Mechanical, called to check if this location had been inspected by the state. Bruce King inspected & numbered the objects 5/12/14, and attached violations. Rhee will check to if they were corrected, a company was to correct the violations on 5/12/14. If they were corrected she will call back to schedule the state to clear the violations.
Spoke with Rhee from Knott Mechanical, she was checking on this location. When she sees Mr. Keener she will let him know that Miwa is trying to contact him. Email from Brian Ohl (6/2/14)via Bruce, stating work has been completed, follow-up inspection needed. Miwa contacting Mr. Keener.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148485H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000209272	EO8H00209272	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof
MD148486H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000209273	EO8H00209273	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof

Copyright © 2020 CentralSquare

MD148487H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080418	EB10177902	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof
NEW	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000245925		A O Smith	2018	02/25/2022	Recurring Cert	Active	PENTHOUSE

Total Objects at this location 4

Location: **Residence Inn by Marriott White Marsh**
Location ID: 1082812
Address: 4980 Mercantile Road White Marsh, MD 21236-4909
Phone: 410-933-9554
County: Baltimore
NOB/SIC:
Primary Contact: Leslie Atkinson - Phone: 410-933-9554 - Email: leslie.atkinson@marriott.com
Billing Contact: MCR Development, LLC. - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554
Cert Contact: Leslie Atkinson - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554 - Email: leslie.atkinson@marriott.com
Owner Contact: MCR Development, LLC. - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554
Other Contact(s): Leslie Atkinson - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554 - Email: leslie.atkinson@marriott.com
MCR Development, LLC. - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554
Residence Inn by Marriott White Marsh - 4980 Mercantile Rd White Marsh, MD 21236 - Phone: 410-933-9554

My Company Comments: Residence Inn by Marriott - 4980 Mercantile Rd (location 1082812)

I inspected the following 3 boilers:
MD120044H
MD120045H
MD120046H

I did find some issues and wrote violations accordingly. Upon completing my inspections, the manager told me at the desk that Insparisk had inspected the boilers, but had not submitted the inspections because the hotel's corporate office has not yet paid Insparisk.

I will return in 2 weeks to check the violation status and check on the status of Insparisk inspections being entered at that time also. In the meantime, I will enter my inspections as NON - Certs, so that there are no billing issues.

Jeremy macDonald 6/30/20

My Shared Comments: Insparisk 8/14/14 per BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120044H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000149996		Lochinvar	2002	05/26/2022	Recurring Cert	Active	Mechanical Room

Copyright © 2020 CentralSquare

MD120045H	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000149998	Lochinvar	2002	05/26/2022	Recurring Cert	Active	Mechanical Room
MD120046H	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077570	State Industries	2003	05/26/2022	Recurring Cert	Active	First Floor Storage Rm

Total Objects at this location 3

Location: **Reters Crab House**
Location ID: 722670
Address: 509 Main St Reisterstown, MD 21136-1907
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Brad Reter, Owner - Phone: 410-526-3300 - Cell: 410-935-1963 - Email: reter@verizon.net
Billing Contact: Reters Crab House - 509 Main St Reisterstown, MD 21136-1907 - Phone: 4115263300
Cert Contact: Reters Crab House - 509 Main St Reisterstown, MD 21136-1907 - Phone: 4115263300
Owner Contact: Reters Crab House - 509 Main St Reisterstown, MD 21136-1907 - Phone: 4115263300
Other Contact(s): Brad Reter, Owner - 509 Main St Reisterstown, MD 21136-1907 - Phone: 410-526-3300 - Cell: 410-935-1963 - Email: reter@verizon.net
Reters Crab House - 509 Main St Reisterstown, MD 21136-1907 - Phone: 4115263300

My Company Comments: Citation warning returned.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103973		Vertical Fire Tube	S - Power-Cooking (Steam > 15 psig)	000138220	148240	Columbia Boiler Co	1998	01/13/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Richmar Apartments**
Location ID: 722728
Address: 12 Richmar Rd Owings Mills, MD 21117-1941
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Kim Highlander, Community Manager - Phone: 410-356-5525 - Email: kimh@marylandmgmt.com
Billing Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Cert Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Owner Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Other Contact(s): Kim Highlander, Community Manager - 13 Richmar Rd - Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525 - Email: kimh@marylandmgmt.com
Richmar Apartments - 13 Richmar Rd - Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140135H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000133419		State Industries	2008	11/01/2020	Recurring Cert	Active	Bldg. 12 Laundry

Total Objects at this location 1

Location: **Richmar Apartments** **Location ID:** 722732
Address: 19 Richmar Rd Owings Mills, MD 21117-1917 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Kim Highlander, Community Manager - Phone: 410-356-5525 - Email: kimh@marylandmgmt.com
Billing Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Cert Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Owner Contact: Richmar Apartments - 13 Richmar Rd Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525
Other Contact(s): Kim Highlander, Community Manager - 13 Richmar Rd - Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525 - Email: kimh@marylandmgmt.com
Richmar Apartments - 13 Richmar Rd - Apt F Owings Mills, MD 21117-1918 - Phone: 410-356-5525

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156220H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000112220		Bradford White	2015	11/01/2020	Recurring Cert	Active	Bldg 19

Total Objects at this location 1

Location: **Riderwood Building** **Location ID:** 722750
Address: 1107 Kenilworth Dr Towson, MD 21204-2140 **Phone:** 410-733-1475
County: Baltimore **NOB/SIC:**
Primary Contact: Jeffrey Weglein, Owner - Phone: 410-733-1475
Billing Contact: Jeffrey Weglein - PO Box 788 Sparks, MD 21152-0788 - Phone: 410-733-1475
Cert Contact: Jeffrey Weglein, Owner - PO Box 788 Sparks, MD 21152-0788 - Phone: 410-733-1475

Copyright © 2020 CentralSquare

Owner Contact: Jeffrey Weglein, Owner - PO Box 788 Sparks, MD 21152-0788 - Phone: 410-733-1475

Other Contact(s): Continental Realty Corp - 1427 Clarkview Rd Ste 500 Baltimore, MD 21209-0016 - Phone: 410-296-4800 - Email: dricks@crcrealty.com
Jeffrey Weglein, Managing Agent - P O Box 788 Sparks, MD 21152 - Phone: 410-733-1475
Jeffrey Weglein, Owner - PO Box 788 Sparks, MD 21152-0788 - Phone: 410-733-1475
JOAN OLSEN , ADM. ASST. - 1427 Clarkview Rd Ste 500 Baltimore, MD 21209 - Phone: 410-296-4800 - Cell: 443--92-1-4361
joanne - 1427 clearview Rd. Suite#500 Baltimore, MD 21209 - Phone: 410 296 4800
Susan Kolbenstetter, Mgr - 6207 Old Keene Mill Ct Springfield, VA 22152-2140 - Phone: 703-451-9100

My Company Comments: Citation response
King Karen - ValleyForge-HSB <karen_king@hsb.com>
AttachmentsAug 30 (7 days ago)
to me
Please see the attached request.

Thank you,

Karen King

Inspection Support Team Lead, Technical Support

The Hartford Steam Boiler Inspection and Insurance Company

150 years of engineering insurance innovation

595 East Swedesford Rd

Wayne, PA 19087

1-800-333-4677 ext. 61445

Fax: 1-800-224-1712

karen_king@hsb.com

Division of Labor & Industry
Boiler & Pressure Vessel Safety
1100 N. Eutaw St., RM. 605
Baltimore, MD 21201

Subject: Request for Hearing

Public Safety Article, Title 12, Subtitle 9, Annotated Code of Maryland

Copyright © 2020 CentralSquare

Code of Maryland Regulations (COMAR) 09.12.01

ATTN: Commission of Labor and Industry
The Hartford Steam Boiler Inspection and Insurance Company hereby requests a hearing with regard to the citation letter received in our office 8/29/2018 for the cited location:
Cited Location: Riderwood Building 6146
Riderwood Building
1107 Kenilworth Dr
Towson, MD 21204-2140
Registration No. MD104580H

Respectfully,
Chris Mastrolia
Operations Manager, Inspection Services Division
Valley Forge Engineering
Citation should not have been issued to Insurance. Not overdue. Reissue to owner for violation.
Jeff Weglein state the valve was corrected the same day. I am sending a State Inspector to verify.
Riderwood Building (Location:722750) - 1107 Kenilworth Dr - 1 CED followed up

I went to this location and there was no one on site who had access to the boiler room. I called Jeff Weglein at 410-733-1475 and left a message asking him about the status of the violation and to return my call to make an appointment to get the issues squared away. MacDonald - End of Day 6/18/18
Riderwood Building - 1107 Kenilworth Dr (722750) - 1 Follow up
I was unable to gain access to this boiler either as there was no maintenance person on site. I will have to make an appointment for this location in the future. I am waiting to hear back from the owner to schedule an appointment or check status of the violations. MacDonald - 2/12/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104578H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64146744	Burnham	1999	03/09/2021	Recurring Cert	Active	Boiler Room
MD104579H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64146742	Burnham	1999	03/09/2021	Recurring Cert	Active	Boiler Room
MD104580H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64146743	Burnham	1999	03/09/2021	Recurring Cert	Active	BLRM

Total Objects at this location 3

Location: **Ridgeway Manor Inc**
Address: 5743 Edmondson Ave Catonsville, MD 21228-1926
County: Baltimore
Primary Contact: John E. Burleigh III, Administrator - Phone: 410-747-5250

Location ID: 722774
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: John E. Burleigh III - 5743 Edmondson Ave Catonsville, MD 21228-1926 - Phone: 410-747-5250
Cert Contact: John E. Burleigh III, Administrator - 5743 Edmondson Ave Catonsville, MD 21228-1926 - Phone: 410-747-5250
Owner Contact: John E. Burleigh III, Administrator - 5743 Edmondson Ave Catonsville, MD 21228-1926 - Phone: 410-747-5250
Other Contact(s): Jane Schultz, Office Administrator - 5743 Edmondson Ave Catonsville, MD 21228-1926 - Phone: 4107475250
John E. Burleigh III, Administrator - 5743 Edmondson Ave Catonsville, MD 21228-1926 - Phone: 410-747-5250
RIGGS, COUNSELMAN, M , RISK MANAGER - 5743 EDMONDSON AVE CATONSVILLE, MD 21228 - Phone: 410-339-7263

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156427H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000221336		A O Smith	2016	12/08/2020	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: **Rijen Automotive/Uhaul**
Location ID: 702421
Address: 8618 Loch Raven Blvd Towson, MD 21286-2304
Phone: 410-296-2270
County: Baltimore
NOB/SIC:
Primary Contact: Rijen Automotive - Phone: 410-296-2270
Billing Contact: Rijen Automotive - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-296-2270
Cert Contact: Rijen Automotive - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-296-2270
Owner Contact: Rijen Automotive - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-296-2270
Other Contact(s): Bill , Owner - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-337-0440
Paresh Patel - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-337-0440
Rijen Automotive - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-296-2270

My Company Comments: Owner called this location was sold 3 years company. Location is owned by Rijen Automotive.
This location changed from All Lube and Tube to U-Haul

My Shared Comments: Spoke with new owner today, bought company in June 2012. Atlantic Services inspecting next week. R. Mason 8/10/12

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080997V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034726		Brunner	1979	10/21/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Roberts Oyxgen (Hyperheal Hyperbarics Inc)** **Location ID:** 3868689
Address: 9411 Philadelphia Rd Rosedale, MD 21237-4168 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oyxgen (Hyperheal Hyperbarics Inc)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161405V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000077583		CHART	2017	06/03/2022	Recurring Cert	Active	Outside/Caged Area

Total Objects at this location 1

Location: **Rock Oak Properties LLC** **Location ID:** 728351
Address: 6600 Moravia Park Dr Baltimore, MD 21237-1020 **Phone:** 410-686-1101
County: Baltimore **NOB/SIC:**
Primary Contact: James Evans
Billing Contact: James Evans - PO Box 72007 Baltimore, MD 21237-8007
Cert Contact: James Evans - PO Box 72007 Baltimore, MD 21237-8007
Owner Contact: James Evans - PO Box 72007 Baltimore, MD 21237-8007
Other Contact(s): Dave Ashwood, Facilities - 3400 N Charles St Baltimore, MD 21218-2625 - Phone: 443-997-8060 - Email: dashwood@jhu.edu
James Evans - PO Box 72007 Baltimore, MD 21237-8007
Rob , Plant Operations - 3001 Remington Ave Baltimore, MD 21211-2832 - Phone: 410-516-8063
Swag Dog - PO Box 43956 Baltimore, MD 21236-0956 - Phone: 410-325-9494

My Company Comments:

My Shared Comments:
Contact Plant Operations to gain entry. No one at site has key to the boiler room.
Map 36 B-8
New Owner, per M. Wolf. Location name and contact update. Deleting citation.

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092581V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000249032		Manchester	1994	06/24/2021	External Cert, Recurring Cert	Active	Loading Dock Old Boiler Room
MD146178V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000427537		Manchester	2005	06/24/2021	Recurring Cert	Active	2nd Fl Stoor Rm

Total Objects at this location 2

Location: **Rolling Road Golf Club** **Location ID:** 723243
Address: 814 Hilltop Rd Catonsville, MD 21228-5469 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Butcher, Engineer - Phone: 410-747-5196 x119 - Email: jbutcher@rollingroadgc.com
Billing Contact: Leslie Byrum - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 x111 - Email: lbyrum@rollingroadgc.com
Cert Contact: Jason Butcher, Engineer - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 x119 - Email: jbutcher@rollingroadgc.com
Owner Contact: Jason Butcher, Engineer - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 x119 - Email: jbutcher@rollingroadgc.com
Other Contact(s): David Ray, Clubhouse Manager - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 X15 - Email: dray@rollingroadgc.com
Jason Butcher, Engineer - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 x119 - Email: jbutcher@rollingroadgc.com
Jessica Ryan, Office Manager - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 - Email: Jryan@rollingroadgc.com
Leslie Byrum, Office Mgr. - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196 x111 - Email: lbyrum@rollingroadgc.com
Mike Harris, Office Manager - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5196
Richard Sovero, President - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5194 - Email: dtaylor@rollingroadgc.com
Terry Friel, Office Manager - 814 Hilltop Rd Catonsville, MD 21228-5469 - Phone: 410-747-5194 x 11 - Email: tfriel@rollingroadgc.com

My Company Comments: Contact update.
I was able to verify that two water heaters had the violations in JO cleared. They had violations for thermometers being damaged or inoperable, and they had since been replaced and are in good working order. Jeremy MacDonald 12-12-17
We had some issues getting our insurance company out here to inspect, it took quite a while. They just came on the 10th, the units did not pass, just minor things (thermostat, pressure relief). We have documentation that we tried to get this done prior to Feb 9th. Just wanted to touch base with this department so as to not receive any late fee or penalty. We've got our mechanic coming this week for the repairs and will have them back out to inspect ASAP. Thanks for your time.

Jason Butcher
Engineer-Rolling road Golf Club
410-747-5196 X119

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128026H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092191		A O Smith	2004	02/09/2021	Recurring Cert	Active	MECH RM
MD140584H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000120409		A O Smith	2007	02/09/2021	Recurring Cert	Active	MECH RM
MD140585H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000121818		A O Smith	2007	02/09/2021	Recurring Cert	Active	MECH RM

Total Objects at this location 3

Location: **Rosedale Federal Savings and Loans** **Location ID:** 3882586
Address: 6810 York Rd Baltimore, MD 21212-1808 **Phone:** 410-377-4330
County: Baltimore **NOB/SIC:**
Primary Contact: Danette Moss, Support Services Supervisor - Phone: 410-668-4400 x337 - Email: dmoss@rosedalefederal.com
Billing Contact:
Cert Contact: Danette Moss, Support Services Supervisor - 9616A Belair Rd Nottingham, MD 21236-1104 - Phone: 410-668-4400 x337 - Email: dmoss@rosedalefederal.com
Owner Contact: Danette Moss, Support Services Supervisor - 9616A Belair Rd Nottingham, MD 21236-1104 - Phone: 410-668-4400 x337 - Email: dmoss@rosedalefederal.com
Other Contact(s): Danette Moss, Support Services Supervisor - 9616A Belair Rd Nottingham, MD 21236-1104 - Phone: 410-668-4400 x337 - Email: dmoss@rosedalefederal.com

My Company Comments: Rosedale Federal Savings and Loans (Location: 3882586) - 6810 York Rd - 1 CED

I was able to inspect and complete a certificate external inspection on this object. It had been installed in 1979 and never inspected. So I registered the object as well. MacDonald - End of Day 6/18/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161103H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CGM-6 353844	Weil-McLain	1979	06/19/2020	Recurring Cert	Active	BLRM

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Rosemont Towson**
Address: 6906 Donachie Rd Baltimore, MD 21239-1101
County: Baltimore
Location ID: 712278
Phone: 443-279-0592
NOB/SIC:

Primary Contact: Don Pollhammer, Maintenance Supervisor - Phone: 410-821-8819 - Email: Dpollhammer@hmgmt.com
Billing Contact: Don Pollhammer - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: Dpollhammer@hmgmt.com
Cert Contact: Don Pollhammer, Maintenance Supervisor - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: Dpollhammer@hmgmt.com
Owner Contact: Lynnett Harris, Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: lynnett.harris@rosemonttowson.com
Other Contact(s): Courtney - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 Ext 2 - Email: info@rosemonttowson.com
Don Pollhammer, Maintenance Supervisor - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: Dpollhammer@hmgmt.com
Fairways At Towson - 6900 Lachlan Cir Baltimore, MD 21239-1002 - Phone: 443-279-0592
Joe Alley, Maintenance Superintendent - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Lynnett Harris, Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: lynnett.harris@rosemonttowson.com
Melissa Brown, Property Manager - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: mbrown@thedonaldsongroup.com
Mike Hahn, Service Manager - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-903-1613

My Company Comments:

My Shared Comments: Christina Mokin (Director; 410-821-8819 x6) said that FM Global is coming out to address any violations. This applies to all 53 Fairways at Towson locations.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117145H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076447	C031107426	State Industries	2002	03/15/2022	Recurring Cert	Active	7022 Lachlan Circle
MD125865H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078903	lf03-2557054-110	A O Smith	2003	03/15/2022	Recurring Cert	Active	7005 Lachlan Circle
MD125872H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063956		A O Smith	2001	03/15/2022	Recurring Cert	Active	1310 Colbury Road
MD135948H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092554	M04M000149	A O Smith	2004	03/15/2022	Recurring Cert	Active	6911 Donachie Road
MD141963H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000139226	0926M001040	A O Smith	2009	03/15/2022	Recurring Cert	Active	6931 Donachie Road

Copyright © 2020 CentralSquare

MD141964H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119788	K07M007872	State Industries	2007	03/15/2022	Recurring Cert	Active	6935 Donachie Rd
MD148040H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106150	121150	Bradford White	2013	03/15/2022	Recurring Cert	Active	1302 Airlie Way
MD148041H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000099256	114256	Bradford White	2012	03/15/2022	Recurring Cert	Active	6934 Donachie Road
MD148042H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095461	110461	Bradford White	2011	03/15/2022	Recurring Cert	Active	6923 Donachie Road
MD148043H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000136970	0919M000554	A O Smith	2009	03/15/2022	Recurring Cert	Active	6919 Donachie Road
MD148045H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106140	121140	Bradford White	2013	03/15/2022	Recurring Cert	Active	6909 Lachlan Circle
MD166505H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126619		Bradford White	2018	02/27/2022	Recurring Cert	Active	6936 Donachie
MD166510H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130340		Bradford White	2018	02/27/2022	Recurring Cert	Active	1300 Airlieway

Total Objects at this location 13

Location: **Royal Farms**
Address: 7560 Belair Rd Nottingham, MD 21236-4107
County: Baltimore
Primary Contact: Royal Farms
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

My Company Comments:

Location ID: 4043761
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000180730		CHART	2006	10/09/2020	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Royal Motors**
Location ID: 720883
Address: 1766 E Joppa Rd Parkville, MD 21234-3621
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Hassan Najafali
Billing Contact: Hassan Najafali - 1766 E Joppa Rd Parkville, MD 21234-3621
Cert Contact: Hassan Najafali - 1766 E Joppa Rd Parkville, MD 21234-3621
Owner Contact: Hassan Najafali - 1766 E Joppa Rd Parkville, MD 21234-3621
Other Contact(s): Hassan Najafali - 1766 E Joppa Rd Parkville, MD 21234-3621
Pars Auto Service - 1766 E Joppa Rd Parkville, MD 21234-3621 - Phone: 4106681393

My Company Comments:

My Shared Comments: Previous owner called D. Clements to say registration form was forwarded to him by post office. He gave new owners' contact info and business name.Previous owner states that object was left at premises. Reprinted registration form and saved on H drive.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101993V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072595		Steel Products	1993	10/25/2020	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Ruxton Towers**
Location ID: 723576
Address: 8415 Bellona Ln Towson, MD 21204-2055
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jeff Dahne - Phone: 410-828-6700 - Email: jeff@ruxrontowers.com
Billing Contact: Jeff Dahne - 8415 Bellona Ln Towson, MD 21204-2055 - Phone: 410-828-6700 - Email: jeff@ruxrontowers.com
Cert Contact: Jeff Dahne - 8415 Bellona Ln Towson, MD 21204-2055 - Phone: 410-828-6700 - Email: jeff@ruxrontowers.com
Owner Contact: Jeff Dahne - 8415 Bellona Ln Towson, MD 21204-2055 - Phone: 410-828-6700 - Email: jeff@ruxrontowers.com
Other Contact(s): Gamliel Hackerman - 8415 Bellona Ln Towson, MD 21204-2075 - Phone: 410-826-6700/410-828-3961 - Email: ghackerman@gmail.com

Copyright © 2020 CentralSquare

Jeff Dahne - 8415 Bellona Ln Towson, MD 21204-2055 - Phone: 410-828-6700 - Email: jeff@ruxrontowers.com
Jeffery Dahne, Property Manager - 8415 Bellona Ln Baltimore, MD 21204-2075 - Phone: 410-828-3961
Kemp Thomas - 8415 Bellona Ln Baltimore, MD 21204-2075 - Phone: 410-828-6700/ 410-828-3961 - Cell: 443-677-1314 - Email: kempthomas@comcast.net
Ruxton Towers Apartments - 8415 Bellona Ln Baltimore, MD 21204-2075 - Phone: 410-828-6700
Tate Engineering Systems Inc - 1560 Caton Center Dr Baltimore, MD 21227-1556 - Phone: 800-800-8283 (-TATE)

My Company Comments: Updated contact.

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157773V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000061060		Daikin	2017	06/30/2021	Recurring Cert	Active	Z BLRM

Total Objects at this location 1

Location: **Ryleigh's Oyster (Arc3)**
Location ID: 3925620
Address: 22 W Padonia Rd Lutherville Timonium, MD 21093-2226
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Ryleigh's Oyster (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163497V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	00080839		MVE	1998	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Safeway Store #1880** **Location ID:** 1931497
Address: 8858 Waltham Woods Rd Baltimore, MD 21234-2402 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jerry Hargett, Store Manager - Phone: 410-882-8822 - Email: s1880c90@safeway.com
Billing Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Cert Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Owner Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Other Contact(s): Aimee Wright - 1 1, 1 83701 - Phone: 1 - Email: aimee.wright@safeway.com
Erwin Granados, Protfilio Executive - 00 - 00 00, 00 00000 - Email: erwin.granados@zurichna.com
Gail Sydow, Underwritter - 00 - 00 00, 00 00000 - Email: gail.sydow@zurichna.com
Jerry Hargett, Store Manager - 8858 Waltham Woods Rd Baltimore, MD 21234-2402 - Phone: 410-882-8822 - Email: s1880c90@safeway.com
Rick Sudbrook, Store Manager - 8858 Waltham Woods Rd Baltimore, MD 21234-2402 - Phone: 410-882-8822
Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125202V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025933		Standard Refrigeration	1999	07/12/2022	Recurring Cert	Active	Outside Compressor Room
MD125203V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025934		Standard Refrigeration	1999	07/12/2022	Recurring Cert	Active	Outside Compressor Room
MD150115H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000190026	190026	A O Smith	2014	07/12/2022	Recurring Cert	Active	Dairy Area

Total Objects at this location 3

Location: **Safeway Store #2979** **Location ID:** 2865539
Address: 1017 York Rd Towson, MD 21204-2516 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Patricia Hutchinson, Store Manager - Phone: 410-296-2267 - Email: s2979c90@safeway.com

Copyright © 2020 CentralSquare

Billing Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Cert Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Owner Contact: Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com
Other Contact(s): Patricia Hutchinson, Store Manager - 1017 York Rd Towson, MD 21204-2516 - Phone: 410-296-2267 - Email: s2979c90@safeway.com
Safeway Store #2979 - 1017 York Rd Towson, MD 21204-2516 - Email: james.walden@safeway.com
Safeway, Inc. - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com

My Company Comments:

My Shared Comments: Call from corporate(623-869-4448), looking for registration form. Not due till 2015. Registration was sent to Tom Klock. Send all letters to PO Box 29096 MS-6531, Phoenix Arizona 85038-9096.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157187H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000203351		A O Smith	2015	03/03/2021	Recurring Cert	Active	Above Dairy

Total Objects at this location 1

Location: **Saft America**
Address: 109 Beaver Ct Cockeysville, MD 21030-2104
County: Baltimore
Primary Contact: Saft America
Billing Contact: Saft America - 109 Beaver Ct Cockeysville, MD 21030-2104
Cert Contact: Saft America - 109 Beaver Ct Cockeysville, MD 21030-2104
Owner Contact: Saft America - 109 Beaver Ct Cockeysville, MD 21030-2104
Other Contact(s): Saft America - 109 Beaver Ct Cockeysville, MD 21030-2104

Location ID: 3692997
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153538V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000369160	385620	Morganton	2014	04/19/2020	Recurring Cert	Active	Battery Test Area
MD153539V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011931	13449	Air Com	2011	04/19/2020	Recurring Cert	Active	Battery Test Area

Copyright © 2020 CentralSquare

MD161897V	left	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000821105	Steel Fab	2016	01/29/2021	Recurring Cert	Active	Mezzanine
MD161898V	right	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854256	Steel Fab	2017	01/29/2021	Recurring Cert	Active	Mezzanine

Total Objects at this location 4

Location: **Saft America Inc**
Address: 107 Beaver Ct Cockeysville, MD 21030-2106
County: Baltimore
Primary Contact: Henry Netro - Phone: (410) 771-3200
Billing Contact: Saft America Inc - 107 Beaver Ct Cockeysville, MD 21030-2106 - Phone: 4107713200
Cert Contact: Saft America Inc - 107 Beaver Ct Cockeysville, MD 21030-2106 - Phone: 4107713200
Owner Contact:
Other Contact(s): Henry Netro - 107 Beaver Ct Cockeysville, MD 21030-2106 - Phone: (410) 771-3200
Saft America Inc - 107 Beaver Ct Cockeysville, MD 21030-2106 - Phone: 4107713200

Location ID: 723689
Phone:
NOB/SIC:

My Company Comments: At present we are awaiting our maintenance schedule for repair of a few of the violations. Additionally I am in contact with Ryan Foley of Atlantic Biomedical who ordered additional parts for the cleaning of the boilers. I anticipate the arrival of the parts in a week or so. Upon arrival of the parts we will have technicians from Atlantic Biomedical and your team on site for the final inspection. We will coordinate the schedule once the parts arrive. Best Regards, Mike Clarke (location) sending info to MAC Inspections.
Good morning All, We are scheduled to complete the inspections on Tuesday, 6/18/19. Thank you.
Deborah Coleman 6/11/19
Mike Clarke called 410-568-2212, they are installing a compressor and wanted to know the process. The location was scheduled because of overdues but has been inspected by Mike Coleman. Sending the NOI to michael.clarke@saftamerica.com.
SAFT America, Inc. - LOC 723689
Inbox
x

MAC Inspection & Welding Agency
8:53 AM (0 minutes ago)
to Elizabeth, me, Dorothy, Michael

Good morning All, I was contacted by Mr. Clarke of Saft America, Inc. (cc'd in this email), to schedule the internal inspections of their four(4) boilers that are past due. They contacted their servicing company to open the boilers for inspection. We will let you know once we confirm a date.

Have a great week! 6/10/19
SAFT America, Inc. - LOC 723689----

Inspection & Welding Agency
4:08 PM (0 minutes ago)----

Copyright © 2020 CentralSquare

Good afternoon Robin, SAFT America was just notified by their servicing company that the parts they needed to order aren't scheduled to come in until 6/19. They also said that the parts are coming from Mexico and have to go through customs, which could delay the arrival a few days. We have scheduled to do the inspections on Thursday, 6/27 & Friday, 6/28. I just wanted to make sure you were aware and to see what the possible repercussions would be because they're going past the 6/19 date. 6/14/19

My Shared Comments: Saft has been sold no longer part of Alcatel per GRC 12/16/05

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071720V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031718	00000	Brunner	1982	04/19/2020	Recurring Cert	Active	Machine Deck
MD086116H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	00000	Hydrotherm	1994	04/19/2020	Recurring Cert	Active	Machine Deck
MD128002V	#1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000415067	00000	Steel Fab	2005	04/19/2020	Recurring Cert	Active	Drier Rm 1 mezzanine
MD128003V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000415066	00000	Steel Fab	2005	04/19/2020	Recurring Cert	Active	Drier Rm & Mezzanine
MD153540	Boiler 2	Miniature Boiler (NOT Fired Kettle)	S - Power-Other w/comment (Stm > 15 psig)	000022966	28462	Chromalox	2014	06/19/2020	Recurring Cert	Active	Formation shop
MD153541	Boiler 1	Miniature Boiler (NOT Fired Kettle)	S - Power-Other w/comment (Stm > 15 psig)	000022965	28461	Chromalox	2014	06/19/2020	Recurring Cert	Active	Formation shop
MD153542	Boiler 3	Miniature Boiler (NOT Fired Kettle)	S - Power-Other w/comment (Stm > 15 psig)	000022967	28460	Chromalox	2014	06/19/2020	Recurring Cert	Active	Formation Shop
MD153543	Boiler 4	Miniature Boiler (NOT Fired Kettle)	S - Power-Other w/comment (Stm > 15 psig)	000022968	28463	Chromalox	2014	06/19/2020	Recurring Cert	Active	Formation shop
			Total Objects at this location		8						

Location: **Saint Charles House**
Address: 11 Church Ln Pikesville, MD 21208-6607
County: Baltimore
Primary Contact: Ed Organ - Cell: 443 527 0235 - Email: eorgan@cc-md.org

Location ID: 723759
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Ed Organ - 11 Church Ln Pikesville, MD 21208-6607 - Cell: 443 527 0235 - Email: eorgan@cc-md.org
Cert Contact: Ed Organ - 11 Church Ln Pikesville, MD 21208-6607 - Cell: 443 527 0235 - Email: eorgan@cc-md.org
Owner Contact:
Other Contact(s): Art Ross - 11 Church Ln Pikesville, MD 21208-3837 - Phone: 410 484-6125
Ed Organ - 11 Church Ln Pikesville, MD 21208-6607 - Cell: 443 527 0235 - Email: eorgan@cc-md.org

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163526H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	756535	Peerless	2018	01/23/2021	Recurring Cert	Active	Equipment Room
MD163527H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	756536	Peerless	2018	01/23/2021	Recurring Cert	Active	Equipment Room

Total Objects at this location 2

Location: **Saint Johns English Lutheran Church**
Location ID: 723868
Address: 518 Franklin Ave Essex, MD 21221-6721
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: office open in the AM - Phone: 410 687 4621
Billing Contact: Matt Class - 518 Franklin Ave Essex, MD 21221-6721 - Phone: 410 687-4621 - Cell: 410 598-0169 - Email: mattc@grasmicklumber.com
Cert Contact: Matt Class - 518 Franklin Ave Essex, MD 21221-6721 - Phone: 410 687-4621 - Cell: 410 598-0169 - Email: mattc@grasmicklumber.com
Owner Contact:
Other Contact(s): Matt Class - 518 Franklin Ave Essex, MD 21221-6721 - Phone: 410 687-4621 - Cell: 410 598-0169 - Email: mattc@grasmicklumber.com
office open in the AM - 518 Franklin Ave Essex, MD 21221-6721 - Phone: 410 687 4621

My Company Comments:

My Shared Comments:
Called the cell phone contact and got answering machine. Left message and got no call back tey.
Called the contact number in JO. No phone call was returned so I did not go to location on 10/15/2018.
I called the church and left a message on their machine at 410-687-4621. I also tried the Cell number for Matt Class at 410-598-0169. I have not received any return calls.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062313H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		National Radiator	1952	11/12/2020	Recurring Cert	Active	Hall Boiler Room

Copyright © 2020 CentralSquare

MD123508H	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2003	11/12/2020	Recurring Cert	Active	churh boiler room
MD144885H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	VJH20872	Columbia	2008	11/12/2020	Recurring Cert	Active	School Boiler Room

Total Objects at this location 3

Location: **Saint Pauls Evangelical Lutheran Church**
Location ID: 724112
Address: 15773 Dover Rd Upperco, MD 21155-9516
Phone: 410-239-3456
County: Baltimore
NOB/SIC:
Primary Contact: Leon Fleming, Property Chair - Phone: 443-277-5104 - Email: leomf1207@yahoo.com
Billing Contact: Saint Pauls Evangelical Lutheran Church - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 410-239-3456
Cert Contact: Leon Fleming, Property Chair - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 443-277-5104 - Email: leomf1207@yahoo.com
Owner Contact: Leon Fleming, Property Chair - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 443-277-5104 - Email: leomf1207@yahoo.com
Other Contact(s): Leon Fleming, Property Chair - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 443-277-5104 - Email: leomf1207@yahoo.com
Saint Pauls Evangelical Lutheran Church - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 410-239-3456

My Company Comments:

My Shared Comments: Leon Fleming called and said no one from RMF has called him back despite multiple messages left. He said he will try going with someone else if he doesn't hear back soon.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077322H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2501679	Weil-McLain	1993	07/27/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Sam's Club - 6239**
Location ID: 2654790
Address: 15 Texas Station Ct Timonium, MD 21093-8263
Phone: 479-204-2073
County: Baltimore
NOB/SIC:
Primary Contact: Sam's Club - 6239
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (CB&I Shaw Environmental, Inc VA) - 11181 Thompson Ave Lenexa, KS 66219-2302 - Phone: 770-442-7379 - Email: jason.fadely@aptim.com
APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Marquita/Lerch Rose/Bates - 9780 S Meridian Blvd Ste 450 Englewood, CO 80112-6074 - Phone: 303-795-7956 - Cell: 720-309-5439 - Email: marquita.rose@lerchbates.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141632V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000815216		Manchester	2007	04/07/2021	Recurring Cert	Active	Tire Shop
MD141633V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023792		Standard	1999	04/07/2021	Recurring Cert	Active	Equip Room
MD141634V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023777		Standard	1999	04/07/2021	Recurring Cert	Active	Equip Room

Total Objects at this location 3

Location: **Sam's Club - 6650**
Location ID: 953417
Address: 6410 Petrie Way Rd Rosedale, MD 21237-3034
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118052V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000578909		Manchester	2001	07/15/2021	Recurring Cert	Active	Shop Compressor Room

Copyright © 2020 CentralSquare

MD140474V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042791		Standard	2002	07/15/2021	Recurring Cert	Active	Rack A Outside
MD140475V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042791		Standard	2002	07/15/2021	Recurring Cert	Active	Rack B Outside

Total Objects at this location 3

Location: **Sam's Club - 6651**
Location ID: 724301
Address: 5702 Baltimore National Pike Catonsville, MD 21228-1306
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113625V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000571705		Manchester	2001	06/14/2022	Recurring Cert	Active	Tire Shop
MD154885V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045965		Westermeyer	2015	06/14/2022	Recurring Cert	Active	New Moter Room
MD154886V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048076		Westermeyer	2015	06/14/2022	Recurring Cert	Active	New Moter Room

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **Sams Club** **Location ID:** 3316734
Address: 5702 Baltimore National Pike Catonsville, MD 21228-1306 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2 Supply, LLC (Sam's) - 2800 SE Market Pl Stuart, FL 34997-4965
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments: Green Card Rec'd 10-3-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149096V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000247182		CHART	2013	05/17/2023	Recurring Cert	Active	Outside rear enclosure

Total Objects at this location 1

Location: **Sams Club** **Location ID:** 3316732
Address: 6410 Petrie Way Rd. Baltimore, MD 21237-3034 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Sams Club
Billing Contact: Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
Cert Contact: Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
Owner Contact: NuCO2 Supply, LLC (Sam's) - 2800 SE Market Pl Stuart, FL 34997-4965
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2 Supply, LLC (Sam's) - 2800 SE Market Pl Stuart, FL 34997-4965
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Copyright © 2020 CentralSquare

Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147087V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000244578		CHART	2013	07/15/2021	Recurring Cert	Active	Deli

Total Objects at this location 1

Location: **Sams Club (NuCO2) #126682**
Location ID: 3316728
Address: 15 Texas Station Ct Lutherville Timonium, MD 21093-8263
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sams Club (NuCO2) #126682
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2 Supply, LLC (Sam's) - 2800 SE Market Pl Stuart, FL 34997-4965
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161849V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000177606		CHART	2002	02/27/2021	Recurring Cert	Active	Outside Caged Area

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Santoni's Marketplace and Catering**
Address: 4854 Butler Rd Glyndon, MD 21071-4209
County: Baltimore
Primary Contact: Santoni's Marketplace and Catering
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Santoni's Marketplace and Catering - 4854 Butler Rd Glyndon, MD 21071-4209 - Phone: 410-833-6610

Location ID: 4029736
Phone: 410-833-6610
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167238V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166077		CHART	2005	06/23/2022	Recurring Cert	Active	Outside Rear of building

Total Objects at this location 1

Location: **Schafer Building**
Address: 1703-1705 E Joppa Rd Towson, MD 21286
County: Baltimore
Primary Contact: Tim & Gretchen McGrath - Phone: 410-299-8841
Billing Contact: Tim & Gretchen McGrath - 2009 Dumont Rd Timonium, MD 21093-4409 - Phone: 410-299-8841
Cert Contact: Tim & Gretchen McGrath - 2009 Dumont Rd Timonium, MD 21093-4409 - Phone: 410-299-8841
Owner Contact: Tim & Gretchen McGrath - 2009 Dumont Rd Timonium, MD 21093-4409 - Phone: 410-299-8841
Other Contact(s): Schafer Building, LLC. - 1703-1705 E Joppa Rd Towson, MD 21286
Tim & Gretchen McGrath - 2009 Dumont Rd Timonium, MD 21093-4409 - Phone: 410-299-8841

Location ID: 720969
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082221H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	19073398	Bryant	1975	12/10/2020	Recurring Cert	Active	Basement

Copyright © 2020 CentralSquare

MD082222H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3877v00251	Bryant	1975	12/10/2020	Recurring Cert	Active	Basement
MD082223H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1677v00230	Bryant	1975	12/10/2020	Recurring Cert	Active	Basement
MD082224H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	4377v00215	Bryant	1975	12/10/2020	Recurring Cert	Active	Basement
			Total Objects at this location		4						

Location: **Schmidt Baking Co.**
Location ID: 724413
Address: 7717 Fitch Ln Baltimore, MD 21236-3915
Phone: 410-529-5621
County: Baltimore
NOB/SIC:
Primary Contact: Kim Fox - Cell: 443-206-8163 - Email: kfox@schmidtbaking.com
Billing Contact: Kim Fox - 7717 Fitch Ln Baltimore, MD 21236-3915 - Cell: 443-206-8163 - Email: kfox@schmidtbaking.com
Cert Contact: Kim Fox - 7717 Fitch Ln Baltimore, MD 21236-3915 - Cell: 443-206-8163 - Email: kfox@schmidtbaking.com
Owner Contact: Kim Fox - 7717 Fitch Ln Baltimore, MD 21236-3915 - Cell: 443-206-8163 - Email: kfox@schmidtbaking.com
Other Contact(s): Brian Barnes, Maint. Manager - 7717 Fitch Ln # 7801 Baltimore, MD 21236-3915 - Phone: 410-529-5621 - Cell: 443-987-3542 - Email: bbarnes@schmidtbaking.com
Dave Caranata - 7717 Fitch Ln # 7801 Baltimore, MD 21236-3915 - Phone: 410 661 2244 X2308
Kim Fox - 7717 Fitch Ln Baltimore, MD 21236-3915 - Cell: 443-206-8163 - Email: kfox@schmidtbaking.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD058139H		Horizontal Fire Tube	O - Other (Blr Use) w/comment	000056593		Cleaver Brooks	1983	04/15/2021	Recurring Cert	Active	Boiler Room
MD058140H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000056620		Cleaver Brooks	1983	05/01/2021	Recurring Cert	Active	Bakery Blr Room
MD123247H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	410400026	Dunkirk	2004	04/15/2021	Recurring Cert	Active	Small Boiler Room
MD146173H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000024442	080953923	R B I	2008	04/15/2021	Recurring Cert	Active	Tray Wash
MD146174H		Horizontal Water Tube	H - Heating-Sterilizing (Steam <= 15 psig)	000008860	070435890	R B I	2008	04/15/2021	Recurring Cert	Active	Tray Wash

Copyright © 2020 CentralSquare

MD150466V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000884595		Wood	2013	04/15/2021	Recurring Cert	Active	Compressor Room
MD163550V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000880053		Steel Fab	2018	03/27/2021	Recurring Cert	Active	Air Compressor Area

Total Objects at this location 7

Location: **Season's Pizza (Arc3)** **Location ID:** 3925618
Address: 20 Church Ln Cockeysville, MD 21030-4902 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Season's Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000121443		MVE	2000	02/27/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Security Equipment Co** **Location ID:** 1848249
Address: 3828 Washington Blvd Baltimore, MD 21227-1629 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Thomas Drescher - Phone: 410-247-9600
Billing Contact: Thomas Drescher - 3828 Washington Blvd Baltimore, MD 21227-1629 - Phone: 410-247-9600
Cert Contact: Thomas Drescher - 3828 Washington Blvd Baltimore, MD 21227-1629 - Phone: 410-247-9600
Owner Contact: Thomas Drescher - 3828 Washington Blvd Baltimore, MD 21227-1629 - Phone: 410-247-9600
Other Contact(s): Thomas Drescher - 3828 Washington Blvd Baltimore, MD 21227-1629 - Phone: 410-247-9600

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123996V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000627741		Buckeye	1985	04/10/2021	Recurring Cert	Active	#1 Shop(Main) Loft
MD157715V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000472672	530891	Morganton	2015	04/28/2021	Recurring Cert	Active	Rental(Shop 2)

Total Objects at this location 2

Location: **Service Tire Truck Centers** **Location ID:** 722612
Address: 9214 Pulaski Hwy Middle River, MD 21220-2416 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Guerra, Center Manager - Phone: 410-687-4424 - Cell: 443-506-8013
Billing Contact: Mike Guerra - 9214 Pulaski Hwy Middle River, MD 21220-2416 - Phone: 410-687-4424 - Cell: 443-506-8013
Cert Contact: Mike Guerra, Center Manager - 9214 Pulaski Hwy Middle River, MD 21220-2416 - Phone: 410-687-4424 - Cell: 443-506-8013
Owner Contact: Mike Guerra, Center Manager - 9214 Pulaski Hwy Middle River, MD 21220-2416 - Phone: 410-687-4424 - Cell: 443-506-8013
Other Contact(s): Mike Guerra, Center Manager - 9214 Pulaski Hwy Middle River, MD 21220-2416 - Phone: 410-687-4424 - Cell: 443-506-8013

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163556V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000612002		Morganton	2016	03/06/2021	Recurring Cert	Active	Comp Shed

Total Objects at this location 1

Location: **Seton Park Apartments** **Location ID:** 724646
Address: 3612 Bowers Ave Woodlawn, MD 21207-6961 **Phone:** 410-488-0900
County: Baltimore **NOB/SIC:**
Primary Contact: Felicia Gross, Community Manager - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com

Copyright © 2020 CentralSquare

Billing Contact: Nickia Fulton - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Cert Contact: Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Owner Contact: Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Other Contact(s): Felicia Gross, Community Manager - 5617 Haddon Ave Woodlawn, MD 21207-6921 - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com
Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153065H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000186782		A O Smith	2013	10/21/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Seton Park Apartments** **Location ID:** 724651
Address: 5600 Burtis Ave Woodlawn, MD 21207-6968 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Felicia Gross, Community Manager - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com
Billing Contact: Nickia Fulton - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Cert Contact: Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Owner Contact: Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com
Other Contact(s): Felicia Gross, Community Manager - 5600 Burtis Ave Woodlawn, MD 21207-6968 - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com
Nickia Fulton, Community Manger - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153066H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000178100		A O Smith	2013	10/21/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Seven Mile Lane Apartments**
Location ID: 724658
Address: 3907 Seven Mile Lane Pikesville, MD 21208-6109
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jon Fink, owner - Phone: 410-764-1000
Billing Contact: Jon Fink - 6999 Reisterstown Rd Ste 6 Baltimore, MD 21215-1492 - Phone: 410-764-1000
Cert Contact: Jon Fink, owner - 6999 Reisterstown Rd Ste 6 Baltimore, MD 21215-1492 - Phone: 410-764-1000
Owner Contact: Jon Fink, owner - 6999 Reisterstown Rd Ste 6 Baltimore, MD 21215-1492 - Phone: 410-764-1000
Other Contact(s): Jon Fink, owner - 6999 Reisterstown Rd Ste 6 Baltimore, MD 21215-1492 - Phone: 410-764-1000

My Company Comments: Seven Mile Lane Apartments-724658

I registered a water heater at this location. No issues were encountered. snyder-3/19/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160205H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000229347	229347	A.O. Smith	2017	01/25/2022	Recurring Cert	Active	Laundry Room

Total Objects at this location 1

Location: **Sheehy Nissan**
Location ID: 3919004
Address: 5361 Nottingridge Rd White Marsh, MD 21162
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Shawn Fenwick, Service Director - Phone: 4432709000 - Email: shawnfenwick@sheehy.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Shawn Fenwick, Service Director - 5361 Nottingridge Rd White Marsh, MD 21162-1027 - Phone: 4432709000 - Email: shawnfenwick@sheehy.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152728V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000798924		Steel Fab	2015	01/15/2022	Recurring Cert	Active	Rear Shed

Copyright © 2020 CentralSquare

w/comment

Total Objects at this location 1

Location: **Sheppard Pratt Health Sys.**
Location ID: 1251175
Address: 11201 Pepper Rd Hunt Valley, MD 21031-1201
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jenny Caddell, Administrator - Phone: 410 938 4421X4639
Billing Contact: Jenny Caddell - 11201 Pepper Rd Hunt Valley, MD 21031-1201 - Phone: 410 938 4421X4639
Cert Contact: Jenny Caddell, Administrator - 11201 Pepper Rd Hunt Valley, MD 21031-1201 - Phone: 410 938 4421X4639
Owner Contact:
Other Contact(s): Jenny Caddell, Administrator - 11201 Pepper Rd Hunt Valley, MD 21031-1201 - Phone: 410 938 4421X4639

My Company Comments: Sheppard Pratt #1251175 No access Reynolds 1/14/2019

My Shared Comments: This location is within another corporation, only 1 vessel in this propertyy is owner/operated by this name and is not insured through the property/casulty insurance of the other tenant at this address.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129281H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	070730	H B Smith	2007	11/28/2020	Recurring Cert	Active	Boiler Room
MD129282H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	070723	H B Smith	2007	11/28/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **Shultz's Crabhouse & Restaurant**
Location ID: 724945
Address: 1732 Old Eastern Ave Essex, MD 21221-2203
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Shultz's Crabhouse & Restaurant - Phone: 4106871020
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Shultz's Crabhouse & Restaurant - 1732 Old Eastern Ave Essex, MD 21221-2203 - Phone: 4106871020

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110528H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI		Weil-McLain	1997	07/25/2021	Recurring Cert	Active	Outside Rear Boiler Room
MD110530H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	10008621	Burnham	1996	07/25/2021	Recurring Cert	Active	Outside Rear Boiler Room

Total Objects at this location 2

Location: **Silver Spring Mining Co (Arc3)**
Location ID: 3949964
Address: 8634 Belair Rd Nottingham, MD 21236-2704
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Silver Spring Mining Co (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163593V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000124908		MVE	2000	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Sizzle Eat Drink (Arc3)**
Location ID: 4039048
Address: 11455 Pulaski Hwy White Marsh, MD 21162-1511
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sizzle Eat Drink (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000271776		CHART	2018	08/27/2022	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Skipjack's Restaurant**
Location ID: 724425
Address: 7703 Belair Rd Baltimore, MD 21236-4005
Phone: 410-668-5053
County: Baltimore
NOB/SIC:
Primary Contact: Skipjack's Restaurant
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Schooner Restaurant - 7703 Belair Rd Baltimore, MD 21236-4005 - Phone: 4106685053

My Company Comments:

My Shared Comments: violation corrected by the owner.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128010H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105049		A O Smith	2006	12/12/2020	Recurring Cert	Active	Boiler Room
MD161879H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	CROWNB0006 31222	Crown	2016	01/24/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this location 2

Location: **Skipjack's Restaurant (Arc3)**
Location ID: 3949961
Address: 7703 Belair Rd Nottingham, MD 21236-4005
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Skipjack's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158310V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004987		Taylor-Wharton	1988	09/05/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Skylark Court Apartments** **Location ID:** 1992955
Address: 7 Cedarburg Ct Parkville, MD 21234-1952 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Harry Miller - Phone: 410-665-0066 - Email: harry.miller@bpadv.com
Billing Contact: Skylark Point Apartments - 9150 Parkland Rd Baltimore, MD 21234-2007 - Phone: 410-665-0066
Cert Contact: Skylark Point Apartments - 9150 Parkland Rd Baltimore, MD 21234-2007 - Phone: 410-665-0066
Owner Contact: Harry Miller - 9150 Parkland Rd Baltimore, MD 21234-2007 - Phone: 410-665-0066 - Email: harry.miller@bpadv.com
Other Contact(s): Harry Miller - 9150 Parkland Rd Baltimore, MD 21234-2007 - Phone: 410-665-0066 - Email: harry.miller@bpadv.com
Skylark Point Apartments - 9150 Parkland Rd Baltimore, MD 21234-2007 - Phone: 410-665-0066

My Company Comments:

My Shared Comments: Formally Town & Country Apts - TB 12-22-06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162314H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000119910		Bradford	2016	10/04/2020	Recurring Cert	Active	7 CEDERBURG

Total Objects at this location 1

Location: **SOM-MSP/State Police/Aviation Command** **Location ID:** 717806
Address: 3023 Strawberry Point Rd Middle River, MD 21220-5513 **Phone:** 410-238-5800
County: Baltimore **NOB/SIC:**
Primary Contact: Walt Kuchta, Maintenance Supervisor - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

Copyright © 2020 CentralSquare

Billing Contact: Walt Kuchta - 3023 Strawberry Point Rd Middle River, MD 21220-5513 - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

Cert Contact: Walt Kuchta, Maintenance Supervisor - 3023 Strawberry Point Rd Middle River, MD 21220-5513 - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

Owner Contact: Walt Kuchta, Maintenance Supervisor - 3023 Strawberry Point Rd Middle River, MD 21220-5513 - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

Other Contact(s): Dale Cossaboon, Account Engineer - 1400 American Lane Schaumburg, IL 60196-1056 - Phone: 804-932-9380 - Email: dale.cossaboon@zurichna.com

Manuel Fuentes, Loss Management Specialist - 80 Calvert St Rm 442 Annapolis, MD 21401-1907 - Phone: 410-260-7239 - Email: mfuentes@treasurer.state.md.us

Mia Liley INACTIVE, Loss Prevention Manager - 80 Calvert St Annapolis, MD 21401-1907 - Phone: 410-260-7239 - Email: mliley@treasurer.state.md.us

Stephen John, Underwriter - 1400 American Ln Schaumburg, IL 60196-1056 - Email: stephen.john@zurichna.com

Tricia Piccinini, Broker - 80 Calvert St Annapolis, MD 21401-1907 - Email: patricia_piccinini@ars.aon.com

Walt Kuchta, Maintenance Supervisor - 3023 Strawberry Point Rd Middle River, MD 21220-5513 - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049304V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000189659		Wessels	1981	03/26/2021	Recurring Cert	Active	Old Hanger
MD074615H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000028109	68616	Bryan	1990	03/26/2021	Recurring Cert	Active	Fire Pump Room
MD074616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000896738		Buckeye	1989	03/26/2021	Recurring Cert	Active	Fire Pump Room

Total Objects at this location 3

Location: **Somerset At Towson Apartments**

Location ID: 2880732

Address: 710 Camberley Cir Towson, MD 21204-3850

Phone: 410-296-7725

County: Baltimore

NOB/SIC:

Primary Contact: Heather Lundy, Leasing Manager - Phone: 410-296-7725 - Email: hlundy@covepm.com

Billing Contact: Heather Lundy - 754 Camberley Cir Towson, MD 21204-3843 - Phone: 410-296-7725 - Email: hlundy@covepm.com

Cert Contact: Heather Lundy, Leasing Manager - 754 Camberley Cir Towson, MD 21204-3843 - Phone: 410-296-7725 - Email: hlundy@covepm.com

Owner Contact: Heather Lundy, Leasing Manager - 754 Camberley Cir Towson, MD 21204-3843 - Phone: 410-296-7725 - Email: hlundy@covepm.com

Other Contact(s): Heather Lundy, Leasing Manager - 754 Camberley Cir Towson, MD 21204-3843 - Phone: 410-296-7725 - Email: hlundy@covepm.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098865H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000043904		A O Smith	1998	10/21/2020	External Cert, Recurring Cert	Active	Bldg 4, 710

Total Objects at this location 1

Location: **Sorrento's (Arc3)**
Location ID: 3931265
Address: 6220 Baltimore National Pike Catonsville, MD 21228-2920
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sorrento's (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142315		CHART	2002	02/28/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Southeastern District LCMS**
Location ID: 707020
Address: 7041 Sollers Point Rd Dundalk, MD 21222-3033
Phone: 703-971-9371
County: Baltimore
NOB/SIC:
Primary Contact: Southeastern District LCMS
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Alvin Newton, Rev. - 7041 Sollers Point Rd Dundalk, MD 21222-3033 - Phone: 410 284 2850
Kirk Hymes - 6315 Grovedale Dr Alexandria, VA 22310-2501 - Phone: 703-971-9371

Copyright © 2020 CentralSquare

My Company Comments:

Boiler Inspection - request for form/notice
Inbox
Boilers@dllr

John Schneider <john.schneider@foundrycommercial.com>
10:42 AM (1 hour ago)
to boilers@dllr.state.md.us

Hello,

I am taking over property management for a vacant property returned to the landlord at 7041 Sollers Point Rd, Dundalk, MD.

Is it possible I could please get a copy of the most recent boiler inspection notice so that I can determine how to proceed with this requirement?

Thank you!

JOHN SCHNEIDER

Operations Manager

T 714.299.9450

26522 La Alameda #280

Mission Viejo, CA 92691
Ownership changed, see attached, reprint BPV letter.

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155608H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2015	09/29/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Sparrows Point Terminal**
Address: 1600 Sparrows Point Blvd Sparrows Point, MD 21219
County: Baltimore
Location ID: 3290552
Phone: 443-386-3619
NOB/SIC:

Primary Contact: Mike Vogler - Phone: 443-386-3619
Billing Contact: Mike Vogler - 1600 Sparrows Point Blvd Sparrows Point, MD 21219 - Phone: 443-386-3619
Cert Contact: Mike Vogler - 1600 Sparrows Point Blvd Sparrows Point, MD 21219 - Phone: 443-386-3619
Owner Contact: Mike Vogler - 1600 Sparrows Point Blvd Sparrows Point, MD 21219 - Phone: 443-386-3619
Other Contact(s): Mike Vogler - 1600 Sparrows Point Blvd Sparrows Point, MD 21219 - Phone: 443-386-3619
Mike Vogler, Demolition Contractor - 35980 Woodward Ave Ste 210 Bloomfield Hills, MI 48304-0934 - Phone: 248-932-9600 - Cell: 443-386-3619 - Email: mvogler@mcmdemo.com
Russ Becker - 1650 Des Peres Rd Ste 303 Saint Louis, MO 63131-1853 - Phone: 314-686-5611

My Company Comments:

My Shared Comments:
Mike Vogler (443-386-3619 he is still the contact) called, ownership has changed to SPT, LLC.
Some objects are no longer in use, inspection needed to verify. Received citation warning.
Mike Vogler (443-386-3619) called, for owners of this location. Needs inspector to come, location has power but is unoccupied. Will give to Miwa.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD014502V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022646		Patterson Kelley	1962	08/14/2021	Recurring Cert	Active	Loco Repair outside sand house
MD057946V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008923	N/A	Steel Products	1983	08/14/2021	Recurring Cert	Active	SPT Bldg
MD083878V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000638	1764	Bixby	1991	08/14/2021	Recurring Cert	Active	145 Fuel Truck - Locomotive Shop
MD118680V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000311550	N/A	Steel Fab	2002	08/14/2021	Recurring Cert	Active	HCWWTP New Bldg
MD138770V		Horizontal Unfired	V - Storage (NOT Cryogenic)	001005850	N/A	Manchester	2008	08/14/2021	Recurring Cert	Active	Locomotive Repair Shop

Copyright © 2020 CentralSquare

		Pressure Vessel w/comment								
MD159363V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000334202	274596	Morganton	2013	07/21/2021	Recurring Cert	Active	East Rcvr Water Highead

Total Objects at this location 6

Location: **Spinco Laundromat**
Address: 1561 Hyde Park Rd Essex, MD 21221-4601
County: Baltimore
Primary Contact: Cameron Clark, Managing Member - Phone: 301-790-0606
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Cameron Clark, Managing Member - 13015 Salem Ave Hagerstown, MD 21740-3551 - Phone: 301-790-0606
Darrel , Owner - 1561 Hyde Park Rd Essex, MD 21221-4601 - Phone: 410 391 9944

Location ID: 2315875
Phone:
NOB/SIC:

My Company Comments: Spinco Laundromat - 1561 Hyde Park Rd (Location: 2315875) - 2 CED Reduced

I was able to verfy that the violations written by michael coleman on the two of these boilers have been corrected satisfactorily. It is of to issue certificates for these objects. MacDonald - 3/8/18
There are two objects on this site that had violations listed from the past year. The violations have not yet been corrected. I informed the employee about the violations and asked her to forward them on to her boss. I told her they have 30 days to correct the issues. J MacDonald 1/29/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129778H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005980		R B I	2001	03/12/2021	Recurring Cert	Active	Boiler Room
MD129779H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000013185		R B I	2004	03/12/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **Stevenson University** **Location ID:** 728006
Address: 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Mike Campbell, Assistant Manager - Phone: 410-486-3552 - Cell: 443-540-5657 - Email: mcampbell@stevenson.edu
Billing Contact: Mike Campbell - 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 - Phone: 410-486-3552 - Cell: 443-540-5657 - Email: mcampbell@stevenson.edu
Cert Contact: Mike Campbell, Assistant Manager - 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 - Phone: 410-486-3552 - Cell: 443-540-5657 - Email: mcampbell@stevenson.edu
Owner Contact: Mike Campbell, Assistant Manager - 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 - Phone: 410-486-3552 - Cell: 443-540-5657 - Email: mcampbell@stevenson.edu
Other Contact(s): Mike Campbell, Assistant Manager - 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 - Phone: 410-486-3552 - Cell: 443-540-5657 - Email: mcampbell@stevenson.edu
Villa Julie College - 1525 Greenspring Valley Rd Stevenson, MD 21153-0641 - Phone: 4104867000

My Company Comments: MD156408Vwas moved not MD156008V.
Moved MD156008V and MD156410V to location 989121 per Jeremy MacDonald.

My Shared Comments: location insured by HSB and confirmed as of this date by Kara Klaus with Travelers - dc 6/26/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD054104V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000857435		Wood	1984	12/05/2020	Recurring Cert	Active	Knott Hall B R
MD065634H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1987	12/05/2020	Recurring Cert	Active	LCR bldg B R
MD065635H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	1015	H B Smith	1987	12/05/2020	Recurring Cert	Active	L R C
MD086677V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000170593		Manchester	1994	12/05/2020	Recurring Cert	Active	LRC bldg B R
MD098492H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1997	12/05/2020	Recurring Cert	Active	Student Union B R
MD098493H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1997	12/05/2020	Recurring Cert	Active	Student Union
MD098494H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1997	12/05/2020	Recurring Cert	Active	Student Union B R

Copyright © 2020 CentralSquare

MD098495H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000089325		PVI	1996	12/05/2020	Recurring Cert	Active	Student Union
MD098496H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000089326		PVI	1996	12/05/2020	Recurring Cert	Active	Student Union
MD098497V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000047855		Trane	1997	12/05/2020	Recurring Cert	Active	Student Union
MD098498V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	None		Trane	1997	12/05/2020	Recurring Cert	Active	Student Union B R
MD156409V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000342649		Morganton	2013	12/05/2020	Recurring Cert	Active	Knott Hall
MD159387H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28HE-6-172049	SMITH	2017	09/15/2021	Recurring Cert	Active	Knott Hall BLR RM
MD159388H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28HE-4-172005	SMITH	2017	09/15/2021	Recurring Cert	Active	Knott Hall Boiler Room
MD162318H	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000127476		Bradford White	2018	11/02/2020	Recurring Cert	Active	Knott Hall Blr Rm

Total Objects at this location 15

Location: **Subway (Arc3)**
Address: 8767L Philadelphia Rd Rosedale, MD 21237-4700
County: Baltimore
Primary Contact: Subway (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3989650
Phone:
NOB/SIC:

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165394V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132631		CHART	2001	10/30/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Subway (NuCO2) # 406635** **Location ID:** 3634648
Address: 1413 Merritt Blvd Baltimore, MD 21222-2143 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156873V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000037991	444-010-P2	Taylor-Wharton	1997	02/06/2021	Recurring Cert	Active	Outside Rear of Building

Total Objects at this location 1

Location: **Subway (NuCO2) # 477526** **Location ID:** 3634781
Address: 19 Shipping Pl Baltimore, MD 21222-4318 **Phone:** 410-282-2796
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Copyright © 2020 CentralSquare

Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156474V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000168369	SNCJCP05M160	CHART	2005	02/04/2021	Recurring Cert	Active	Inside

Total Objects at this location 1

Location: **Subway - 26880 (Arc3)**
Location ID: 3949971
Address: 1227 Eastern Blvd Essex, MD 21221-3422
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Subway - 26880 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163581V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000124462		MVE	2000	04/16/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Subway - Walmart (Arc3)** **Location ID:** 3992512
Address: 1 Frankel Way Cockeysville, MD 21030-3220 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Subway - Walmart (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167298V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142625		CHART	2002	11/22/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Subway 24569 (Arc3)** **Location ID:** 4039045
Address: 8767 Philadelphia Rd Rosedale, MD 21237-4700 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Subway 24569 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000271776		CHART	2016	08/27/2022	Recurring Cert	Active	Store Room

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Sudsville Laundry**
Location ID: 725964
Address: 8533 Liberty Rd Randallstown, MD 21133-4832
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sudsville Laundry
Billing Contact: John Quartner - 1933 Greenspring Dr Timonium, MD 21093-4113 - Phone: 410-252-4877 - Cell: 410-241-1414
Cert Contact: John Quartner, Owner - 1933 Greenspring Dr Timonium, MD 21093-4113 - Phone: 410-252-4877 - Cell: 410-241-1414
Owner Contact:
Other Contact(s): John Quartner, Owner - 1933 Greenspring Dr Timonium, MD 21093-4113 - Phone: 410-252-4877 - Cell: 410-241-1414
Sudsville Laundries/JHQ Properties LLC - PO Box 1001 Lutherville Timonium, MD 21094-1001 - Phone: 410-242-2221

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137681H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113458		A O Smith	2007	07/15/2021	Recurring Cert	Active	blrm
MD137682H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115340		A O Smith	2007	07/15/2021	Recurring Cert	Active	blrm

Total Objects at this location 2

Location: **Sunbelt Rentals**
Location ID: 701911
Address: 8510 Old Harford Rd Parkville, MD 21234-3920
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Joshua Miller - Phone: 410-661-2500 - Email: pc180@sunbeltrentals.com
Billing Contact: Sunbelt Rentals - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 4106610500
Cert Contact: Sunbelt Rentals - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 4106610500
Owner Contact: Joshua Miller - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 410-661-2500 - Email: pc180@sunbeltrentals.com
Other Contact(s): Joshua Miller - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 410-661-2500 - Email: pc180@sunbeltrentals.com
Sunbelt Rentals - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 4106610500

My Company Comments: Sunbelt Rentals - 8510 Old Harford Rd - Location: 701911 - 1 CED Reduced
I was able to complete a certificate external inspection on the air tank that is on this sit. MacDonald - 2/7/18

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121990V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000372248		Manchester	2003	07/15/2021	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Sunbelt Rentals - 157**
Location ID: 2910452
Address: 7605 Pulaski Hwy Rosedale, MD 21237-2605
Phone: 410-866-9302
County: Baltimore
NOB/SIC:
Primary Contact: Kim Cook - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Billing Contact: Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Cert Contact: Sunbelt Rentals - 157 - 7605 Pulaski Hwy Rosedale, MD 21237-2605 - Phone: 410-866-9302
Owner Contact: Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Other Contact(s): Cynthia Moore, Accts Payable - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 704 409 4196 - Email: aphelpdesk@sunbeltrentals.com
Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Sunbelt Rentals - 157 - 7605 Pulaski Hwy Rosedale, MD 21237-2605 - Phone: 410-866-9302

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137503V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000236341		Steel Fab	2000	05/28/2021	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Sunoco #0158-2949 (Sunoco)**
Location ID: 3993008
Address: 9330 Lakeside Blvd Owings Mills, MD 21117-4953
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sunoco #0158-2949 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Cert Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Copyright © 2020 CentralSquare

Owner Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Other Contact(s): Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165825V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000076781		Taylor	2005	11/21/2021	Recurring Cert	Active	Outside
MD165826V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000483430		Manchester	1997	11/21/2021	Recurring Cert	Active	Car Wash

Total Objects at this location 2

Location: **Superior Shine**

Location ID: 718556

Address: 6625 Grove Ave Windsor Mill, MD 21244-2573

Phone: 410-298-9524

County: Baltimore

NOB/SIC:

Primary Contact: Jarrod Rudo - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Billing Contact: Jarrod Rudo - 3302 Redspire Ln Pikesville, MD 21208-1961 - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Cert Contact: Jarrod Rudo - 3302 Redspire Ln Pikesville, MD 21208-1961 - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Owner Contact: Jarrod Rudo - 3302 Redspire Ln Pikesville, MD 21208-1961 - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Other Contact(s): Daniel Hegyi, Regional Manager BM Midwest - 300 S Riverside Plz Ste 2100 Chicago, IL 60606-6613 - Phone: 262-786-1340 - Cell: 262-227-0503 - Email: daniel.hegyi@zurichna.com

Drew Thomas, Jurisdictional Inspection Specialist - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 732-718-0794 - Email: drew.thomas@onecis.com

Jarrod Rudo - 3302 Redspire Ln Pikesville, MD 21208-1961 - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Jeff Castle, Regional Manager - 1 Liberty Plz New York, NY 10006-1404 - Cell: 716-753-6208 - Email: jeffrey.castle@zurichna.com

OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com

Paul Larner, Owner - 6625 Grove Ave Windsor Mill, MD 21244-2573 - Phone: 4102989522

Philip Vanvalkenburg, Regional Manager BM West - 2532 Poe Ave Clovis, CA 93611-5978 - Phone: 559-765-0273 - Cell: 559-765-5676 - Email: philip.van.valkenburg@zurichna.com

Ron Schwonke, SE MB Regional Manager - 1299 American Ln Schaumburg, IL 60173-6015 - Cell: 334-318-0534 - Email: Ron.schwonke@zurichna.com

Ron Schwonke, Southeast Regional Manager - 100 Summit Blvd. Atlanta, GA 30319-6408 - Email: ron.schwonke@zurichna.com

Todd Creacy, Risk Engineering Manager - 171 Crestwood Ln Springtown, TX 76082-6106 - Phone: 817-677-2171 - Cell: 817-403-4801 - Email: todd.creacy@zurichna.com

My Company Comments: Location name And Owner contact update.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103923H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000139622		Ray	1997	10/07/2021	Recurring Cert	Active	Mech Rm
MD103924H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000143155		Ray	1997	10/07/2021	Recurring Cert	Active	Mech Rm
MD103925V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535828		Manchester	1997	10/07/2021	Recurring Cert	Active	Mech Rm

Total Objects at this location 3

Location: **Surg Center of Towson**
Address: 1609 E Joppa Rd Towson, MD 21286-2122
County: Baltimore
Primary Contact: Surg Center of Towson
Billing Contact: Surg Center of Towson - 1609 E Joppa Rd Towson, MD 21286-2122 - Phone: 410-834-5600
Cert Contact: Surg Center of Towson - 1609 E Joppa Rd Towson, MD 21286-2122 - Phone: 410-834-5600
Owner Contact: Surg Center of Towson - 1609 E Joppa Rd Towson, MD 21286-2122 - Phone: 410-834-5600
Other Contact(s): Surg Center of Towson - 1609 E Joppa Rd Towson, MD 21286-2122 - Phone: 410-834-5600

Location ID: 3899355
Phone: 410-834-5600
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161782V	2	Autoclave	V - Process-Sterilizing	000070610	0394037	Amsco	1994	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161783	2	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002897	42511	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room
MD161784V	1	Autoclave	V - Process-Sterilizing	000061429	0390198	Amsco	1990	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161785	1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15	000002898	42512	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room

Copyright © 2020 CentralSquare

			psig)								
MD161786V	3	Autoclave	V - Process-Sterilizing	000064112	0591070	Amsco	1991	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161787	3	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002899	42513	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room
			Total Objects at this location		6						

Location: **Surgicenter of Baltimore** **Location ID:** 3775524
Address: 23 Crossroads Dr Owings Mills, MD 21117-5420 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jennifer Grue, Administrator - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Billing Contact: Jennifer Grue - 23 Crossroads Dr Owings Mills, MD 21117-5420 - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Cert Contact: Jennifer Grue, Administrator - 23 Crossroads Dr Owings Mills, MD 21117-5420 - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Owner Contact: Jennifer Grue, Administrator - 23 Crossroads Dr Owings Mills, MD 21117-5420 - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Other Contact(s): Jennifer Grue, Administrator - 23 Crossroads Dr Owings Mills, MD 21117-5420 - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Rose Lambie - 23 Crossroads Dr Ste 200 Owings Mills, MD 21117-5477 - Phone: 410-356-2409 - Email: rlambie@scobalt.com

My Company Comments: Boiler inspection
Boilers@dllr
x

Jennifer Grue jgrue@scobalt.com via maryland.gov
11:54 AM (35 minutes ago)
to boilers@dllr.state.md.us

Good morning,

I am the new Administrator for the SurgiCenter of Baltimore location id# 3775524. I received a Citation warning for the boilers at our location stating that our inspection is past due. This is the first notice that I have received about this matter. I have contacted Insparisk to have the Boilers inspected & the first available date that they have is July 25th. I asked that if they should have a cancellation to give me a call. I assure you that now that this has come to my attention we are attending to this matter. Could you please update the contact information you have to my information?

Primary Contact: Jennifer Grue

Phone: 410-356-8656 x101 office or 443-789-3456 cell

Email: jgrue@scobalt.com

Copyright © 2020 CentralSquare

Thank you-

Jennifer Grue

SurgiCenter of Baltimore

Administrator

410-356-8656 x101

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157088H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041855		R B I	2016	04/26/2021	Recurring Cert	Active	Penthouse
MD157089H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041854		R B I	2016	04/26/2021	Recurring Cert	Active	Penthouse

Total Objects at this location 2

Location: **Susquehanna Building** **Location ID:** 726143

Address: 29 W Susquehanna Ave Towson, MD 21204-5201 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Cindy Mulligan - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Billing Contact: Cindy Mulligan - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Cert Contact: Cindy Mulligan - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Owner Contact: Cindy Mulligan - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Other Contact(s): Cindy Mulligan - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Jim Grande, Property Manager - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Cell: 410-977-3116 - Email: jgrande@greenebaumenterprises.com

Kyle Wedlock Shannon McRaw - 2328 W Joppa Rd Ste 200 Lutherville Timonium, MD 21093-4674 - Phone: 410-821-8585

Leanne Laub, Property Manager - 29 W Susquehanna Ave Towson, MD 21204-5201 - Phone: 410-484-4890 - Cell: 443-769-5370 - Email: llaub@mackenziemanagement.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112923H	Boiler #1	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000076100	BL02-02-23000	Patterson Kelley	2002	06/22/2020	Recurring Cert	Active	Penthouse, Boiler #1
MD112924H	Boiler #2	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000076102	BL02-02-23002	Patterson Kelley	2002	06/22/2020	Recurring Cert	Active	Penthouse, Boiler #2

Total Objects at this location 2

Location: **Synagro Tech** **Location ID:** 3018709
Address: 7014 E Baltimore St Baltimore, MD 21224-1828 **Phone:** (410) 284-4120
County: Baltimore **NOB/SIC:**
Primary Contact: William Vollmerhausen - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com
Billing Contact: William Vollmerhausen - 7014 E Baltimore St Baltimore, MD 21224-1828 - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com
Cert Contact: William Vollmerhausen - 7014 E Baltimore St Baltimore, MD 21224-1828 - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com
Owner Contact: William Vollmerhausen - 7014 E Baltimore St Baltimore, MD 21224-1828 - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com
Other Contact(s): William Vollmerhausen - 7014 E Baltimore St Baltimore, MD 21224-1828 - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145417V	Air Compr #1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000243595		Iamco	1990	04/06/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Taco Bell** **Location ID:** 3635117
Address: 10245 Reisterstown Rd Owings Mills, MD 21117-3605 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Barbara Seward, Administrative Assistant - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Cert Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Copyright © 2020 CentralSquare

Owner Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Other Contact(s): Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

My Company Comments: NUCO2-corporate owned tank- Taco bell.

My Shared Comments: customer owned equip

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156636V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000031026	SNIFC94G245	Cryogenic	1994	12/13/2020	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Taco Bell**
Address: 6200 Baltimore National Pike Baltimore, MD 21228-2907
County: Baltimore
Primary Contact: Taco Bell
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3635114
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: cust owned equip location

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164209V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000041389		Cryogenic	1995	06/12/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Taco Bell**
Address: 6664 Security Blvd Baltimore, MD 21207-4010
County: Baltimore
Primary Contact: Barbara Seward, Administrative Assistant - Phone: 410-771-1880

Location ID: 3635167
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Cert Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Owner Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Other Contact(s): Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

My Company Comments: NUCO2-corporate owned tank- Taco Bell

My Shared Comments: customer owned equip

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153336V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000263694		CHART	2014	02/11/2020	Recurring Cert	Active	pantry

Total Objects at this location 1

Location: **Taco Bell**
Address: 8475 Cordon Way White Marsh, MD 21162
County: Baltimore
Primary Contact: Taco Bell
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

Location ID: 3635132
Phone:
NOB/SIC:

My Company Comments: Citation warning returned- not deliverable as addressed

My Shared Comments: No longer nuco2 customer location.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290492		Chart Inc	2016	12/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Taco Bell #1748** **Location ID:** 3635116
Address: 700 Eastern Blvd Essex, MD 21221-4909 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Barbara Seward, Administrative Assistant - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Cert Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Owner Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Other Contact(s): Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

My Company Comments: NUCO2 states they own there own equipment
NUCO2-corporate owned- Taco Bell

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156431V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000158360	SNCCAP04M145	CHART	2004	12/06/2020	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Taco Bell (NuCo2) # 316955** **Location ID:** 3635127
Address: 28 Middle River Rd Middle River, MD 21220-4114 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD158962V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290021	Chart	2016	07/19/2021	Recurring Cert	Active	Storage area

Total Objects at this location 1

Location: **Taco Bell - 032675 (Roberts)** **Location ID:** 3635130
Address: 9928 York Rd Cockeysville, MD 21030-3401 **Phone:** 410-683-1715
County: Baltimore **NOB/SIC:**
Primary Contact: Taco Bell - 032675 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Taco Bell - 9928 York Rd Cockeysville, MD 21030-3401 - Phone: 410-683-1715
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156446V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290493	SN316213358	CHART	2016	03/04/2022	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: **Taco Bell - 032676 (Roberts)** **Location ID:** 3635131
Address: 7933 Belair Rd Baltimore, MD 21236-3705 **Phone:** 410-665-5784
County: Baltimore **NOB/SIC:**
Primary Contact: Taco Bell - 032676 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Taco Bell - 7933 Belair Rd Baltimore, MD 21236-3705 - Phone: 410-665-5784

Copyright © 2020 CentralSquare

My Company Comments: Location Name: Taco Bell - 032676 (Roberts) Location Phone: 410-665-5784 JO Location #: 3635131 Address: 7933 Belair Rd, Baltimore, MD, 21236-3705, USA
Inbox
x

amerboiler@aol.com
Mon, Jul 8, 12:53 PM (2 days ago)
to me, JDM336

Elizabeth

This location was once a OneCIS location with a NUCO2 tank there. That tank is gone and it is now a Roberts Oxygen tank. Please update the location to show "Uninsured" so OneCIS does not make it inactive again.

Location Name: Taco Bell - 032676 (Roberts)
Location #: 3635131
Address: 7933 Belair Rd, Baltimore, MD, 21236-3705, USA

Thanks, Mark Anderson

My Shared Comments: non active cust

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158086V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290479		Chart	2016	07/18/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Taco Bell - 32679 (Roberts)** **Location ID:** 3975087
Address: 8311 Harford Rd Parkville, MD 21234-5709 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156643V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290012	SN31620169	CHART	2016	10/16/2021	Recurring Cert	Active	Inside Store room

Total Objects at this location 1

Location: **Taco Bravo**
Location ID: 4023163
Address: 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306
Phone: 443-689-7979
County: Baltimore
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 443-689-7979
Billing Contact: Manager on Duty - 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306 - Phone: 443-689-7979
Cert Contact: Manager on Duty - 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306 - Phone: 443-689-7979
Owner Contact: Manager on Duty - 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306 - Phone: 443-689-7979
Other Contact(s): Manager on Duty - 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306 - Phone: 443-689-7979

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000031585		Taylor-Wharton	1996	06/01/2022	Recurring Cert	Active	Outside Rear of Bldg

Total Objects at this location 1

Location: **Taco Love Grill (Arc3)**
Location ID: 3918189
Address: 11550 Philadelphia Rd White Marsh, MD 21162-1305
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Taco Love Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161859V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000159986		CHART	2005	12/11/2020	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Target**
Address: 1330 Martin Blvd Middle River, MD 21220-4104
County: Baltimore
Primary Contact: Target
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3635222
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164206V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000161254		CHART	2005	06/11/2021	Recurring Cert	Active	Kitchen - Food Avenue

Total Objects at this location 1

Location: **Target**
Address: 1737 Reisterstown Rd Pikesville, MD 21208-2907
County: Baltimore
Primary Contact: Target
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3635216
Phone:
NOB/SIC:

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164208V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000144549		CHART	2007	06/12/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Target**
Address: 5230 Campbell Blvd Nottingham, MD 21236-4983
County: Baltimore
Primary Contact: Target
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3635192
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: customer owned equip

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164205V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000180995		CHART	2007	06/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Tate Engineering**
Address: 1560 Caton Center Dr Baltimore, MD 21227-1556
County: Baltimore
Primary Contact: Mike Sterner - Phone: 410-242-8800 - Email: mike.sterner@tate.com
Billing Contact: Mike Sterner - 3921 Vero Rd Baltimore, MD 21227-1564 - Phone: 410-242-8800 ext 150 - Email: Mike.Sterner@tate.com
Cert Contact: Mike Sterner, Service Manager - 3921 Vero Rd Baltimore, MD 21227-1564 - Phone: 410-242-8800 ext 150 - Email: Mike.Sterner@tate.com
Owner Contact: Tate Engineering Systems Inc - 1560 Caton Center Dr Baltimore, MD 21227-1556 - Phone: 800-800-8283 (-TATE)
Other Contact(s): Mike Sterner - 1560 Caton Center Dr Baltimore, MD 21227-1556 - Phone: 410-242-8800 - Email: mike.sterner@tate.com

Location ID: 726357
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Mike Sterner, Service Manager - 3921 Vero Rd Baltimore, MD 21227-1564 - Phone: 410-242-8800 ext 150 - Email: Mike.Sterner@tate.com

Tate Engineering Systems Inc - 1560 Caton Center Dr Baltimore, MD 21227-1556 - Phone: 800-800-8283 (-TATE)

My Company Comments:

All,
I was supposed to inspect Tate Engineering's pressure vessel today but had to reschedule. Kaleigh will contact him tomorrow to reschedule for this week.

Best regards

Mike Coleman
Tate Engineering - 1560 Caton Center Dr (Location: 726357) 1 followed up

I was not able to find the rental/yard boiler at this site. I called Mike Sterner at 443-718-4411, and he stated that the boiler was now in Virginia at a job site, and would not be back for a few more months at least. It looks as though Mike Coleman of MAC inspection looked at this boiler on 11/26/17, and noted that there were no issues and a certificate could be issued, however because his company does not use JO, he was unaware of previous violations for this boiler, and that they would need to be cleared to issue a certificate. That is the status of the boiler at this time. MacDonald - 2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111300V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000392957		Buckeye	1983	04/02/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Taylor Garden Apartments**
Location ID: 730031
Address: 7621 Hillendale Rd Baltimore, MD 21234-6059
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sol RossKamm, Comtroller - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Billing Contact: Sol RossKamm - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Cert Contact: Sol RossKamm, Comtroller - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Owner Contact: Sol RossKamm, Comtroller - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Other Contact(s): Quest Management Co. - 3607 Labyrinth Rd # 1 Baltimore, MD 21215-2421 - Phone: 410-764-8626 - Email: diann@questmgmtgroup.com

Quest Management Co. - 6807 Park Heights Ave Ste 100 Baltimore, MD 21215-1698 - Phone: 410 764 0539 ext301

Sol RossKamm, Comtroller - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com

My Company Comments:

Derrell Thomas 443 525 3755
Eng Mgr will contact the manager to find out who to set up appt. with
Taylor Gardens Apartments - 7621 Hillendale Rd (Location: 730031) - 1 CED reduced

I was able to get to this location and perform a certificate inspection. The conditions were safe and the certificate can be issued for this object. Jeremy Macdonald 3/19/18

Copyright © 2020 CentralSquare

Taylor Gardens Boiler Inspection Notice
Boilers@dllr
x

'Latoya Hawkins' via DLLR DL DLI Boiler Inspection
Thu, Oct 31, 12:16 PM (6 days ago)
to boilers@dllr.state.md.us

Hi Robin

We are trying to schedule the newest boiler notice located at 7621 Hillendale Rd. Our vendor is requesting to make sure this is not the same location previously inspected in September. Do you have a way of researching to see if 7621 Hillendale Rd inspection is still open?

Thanks,

Latoya Hawkins, MBA

Capital Project Administrator

1925 Old Valley Rd

Stevenson, MD 21153

410-764-0539 ext 320 Office

443-281-9994 Cell

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147472H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153658		A O Smith	2010	11/20/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Ted Lansing Corporation**
Address: 1720 Whitehead Rd Baltimore, MD 21207-4003
County: Baltimore
Primary Contact: Wayne Hartman, Operations Manager - Phone: 410-277-4400 - Email: baltimore@lansingbp.com

Location ID: 953744
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: J Christophe - 8501 Sanford Dr Richmond, VA 23228-2812 - Phone: 804-266-8893
Cert Contact: Wayne Hartman, Operations Manager - 1720 Whitehead Rd Baltimore, MD 21207-4003 - Phone: 410-277-4400 - Email: baltimore@lansingbp.com
Owner Contact: J Christophe, Chb-pres - 8501 Sanford Dr Richmond, VA 23228-2812 - Phone: 804-266-8893
Other Contact(s): J Christophe, Chb-pres - 8501 Sanford Dr Richmond, VA 23228-2812 - Phone: 804-266-8893
Wayne Hartman, Operations Manager - 1720 Whitehead Rd Baltimore, MD 21207-4003 - Phone: 410-277-4400 - Email: baltimore@lansingbp.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118104H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	61-88293-0897	Peerless	1997	10/15/2021	Recurring Cert	Active	Warehouse

Total Objects at this location 1

Location: **Tempo Lounge**
Address: 402 Back River Neck Rd Essex, MD 21221-4602
County: Baltimore
Primary Contact: Alina Kellar, Owner - Phone: 410-391-4441
Billing Contact: Alina Kellar - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441
Cert Contact: Alina Kellar, Owner - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441
Owner Contact: Alina Kellar, Owner - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441
Other Contact(s): Alina Kellar, Owner - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441
Lee Kellar, Owner - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441

Location ID: 995681
Phone: 410-391-4441
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137459H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6593342	Weil-McLain	2002	06/15/2021	External Cert, Recurring Cert	Active	Rear Bldg Basement

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Tesla Motors** **Location ID:** 3884224
Address: 9428 Reisterstown Rd Owings Mills, MD 21117-4405 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Service department , Service Department - Phone: 410-415-1411
Billing Contact: Service department - 9428 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: 410-415-1411
Cert Contact: Service department , Service Department - 9428 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: 410-415-1411
Owner Contact: Service department , Service Department - 9428 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: 410-415-1411
Other Contact(s): Service department , Service Department - 9428 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: 410-415-1411

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161110V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000596196		Morganton	2016	06/26/2022	Recurring Cert	Active	Shop Compressor Room
MD167318V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000841776		Morganton	2019	10/07/2022	Recurring Cert	Active	Paint Supply Storage

Total Objects at this location 2

Location: **Tessemae's All Natural** **Location ID:** 1867807
Address: 8805 Kelso Dr Essex, MD 21221-3112 **Phone:** 443-233-6414
County: Baltimore **NOB/SIC:**
Primary Contact: Matthew Vetter, VP - Cell: 443-223-6414 - Email: youngest@tessemaes.com
Billing Contact: Matthew Vetter - 8805 Kelso Dr Baltimore, MD 21221-3112 - Cell: 443-223-6414 - Email: youngest@tessemaes.com
Cert Contact: Matthew Vetter, VP - 8805 Kelso Dr Baltimore, MD 21221-3112 - Cell: 443-223-6414 - Email: youngest@tessemaes.com
Owner Contact: Matthew Vetter, VP - 8805 Kelso Dr Baltimore, MD 21221-3112 - Cell: 443-223-6414 - Email: youngest@tessemaes.com
Other Contact(s): Gwynne Chapin - 8805 Kelso Dr Baltimore, MD 21221-3112 - Phone: 443-223-6414
Mark Sachorowski - 8805 Kelso Dr Baltimore, MD 21221-3112 - Phone: 410-780-0444
Matthew Vetter, VP - 8805 Kelso Dr Baltimore, MD 21221-3112 - Cell: 443-223-6414 - Email: youngest@tessemaes.com

My Company Comments: 443-223-6414 Matt called, received a letter for inspection due, has certificate MD135045H. Letter for MD145117V 1/22/19, both objects were on the same schedule at one time. Will have the inspector note to sync the date to 1/5/2020. Will check to see if Travelers still insures.
Tessemae's #1867807

Copyright © 2020 CentralSquare

no access Reynolds 3/22/2019
Travelers to inspected 3-15-17

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145117V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000675602		Steel Fab	2011	04/17/2021	Recurring Cert	Active	Back of plant
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227433		A O Smith	2017	02/17/2022	Recurring Cert	Active	WAREHOUSE

Total Objects at this location 2

Location: **TESST College of Technology** **Location ID:** 1959578
Address: 1520 S Caton Ave Baltimore, MD 21227-1013 **Phone:** 410-644-6400
County: Baltimore **NOB/SIC:**
Primary Contact: Parker Joint Venture, LLC./Caton Research Ctr. - Phone: 410-788-0100
Billing Contact: Parker Joint Venture, LLC./Caton Research Ctr. - 2560 Lord Baltimore Dr Baltimore, MD 21244-2677 - Phone: 410-788-0100
Cert Contact: Parker Joint Venture, LLC./Caton Research Ctr. - 2560 Lord Baltimore Dr Baltimore, MD 21244-2677 - Phone: 410-788-0100
Owner Contact: Parker Joint Venture, LLC./Caton Research Ctr. - 2560 Lord Baltimore Dr Baltimore, MD 21244-2677 - Phone: 410-788-0100
Other Contact(s): Dennis Sanders, Director of Facilities - 3660 Grandview Pkwy Suite 300 Birmingham, AL 35243 - Phone: 205-552-1239
George Sluder, Facilities - 1520 S Caton Ave Baltimore, MD 21227-1013 - Phone: 410-644-6400
Parker Joint Venture, LLC./Caton Research Ctr. - 2560 Lord Baltimore Dr Baltimore, MD 21244-2677 - Phone: 410-788-0100
Paul Warner, Facility Manager - 1520 S Caton Ave Baltimore, MD 21227-1013 - Phone: 410-644-6400 - Cell: 410-793-6591
Paul Warner, Maintenance - 1520 S Caton Ave Baltimore, MD 21227-1013 - Cell: 443-413-4176
Sue Sherwood, Exec Director - 1520 S Caton Ave Baltimore, MD 21227-1013 - Phone: 800.488.3778

My Company Comments: citation returned- attempted- not known- unable to forward

citation warning returned
SDAT update.
Tesst College of Technology - 1520 S Caton Ave (location 1959578)- 3 Objects

I went to this location to inspect 3 overdue boilers. When I got to this location it was closed. It had signs up for Brightwood College, but the parking lots were roped off and you could not get on the property. There were not any leasing signs or any other contact information. I tried to research Brightwood College, and found that it closed its locations in 2018/2019.---J. MacDonald 2/27/20

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129367H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203331		Lochinvar	2007	10/06/2019	Recurring Cert	Active	Boiler Room
MD129368H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203067		Lochinvar	2007	10/06/2019	Recurring Cert	Active	Boiler Room
MD144556H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000138245		A O Smith	2009	10/06/2019	Recurring Cert	Active	Boiler Room

Total Objects at this location 3

Location: **Tetra Tech, Inc.**
Location ID: 3974870
Address: 99 Lynbrook Rd Middle River, MD 21220-2809
Phone: 410-274-0350
County: Baltimore
NOB/SIC:
Primary Contact: Russell Murphy, Buyer - Phone: 410-274-0350 - Email: jeff.campbell@tetratech.com
Billing Contact: Russell Murphy - 99 Lynbrook Rd Middle River, MD 21220-2809 - Phone: 410-274-0350 - Email: jeff.campbell@tetratech.com
Cert Contact: Jeff Campbell - 99 Lynbrook Rd Middle River, MD 21220-2809 - Email: jeff.campbell@tetratech.com
Owner Contact: Russell Murphy, Buyer - 99 Lynbrook Rd Middle River, MD 21220-2809 - Phone: 410-274-0350 - Email: jeff.campbell@tetratech.com
Other Contact(s): Jeff Campbell - 99 Lynbrook Rd Middle River, MD 21220-2809 - Email: jeff.campbell@tetratech.com
Russell Murphy, Buyer - 99 Lynbrook Rd Middle River, MD 21220-2809 - Phone: 410-274-0350 - Email: jeff.campbell@tetratech.com

My Company Comments: MacDonald - 2/10/20 Tetra Tech - 99 Lynbrook Rd (location 3974870)

I was able to gain access to this site and number and register a pressure vessel at the groundwater treatment plant at the Air National Guard Property. It took longer to gain access than a normal location because my vehicle had to first be inspected, and I had to wait to be escorted by Mr. Campbell. There were no issues that I discovered, and a certificate can be generated.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165382V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000825462		Steel Fab	2016	10/10/2021	Recurring Cert	Active	Water Plant

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **THB Bagelry and Deli**
Address: 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165
County: Baltimore
Primary Contact: Manager in Duty - Phone: 443-841-7063
Billing Contact: Manager in Duty - 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165 - Phone: 443-841-7063
Cert Contact: Manager in Duty - 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165 - Phone: 443-841-7063
Owner Contact: Manager in Duty - 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165 - Phone: 443-841-7063
Other Contact(s): Manager in Duty - 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165 - Phone: 443-841-7063

Location ID: 4023449
Phone: 443-841-7063
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167231V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000067652		MVE Inc	1997	06/03/2022	Recurring Cert	Active	Outside Rear

Total Objects at this location 1

Location: **The Brass Tap**
Address: 825 Dulaney Valley Rd Towson, MD 21204-1010
County: Baltimore
Primary Contact: The Brass Tap - Phone: 410-842-6041
Billing Contact: The Brass Tap - 825 Dulaney Valley Rd Towson, MD 21204-1010 - Phone: 410-842-6041
Cert Contact: The Brass Tap - 825 Dulaney Valley Rd Towson, MD 21204-1010 - Phone: 410-842-6041
Owner Contact: The Brass Tap - 825 Dulaney Valley Rd Towson, MD 21204-1010 - Phone: 410-842-6041
Other Contact(s): The Brass Tap - 825 Dulaney Valley Rd Towson, MD 21204-1010 - Phone: 410-842-6041

Location ID: 3867588
Phone: 410-842-6041
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158984H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000235330		A O Smith	2017	05/21/2020	Recurring Cert	Active	Kitchen

Copyright © 2020 CentralSquare

Location:	**The Israel of God**	**Location ID:**	707731
Address:	3113 Richwood Ave Windsor Mill, MD 21244-2819	**Phone:**	410-409-0835
County:	Baltimore	**NOB/SIC:**	

Primary Contact: Andre Henry, Owner - Phone: 410-409-0835
Billing Contact: Andre Henry - 3113 Richwood Ave Windsor Mill, MD 21244-2819 - Phone: 410-409-0835
Cert Contact: Andre Henry, Owner - 3113 Richwood Ave Windsor Mill, MD 21244-2819 - Phone: 410-409-0835
Owner Contact: Andre Henry, Owner - 3113 Richwood Ave Windsor Mill, MD 21244-2819 - Phone: 410-409-0835
Other Contact(s): Andre Henry, Owner - 3113 Richwood Ave Windsor Mill, MD 21244-2819 - Phone: 410-409-0835
Community Support Services For The Deaf - 3113 Richwood Avenue Woodlawn, MD 21207 - Phone: 4105978780
GRAY INSURANCE GROUP , RISK MANAGER - 3113 RICHWOOD AVE WINDSOR MILL, MD 21244 - Phone: 4108796383
Karan Lage, Admin. - 3113 Richwood Ave Windsor Mill, MD 21244-2819 - Phone: 410-597-8780 - Email: klage@cssinc.org

My Company Comments: Andre Henry called to set up an inspection. He said someone from the insurance company was there, but no report has been entered. I emailed the AIA list and told him to contact the insurance company about the inspection, before contacting a company.
Buyer: Church of Christ in Woodlawn Park
CSSD <klage@cssdinc.org>

Dec 21, 2018, 3:18 PM (6 days ago)
to boilers

We sold our property at 3113 Richwood Ave, Windsor Mill, MD 21244 and need to be removed from the DLLR boiler inspection list.

Attached is a copy of the sales contract for your review. The new owner can be contacted at:

Andre Henry

3113 Richwood Ave
Windsor Mill, MD 21244

If you need anything please contact me at the number below.

Thank you,

Karan Lage

IT/ Property Manager

Community Support Services for the Deaf, Inc.

Copyright © 2020 CentralSquare

7123 Windsor Mill Rd, Suite 100, Windsor Mill, MD 21244

Cell 410-984-8494

Fax 410-265-5193----- Agreement of Sale and purchase attached.
Location name updated.
Owner updated and BPV letter reprinted.

My Shared Comments:

standardized 10/18/06/ds
10/24/06 Inspn by Griffin dated 8/24/06 md 118627h rejected re viol not cleared. Doreen

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118627H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Dedietrich	2001	01/30/2021	Recurring Cert	Active	BASEM BLRM

Total Objects at this location 1

Location: **The Nelson Company** **Location ID:** 3967630
Address: 4517 North Point Blvd Sparrows Point, MD 21219-1005 **Phone:** 410-477-3000
County: Baltimore **NOB/SIC:**
Primary Contact: Don Jones - Phone: 410-477-3000 x120 - Email: don.jones@nelsoncompany.com
Billing Contact: Jack Williams - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-218-1291 - Email: Jack.Williams@nelsoncompany.com
Cert Contact: Brian Franks - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-477-3000 - Email: brian.franks@nelsoncompany.com
Owner Contact: David Caltrider, President - 6512 Deer Park Rd Reisterstown, MD 21136-5947 - Phone: 410-477-3002 - Email: dcaltrider@nelsoncompany.com
Other Contact(s): Brian Franks - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-477-3000 - Email: brian.franks@nelsoncompany.com
David Caltrider, President - 6512 Deer Park Rd Reisterstown, MD 21136-5947 - Phone: 410-477-3002 - Email: dcaltrider@nelsoncompany.com
Don Jones - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-477-3000 x120 - Email: don.jones@nelsoncompany.com
Jack Williams, Vice President - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-218-1291 - Email: Jack.Williams@nelsoncompany.com

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164253V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067841		Brunner	1994	08/06/2020	Recurring Cert	Active	SHOP REAR

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **The Pointe at Whitemarsh** **Location ID:** 711128
Address: 1 High Haven Pl Baltimore, MD 21236-3268 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Cert Contact: Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614700
Hilary Martin - 2 Whitelaw Pl Baltimore, MD 21236-3140 - Phone: 410-661-4700
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
My Company Comments: Location name and contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137107H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023932		Paget Equipment	2008	09/27/2022	Recurring Cert	Active	1 High Haven
MD148943H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65252595	Burnham	2011	09/27/2022	Recurring Cert	Active	1 High Haven

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 709335
Address: 1 Thurmont Ct Baltimore, MD 21236-3101 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Copyright © 2020 CentralSquare

Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Other Contact(s): Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129264H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806320	Burnham	2007	09/27/2022	Recurring Cert	Active	1 Thurmont Ct
MD145191H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000288		TTI	2010	09/27/2022	Recurring Cert	Active	1 Thurmont Ct

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711177
Address: 1 Whitelaw Pl Baltimore, MD 21236-7527 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Copyright © 2020 CentralSquare

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123970H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	1 Whitelaw
MD144994H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000567		TTI	2011	09/27/2022	Recurring Cert	Active	1 Whitelaw Pl

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 709336
Address: 2 Duncroft Place Baltimore, MD 21236-3154 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: On Mon, Jan 28, 2019 at 10:26 AM Leasing <pointewhitemarsh@ram-mgt.com> wrote:
Good morning,

I hope all is well. I would like to request an inspection be scheduled for the boiler at 2 Duncroft Place, Nottingham, Maryland 21236. Have a great day!

Thank you,

Copyright © 2020 CentralSquare

Colleen Morgan

Resident Coordinator

The Pointe at White Marsh Apartments
RAM Partners, LLC
8501 Walther Blvd. | Baltimore, MD21236
o. 410.661. 4700 |f. 410.661.3748
1 of 1
Re: The Pointe at Whitemarsh 8796
Inbox
x
Citations
x

citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by dorothy.clements@maryland.gov)
Attachments
Thu, Jan 31, 11:33 AM
to Leasing, boilers

Hello,

Please contact your insurance company or an Authorized Inspection Company to conduct your periodic inspection.
I am including a copy of the A.I.A. list for your convenience.
Please contact our office if you have any questions.

Citation Department
BPV Safety Inspection Unit
Maryland DLLR, DLI

1 of 71
AIA List

Barbara Grant -DLLR- <barbara.grant2@maryland.gov>
Attachments
12:18 PM (4 minutes ago)
to pointewhitemarsh.mgr

Chris,

Copyright © 2020 CentralSquare

Per our conversation, please have MD156177H inspected as soon as possible. Attached you can find a list of inspectors that can verify is the boiler is in compliance. Please respond with a date once available.

Thank you for your prompt attention to this matter.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148945H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2013	09/26/2022	Recurring Cert	Active	2 Duncroft Place
MD156176H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000215679		A O Smith	2016	09/26/2022	Recurring Cert	Active	Blr Rm

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711179

Address: 2 Dunhaven Pl Baltimore, MD 21236-3185 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614700

Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701

Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD108743H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2000	09/27/2022	Recurring Cert	Active	2 Dunhaven
MD148944H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096693		Bradford White	2011	09/27/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **The Pointe at Whitemarsh**
Location ID: 711180
Address: 2 High Haven Pl Baltimore, MD 21236-3271
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Property Mgr.
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

My Company Comments: Contact update from Hilary Martin to Property Mgr. at The Point at White Marsh.
Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2007	09/27/2022	Recurring Cert	Active	2 High Haven
MD137108H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023256		Paget Equipment	2009	09/27/2022	Recurring Cert	Active	2 High Haven

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **The Pointe at Whitemarsh** **Location ID:** 711130
Address: 2 Thurmont Ct Baltimore, MD 21236-3137 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
My Company Comments: Location name and contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129255H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806316	Burnham	2005	09/27/2022	Recurring Cert	Active	2 Thurmont Ct
MD145194H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000335		TTI	2011	09/27/2022	Recurring Cert	Active	2 Thurmont Ct

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 709337
Address: 2 Whitelaw Pl Baltimore, MD 21236-3140 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Copyright © 2020 CentralSquare

Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Other Contact(s): Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 2 Whitelaw Pl Baltimore, MD 21236-3140 - Phone: 410-661-4700
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110458H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	6434-9119	Burnham	2001	09/27/2022	Recurring Cert	Active	2 Whitelaw
MD148942H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000000576		TTI	2011	09/27/2022	Recurring Cert	Active	2 whitelaw

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711174
Address: 3 Canoga Pl Baltimore, MD 21236-3242 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614700
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Copyright © 2020 CentralSquare

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110457H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64241577	Burnham	2001	09/27/2022	Recurring Cert	Active	3 Canoga Place
MD161839H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000224618		A O Smith	2017	10/19/2022	Recurring Cert	Active	3 canoga

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711132

Address: 3 Duncroft Ct Baltimore, MD 21236-3181 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701

Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700

Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145195H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023990		TTI	2008	09/27/2022	Recurring Cert	Active	3 Duncroft Ct

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **The Pointe at Whitemarsh** **Location ID:** 711175
Address: 3 Dunhaven Pl Baltimore, MD 21236-3160 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614700
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
My Company Comments: Location name and contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129262H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64934855	Burnham	2006	09/27/2022	Recurring Cert	Active	3 Dunhaven
MD150469H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111909		Bradford White	2015	09/27/2022	Recurring Cert	Active	3 Dunhaven

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711133
Address: 3 Pinewall Pl Baltimore, MD 21236-3286 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Copyright © 2020 CentralSquare

Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108712H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	Fa-2000-317	H B Smith	2000	09/27/2022	Recurring Cert	Active	3 Pinewall Place

Total Objects at this location 1

Location: **The Pointe at Whitemarsh** **Location ID:** 711134
Address: 4 Canoga Pl Baltimore, MD 21236-3254 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Copyright © 2020 CentralSquare

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108713H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	FA-2000-546	H B Smith	2000	09/27/2022	Recurring Cert	Active	4 Canoga
MD145188H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000022097		TTI	2007	09/27/2022	Recurring Cert	Active	4 Canoga Pl

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711182

Address: 4 Pinemont Pl Baltimore, MD 21236-3351 **Phone:**

County: Baltimore **NOB/SIC:**

Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163

Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com

Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701

Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700

Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701

Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123573H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	4 Pinemont Place

Copyright © 2020 CentralSquare

MD161840H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000208920	A O Smith	2015	10/19/2022	Recurring Cert	Active	4 Pinemount

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711183
Address: 4 Thurmont Ct Baltimore, MD 21236-3177 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145192H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000290		TTI	2010	09/27/2022	Recurring Cert	Active	4 Thurmont Ct
MD145193H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	4 Thurmont Ct

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **The Pointe at Whitemarsh** **Location ID:** 711135
Address: 5 Dunhaven Pl Baltimore, MD 21236-3188 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Darryl Diffenbaugh, Maintenance Supervisor - 5 Dunhaven Pl Baltimore, MD 21236-3188 - Cell: 443-802-1250
Diane Batayeh, President/COO - 30833 Northwestern Hwy Ste 300 Farmington Hills, MI 48334-2583
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
My Company Comments: Location name and contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108745H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	FA2000-641	H B Smith	2000	09/27/2022	Recurring Cert	Active	5 Dunhaven
MD161838H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000226809		A O Smith	2017	10/16/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711184
Address: 6 Dunhaven Pl Baltimore, MD 21236-3189 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Copyright © 2020 CentralSquare

Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145190H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000132		TTI	2009	09/27/2022	Recurring Cert	Active	6 Dunhaven
MD150470H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2015	09/27/2022	Recurring Cert	Active	6 Dunhaven

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711176
Address: 6 Pinewall Pl Baltimore, MD 21236-3227 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701

Copyright © 2020 CentralSquare

Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123576H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	6 Pinewall Boiler Room
MD148941H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096696		Bradford White	2011	09/27/2022	Recurring Cert	Active	6 Pinewall Boiler Room

Total Objects at this location 2

Location: **The Pointe at Whitemarsh** **Location ID:** 711185
Address: 7 Thurmont Ct Baltimore, MD 21236-3193 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Phil Gray, Rental Office - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 4106614700
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD129257H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806319	Burnham	2006	09/27/2022	Recurring Cert	Active	7 Thurmont Ct
MD150467H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108325		Bradford White	2014	09/27/2022	Recurring Cert	Active	7 Thurmont Ct

Total Objects at this location 2

Location: **The Pointe at Whitemarsh**
Location ID: 711186
Address: 7 Whitelaw Pl Baltimore, MD 21236-3145
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Cert Contact: Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Owner Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614701
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137109H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2008	09/27/2022	Recurring Cert	Active	#7 Whitelaw Place
MD137110H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023997		TTI	2008	09/27/2022	Recurring Cert	Active	#7 Whitelaw

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **The Pointe at Whitemarsh** **Location ID:** 711127
Address: 9 Thurmont Ct Baltimore, MD 21236-3194 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Cert Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Owner Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Other Contact(s): Bud , Service Manager - 9206 Oswald Way Baltimore, MD 21237-4403 - Cell: 703-881-1163
Donna Boyer, Vice President, Risk Management - 850 Clinton Sq Rochester, NY 14604-1730 - Phone: (585) 246-4130 - Email: DonnaBo@homeproperties.com
Doreen Riales, Senior Risk Analyst - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Foxhall Apartments - 2 Duncroft Pl Baltimore, MD 21236-3154 - Phone: 4106614700
Hilary Martin - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jackie Guercio, Property Manager - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4700
Jason Ketterman - 8501 Walther Blvd Baltimore, MD 21236-3040 - Phone: 410-661-4701
Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040
Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129258H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	9 Thurmont Ct
MD150468H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111911		Bradford White	2015	09/27/2022	Recurring Cert	Active	9 Thurmont Ct

Total Objects at this location 2

Location: **The River Watch (Arc3)** **Location ID:** 3949965
Address: 207 Nanticoke Rd Essex, MD 21221-1532 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: The River Watch (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163584V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000186946		CHART	2007	04/16/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **The Soul & Krab House**
Location ID: 3464487
Address: 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781
Phone: 410-455-6411
County: Baltimore
NOB/SIC:
Primary Contact: Chelsea Davis, Co-Owner - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com
Billing Contact: Chelsea Davis - 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781 - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com
Cert Contact: Chelsea Davis, Co-Owner - 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781 - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com
Owner Contact: Chelsea Davis, Co-Owner - 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781 - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com
Other Contact(s): Chelsea Davis, Co-Owner - 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781 - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com

My Company Comments:

My Shared Comments: I've spoken with Ray Sigmond (rsigmon9051@verizon.net, 410-747-0678) and Mike Arnold (mikearnold33@verizon.net, 410-747-0678, 410-967-8910) who installed the boilers. Told them they are not authorized to perform the safety inspections and sent them the law and the AIA list.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147515H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	471400189	ECR International	2001	02/23/2022	Recurring Cert	Active	Boiler Room
MD147516H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	471400184	ECR International	2013	02/23/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **The Supreme Ballroom Corp** **Location ID:** 716599
Address: 7830 Philadelphia Rd Rosedale, MD 21237-2618 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: The Supreme Ballroom Corp - Phone: 410-866-8014 - Email: info@supremeballroom.com
Billing Contact: The Supreme Ballroom Corp - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410-866-8014 - Email: info@supremeballroom.com
Cert Contact: The Supreme Ballroom Corp - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410-866-8014 - Email: info@supremeballroom.com
Owner Contact: The Supreme Ballroom Corp - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410-866-8014 - Email: info@supremeballroom.com
Other Contact(s): Allen Clinedinst, Training Director - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410/866-5313 ext. 101 - Email: plfit@486school.org
Liberty Steamfitters Protective Assn - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 4108664380
Plumbers & Steamfitters Local Union #486 - 1201 66th St Rosedale, MD 21237-2511 - Phone: 410-866-5313 - Email: plfit@486school.org
The Supreme Ballroom Corp - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410-866-8014 - Email: info@supremeballroom.com

My Company Comments:
MD085300H----MAC Inspection & Welding Agency
3:10 PM (7 minutes ago)
to Elizabeth, Robin, Dorothy, info

Happy New Year All,

The above object inspection is complete with no violations. We will submit the report accordingly.

Best regards

Mike Coleman 1/3/19

My Shared Comments:
MAC inspections 12-12-14
Plumbers & Steamfitters Local moved last year
Spoke the new owner (The Supreme Ballroom Corp). Emailed (info@supremeballroom.com) AIA information

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085300H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	HE25304	Utica	1989	12/07/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Timonium Methodist Church** **Location ID:** 726657
Address: 2300 Pot Springs Road Lutherville/Timonium, MD 21093-2726 **Phone:** 410-252-5500
County: Baltimore **NOB/SIC:**
Primary Contact: William Schroeder - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com
Billing Contact: Ann Hill - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com
Cert Contact: William Schroeder - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com

Copyright © 2020 CentralSquare

Owner Contact: William Schroeder - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com

Other Contact(s): Ann Hill - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com
David Guetler - 2300 Pot Springs Road Lutherville/Timonium, MD 21093-2726 - Phone: 410-252-5500 - Cell: 443-465-4195 - Email: timoniumumc@yahoo.com
Richard Dods, Facilities Manager - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: rdods_timoniumumc@yahoo.com
William Schroeder - 2300 Pot Spring Rd Lutherville Timonium, MD 21093-2726 - Phone: 410-252-5500 - Email: timoniumumc@yahoo.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007880H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1964	03/13/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Timonium Two/Timonium Surgery Ctr** **Location ID:** 3184588

Address: 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 **Phone:** 410-560-3301

County: Baltimore **NOB/SIC:**

Primary Contact: Misty Smith - Phone: 410-560-3301

Billing Contact: Timonium Two/Timonium Surgery Ctr - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301

Cert Contact: Misty Smith - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301

Owner Contact: Timonium Two/Timonium Surgery Ctr - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301

Other Contact(s): Misty Smith - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301
Timonium Two/Timonium Surgery Ctr - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301

My Company Comments: I went to check the status of violations on the two autoclaves at this location. The violations were not fixed, and the office manager, Mindy, was not aware that it needy to be fixed, or that there was any issue. I explained what needed to be done and to let me know when it is completed so that i can re-inspect and clear the violations. J MacDonald 1-25-18
Timonium Two Surgery Center - 1954 Greenspring Dr, Ste. LL18 - 4 CED reduced

I was contacted by Misty Smith, of the surgical center, because I had visited the location last week, and discovered that a variety of violations on two autoclaves were not corrected. Misty stated she was unaware of the issue, and would get it repaired immediately. She contacted me and I went out and was able to verify that the proper corrections were completed. It is now okay to issue the 4 certificates for these objects. J. MacDonald 1-31-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141362V		Autoclave	V - Process-Sterilizing	000038713	1280031-SAW	Amsco	2009	06/12/2021	Recurring Cert	Active	Clean Work Room

Copyright © 2020 CentralSquare

MD141363	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029370	39370	Electro-Steam	2009	06/04/2021	Recurring Cert	Active	Clean Work Room
MD141364V	Autoclave	V - Process-Sterilizing	000039421	0381056-SAW	Amsco	2009	06/09/2021	Recurring Cert	Active	Clean Work Room
MD141365	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029369	39369	Electro-Steam	2009	06/04/2021	Recurring Cert	Active	Clean Work Room

Total Objects at this location 4

Location: **Tip Top Cleaners** **Location ID:** 726674
Address: 4132 E Joppa Rd # 13 Baltimore, MD 21236-2272 **Phone:** 410-529-7057
County: Baltimore **NOB/SIC:**
Primary Contact: Wan-Su Chu, Owner - Phone: 410-529-7057 - Cell: 443-690-6877
Billing Contact: Wan-Su Chu - 4132 E Joppa Rd Ste 113 Baltimore, MD 21236-2272 - Phone: 410-529-7057 - Cell: 443-690-6877
Cert Contact: Wan-Su Chu, Owner - 4132 E Joppa Rd Ste 113 Baltimore, MD 21236-2272 - Phone: 410-529-7057 - Cell: 443-690-6877
Owner Contact: Wan-Su Chu, Owner - 4132 E Joppa Rd Ste 113 Baltimore, MD 21236-2272 - Phone: 410-529-7057 - Cell: 443-690-6877
Other Contact(s): Wan-Su Chu, Owner - 4132 E Joppa Rd Ste 113 Baltimore, MD 21236-2272 - Phone: 410-529-7057 - Cell: 443-690-6877

My Company Comments:

My Shared Comments: Michael Coleman of MIWA, LLC called to verify that previously issued violations had all been closed. He is at location for periodic inspection today.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074617V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000963794	N/A	Buckeye	1990	06/09/2020	Recurring Cert	Active	Boiler Room
MD154564		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000120099	PV729NN	Fulton	2015	06/09/2020	Recurring Cert	Active	Boiler Rm

Total Objects at this location 2

Location: **Top Hat Sports Bar and Grill** **Location ID:** 4038223
Address: 8809 Satyr Hill Rd Parkville, MD 21234-2301 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Top Hat Sports Bar and Grill
Billing Contact:
Cert Contact:

Copyright © 2020 CentralSquare

Owner Contact:
Other Contact(s):

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145503V		Other w/comment	V - Storage (NOT Cryogenic)	000162402		Chart Inc	2005	08/21/2022	Recurring Cert	Active	Store room

Total Objects at this location 1

Location: **Totally Cool Inc**
Address: 38 Gwynns Mill Ct Owings Mills, MD 21117-3512
County: Baltimore
Primary Contact: Michael Uhlfelder - Phone: 410 363 7802
Billing Contact: Michael Uhlfelder - 38 Gwynns Mill Ct Owings Mills, MD 21117-3512 - Phone: 410 363 7802
Cert Contact: Michael Uhlfelder - 38 Gwynns Mill Ct Owings Mills, MD 21117-3512 - Phone: 410 363 7802
Owner Contact: Michael Uhlfelder - 38 Gwynns Mill Ct Owings Mills, MD 21117-3512 - Phone: 410 363 7802
Other Contact(s): Michael Uhlfelder - 38 Gwynns Mill Ct Owings Mills, MD 21117-3512 - Phone: 410 363 7802

Location ID: 3352414
Phone:
NOB/SIC:

My Company Comments: sent Jeremy email to add NEW to schedule

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164256V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000855229		Steel Fab	2017	05/20/2021	Recurring Cert	Active	PLANT

Total Objects at this location 1

Location: **Town Automatic Transmission**
Address: 3415 Berwyn Ave Woodlawn, MD 21207-7402
County: Baltimore
Primary Contact: Town Automatic Transmission - Phone: 4103677789
Billing Contact:
Cert Contact:

Location ID: 726873
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Owner Contact:

Other Contact(s): Town Automatic Transmission - 3415 Berwyn Ave Woodlawn, MD 21207-7402 - Phone: 4103677789

My Company Comments: Lamont Brown 410 367 7788 called to inquire about inspections, I refered him to the AIA list and he said he will follow up with our office with a confirmed inspection date.

My Shared Comments: Client called to schedule a periodic inspection. Referred to the AIA list. He says he will check with his property insurer.
Lamont Brown (410-367-7788) said he tried to call RMF and Insparisk (he had the numbers 410-576-0505 and 888-464-6772 written down right there so he sounded legit) AIAs but they never got back to him to inspect. He asked what he could do next time to ensure that he can get someone to come out. I discussed options and mailed him the AIA list to the location.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049754V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000058295		Buckeye	1974	11/18/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Towson East Motel**
Address: 1507 E Joppa Rd Towson, MD 21286-5912
County: Baltimore
Location ID: 726954
Phone: 410-825-5800
NOB/SIC:

Primary Contact: Towson East Motel - Phone: 410-825-5800
Billing Contact: Towson East Motel - 1507 E Joppa Rd Towson, MD 21286-5912 - Phone: 410-825-5800
Cert Contact: Towson East Motel - 1507 E Joppa Rd Towson, MD 21286-5912 - Phone: 410-825-5800
Owner Contact: Towson East Motel - 1507 E Joppa Rd Towson, MD 21286-5912 - Phone: 410-825-5800
Other Contact(s): Towson East Motel - 1507 E Joppa Rd Towson, MD 21286-5912 - Phone: 410-825-5800

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113264H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000088535		Rheem/Ruud	2000	09/28/2022	Recurring Cert	Active	Boiler Rm
MD151541H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000134817		RHEEM	2013	09/28/2022	Recurring Cert	Active	Boiler Rm

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **TowsonTown Place Apartments** **Location ID:** 712188
Address: 1137 Glendale Rd Baltimore, MD 21239-1229 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Joe Alley, Maintenance Superintendent - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Cert Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Owner Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Other Contact(s): Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Joe Alley, Maintenance Superintendent - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com

My Company Comments:

My Shared Comments: 6/11/04- This is not a Chubb Acct.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125868H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000059317	LB011012788	A O Smith	2001	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **TowsonTown Place Apartments** **Location ID:** 712190
Address: 1142 Glendale Rd Baltimore, MD 21239-1231 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Joe Alley, Maintenance Superintendent - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Cert Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Owner Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Other Contact(s): Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Joe Alley, Maintenance Superintendent - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com

My Company Comments:

My Shared Comments: This is not a chubb acct

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD125870H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078899	LFO3-2557057-110	A O Smith	2003	07/07/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **TowsonTown Place Apartments** **Location ID:** 712191
Address: 1301 Airlie Way Baltimore, MD 21239-1045 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Courtney - Phone: 410-821-8819 Ext 2 - Email: info@rosemonttowson.com
Billing Contact: Melissa Brown - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: mbrown@thedonaldsongroup.com
Cert Contact: Mike Hahn, Service Manager - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-903-1613
Owner Contact: Melissa Brown, Property Manager - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: mbrown@thedonaldsongroup.com
Other Contact(s): Courtney - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 Ext 2 - Email: info@rosemonttowson.com
Lynnett Harris, Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: lynnett.harris@rosemonttowson.com
Melissa Brown, Property Manager - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: mbrown@thedonaldsongroup.com
Mike Hahn, Service Manager - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-903-1613

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167301H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130854		Bradford	2019	09/18/2022	Recurring Cert	Active	Blrm

Total Objects at this location 1

Location: **TowsonTown Place Apartments** **Location ID:** 712192
Address: 1301 Colbury Rd Baltimore, MD 21239-1204 **Phone:** 443-279-0592
County: Baltimore **NOB/SIC:**
Primary Contact: Joe Alley, Maintenance Superintendent - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Cert Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Owner Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Other Contact(s): Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Joe Alley, Maintenance Superintendent - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments: this is not a chubb acct

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135877H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094285		A O Smith	2005	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **TowsonTown Place Apartments** **Location ID:** 712194
Address: 1303 Colbury Rd Baltimore, MD 21239-1206 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Joe Alley, Maintenance Superintendent - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Cert Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Owner Contact: Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Other Contact(s): Fairways At Towson - 6900 Lachlan Cir Baltimore, MD 21239-1002 - Phone: 443-279-0592
Jessica Delucca, Assistant Community Director - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com
Joe Alley, Maintenance Superintendent - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148903H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091938	106938	Bradford White	2010	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Towsontowne Garage** **Location ID:** 726994
Address: 106 E Pennsylvania Ave Towson, MD 21286-5118 **Phone:** 410-828-0215
County: Baltimore **NOB/SIC:**
Primary Contact: James T. Fallon - Phone: 410-828-0215 - Email: TJGTO@aol.com

Copyright © 2020 CentralSquare

Billing Contact: James T. Fallon - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 410-828-0215 - Email: TJGTO@aol.com
Cert Contact: James T. Fallon - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 410-828-0215 - Email: TJGTO@aol.com
Owner Contact: James T. Fallon - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 410-828-0215 - Email: TJGTO@aol.com
Other Contact(s): James T. Fallon - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 410-828-0215 - Email: TJGTO@aol.com
Towsontowne Garage - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 4108280215

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000400801		Kargard	1969	07/25/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Trico Lift**
Address: 7667 Pulaski Hwy Rosedale, MD 21237-2605
County: Baltimore
Primary Contact: Trico Lift
Billing Contact: Trico Lift - 7667 Pulaski Hwy Rosedale, MD 21237-2605
Cert Contact: Trico Lift - 7667 Pulaski Hwy Rosedale, MD 21237-2605
Owner Contact: Trico Lift - 7667 Pulaski Hwy Rosedale, MD 21237-2605
Other Contact(s): Modern Equipment - 7667 Pulaski Hwy Rosedale, MD 21237-2605 - Phone: 410-918-9770
Trico Lift - 7667 Pulaski Hwy Rosedale, MD 21237-2605

Location ID: 718784
Phone: 410-918-9770
NOB/SIC:

My Company Comments:

My Shared Comments:
Lost w/comment 2/15/13, M. Wolf.
Update contact info.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145184V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001956		Leiss Mfg	2010	03/06/2021	Recurring Cert	Active	Mezzenene

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Trinity House #634**
Location ID: 727138
Address: 409 Virginia Ave Towson, MD 21286-5372
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Kalenda Wakalenda - Phone: 410-825-5288
Billing Contact: Rhonda Reaves - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 667-600-3733
Cert Contact: Kalenda Wakalenda - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 410-825-5288
Owner Contact: Michael Jolley - 1966 Greenspring Dr Timonium, MD 21093-4117 - Phone: 443-798-3426 - Email: mjolley@cc-md.org
Other Contact(s): Angela Mullings - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 410-825-5288 - Email: amulling@cc-md.org
Dwayne Fletcher - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 443-798-3419 - Email: dfletcher@cc-md.org
Kalenda Wakalenda - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 410-825-5288
Kenneth Johnson - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 410-825-5288
Michael Jolley - 1966 Greenspring Dr Timonium, MD 21093-4117 - Phone: 443-798-3426 - Email: mjolley@cc-md.org
Rhonda Reaves, Property Mgr. - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 667-600-3733
Trinity House - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 410-825-5288

My Company Comments: Contact update.
Invoice contact update.
Trinity house (Location: 727138) - 409 Virginia Ave - 4 CED reduced

I was able to see four objects at this location and complete external cert inspections for each object. The maintenance man on site stated that he had replaced two relief valves per michael coleman's (MAC Insp) recommendation, but there is no record of him inspecting the objects in JO. I went ahead and inspected them anyway. MacDonald - End of Day 6/18/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096611V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064369	SH966436945	A O Smith	1996	05/11/2020	Recurring Cert	Active	Boiler Room
MD096612V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064368	SH966436845	A O Smith	1996	05/11/2020	Recurring Cert	Active	Boiler Room
MD129104H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000019041	G0718041	A O Smith	2007	05/11/2020	Recurring Cert	Active	Boiler Room
MD129106H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C18021	G0718021	A O Smith	2007	05/11/2020	Recurring Cert	Active	Boiler Room
MD156192H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014250		Thermal Solutions	2016	11/23/2020	Recurring Cert	Active	Boiler Room

Copyright © 2020 CentralSquare

Location:	**Turner Roofing**	**Location ID:**	714810
Address:	11150 Pulaski Hwy White Marsh, MD 21162-1820	**Phone:**	410-325-5050
County:	Baltimore	**NOB/SIC:**	

Primary Contact: Chuck - Phone: 443-823-1870

Billing Contact: Turner Roofing - 11150 Pulaski Hwy White Marsh, MD 21162-1820

Cert Contact: Turner Roofing - 11150 Pulaski Hwy White Marsh, MD 21162-1820

Owner Contact: Lawrence Turner - 11150 Pulaski Hwy White Marsh, MD 21162-1820 - Phone: 410-325-5050 - Email: von@turnerroofingcompany.com

Other Contact(s): Chuck - 11150 Pulaski Hwy White Marsh, MD 21162-1820 - Phone: 443-823-1870
Lawrence Turner - 11150 Pulaski Hwy White Marsh, MD 21162-1820 - Phone: 410-325-5050 - Email: von@turnerroofingcompany.com
Turner Roofing - 11150 Pulaski Hwy White Marsh, MD 21162-1820

My Company Comments:

Barbara Grant -DLLR- <barbara.grant2@maryland.gov>
Attachments
10:32 AM (1 minute ago)
to Karen, boilers@dllr.state.md.us

Good morning,

MD096128V is a pressure vessel (compressor) that has is registered to Turner Roofing. The certificate for the object expired 11/19/2019. Contact an inspection agency (from the attached list) and schedule an inspection as soon as possible. Once a date is secured, please advise of the inspection date.

Respectfully-

Barb Grant
Citation Warning - Location ID:714810
Inbox
x
Boiler/Inspections
x

Karen Vinson <Karen@turnerroofingcompany.com>
10:04 AM (29 minutes ago)
to boilers@dllr.state.md.us

Good Morning Michelle Wright,

Copyright © 2020 CentralSquare

We received a citation warning letter concerning a boiler on our property at 11150 Pulaski Hwy White Marsh Maryland 21162-1820. The boiler was REMOVED from the property in 1995.

We no longer have a boiler on the property and there is no reason for regular inspection of a boiler that doesn't exist. Let us know if you need any other information we will be glad to assist you.

Overdue Inspection List content below

Location: Turner Roofing

Address: 11150 Pulaski Hwy, White Marsh, MD 21162-1820

NOB/SIC: Operative Builders

County: Baltimore: Phone: 410-325-5050

Location ID: 714840 FIPS: 24005

Primary Contact: Karen Vinson- Safety Manager/ HR

Juris#: MD096128V

Type: Horizonal Unfired Pressured Vessel w/ comment

USE: V- Storage (Not Cryogenic)

MAWP: 0

NB#: 000091058

Serial:

Manufacturer: Brunner

Year: 1994

Insurer: MD Uninsured

Copyright © 2020 CentralSquare

Due Date: 11-19-2019

Status: Active

Plant Location: Shop

Thanks

Karen Vinson | Safety Manager/HR | T: 410-325-5050 |
Inspection Scheduled - LOC 714810
Inbox
x

MAC Inspection & Welding Agency
9:36 AM (1 hour ago)
to MD, me, karen

Good morning all, I was contacted by Karen Vinson of Turner Roofing Co.(cc'd in this email) to schedule the inspection of their air compressor which was due by 11/19/19. They are past due because Ms. Vinson is new to this position and responsibility. In the past, their inspections were automatically handled by Hartford. Their inspection is scheduled for today, Tuesday, 1/14/20. We will input their reports as soon as possible. Thank you.

Best regards,

MD096128V
Boilers@dllr
x

MAC Inspection & Welding Agency
1:31 PM (1 hour ago)
to MD, stacy

All,

The above object has been inspected with no violations. We will have the report submitted accordingly.

Copyright © 2020 CentralSquare

Best regards

Michael Coleman

MAC Inspection & Welding Agency
1:43 PM (50 minutes ago)
to MD, stacy

DLLR,

Turner Roofing explained that they thought the letter was for a boiler that was no longer here. As for the Pressure Vessel (air compressor) above the inspection was always just taken care of by someone.

I informed them that if they receive any other letters concerning this (ie, Citations, etc) to please respond accordingly. Hopefully this mistake will waive any Citations.

Best regards

Mike

My Shared Comments: address standardized 4/24/06/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096128V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000091058 H		Brunner	1994	01/14/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **U-Haul - 820023**
Location ID: 3500706
Address: 5643 Baltimore National Pike Catonsville, MD 21228-1412
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: U-Haul - 820023
Billing Contact: Accounts Payable - PO Box 21505 Phoenix, AZ 85036-1505 - Phone: 302-263-6561 - Email: acctspayable@uhaul.com
Cert Contact: U-Haul - 820023 - 5643 Baltimore National Pike Catonsville, MD 21228-1412
Owner Contact: U-Haul - 820023 - 5643 Baltimore National Pike Catonsville, MD 21228-1412
Other Contact(s): Accounts Payable - PO Box 21505 Phoenix, AZ 85036-1505 - Phone: 302-263-6561 - Email: acctspayable@uhaul.com
U-Haul - 820023 - 5643 Baltimore National Pike Catonsville, MD 21228-1412

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148490V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001668039		Campfield Hausfeld	2010	06/03/2020	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: **U-Haul of Baltimore**
Location ID: 727296
Address: 8641 Pulaski Hwy Rosedale, MD 21237-3007
Phone: 410-682-5805
County: Baltimore
NOB/SIC:
Primary Contact: Vicki Powell, Exec. Asst. - Phone: 410-687-5400 - Email: .vicki_powell@uhaul.com
Billing Contact: Jim Dickerson - 8641 Pulaski Hwy Rosedale, MD 21237-3007 - Phone: 410-682-5805
Cert Contact: Vicki Powell, Exec. Asst. - 8641 Pulaski Hwy Rosedale, MD 21237-3007 - Phone: 410-687-5400 - Email: .vicki_powell@uhaul.com
Owner Contact: Michael Finkelstein, Marketing Company President - 8641 Pulaski Hwy Baltimore, MD 21237-3007 - Phone: 410-682-5805 - Cell: 410-409-1885 - Email: michael_finkelstein@uhaul.com
Other Contact(s): Accounts Payable - PO Box 21505 Phoenix, AZ 85036-1505 - Phone: 302-263-6561 - Email: acctspayable@uhaul.com
Jim Dickerson, Owner's Representative - 8641 Pulaski Hwy Rosedale, MD 21237-3007 - Phone: 410-682-5805
Michael Finkelstein, Marketing Company President - 8641 Pulaski Hwy Baltimore, MD 21237-3007 - Phone: 410-682-5805 - Cell: 410-409-1885 - Email: michael_finkelstein@uhaul.com
Thomas J. Hogan - 500 Wilson Point Rd Middle River, MD 21220-4209 - Phone: 410-687-0500 - Email: thogan@johnsontowerss.com
Vicki Powell, Exec. Asst. - 8641 Pulaski Hwy Rosedale, MD 21237-3007 - Phone: 410-687-5400 - Email: .vicki_powell@uhaul.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104027V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000893285		Manchester	1999	08/21/2021	Recurring Cert	Active	Inside Cage
MD164269V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000693690		Morganton	2017	10/01/2021	Recurring Cert	Active	Hitch Shop

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **UCR Acquisition, LLC.** **Location ID:** 727504
Address: 2002 Graves Ct Dundalk, MD 21222-5509 **Phone:** 410-285-6363
County: Baltimore **NOB/SIC:**
Primary Contact: UCR Acquisition, LLC - Phone: 410-285-6363 - Email: unitedcranerig@aol.com
Billing Contact: UCR Acquisition, LLC - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-285-6363 - Email: unitedcranerig@aol.com
Cert Contact: UCR Acquisition, LLC - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-285-6363 - Email: unitedcranerig@aol.com
Owner Contact: UCR Acquisition, LLC - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-285-6363 - Email: unitedcranerig@aol.com
Other Contact(s): Robert Thomas - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-365-5938 - Email: bthomas@unitedcranenadrigging.com
UCR Acquisition, LLC - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-285-6363 - Email: unitedcranerig@aol.com
United Crane and Rigging - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 410-285-6363 - Email: rhileman@unitedcraneandrigging.com

My Company Comments: 410-285-6363-Christie called about the expired certified certificate. I told her to check with the insurance company.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125190H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Columbia	2003	08/18/2020	Recurring Cert	Active	utility room
MD125191V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000082859		Brunner	2002	08/18/2020	Recurring Cert	Active	comp. room

Total Objects at this location 2

Location: **United Crab & Seafood** **Location ID:** 727462
Address: 6010 Liberty Rd Woodlawn, MD 21207-6205 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Ernst, Owner - Phone: 410-298-1100 - Cell: 443-986-2622
Billing Contact: John Ernst - 6010 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 410-298-1100 - Cell: 443-986-2622
Cert Contact: John Ernst, Owner - 6010 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 410-298-1100 - Cell: 443-986-2622
Owner Contact: John Ernst, Owner - 6010 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 410-298-1100 - Cell: 443-986-2622
Other Contact(s): - . ., . 91311 - Email: usw.ho.comunderwriting@farmersinsurance.com
Ben Renfrow, Sr Risk Engineer - 777 S Figueroa St - Ste 3900 Los Angeles, CA 90017-5836 - Phone: 661 252-1005 - Email: ben.renfrow@zurichna.com
Farmers Loss Control - 6301 Owensmouth Ave Woodland Hills, CA 91367-2216 - Phone: 818-876-3878 - Email: usw_ho.loss.control@farmersinsurance.com
JOE NGUYEN - 8033 MARTIN LUTHER KING BLVD HOUSTON, TX 77033 - Phone: 713 550 2106
John Ernst, Owner - 6010 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 410-298-1100 - Cell: 443-986-2622
Katie Zayed, Market Facing UW II - 1400 American Ln Fl 11 Schaumburg, IL 60196-5452 - Phone: 847-762-7301 - Email: katie.zayed@zurichna.com

Copyright © 2020 CentralSquare

Katie Zayed, Underwriter - 1400 American Ln Fl 11 Schaumburg, IL 60196-5452 - Phone: (847) 762-7301 - Email: katiezayed@zurichna.com
Kim Ernst, Supervisor - 6010 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 410-298-1901 - Email: kimernst56@gmail.com

My Company Comments:

My Shared Comments: American Boiler confirmed 10-28 inspection
contacted owner John Ernst. He is calling Zurich for an inspection date. Also emailing him this list of AIA's
John is waiting for American Boiler to give firm inspection date.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133892		Vertical Tubeless	S - Power-Cooking (Steam > 15 psig)	000149057		Columbia	2009	02/03/2021	Internal Cert	Active	BLRM

Total Objects at this location 1

Location: **United Rentals** **Location ID:** 724954
Address: 3925 Washington Blvd Halethorpe, MD 21227-4132 **Phone:** 410-242-4504
County: Baltimore **NOB/SIC:**
Primary Contact: Brian Boone - Phone: 410-242-4504 - Email: bboone@ur.com
Billing Contact:
Cert Contact: Brian Boone - 3925 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-4504 - Email: bboone@ur.com
Owner Contact: Brian Boone - 3925 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-4504 - Email: bboone@ur.com
Other Contact(s): Brian Boone - 3925 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-4504 - Email: bboone@ur.com
Rental Services Corp. - 3925 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 4102479200

My Company Comments: Scheduled 2/26/16, MIWA.

My Shared Comments: MD097351V has been removed I scheduled Bruce for 1-16-15 to verify

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097350V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000763720		Wood	1980	02/25/2022	Recurring Cert	Active	Lowershop
MD147729V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001854		M I T M	2013	02/25/2022	Recurring Cert	Active	shop

Total Objects at this location 2

Copyright © 2020 CentralSquare

Location: **University Village**
Location ID: 2253696
Address: 408 Campus View Dr Towson, MD 21204-6837
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Michael Perez, GM - Phone: 410-583-0500 - Email: mperez@studenthousing.com
Billing Contact: Michael Perez - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Email: mperez@studenthousing.com
Cert Contact: Michael Perez, GM - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Email: mperez@studenthousing.com
Owner Contact: Michael Perez, GM - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Email: mperez@studenthousing.com
Other Contact(s): Greg Lindung, Maintenance Supervisor - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Cell: 410-905-5021
Jerome Williamson, Maintenance Supervisor - 408 Campus View Dr Towson, MD 21204-6837 - Phone: (443) 425-7377
Michael Perez, GM - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Email: mperez@studenthousing.com
Rob Cancelliere, Jr., General Mgr. - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410.583.0500

My Company Comments:

My Shared Comments:

Email (11/21/12) via hotmail received, informing us that contact no longer is with company and he was not aware of the inspections due. Uploaded email to documents. Responding with the fact that there are no extensions given. The inspection must be performed as soon as possible.
Email (2/6/15) received from Michael Perez he is the new contact, and Insparisk is to inspect, no date given.
Update contact, printing certificates.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129100H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000193136		Raypak	2000	02/13/2021	Recurring Cert	Active	Bldg 4
MD129101H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000193137		Raypak	2000	02/13/2021	Recurring Cert	Active	Bldg 3
MD129102H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000193135		Raypak	2000	02/13/2021	Recurring Cert	Active	Bldg.2
MD157181H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000329063		Lochinvar	2015	02/14/2021	Recurring Cert	Active	BLDG 1 - BOILER ROOM
MD163512H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000444515		Lochinvar	2018	03/29/2021	Recurring Cert	Active	Building 5 Mec Rm
MD163513H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210	000385233		Lochinvar	2016	03/29/2021	Recurring Cert	Active	Building 6 Mech Room

Copyright © 2020 CentralSquare

F)

Total Objects at this location 6

Location: **US Fuels Automotive Inc**
Address: 4305 Southwestern Blvd Baltimore, MD 21229-5416
County: Baltimore
Location ID: 3541474
Phone:
NOB/SIC:
Primary Contact: Mardo Alfare - Phone: 410 247 2020
Billing Contact: Mardo Alfare - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410 247 2020
Cert Contact: Mardo Alfare - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410 247 2020
Owner Contact: Mardo Alfare - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410 247 2020
Other Contact(s): Mardo Alfare - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410 247 2020
Masood Chaudhary - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410-247-3560

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153036V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001528756		Manchester	2014	08/11/2021	Recurring Cert	Active	GARAGE BAY

Total Objects at this location 1

Location: **Vac Pac, Inc.**
Address: 917 Middle River Rd Middle River, MD 21220-2452
County: Baltimore
Location ID: 3837888
Phone: 410-685-5181
NOB/SIC:
Primary Contact: Ed Gover, Maintenance Supervisor - Phone: 410-685-5220 x109 - Cell: 410-685-5181, 443-854-8350 - Email: egover@vacpacinc.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Ed Gover, Maintenance Supervisor - 917 Middle River Rd Middle River, MD 21220-2452 - Phone: 410-685-5220 x109 - Cell: 410-685-5181, 443-854-8350 - Email: egover@vacpacinc.com

My Company Comments: Location 709364 was sold. This is the new location. I am waiting on information about old compressor

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159395V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000432495		Morganton	2014	11/21/2021	Recurring Cert	Active	Back of Plant
MD159396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000777771		Steel Fab	2015	11/21/2021	Recurring Cert	Active	Back of Plant

Total Objects at this location 2

Location: **Valley Equipment Supply**
Address: 1109 Middle River Rd Middle River, MD 21220-2407
County: Baltimore
Primary Contact: Valley Equipment Supply - Phone: 4107804000
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Valley Equipment Supply - 1109 Middle River Rd Middle River, MD 21220-2407 - Phone: 4107804000
My Company Comments:
My Shared Comments:

Location ID: 727810
Phone:
NOB/SIC:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000612651		Trinity	2006	07/06/2020	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Varsity Auto Repair**
Address: 5625 Old Frederick Rd Catonsville, MD 21228-1536
County: Baltimore
Primary Contact: Varsity Auto Repair - Phone: 4107441450
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Varsity Auto Repair - 5625 Old Frederick Rd Catonsville, MD 21228-1536 - Phone: 4107441450

Location ID: 727872
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110599V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000183681		Wessels	1980	09/16/2021	Recurring Cert	Active	SHOP COMP RM
MD110600V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034761		Brunner	1981	09/16/2021	Recurring Cert	Active	SHOP COMP RM
MD110601V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940882		Kargard	1978	09/16/2021	Recurring Cert	Active	PAINT SHOP

Total Objects at this location 3

Location: **Venture Trailers Inc.**
Location ID: 703092
Address: 5301 North Point Blvd Sparrows Point, MD 21219-1740
Phone: 410-388-1000
County: Baltimore
NOB/SIC:
Primary Contact: Bart Blodgett - Phone: 410-388-1000 - Email: bartb@venturetrailers.com
Billing Contact: Zoe Riley - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: zoe@venturetrailers.com
Cert Contact: Zoe Riley, Bus. Mgr. - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: zoe@venturetrailers.com
Owner Contact: Stephanie Van Slyke, Pres. - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: venture@venturetrailers.com
Other Contact(s): Bart Blodgett - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: bartb@venturetrailers.com
Earl Murphy - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: venture@venturetrailers.com
Stephanie Van Slyke, Pres. - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: venture@venturetrailers.com
Zoe Riley, Bus. Mgr. - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: zoe@venturetrailers.com

My Company Comments: Primary contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061850V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000854947		Wood	1984	09/23/2020	Recurring Cert	Active	Compressor Room

Copyright © 2020 CentralSquare

Vessel
w/comment

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 727951
Address: 103 Versailles Cir Towson, MD 21204-6941 **Phone:** 410-821-8811
County: Baltimore **NOB/SIC:**
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com
Versailles Apartments - 103 Versailles Cir Towson, MD 21204-6941

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147017H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000168044	168044	A O Smith	2012	06/02/2021	Recurring Cert	Active	Bldg 103, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 726856
Address: 107 Versailles Cir Towson, MD 21204-6915 **Phone:** 410-821-8811
County: Baltimore **NOB/SIC:**
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com

Copyright © 2020 CentralSquare

Versailles Apartments - 107 Versailles Cir Towson, MD 21204-6915

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140261H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000132640	132640	A O Smith	2008	06/02/2021	Recurring Cert	Active	Bldg 107, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 727953

Address: 121 Versailles Cir Towson, MD 21204-6921 **Phone:** 410-821-8811

County: Baltimore **NOB/SIC:**

Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com

Versailles Apartments - 121 Versailles Cir Towson, MD 21204-6921

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157795H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203734	203734	A O Smith	2015	07/12/2021	Recurring Cert	Active	Bldg 121, Water Heater Rm

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Versailles Apartments**
Location ID: 727954
Address: 127 Versailles Cir Towson, MD 21204-6924
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Olga Jovanovic, Rental Office - Phone: 410-821-8811
Billing Contact: Olga Jovanovic - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811
Cert Contact: Olga Jovanovic, Rental Office - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811
Owner Contact: Olga Jovanovic, Rental Office - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811
Other Contact(s): Olga Jovanovic, Property manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410 821 8811
Olga Jovanovic, Rental Office - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151518H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000189466	189466	A O Smith	2014	06/02/2021	Recurring Cert	Active	Bldg 127, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments**
Location ID: 727945
Address: 133 Versailles Cir Towson, MD 21204-6927
Phone: 410-821-8811
County: Baltimore
NOB/SIC:
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com
Versailles Apartments - 133 Versailles Cir Towson, MD 21204-6927

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127343H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000118162	0306118162	PVI	2005	06/02/2021	Recurring Cert	Active	Bldg 133, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 727946
Address: 141 Versailles Cir Towson, MD 21204-6931 **Phone:** 410-821-8811
County: Baltimore **NOB/SIC:**
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com
Versailles Apartments - 141 Versailles Cir Towson, MD 21204-6931

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140263H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000139166	139166	A O Smith	2009	06/02/2021	Recurring Cert	Active	Bldg 141, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 727947
Address: 147 Versailles Cir Towson, MD 21204-6934 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

Copyright © 2020 CentralSquare

John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com

Versailles Apartments - 147 Versailles Cir Towson, MD 21204-6934

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157796H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203417	203417	A O Smith	2015	07/12/2021	Recurring Cert	Active	Bldg 147, Water Heater Rm

Total Objects at this location 1

Location: **Versailles Apartments** **Location ID:** 727948

Address: 155 Versailles Cir Towson, MD 21204-6938 **Phone:** 410-821-8811

County: Baltimore **NOB/SIC:**

Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com

John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com

Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com

Versailles Apartments - 155 Versailles Cir Towson, MD 21204-6938

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127344H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000112495	0204112495	PVI	2005	06/02/2021	Recurring Cert	Active	Bldg 155, Water Heater Rm

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Versailles Apartments** **Location ID:** 727949
Address: 303 Versailles Drive Towson, MD 21204 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: John Porter, VP - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Billing Contact: Jamey Krebs - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Cert Contact: Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
Owner Contact: John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Other Contact(s): Jamey Krebs, Property Manager - 111 Versailles Cir Towson, MD 21204-6912 - Phone: 410-821-8811 - Email: jkrebs@rossmgtservices.com
John Porter, VP - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-894-2100/301-345-1622/301-657-8899 - Email: jporter@rossmgtservices.com
Patrick Branch, Assistant Mechanical Services Coordinator - 7910 Woodmont Ave Ste 350 Bethesda, MD 20814-7013 - Phone: 301-345-1622 - Cell: 240-338-0412 - Email: pbranch@rossmgtservices.com
Versailles Apartments - 303 Versailles Drive Towson, MD 21204

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147018H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000164789	164789	A O Smith	2011	06/02/2021	Recurring Cert	Active	Bldg 303, Water Heater Rm

Total Objects at this location 1

Location: **Village Oaks Apartments** **Location ID:** 728038
Address: 815 Winters Ln Catonsville, MD 21228-2858 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Tamara Malone, Community Manager - Phone: 410-747-1344 - Email: villageoaksmgr@tfjgroup.com
Billing Contact: Franklin Johnston Group - PO Box 7709 Merrifield, VA 22116-7709 - Email: apvendors@tfjgroup.com
Cert Contact: Tamara Malone, Community Manager - 815 Winters Ln Catonsville, MD 21228-2858 - Phone: 410-747-1344 - Email: villageoaksmgr@tfjgroup.com
Owner Contact: Standard Oaks Venture LP - 1901 Avenue of the Stars Suite 395 Los Angeles, CA 90067-6058 - Phone: 310-553-5711
Other Contact(s): Davida Picott, Administrator - 815 Winters Ln Catonsville, MD 21228-2858 - Phone: 410-747-1344 - Email: d.picott@amcllc.net
Franklin Johnston Group - PO Box 7709 Merrifield, VA 22116-7709 - Email: apvendors@tfjgroup.com
Kimberly White, Property Manager - 815 Winters Ln Catonsville, MD 21228-2858 - Phone: 4107471344 - Email: vokmgr@amcllc.net
Standard Oaks Venture LP - 1901 Avenue of the Stars Suite 395 Los Angeles, CA 90067-6058 - Phone: 310-553-5711
Tamara Malone, Community Manager - 815 Winters Ln Catonsville, MD 21228-2858 - Phone: 410-747-1344 - Email: villageoaksmgr@tfjgroup.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments: Company recently changed hands (caller referred to it as a "new acquisition) new management uses ABIS for their other properties. Will check with ins to see if covered. If not, ABIS is currently scheduled for 5/14/15

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112084H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	767	H B Smith	2001	05/07/2021	Recurring Cert	Active	Boiler Rm
MD112085H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	768	H B Smith	2001	05/07/2021	Recurring Cert	Active	Boiler Rm
MD157741H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000142794		PVI Industries	2016	05/12/2021	Recurring Cert	Active	Boiler Room
MD161113H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000145756		PVI Industries	2017	05/12/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 4

Location: **Vito's Express (Arc3)** **Location ID:** 3992518
Address: 11000 Owings Mills Blvd Owings Mills, MD 21117-2817 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Vito's Express (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165837V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015094		Taylor	1993	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Vito's Pizza (Arc3)**
Location ID: 3992515
Address: 9938 Reisterstown Rd Owings Mills, MD 21117-3945
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Vito's Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165828V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003821		Taylor	1988	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **VSAK, Inc.**
Location ID: 721190
Address: 2329 Cleanleigh Dr Parkville, MD 21234-6807
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Sonia Saini - Phone: 410-668-8078
Billing Contact: Sonia Saini - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410-668-8078
Cert Contact: Sonia Saini - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410-668-8078
Owner Contact: Sonia Saini - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410-668-8078
Other Contact(s): Sharad Parekh - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410 668 8078
Sonia Saini - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410-668-8078

My Company Comments:
Location name and contact update.
MD101989H has been removed
New boiler installed in 6/2018
new owner is Sonia
ssaini20871@yahoo.com

new owner as of 12/17
Perring Laundromat - 2329 Cleanleigh Dr (Location: 721190) - 1 CED Reduced

I was able to gain access to the laundromat and verify that the violations for this object had been corrected. It is ok to issue the certificate for this object.

Copyright © 2020 CentralSquare

Jeremy Macdonald 3/19/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161698H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000286939	C18286939	Laars	2018	09/14/2020	Recurring Cert	Active	Mechanical Rm

Total Objects at this location 1

Location: **WACO Products**
Location ID: 728396
Address: 1330 Knecht Ave Baltimore, MD 21229-5513
Phone: 410-242-1000
County: Baltimore
NOB/SIC:
Primary Contact: Bill Taylor - Phone: 410-242-1000x319 - Email: btaylor@wacoproducts.com
Billing Contact: Bill Taylor - 1330 Knecht Ave Baltimore, MD 21229-5513 - Phone: 410-242-1000x319 - Email: btaylor@wacoproducts.com
Cert Contact: Bill Taylor - 1330 Knecht Ave Baltimore, MD 21229-5513 - Phone: 410-242-1000x319 - Email: btaylor@wacoproducts.com
Owner Contact: Bill Taylor - 1330 Knecht Ave Baltimore, MD 21229-5513 - Phone: 410-242-1000x319 - Email: btaylor@wacoproducts.com
Other Contact(s): Bill Taylor - 1330 Knecht Ave Baltimore, MD 21229-5513 - Phone: 410-242-1000x319 - Email: btaylor@wacoproducts.com
Brian Pasquarello, Service Manager - 8124 Norris Ln Baltimore, MD 21222-1618 - Phone: 410-288-0303
Washington Aluminum Co - 1330 Knecht Ave Baltimore, MD 21229-5513 - Phone: 410-242-0228

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD029045V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012401		Buffalo Tank Div	1951	07/10/2021	Recurring Cert	Active	Compressor Room
MD093293V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000115360		Steel Products	1995	07/10/2021	Recurring Cert	Active	Comp Room
MD133037V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000171600		Silvan	1995	07/10/2021	Recurring Cert	Active	compressor rm

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **Waddells Customs** **Location ID:** 727901
Address: 547 S Marlyn Ave Essex, MD 21221-5259 **Phone:** 410-591-8076
County: Baltimore **NOB/SIC:**
Primary Contact: Gene Waddell, Owner - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com
Billing Contact: Gene Waddell - 547 S Marlyn Ave Essex, MD 21221-5259 - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com
Cert Contact: Gene Waddell, Owner - 547 S Marlyn Ave Essex, MD 21221-5259 - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com
Owner Contact: Gene Waddell, Owner - 547 S Marlyn Ave Essex, MD 21221-5259 - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com
Other Contact(s): Gene Waddell, Owner - 547 S Marlyn Ave Essex, MD 21221-5259 - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com
Venus Body Shop - 547 S Marlyn Ave Essex, MD 21221-5232 - Phone: 4106875165

My Company Comments: Gail Wydel Called and stated she is trying to schedule the needed inspection.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121914V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000548967		Manchester	1998	10/21/2020	Recurring Cert	Active	PAINT ROOM

Total Objects at this location 1

Location: **Wal-Mart Store 2045** **Location ID:** 3005380
Address: 8118 Perry Hills Ct Nottingham, MD 21236-3514 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144538V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000033731		HENRY	2011	07/14/2021	Recurring Cert	Active	Walmart#2034 roof

Copyright © 2020 CentralSquare

		Vessel w/comment								
MD144539V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033732		Henry Tech.	2011	07/14/2021	Recurring Cert	Active	Walmart#2034 roof
MD144540V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033605		Henry Tech.	2011	07/14/2021	Recurring Cert	Active	Walmart#2034 Roof
MD144541V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033606		Henry Tech.	2011	07/14/2021	Recurring Cert	Active	Walmart#2034 roof
MD144542V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033609		HENRY	2011	07/14/2021	Recurring Cert	Active	Walmart#2034 roof

Total Objects at this location 5

Location: **Wal-Mart Store 2248**
Location ID: 3005382
Address: 6205 Baltimore National Pike Catonsville, MD 21228-2908
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143985V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000422157		Standard	2002	12/04/2021	Recurring Cert	Active	Rear Store Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Wal-Mart Store 2290** **Location ID:** 3005376
Address: 9750 Reisterstown Rd Owings Mills, MD 21117-4147 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143996V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029258		HENRY	2009	07/15/2021	Recurring Cert	Active	Rear Store

Total Objects at this location 1

Location: **Wal-Mart Store 2435** **Location ID:** 1600871
Address: 2399 North Point Blvd Dundalk, MD 21222-1623 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135046V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000960234		Manchester	2008	05/13/2022	Recurring Cert	Active	Auto Center

Copyright © 2020 CentralSquare

		w/comment								
MD143142V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000030317		HENRY	2010	05/13/2022	Recurring Cert	Active	Roof

Total Objects at this location 2

Location: **Wal-Mart Store 2577**
Location ID: 3090799
Address: 1 Frankel Way Cockeysville, MD 21030-3220
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141392V	E	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073334		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141393V	C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00073198		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141394V	B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072180		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141395V	D	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073327		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141396V		Horizontal Unfired	V - Storage (NOT Cryogenic)	000073200		Standard	2007	12/04/2021	Recurring Cert	Active	Roof

Copyright © 2020 CentralSquare

		Pressure Vessel w/comment								
MD141397V	F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073743		Standard	2007	12/04/2021	Recurring Cert	Active	Roof

Total Objects at this location 6

Location: **Wal-Mart Store 3481** **Location ID:** 2209624
Address: 112 Carroll Island Rd Middle River, MD 21220-2208 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126839V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000188774		Manchester	2003	04/29/2022	Recurring Cert	Active	Compressor Room
MD143114V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029404		HENRY	2009	04/29/2022	Recurring Cert	Active	Roof

Total Objects at this location 2

Location: **Wal-Mart Store 3489** **Location ID:** 1600870
Address: 6420 Petrie Way Rd Rosedale, MD 21237-3034 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Copyright © 2020 CentralSquare

Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145144V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011590		Westermeyer	2011	12/05/2021	Recurring Cert	Active	Roof
MD145145V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0033877		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof
MD145146V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033874		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof
MD145147V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015591		Westermeyer	2011	12/05/2021	Recurring Cert	Active	Roof
MD145148V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033869		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof

Total Objects at this location 5

Location: **Wal-Mart Store 3720**
Location ID: 2976908
Address: 3601 Washington Blvd Arbutus, MD 21227-1627
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144573V	Rack C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072148		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD144574V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072505		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD144575V	Rack D	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072128		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD144576V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072410		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD144577V	Rack F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072642		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD144578V	Rack F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072638		Standard	2008	04/06/2021	Recurring Cert	Active	Roof
MD162381V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000653691		Morganton	2017	01/23/2021	Recurring Cert	Active	Tire Shop

Total Objects at this location 7

Location: **Wal-Mart Store 3804**
Address: 8730 Liberty Rd Randallstown, MD 21133-4710
County: Baltimore
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Location ID: 3315636
Phone:
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146241V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000019751		Westermeyer Ind	2012	12/27/2020	Recurring Cert	Active	Roof
MD146242V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000018674		Westermeyer Ind	2012	12/27/2020	Recurring Cert	Active	Roof
MD146243V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Feedwater Heater	000019611		Westermeyer Ind	2012	12/27/2020	Recurring Cert	Active	Roof

Total Objects at this location 3

Location: **Wal-Mart Store 5344** **Location ID:** 1600376
Address: 1238 Putty Hill Ave Suite 5 Towson, MD 21286-5878 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD121918V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000055467		Standard	2004	07/18/2022	Recurring Cert	Active	Roof Top

Total Objects at this location 1

Location: **Walter Jay Auto Painting**
Location ID: 728317
Address: 3826 N Point Blvd Dundalk, MD 21222-2806
Phone: 410-282-4207
County: Baltimore
NOB/SIC:
Primary Contact: Angel Pirog - Phone: 410-282-4207
Billing Contact: Joseph Pirog - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207 - Email: walterjays@aol.com
Cert Contact: Joseph Pirog, Owner - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207 - Email: walterjays@aol.com
Owner Contact: Joseph Pirog, Owner - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207 - Email: walterjays@aol.com
Other Contact(s): Angel Pirog - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207
Joseph Pirog, Owner - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207 - Email: walterjays@aol.com

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145179V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000059046		Steel Fab	1993	10/21/2020	Recurring Cert	Active	OUTSIDE
MD150057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000479802		Steel Fab	2007	10/21/2020	Recurring Cert	Active	OUTSIDE

Total Objects at this location 2

Location: **Walther Washmat**
Location ID: 728332
Address: 8611 Walther Blvd Baltimore, MD 21236-3039
Phone: 410-882-4303
County: Baltimore
NOB/SIC:
Primary Contact: Walther Washmat - Phone: 410-882-4303
Billing Contact: Walther Washmat - 8611 Walther Blvd Baltimore, MD 21236-3039 - Phone: 410-882-4303
Cert Contact: Walther Washmat - 8611 Walther Blvd Baltimore, MD 21236-3039 - Phone: 410-882-4303

Copyright © 2020 CentralSquare

Owner Contact: Walther Washmat - 8611 Walther Blvd Baltimore, MD 21236-3039 - Phone: 410-882-4303
Other Contact(s): Walther Washmat - 8611 Walther Blvd Baltimore, MD 21236-3039 - Phone: 410-882-4303

My Company Comments: Walther Washmat - 8611 Walther Blvd (Location:728332) - 1 CED Reduced

I was able to verify that a violation for a relief device I wrote 2 weeks ago has since been corrected. It is ok to issue a certificate for this object. MacDonald - 3/8/18

My Shared Comments: I called the Washmat to get proper mailing address; changed 3/10/04, RHD

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102111H	CoilWtrHtr	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077803		National	1997	02/22/2022	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: **Ware's Day Care Rental** **Location ID:** 716586
Address: 4013 Liberty Heights Ave Baltimore, MD 21207-7545 **Phone:** 410-239-9565
County: Baltimore **NOB/SIC:**
Primary Contact: La'Tronya Ware, Owner - Phone: 410-239-9565/443-865-4860
Billing Contact: La'Tronya Ware - 1206 Wynside Ln Hampstead, MD 21074-2608 - Phone: 410-239-9565/443-865-4860
Cert Contact: La'Tronya Ware, Owner - 1206 Wynside Ln Hampstead, MD 21074-2608 - Phone: 410-239-9565/443-865-4860
Owner Contact: La'Tronya Ware, Owner - 1206 Wynside Ln Hampstead, MD 21074-2608 - Phone: 410-239-9565/443-865-4860
Other Contact(s): Audrey Ware - 4013 Liberty Heights Ave Baltimore, MD 21207-7545 - Phone: 410-239-9565
La'Tronya Ware, Owner - 1206 Wynside Ln Hampstead, MD 21074-2608 - Phone: 410-239-9565/443-865-4860
Latronya Ware-Shepard, Owner - 4013 Liberty Heights Ave Baltimore, MD 21207-7545 - Phone: 410-367-7877 - Email: latronyashepared@hotmail.com

My Company Comments: Citation--410-239-9565. Audrey Ware called, she said she spoke with Barbara Grant to let her know that MD114239H has been replaced, she thought that when the city inspector cleared everything, that he would contact us. There is no one at the location and she would like to meet up with the inspector to let him in.
I went by this location last week. MD114239H was replaced by a NEW boiler (MD165251H) that I put in violation for many safety issues. B. King 1/
Loc# 716586 - MD114239H - Liberty NW - No access. Scheduled for Thursday. No access 12/31/19 B. King
Location name and contact update.

My Shared Comments: Audrey Ware called to find out who inspects. Insparisk performed the last inspection, gave phone number.
Audrey Ware called to say she faxed the BPV form and Insparisk did the inspection today.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165251H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	0619014995	ECR	2019	01/02/2022	Recurring Cert	Active	BLRM

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Washington, LLC.** **Location ID:** 702444
Address: 600 Washington Ave Towson, MD 21204-3913 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Edin Goldman, Owner - Email: goldmanpartnersgroup@gmail.com
Billing Contact: Nechama Goldman - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: Nechama.gpg@gmail.com
Cert Contact: Nechama Goldman, Administrative Assistant - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: Nechama.gpg@gmail.com
Owner Contact: Edin Goldman, Owner - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: goldmanpartnersgroup@gmail.com
Other Contact(s): Amy Natoli, Property Manager - 3168 Braverton St Suite 400 Edgewater, MD 21037-2675 - Phone: 443-951-2000 - Cell: 443-951-2023
Edin Goldman, Owner - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: goldmanpartnersgroup@gmail.com
Greg Lindung, Facility Manager - 600 Washington Ave Towson, MD 21204-3913 - Phone: 410-236-8281
Kyle Wedlock Shannon McRaw - 2328 W Joppa Rd Ste 200 Lutherville Timonium, MD 21093-4674 - Phone: 410-821-8585
Nechama Goldman, Administrative Assistant - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: Nechama.gpg@gmail.com
PBC Towson LLC C/O The Brick Companies - 3168 Braverton St Ste 400 Edgewater, MD 21037-2675
Ross , Building Engineer - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 443-865-5091

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074820H	1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000067114	0688103714	Raypak	1989	05/22/2021	Recurring Cert	Active	Penthouse

Total Objects at this location 1

Location: **Wawa** **Location ID:** 3898858
Address: 516 Main St Reisterstown, MD 21136-1916 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Contact update.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000093438	868-002-HH9	Taylor-Wharton	2011	08/14/2022	Recurring Cert	Active	Back Room

Total Objects at this location 1

Location: **Wawa - 578 (Roberts)** **Location ID:** 3898846
Address: 4017 N Point Blvd Dundalk, MD 21222-3619 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wawa - 578 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000092393		Taylor	2011	08/05/2022	Recurring Cert	Active	Outside/Shed

Total Objects at this location 1

Location: **Wawa - 8504 (Roberts)** **Location ID:** 3813487
Address: 3716 Washington Blvd Halethorpe, MD 21227-1656 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wawa - 8504 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company 3719 Washington Blvd, Halethorpe, MD

Copyright © 2020 CentralSquare

Comments: Boilers@dllr

amerboiler via DLLR DL DLI Boiler Inspection
12:50 PM (10 minutes ago)
to Boilers, ADiaz, JDM336

DLLR,

American Boiler Inspection Service will inspect this location by the end of next week.

MD 158781 V

Wawa
3719 Washington Blvd
Halethorpe, MD

Please let me know if this does not meet your requirements.

Thanks, Mark Anderson
Wawa - 3716 Washington Blvd (Location: 3813487) - 1 CED reduced
I was able to verify that the proper sized relief device was installed, and copper piping was installed on the end of the relief ensuring that the gas would be discharged to a safe location. MacDonald - 2/13/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158781V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015247		Taylor	1993	10/20/2021	Recurring Cert	Active	Outside Storage

Total Objects at this location 1

Location: **Wawa - 8506 (Roberts)** **Location ID:** 4011034
Address: 10111 York Rd Cockeysville, MD 21030-3305 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wawa - 8506 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167306V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000092010		MVE	2001	03/04/2022	Recurring Cert	Active	Outside Closet

Total Objects at this location 1

Location: **Wawa - 8510 (Roberts)** **Location ID:** 3898861
Address: 1270 E Joppa Rd Towson, MD 21286 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wawa - 8510 (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Per Roberts Oxygen MD161731V – Correct address is 1260 E Joppa Rd, Towson, MD 21284

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161731V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000299996		CHART	2017	08/05/2022	Recurring Cert	Active	Outside Closet

Total Objects at this location 1

Location: **Waynes Inc.** **Location ID:** 728597
Address: 12300 Owings Mill Blvd. Unit #9 Reisterstown, MD 21136-1744 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Forrest, Owner - Phone: 410-526-5500 - Email: cwforr@msn.com
Billing Contact: Wayne Forrest - 12300 Owings Mills Blvd Ste 9 Reisterstown, MD 21136-1744 - Phone: 410-526-5500 - Email: cwforr@msn.com
Cert Contact: Wayne Forrest, Owner - 12300 Owings Mills Blvd Ste 9 Reisterstown, MD 21136-1744 - Phone: 410-526-5500 - Email: cwforr@msn.com
Owner Contact: Wayne Forrest, Owner - 12300 Owings Mills Blvd Ste 9 Reisterstown, MD 21136-1744 - Phone: 410-526-5500 - Email: cwforr@msn.com
Other Contact(s): Wayne Forrest, Owner - 12300 Owings Mills Blvd Ste 9 Reisterstown, MD 21136-1744 - Phone: 410-526-5500 - Email: cwforr@msn.com

Copyright © 2020 CentralSquare

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061150V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000066961		Kargard	1983	10/17/2020	Recurring Cert	Active	Rear

Total Objects at this location 1

Location: **Wayward Smokehouse (Arc3)** **Location ID:** 4039046
Address: 8161 Honeygo Blvd Nottingham, MD 21236-8202 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wayward Smokehouse (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167312V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000000886		Worthington	2018	08/27/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Wegman's - 14 (Arc3)** **Location ID:** 3925613
Address: 122 Shawan Rd Cockeysville, MD 21030-1325 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Wegman's - 14 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Copyright © 2020 CentralSquare

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163500V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000163789		CHART	2005	02/27/2021	Recurring Cert	Active	Nature's Floral - Back of Store Behind Cheese

Total Objects at this location 1

Location: **Welch Automotive**
Address: 516 Middle River Rd Middle River, MD 21220-3746
County: Baltimore
Primary Contact: Gary - Phone: 410 918 9292
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Gary - 516 Middle River Rd Middle River, MD 21220-3746 - Phone: 410 918 9292

Location ID: 718523
Phone: 410-918-9292
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121954V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000946504		Buckeye	2001	06/12/2021	Recurring Cert	Active	shop

Total Objects at this location 1

Location: **Wendy's**
Address: 9817 York Rd Cockeysville, MD 21030-4913
County: Baltimore
Primary Contact: Manager on Duty - Phone: 410-667-1158

Location ID: 4023448
Phone: 410-667-1158
NOB/SIC:

Copyright © 2020 CentralSquare

Billing Contact: Manager on Duty - 9817 York Rd Cockeysville, MD 21030-4913 - Phone: 410-667-1158
Cert Contact: Manager on Duty - 9817 York Rd Cockeysville, MD 21030-4913 - Phone: 410-667-1158
Owner Contact: Manager on Duty - 9817 York Rd Cockeysville, MD 21030-4913 - Phone: 410-667-1158
Other Contact(s): Manager on Duty - 9817 York Rd Cockeysville, MD 21030-4913 - Phone: 410-667-1158

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167230V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068439		Taylor-Wharton	2013	06/03/2022	Recurring Cert	Active	Inside Rear Door

Total Objects at this location 1

Location: **Wendy's (Roberts)**
Location ID: 4037678
Address: 11818 reistertown rd Reisterstown, MD 21136
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Wendy's (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167308V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068362		Taylor	2012	08/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Wendy's - (Roberts)** **Location ID:** 3933500
Address: 8700 Belair Rd Nottingham, MD 21236-2420 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163557V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000006350		Taylor-Wharton	1989	04/25/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **West Road Corporate Center** **Location ID:** 728717
Address: 110 West Rd Towson, MD 21204-2316 **Phone:** 410-427-0415
County: Baltimore **NOB/SIC:**
Primary Contact: Tim Preis, Building Engineer - Phone: 443-865-5080 - Email: Rarmenta@mackenziemgmt.com
Billing Contact: Wendy Kirby-Barnes - 2328 W Joppa Rd Ste 200 Baltimore, MD 21234-2808 - Phone: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com
Cert Contact: Wendy Kirby-Barnes, Property Manager - 2328 W Joppa Rd Ste 200 Baltimore, MD 21234-2808 - Phone: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com
Owner Contact: Wendy Kirby-Barnes, Property Manager - 2328 W Joppa Rd Ste 200 Baltimore, MD 21234-2808 - Phone: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com
Other Contact(s): 110 WEST RD ASSOC, LP, LLLP - 2328 W Joppa Rd Ste 200 Lutherville Timonium, MD 21093-4674 - Phone: 410-821-8585 - Cell: 410-494-6654
Kyle Wedlock Shannon McRaw - 2328 W Joppa Rd Ste 200 Lutherville Timonium, MD 21093-4674 - Phone: 410-821-8585
Shannon McCraw, Senior Property Manager - 2328 W Joppa Rd Ste 200 Lutherville Timonium, MD 21093-4674 - Phone: 410-821-8585 - Cell: 410-494-6654
Tim Preis, Building Engineer - 110 West Rd Towson, MD 21204-2316 - Phone: 443-865-5080 - Email: Rarmenta@mackenziemgmt.com
Wendy Kirby-Barnes, Property Manager - 2328 W Joppa Rd Ste 200 Baltimore, MD 21234-2808 - Phone: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com
Wendy Kirby-Barnes, Senior Property Manager - MacKenzie Management Company LLC - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Cell: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com

My Company Comments: No access spoke to maintenance will inspect on 1/14/2019 S Reynolds.

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD010639V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000176770		Manchester	1974	11/14/2020	Recurring Cert	Active	Boiler Room-b
MD062043H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1985	11/14/2020	Recurring Cert	Active	Boiler Room B
MD137527H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000024714		R B I	2009	11/14/2020	Recurring Cert	Active	BLDG A BOILER ROOM
MD137528H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000024715		R B I	2009	11/14/2020	Recurring Cert	Active	BLDG A BOILER ROOM

Total Objects at this location 4

Location: **Westland Gardens** **Location ID:** 728812
Address: 1145 Courtney Rd Halethorpe, MD 21227-1248 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments: standardized 12/8/06/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075241H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Utica	1990	11/03/2020	Recurring Cert	Active	Bldg 1145

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location: **Westland Gardens** **Location ID:** 728813
Address: 4702 Gateway Ter Halethorpe, MD 21227-1217 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155878H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2016	09/29/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728814
Address: 4703 Gateway Ter Halethorpe, MD 21227-1218 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059303H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	Bldg 4703 Gateway Terr

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728815
Address: 4708 Gateway Ter Halethorpe, MD 21227-1223 **Phone:** 410-242-2544
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154260H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	550201306	Weil-McLain	2015	05/03/2020	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728816
Address: 4709 Gateway Ter Halethorpe, MD 21227-1224 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD075240H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	Utica	1990	11/03/2020	Recurring Cert	Active	Bldg 4709

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728817
Address: 4744 Westland Blvd Halethorpe, MD 21227-1323 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063050H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	4744 Westland

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728818
Address: 4747 Westland Blvd Halethorpe, MD 21227-1326 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063049H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728819
Address: 4750 Westland Blvd Halethorpe, MD 21227-1329 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059307H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	4750 Westland

Total Objects at this location 1

Location: **Westland Gardens** **Location ID:** 728820
Address: 4805 Westland Blvd Halethorpe, MD 21227-1340 **Phone:** 410-242-1612
County: Baltimore **NOB/SIC:**
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

Copyright © 2020 CentralSquare

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059306H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	Bldg 4805

Total Objects at this location 1

Location: **Westland Gardens**
Location ID: 728821
Address: 4806 Westland Blvd Halethorpe, MD 21227-1341
Phone: 410-242-1612
County: Baltimore
NOB/SIC:
Primary Contact: Wayne Trageser - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Billing Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Cert Contact: Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Owner Contact: Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com
Other Contact(s): Wayne Trageser - 4700 Gateway Ter Halethorpe, MD 21227-1218 - Phone: 410-242-2544/410-242-1612 - Email: Rmastropieri@regionalmgmt.com
Westland Gardens - 4700 Gateway Ter Halethorpe, MD 21227-1213 - Phone: 410-242-1612/410-539-2370 - Email: rmastropieri@regionalmgmt.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059305H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1986	11/03/2020	Recurring Cert	Active	Bldg 4806

Total Objects at this location 1

Location: **WetDog's Auto Repair**
Location ID: 3321121
Address: 10823D Veneer Ln Ste 4 Cockeysville, MD 21030-2158
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Brandon Suess - Phone: 443-846-7500
Billing Contact: Brandon Suess - 10823D Veneer Ln Ste 4 Cockeysville, MD 21030-2158 - Phone: 443-846-7500
Cert Contact: Brandon Suess - 10823D Veneer Ln Ste 4 Cockeysville, MD 21030-2158 - Phone: 443-846-7500
Owner Contact:
Other Contact(s): Brandon Suess - 10823D Veneer Ln Ste 4 Cockeysville, MD 21030-2158 - Phone: 443-846-7500

My Company

Copyright © 2020 CentralSquare

Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146959V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000374399		Buckeye	1982	03/30/2021	Recurring Cert	Active	SHOP REAR

Total Objects at this location 1

Location: **Whitcraft Automatic Transmission**
Location ID: 728982
Address: 536 Main St Reisterstown, MD 21136-1916
Phone: 410-833-5752
County: Baltimore
NOB/SIC:
Primary Contact: Harry Diehl, Owner - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com
Billing Contact: Harry Diehl - 536 Main St Reisterstown, MD 21136-1916 - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com
Cert Contact: Harry Diehl, Owner - 536 Main St Reisterstown, MD 21136-1916 - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com
Owner Contact: Harry Diehl, Owner - 536 Main St Reisterstown, MD 21136-1916 - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com
Other Contact(s): Greg Bartgis - 536 Main St Reisterstown, MD 21136-1916 - Phone: 4108335722
Harry Diehl, Owner - 536 Main St Reisterstown, MD 21136-1916 - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081455V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000700550		Buckeye	1986	07/11/2022	Recurring Cert	Active	Comp Shed
MD098858V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004174	4174	Morrison	1930	07/11/2022	Recurring Cert	Active	Comp Shed
MD149522V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000305367		Trinity	2008	07/11/2022	Recurring Cert	Active	Rear Garage

Total Objects at this location 3

Copyright © 2020 CentralSquare

Location: **Windsor 6314, LLC.**
Location ID: 996513
Address: 6314 Windsor Mill Rd Gwynn Oak, MD 21207-6075
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Christina Jackson - Phone: 410-869-9370
Billing Contact: Peter Viti - 4 Nashua Ct Ste 21 Baltimore, MD 21221-3134 - Phone: 443-869-9370
Cert Contact: Peter Viti - 4 Nashua Ct Ste 21 Baltimore, MD 21221-3134 - Phone: 443-869-9370
Owner Contact: Peter Viti - 4 Nashua Ct Ste 21 Baltimore, MD 21221-3134 - Phone: 443-869-9370
Other Contact(s): Christina Jackson - 4 Nashua Ct Ste 21 Baltimore, MD 21221-3134 - Phone: 410-869-9370
Peter Viti - 4 Nashua Ct Ste 21 Baltimore, MD 21221-3134 - Phone: 443-869-9370
Windsor 6314 LLC - PO Box 6595 Annapolis, MD 21401-0595

My Company Comments:

My Shared Comments: Emailed Peter Viti in response to his letter(10/17/13), stating that MD096115h & MD096116H are offline and no longer in use. Attached the AIA list.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096115H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1965	09/12/2020	Recurring Cert	Active	Rm 701

Total Objects at this location 1

Location: **Windsor Inn**
Location ID: 729289
Address: 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837
Phone: 410-944-0446
County: Baltimore
NOB/SIC:
Primary Contact: Demetrious Vangelakos - Phone: 410-944-0446
Billing Contact: Demetrious Vangelakos - 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837 - Phone: 410-944-0446
Cert Contact: Demetrious Vangelakos - 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837 - Phone: 410-944-0446
Owner Contact: Demetrious Vangelakos - 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837 - Phone: 410-944-0446
Other Contact(s): Demetrious Vangelakos - 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837 - Phone: 410-944-0446
R & V Associated Limited - Windsor Inn - 7207 Windsor Mill Rd Woodlawn, MD 21207 - Phone: 4109440446

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location

Copyright © 2020 CentralSquare

MD137343H	A	Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	Cast Iron	UDF14440	Columbia	2008	03/09/2021	Recurring Cert	Active	Boiler Room
MD137344H	B	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Heating-Cooking (Steam <= 15 psig)	Cast Iron	UFK26113	Columbia	2008	03/09/2021	Recurring Cert	Active	Boiler Room
			Total Objects at this location		2						

Location: **Windsor Mill Cleaners**
Address: 7216 A Windsor Mill Road Windsor Mill, MD 21244-2836
County: Baltimore
Primary Contact: Windsor Mill Cleaners
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Young Park, Owner - 7216 A Windsor Mill Road Windsor Mill, MD 21244 - Phone: 410-298-7070

Location ID: 729291
Phone: 410-298-7070
NOB/SIC:

My Company Comments:
Business is closed
citation returned- fordward time expired- 3420 Sonia Trl apt 406 Ellicott City MD 21043-3882
No SDAT info.
Young Park
Thu, Jan 9, 11:19 AM (13 days ago)
to me

Good morning,

We're not really sure who the current owner is, but we know that the boiler was completely taken out of that building.
Young Park <younggamp@gmail.com>
Mon, Sep 24, 11:47 AM (1 day ago)
to boilers

Hello,

This email is in regards to the boiler located at:

Windsor Mill Cleaners
7216 A Windsor Mill Road
Windsor Mill, MD 21244-2836

We've received a citation warning saying that we are past due for inspection, but we actually closed the cleaners down on 6/30/18. We did give a call to notify that we don't have the boiler anymore, but we kept receiving mail about the warning.

Thank you.

Copyright © 2020 CentralSquare

Young Park <younggamp@gmail.com>
Thu, Nov 21, 2019, 5:55 PM
to me

Hello,

We actually closed down the business last June, so we do not have the boiler anymore. We called a couple times to notify you guys about this and the representatives at the time said they took care of everything, but we keep getting notification for the inspection.

Is there something more that we have to do?

Thank you so much!

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122527V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438931		Trinity	2004	07/10/2019	Recurring Cert	Active	blrm

Total Objects at this location 1

Location: **Windsor Mill Surgery Center** **Location ID:** 3845238
Address: 2373 N Rolling Rd Windsor Mill, MD 21244-1952 **Phone:** 443-200-2664
County: Baltimore **NOB/SIC:**
Primary Contact: Windsor Mill Surgery Center, LLC. - Phone: 443-200-2664
Billing Contact: Windsor Mill Surgery Center, LLC. - 2373 N Rolling Rd Windsor Mill, MD 21244-1952 - Phone: 443-200-2664
Cert Contact: Windsor Mill Surgery Center, LLC. - 2373 N Rolling Rd Windsor Mill, MD 21244-1952 - Phone: 443-200-2664
Owner Contact: Windsor Mill Surgery Center, LLC. - 2373 N Rolling Rd Windsor Mill, MD 21244-1952 - Phone: 443-200-2664
Other Contact(s): Windsor Mill Surgery Center, LLC. - 2373 N Rolling Rd Windsor Mill, MD 21244-1952 - Phone: 443-200-2664

My Company Comments: MAC Inspections is taking care of this on Tuesday 1/23. Per Kelli Kirk Windsor Mill Surgery Center

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162386V	1	Autoclave	V - Process-Sterilizing	000080038	1099166	Steris Corp	1999	02/08/2021	Recurring Cert	Active	Clean Work Room
MD162387	1	Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000004141	44141	Chromalox	2013	02/08/2021	Recurring Cert	Active	Clean Work Room

Copyright © 2020 CentralSquare

MD162388V	2	Autoclave	V - Process-Sterilizing	000084955	0802013	Steris Corp	2002	02/08/2021	Recurring Cert	Active	Clean Work Room
MD162389	2	Electric (NOT HLW)	S - Power-Electric Generation (Steam > 15 psig)	000004275	44275	Chromalox	2013	02/08/2021	Recurring Cert	Active	Clean Work Room

Total Objects at this location 4

Location: **Woodcraft Exxon - (Sunoco)** **Location ID:** 3646923
Address: 8601 Old Harford Rd Parkville, MD 21234-3912 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Woodcraft Exxon - (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Cert Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Owner Contact: Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Other Contact(s): Kathleen McCaney, Compliance Coordinator - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
My Company Comments: Contact update per John Marino 10/19/15.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151595V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000431170		Wood	1969	09/18/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: **Woodlawn Village Apartments** **Location ID:** 729440
Address: 6605 Kincheloe Ave Woodlawn, MD 21207-4340 **Phone:**
County: Baltimore **NOB/SIC:**
Primary Contact: Sage Management - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Billing Contact: Sage Management - 6807 Park Heights Ave Suite 100 Baltimore, MD 21215-1698 - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Cert Contact: Sage Management - 6807 Park Heights Ave Suite 100 Baltimore, MD 21215-1698 - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Owner Contact: Sage Management - 6807 Park Heights Ave Suite 100 Baltimore, MD 21215-1698 - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Other Contact(s): Sage Management - 6807 Park Heights Ave Suite 100 Baltimore, MD 21215-1698 - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Woodlawn Village Apartments - 6 Brubar Ct Apt 2 Gwynn Oak, MD 21207-5817 - Phone: 410-466-2900
My Company 6/23/20 BPV letter returned.

Copyright © 2020 CentralSquare

Comments: Manager is Joe 443 244 7399
No access 12/22/15. Scott
Please correct MD154600H visit dated 8/5/16 and correct your non-cert to a cert inspection.
When you assign new number for uninsured locations in the future, you have to enter the report as a cert inspection or they will receive a citation warning letter and will not get a certificate of operation.

Scott will correct his data entry in JO

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154600H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000198210		State Industries	2014	08/05/2020	Recurring Cert	Active	Bldg 6605

Total Objects at this location 1

Location: **Woodmoor Shell**
Address: 7100 Liberty Rd Woodlawn, MD 21207-4518
County: Baltimore
Primary Contact: Mr. Shoukat - Phone: 443-285-9926
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Mr. Shoukat - 7100 Liberty Rd Woodlawn, MD 21207-4518 - Phone: 443-285-9926
Woodmoor Shell - 7100 Liberty Rd Woodlawn, MD 21207-4518 - Phone: 4104843313

Location ID: 729470
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087935V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001027261		Buckeye	1992	07/15/2021	External Cert, Recurring Cert	Active	Store Room

Total Objects at this location 1

Copyright © 2020 CentralSquare

Location:	**Words To Life Ministries**	**Location ID:**	729564
Address:	12 S Tollgate Rd Owings Mills, MD 21117-3348	**Phone:**	
County:	Baltimore	**NOB/SIC:**	
Primary Contact:	Lee Montague, Deacon - Phone: 410-925-6293		
Billing Contact:	Lee Montague - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-925-6293		
Cert Contact:	Lee Montague, Deacon - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-925-6293		
Owner Contact:	Lee Montague, Deacon - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-925-6293		
Other Contact(s):	Charles Smith, Pastor - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-902-7211		
	Lee Montague, Deacon - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-925-6293		

My Company Comments:

Contact update.
I was unable to gain access to this site. I left a message on their voicemail asking to be called back to make an appointment to verify that the violation on the boiler had been corrected. I did not yet receive a call back by End of Business Friday. J MacDonald 1-26-18
Inspection Scheduled LOC 729564
Boilers@dllr.state.md.us----

MAC Inspection & Welding Agency
10:19 AM (44 minutes ago)
to Elizabeth, MD, citations, ernestmontague41

Good morning All, I was contacted by Mr. Montague of Words to Life Ministries(cc'd in this email), to schedule the inspection of their boiler. We have scheduled the inspection for this Monday, 8/26/19. They are past due but unfortunately, we are not able to get to them before then. We will input their reports as soon as possible.

Enjoy the rest of your week!

Best regards,

Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962 fax: (410) 676-9963
www.macinspection.com 8/19/19
Left a message for Rev. Smith at 410-585-7225. He called earlier about repairs that needed to done on the boiler. Speaking with Miwa he said he sent in the proposals for the cost of the repairs and or new equipment. There would be a delay in completing the process.
My phone call with Reverend Smith was returned on 6/11/18, a day which I was off stating that the repairs had been made and to call him back so that he can schedule a time with his deacons to meet me. I returned his call earlier this morning (6/12/18 @9am) and left another voicemail. I hope to receive his return call soon to schedule an appointment and get this long outstanding CED issue resolved.

JMacDonald 6/12/18 10am
Rev. Smith called 410-585-7225, Hartford to inspect 6/15/17.
Rev. Smith Called 410-585-7225, the boiler has been fixed and now up and running. He is contacting his insurance company Nationwide to see if they are

Copyright © 2020 CentralSquare

covered. He thought that the company that did the repairs could do the inspection, he has the AIA list also.
Words to Life Ministries (Location: 729564) - 12 S Tollgate Rd - 1 CED Reduced

This location had one of the top oldest objects operating without a CED. I was finally able to gain access and verify that the violation that had been outstanding was corrected. It is ok to issue a certificate for this object. MacDonald - End of Day 6/14/18
Words to Life Ministries (Location: 729564) - 12 S Tollgate Rd - 1 Followed up

I was unable to gain access to this location. I called 410-902-7211 and the phone just rang, no opportunity to leave a voicemail. I then called 410-585-7225 which was a number listed for REverend Smith that the office has had luck contacting in the past. I left a voicemail saying the issue needs to be resolved or fines will be put into effect. MacDonald - End of Day 6/7/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092924H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000047757	1940099	Lochinvar	1994	03/11/2021	Recurring Cert	Active	Basement- Boiler Room

Total Objects at this location 1

Location: **York Road Limited Partnership**
Location ID: 729672
Address: 724 York Rd Towson, MD 21204-2540
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: John Dr. Fioramonti - Phone: 410 825-8880 - Cell: 443-904-1243
Billing Contact: John Dr. Fioramonti - 716 York Rd Towson, MD 21204-2535 - Phone: 410 825-8880 - Cell: 443-904-1243
Cert Contact: John Dr. Fioramonti - 716 York Rd Towson, MD 21204-2535 - Phone: 410 825-8880 - Cell: 443-904-1243
Owner Contact: John Dr. Fioramonti - 716 York Rd Towson, MD 21204-2535 - Phone: 410 825-8880 - Cell: 443-904-1243
Other Contact(s): John Dr. Fioramonti - 716 York Rd Towson, MD 21204-2535 - Phone: 410 825-8880 - Cell: 443-904-1243
John Fioramonti - 1017 Breezewick Rd Towson, MD 21286-3306 - Phone: 0000000000

My Company Comments: Green Card Rec'd 10-1-18
York Road Limited Partnership (location: 729672) - 724 York Rd - 1 CED

No access, the address in which the boiler is located is not 724 york rd. I will return to the correct address tomorrow to check the status of the violations for the boiler. MacDonald - End of Day Summary 4/17/19

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100264H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	1998	05/11/2020	Recurring Cert	Active	Boiler Rm

Copyright © 2020 CentralSquare

Total Objects at this location 1

Location: **Yorkridge Shell**
Location ID: 729675
Address: 1800 York Rd Lutherville Timonium, MD 21093-5118
Phone: 410-252-9731
County: Baltimore
NOB/SIC:
Primary Contact: Ji Hyung Ryu - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Billing Contact: Ji Hyung Ryu - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Cert Contact: Ji Hyung Ryu - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Owner Contact: Ji Hyung Ryu - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Other Contact(s): Ji Hyung Ryu - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Mark Williams - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9230
Yorkridge Shell - 1800 York Road Lutherville/Timonium, MD 21093 - Phone: 4102529230

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD041897V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000272289		Buckeye	1980	11/06/2020	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: **Zoes Kitchen (NuCO2) #605170**
Location ID: 3957691
Address: 10130 Reisterstown Rd Owings Mills, MD 21117-4099
Phone:
County: Baltimore
NOB/SIC:
Primary Contact: Zoes Kitchen (NuCO2) #605170
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

My Company Comments:

My Shared Comments:

Copyright © 2020 CentralSquare

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164238V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000238244		Chart Inc	2013	07/11/2021	Recurring Cert	Active	INSIDE

Total Objects at this location 1

Total Objects 1316
Total Locations 752

Copyright © 2020 CentralSquare