

Location Detail With Comments And Contacts

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address;

Location: Accident Volunteer Fire Dept. **Location ID:** 3618536
Address: 109 N South St Accident, MD 21520-2169 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Richard Carlson - Phone: 724 208 0321
Billing Contact: Richard Carlson - PO Box 50 Accident, MD 21520-0050 - Phone: 724 208 0321
Cert Contact: Richard Carlson - PO Box 50 Accident, MD 21520-0050 - Phone: 724 208 0321
Owner Contact: Richard Carlson - PO Box 50 Accident, MD 21520-0050 - Phone: 724 208 0321
Other Contact(s): Richard Carlson - PO Box 50 Accident, MD 21520-0050 - Phone: 724 208 0321

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006667H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A305	American Standard	1972	06/05/2021	Recurring Cert	Active	BLRM
MD053384H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		National Radiator	1978	06/05/2021	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: Ace Quick Lube **Location ID:** 702067
Address: 103 N 3rd Street Oakland, MD 21550-1524 **Phone:** 301-616-0388
County: Garrett **NOB/SIC:**
Primary Contact: Ace Quick Lube - Phone: 3013345181
Billing Contact: William Welsh - 103 S 3rd St Oakland, MD 21550-1524 - Phone: 301-616-0388
Cert Contact: William Welsh - 103 S 3rd St Oakland, MD 21550-1524 - Phone: 301-616-0388
Owner Contact: William Welsh - 103 S 3rd St Oakland, MD 21550-1524 - Phone: 301-616-0388
Other Contact(s): Ace Quick Lube - 103 N 3rd Street Oakland, MD 21550 - Phone: 3013345181
 William Welsh - 103 S 3rd St Oakland, MD 21550-1524 - Phone: 301-616-0388

My Company
Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098500V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	K	00054967	Brunner	1997	05/06/2021	Recurring Cert	Active	Pit Compressor Room
MD139529V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0	000105617	Manchester	2009	05/06/2021	Recurring Cert	Active	Pit Compressor Room
Total Objects at this location					2						

Location: Arnold Brothers Equipment Corp
Address: 105 Arnold Ln Oakland, MD 21550-3846
County: Garrett
Primary Contact: Arnold Brothers Equipment Corp - Phone: 3013349605
Billing Contact: Arnold Brothers Equipment Corp - 105 Arnold Ln Oakland, MD 21550-3846 - Phone: 3013349605
Cert Contact: Arnold Brothers Equipment Corp - 105 Arnold Ln Oakland, MD 21550-3846 - Phone: 3013349605
Owner Contact: Arnold Brothers Equipment Corp - 105 Arnold Ln Oakland, MD 21550-3846 - Phone: 3013349605
Other Contact(s): Arnold Brothers Equipment Corp - 105 Arnold Ln Oakland, MD 21550-3846 - Phone: 3013349605

Location ID: 703095
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments: Brenda of Arnold Brothers called to say Insparisk inspected October 2012, and was looking for certificates. NEW object needs MD number. Faxed copy of inspection done 10-9-12, performed by Insparisk. Scheduled for 2/8/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145003V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)		000423722	John Wood	1968	11/16/2020	Recurring Cert	Active	shop
Total Objects at this location					1						

Location: Bedrock Enterprises
Address: 1236 Pine Swamp Rd Barton, MD 21521-1007
County: Garrett
Primary Contact: Jermy Preston - Phone: 301 689 1600

Location ID: 1439609
Phone: 301-463-2600
NOB/SIC:

Billing Contact: Jermy Preston - 3084 Avilton Lonaconing Rd Lonaconing, MD 21539-2012 - Phone: 301 689 1600
Cert Contact: Jermy Preston - 3084 Avilton Lonaconing Rd Lonaconing, MD 21539-2012 - Phone: 301 689 1600
Owner Contact: Jermy Preston - 3084 Avilton Lonaconing Rd Lonaconing, MD 21539-2012 - Phone: 301 689 1600
Other Contact(s): Donna - 1236 Pine Swamp Rd Barton, MD 21521-1007 - Phone: 301-463-2600 - Cell: 301-707-9280
 Jermy Preston - 3084 Avilton Lonaconing Rd Lonaconing, MD 21539-2012 - Phone: 301 689 1600

**My Company
 Comments:**

**My Shared
 Comments:**

Donna (301-463-2600) called and said they moved locations and don't expect to have the object up and running until at least early August.
 Donna (301-463-2600; stonemanjp@aol.com) said they got a CW but their PV is still not hooked up. Emailing Karl to advise.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155954V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000417952		Morganton	2014	12/19/2020	Recurring Cert	Active	SHOP
Total Objects at this location					1						

Location: **BFS#66 (NUC02)**
Address: 295 Chestnut Ridge Rd Grantsville, MD 21536-2103
County: Garrett
Primary Contact: BFS#66 (NUC02)

Location ID: 4004755
Phone:
NOB/SIC:

Billing Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Cert Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Owner Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

**My Company
 Comments:**

**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166265V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000167538		CHART	2005	01/28/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: C & S Fredlock Funeral Home, P.A.
Address: 21 N 2nd St Oakland, MD 21550-1315
County: Garrett

Primary Contact: Jon C. Fredlock - Phone: 301-334-3388

Billing Contact: Jon C. Fredlock - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 301-334-3388

Cert Contact: Jon C. Fredlock - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 301-334-3388

Owner Contact: Jon C. Fredlock - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 301-334-3388

Other Contact(s): Durst Funeral Home - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 3013343388

Jon C. Fredlock - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 301-334-3388

Jon C. Fredlock, Owner - 21 N 2nd St Oakland, MD 21550-1315 - Phone: 301-334-3388

Location ID: 709372

Phone: 301-334-3388

NOB/SIC:

My Company

Comments: MAC Inspection & Welding Agency
2:04 PM (4 hours ago)
to Robin, Elizabeth, MD, me, chris

Good afternoon All, Unfortunately, we were unable to get to this location during the week of 9/9 as originally promised and had to reschedule C& S Fredlock Funeral Home, P.A.(cc'd in this email). We are scheduled to complete their inspection tomorrow, Friday, 9/27/19. We will submit their reports as soon as possible.

Best regards,

Deborah Coleman, Contract Specialist
CONTEST CITATION - C & S FREDLOCK FUNERAL HOME, P.A. 13463
Inbox
x

chris@csfredlockfh.com
Attachments
10:59 AM (4 hours ago)
to CITATIONS.BPV

I Jon C. Fredlock, President of the C & S Fredlock Funeral Home, P.A. wish to contest the citation and proposed penalty. I had contacted Insprrisk to conduct the inspection of the Boiler back in June of 2019 and they failed to show-up for the inspection. After that I contracted Mac Inspection and Welding, LLC. they scheduled the inspection but had to cancel due to scheduling conflicts, however they did follow up and the inspection was completed on September 27, 2019 and the system passed.

Jon "Chris" Fredlock
Mortician/Owner
C & S Fredlock Funeral Home, P.A.
Oakland and Kitzmiller, Maryland

MAC Inspection & Welding Agency
11:30 AM (43 minutes ago)
to Elizabeth, MD, citations, chris

Good morning All, I was contacted by John Fredlock of C& S Fredlock Funeral Home, P.A.(cc'd in this email), to schedule the inspection of their boiler. We have scheduled the inspection for next week. They are past due but unfortunately we are not able to get to them before then. We will input their report as soon as possible.

Enjoy the rest of your week!

Best regards,

Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962 fax: (410) 676-9963 - 9/3/19

**My Shared
Comments:**

Contact info updated.
Location name change.
Mac Inspections inspected location. Will submit report this week

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047665H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7686194	Burnham	1981	07/13/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Casselman Motor Inn **Location ID:** 2974521
Address: 14 Dorsey Hotel Rd Grantsville, MD 21536-1355 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Ben Riegsecker, Owner - Phone: 301-895-5055 - Email: office@thecasselman.com
Billing Contact: Ben Riegsecker - 113 Main St Grantsville, MD 21536-1258 - Phone: 301-895-5055 - Email: office@thecasselman.com
Cert Contact: Ben Riegsecker, Owner - 113 Main St Grantsville, MD 21536-1258 - Phone: 301-895-5055 - Email: office@thecasselman.com
Owner Contact: Ben Riegsecker, Owner - 113 Main St Grantsville, MD 21536-1258 - Phone: 301-895-5055 - Email: office@thecasselman.com
Other Contact(s): Ben Riegsecker, Owner - 113 Main St Grantsville, MD 21536-1258 - Phone: 301-895-5055 - Email: office@thecasselman.com
Merv Brenneman, General Manager - 113 Main St Grantsville, MD 21536-1258 - Phone: 301-895-5055 - Email: office@thecasselman.com

My Company Contact update.

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151135H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000083226		aictuchom	2013	11/02/2020	Recurring Cert	Active	MECH ROOM
MD151136H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000114988		Aictuchom	2013	11/02/2020	Recurring Cert	Active	BLRM

Total Objects at this location 2

Location: Comfort Inn

Address: 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034

County: Garrett

Primary Contact: Dave Patel, General Manager - Phone: 301-895-5993 - Email: intel1027@yahoo.com

Billing Contact: Dave Patel - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993 - Email: intel1027@yahoo.com

Cert Contact: Dave Patel, General Manager - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993 - Email: intel1027@yahoo.com

Owner Contact: Dave Patel, General Manager - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993 - Email: intel1027@yahoo.com

Other Contact(s): Charles Hetz - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993/866-540-4739

Comfort Inn Grantsville - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993

Dave Patel, General Manager - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993 - Email: intel1027@yahoo.com

Dave Patel, General Manager - D/B/A Comfort Inn - 2541 Chestnut Ridge Rd Grantsville, MD 21536 - Phone: 301-895-5993 - Cell: 301-689-2050

Hamen Patel, Owner/Gen Manager - 168 Chestnut Ridge Rd Grantsville, MD 21536-2104 - Phone: 240-580-0058

Sai Guru Dutta LLC - D/B/A Comfort Inn - 2541 Chestnut Rideg Rd Grantsville, MD 21536 - Phone: 301-895-5993

Thomas Schroyer - 2541 Chestnut Ridge Rd Grantsville, MD 21536-2034 - Phone: 301-895-5993/866-540-4739

Location ID: 713893

Phone:

NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135138H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2009	10/25/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Dennett Road Elementary School
Address: 770 Dennett Rd Oakland, MD 21550-1419
County: Garrett

Location ID: 708801
Phone:
NOB/SIC:

Primary Contact: William Swift, Director of Facilities - Phone: 301-334-8906 - Email: william.swift@garrettcountysschools.org
Billing Contact: William Swift - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountysschools.org
Cert Contact: William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountysschools.org
Owner Contact: William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountysschools.org
Other Contact(s): James E. Thomas, CPE, Director Of Facilities, Maintenance & Ops. - 40 S 2nd St Oakland, MD 21550-1518 - Phone: 301-334-8906/301-334-8900 - Email: Jthomas@ga.k12.md.us
 William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountysschools.org

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083487H		Fired Kettle	O - Other (Blr Use) w/comment	000135901		Groen	1989	06/30/2021	Recurring Cert	Active	KITCH
MD105897H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2000	06/30/2021	Recurring Cert	Active	BLRM
MD105898H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2000	06/30/2021	Recurring Cert	Active	BLRM
MD105899V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001073471		Manchester	2000	06/30/2021	Recurring Cert	Active	BLRM

Total Objects at this location 4

Location: Dr. Stephen T. Mullins, DDS
Address: 736 Oak Street Oakland, MD 21550-1615
County: Garrett

Location ID: 709201
Phone: 410-533-0633
NOB/SIC:

Primary Contact: Dr. Stephen T. Mullins, DDS - Phone: 410-533-0633
Billing Contact: Dr. Stephen T. Mullins, DDS - 1279 Memorial Dr Oakland, MD 21550-4341 - Phone: 410-533-0633
Cert Contact: Dr. Stephen T. Mullins, DDS - 1279 Memorial Dr Oakland, MD 21550-4341 - Phone: 410-533-0633
Owner Contact: Dr. Stephen T. Mullins, DDS - 1279 Memorial Dr Oakland, MD 21550-4341 - Phone: 410-533-0633
Other Contact(s): Dr. Stephen T. Mullins, DDS - 1279 Memorial Dr Oakland, MD 21550-4341 - Phone: 410-533-0633
 Ethel Hazelwood, Owner - 736 E Oak St Oakland, MD 21550-1615 - Phone: 301-334-9288

George Hazelwood, Dentist - 736 E Oak St Oakland, MD 21550-1615 - Phone: 301-334-9288

**My Company
Comments:**

Gregory Smith 2/19/2020 Dr. Mullins DDS in Oakland
Loc #709201 is being leased to an orthodontist which is only open one day a week. I am scheduled to go there on 3/10/20 @ 9:00 AM. His other location, #4007414, has no objects.

**My Shared
Comments:**

Liberty to inspect 3/6/14, BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD141115H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000017627	423245EB0820 0185	Buderus	2008	04/11/2022	Recurring Cert	Active	BLRM	
Total Objects at this location					1							

Location: Elks Lodge BPOE #2481
Address: 100 Elk St Oakland, MD 21550-1862
County: Garrett
Primary Contact: Larry Smith, Trustee - Phone: 3013341119
Billing Contact: Larry Smith - 100 Elk St Oakland, MD 21550-1862 - Phone: 3013341119
Cert Contact: Larry Smith, Trustee - 100 Elk St Oakland, MD 21550-1862 - Phone: 3013341119
Owner Contact: Larry Smith, Trustee - 100 Elk St Oakland, MD 21550-1862 - Phone: 3013341119
Other Contact(s): Larry Smith, Trustee - 100 Elk St Oakland, MD 21550-1862 - Phone: 3013341119

Location ID: 709864
Phone:
NOB/SIC:

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD067519H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7584390	Burnham	1987	05/20/2021	Recurring Cert	Active	Basement Boiler Room	
Total Objects at this location					1							

Location: Garrett County Public Schools/ Maintenance Shop
Address: 770 Dennett Rd (Rear) Oakland, MD 21550-1419
County: Garrett
Primary Contact: Garrett County Public Schools/ Maintenance Shop
Billing Contact:
Cert Contact:
Owner Contact:

Location ID: 3208800
Phone: (301) 616-2990 x
NOB/SIC:

Owner Contact:
Other Contact(s):

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110429V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001061623		Manchester	2000	06/30/2022	Recurring Cert	Active	Maint Shop

Total Objects at this location 1

Location: Glotfelty Enterprises, Inc
Address: 14161 Garrett Hwy Oakland, MD 21550-4047
County: Garrett
Primary Contact: Scott Glotfelty - Phone: 301-334-3911 - Email: dsglotfelty@verizon.net
Billing Contact: Scott Glotfelty - 14161 Garrett Hwy Oakland, MD 21550-4047 - Phone: 301-334-3911 - Email: dsglotfelty@verizon.net
Cert Contact: Scott Glotfelty - 14161 Garrett Hwy Oakland, MD 21550-4047 - Phone: 301-334-3911 - Email: dsglotfelty@verizon.net
Owner Contact: Scott Glotfelty - 14161 Garrett Hwy Oakland, MD 21550-4047 - Phone: 301-334-3911 - Email: dsglotfelty@verizon.net
Other Contact(s): Scott Glotfelty - 14161 Garrett Hwy Oakland, MD 21550-4047 - Phone: 301-334-3911 - Email: dsglotfelty@verizon.net
William Bray - 14161 Garrett Hwy Oakland, MD 21550-4047 - Phone: 301/334-3911

Location ID: 711282
Phone: 301-334-3911
NOB/SIC:

My Company
Comments: HSB - Inspection scheduled for 3/13/20
Sherry <sleader@iceweb.net>
Attachments: 3:16 PM (46 minutes ago)
to me
I Roger Glotfelty would like to contest the attached citation and request a hearing.

I am contesting on the grounds that repairs had been made. After repairs were made we had them inspected on 9/10/18. The attached inspection proves the repairs had been made.

Please contact me at Glotfelty Enterprises, Inc phone 301-334-3911 or via this email in regards to what steps I need to take next.

Thank you for your consideration in this matter,

Roger Glotfelty

Glotfelty Enterprises, Inc

301-334-3911

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD003873	1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000032746	73271	Bryan	1992	12/05/2020	Recurring Cert	Active	BLRM

Total Objects at this location 1

Location: Goodwill Mennonite Home

Address: 891 Dorsey Hotel Rd Grantsville, MD 21536-1369

County: Garrett

Primary Contact: Gary Bunnell - Phone: 301-895-5194 - Email: garybunnell@goodwillhome.org

Billing Contact: Anthony Lehman - 891 Dorsey Hotel Rd Grantsville, MD 21536-1369 - Phone: 301-895-5194

Cert Contact: Gary Bunnell - 891 Dorsey Hotel Rd PO Box 310 Grantsville, MD 21536-1369 - Phone: 301-895-5194 - Email: garybunnell@goodwillhome.org

Owner Contact: Gary Bunnell - 891 Dorsey Hotel Rd PO Box 310 Grantsville, MD 21536-1369 - Phone: 301-895-5194 - Email: garybunnell@goodwillhome.org

Other Contact(s): Anthony Lehman, Administrator - 891 Dorsey Hotel Rd Grantsville, MD 21536-1369 - Phone: 301-895-5194

Gary Bunnell - 891 Dorsey Hotel Rd - PO Box 310 Grantsville, MD 21536-1369 - Phone: 301-895-5194 - Email: garybunnell@goodwillhome.org

Kevin Miller - 891 Dorsey Hotel Rd - PO Box 310 Grantsville, MD 21536-1369 - Phone: 301-895-3650 - Email: kevinmiller@goodwillhome.org

My Company Comments: Jim Doyle 814 279 8143 called and stated a new boiler has been installed and that HSB Adam Kobuck inspected 9/12/16

My Shared Comments:

Gary Bunnell (301-697-6862) said he thought the unit was gone. He has scheduled an inspection with HSB for 9/5/14.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162114H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000407963		Sermeta	2017	09/12/2020	Recurring Cert	Active	GARAGE
MD162115H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000243542		A O Smith	2018	10/17/2020	Recurring Cert	Active	KITCHEN
MD162116H		Cast Iron	H - Hot Water Heat (Water <=	000026709		Vulcan	2018	10/17/2020	Recurring Cert	Active	KITCHEN

160 psig, 250 F)

MD163674H	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000474880	Raypak	2018	01/31/2021	Recurring Cert	Active	MECH RM 6
MD163675H	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000472296	Raypak	2018	01/31/2021	Recurring Cert	Active	MECH RM 6

Total Objects at this location 5

Location: Greenscapes
Address: 30 Skyview Dr P O Box 390 Mc Henry, MD 21541-0390
County: Garrett
Primary Contact: Douglas M Storck, Owner - Phone: 301-387-8090
Billing Contact: Douglas M Storck - 30 Skyview Dr PO Box 390 Mc Henry, MD 21541-0390 - Phone: 301-387-8090
Cert Contact: Douglas M Storck, Owner - 30 Skyview Dr PO Box 390 Mc Henry, MD 21541-0390 - Phone: 301-387-8090
Owner Contact: Douglas M Storck, Owner - 30 Skyview Dr PO Box 390 Mc Henry, MD 21541-0390 - Phone: 301-387-8090
Other Contact(s): Douglas M Storck, Owner - 30 Skyview Dr PO Box 390 Mc Henry, MD 21541-0390 - Phone: 301-387-8090

Location ID: 722809
Phone:
NOB/SIC:

My Company Comments: Gregory Smith 3/3/2020 Ringer Auto Repair #722809 is now Greenscapes. The pressure vessel that was registered for Ringer is still in service, MD100354V, but the CED was 3/6/2005. Is this number still good or will it need a new number? Also the NB# is 000628152, not 062815 as listed under Ringer.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100354V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000628152		Manchester	1998	03/10/2022	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: Guy's Tire Shop, Inc
Address: 151 Ravine St Grantsville, MD 21536-1386
County: Garrett
Primary Contact: Guy's Tire Shop, Inc
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Laura Miller, Owner - 151 Ravine St Grantsville, MD 21536-1386 - Phone: (301) 895-5126
Rusty Miller, Owner - PO Box 351 Grantsville, MD 21536-0351 - Phone: 301-895-5126

Location ID: 712919
Phone:
NOB/SIC:

My Company

Comments: MAC Inspection & Welding Agency
2:23 PM (2 hours ago)
to me, Elizabeth, guystireshop, Robin, Dorothy

Citations,

We have scheduled there inspections for Friday, December 21. I have also advised them to contact you personally.

Best regards,

Michael Coleman
President/CEO
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962
cell: (443) 617-3681 12/13/18
We have schedule to do the inspection at Guys Tire 151 Ravine St Grantsville MD
for next week, Dec 30th. Judy Niehaus, Atlantic Services, Inc
MAC Inspection & Welding Agency
Thu, Dec 13, 2:23 PM (8 days ago)
to citations.bpv, Elizabeth, guystireshop, Robin, Dorothy

Citations,

We have scheduled there inspections for Friday, December 21. I have also advised them to contact you personally.

Best regards,

Michael Coleman
President/CEO
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962
cell: (443) 617-3681

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108978V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020897	70467	Western	1988	12/30/2020	Recurring Cert	Active	Barn
MD122987V		Horizontal Unfired	V - Storage (NOT Cryogenic)	000187773		Wessel	1981	12/30/2020	Recurring Cert	Active	Retread Shop

Pressure
Vessel
w/comment

Total Objects at this location 2

Location: High Mountain On-Off Road
Address: 12534 Garrett Hwy Oakland, MD 21550-1159
County: Garrett
Primary Contact: Bart Shaffer, Owner - Phone: 301-334-5060
Billing Contact: Bart Shaffer - 12534 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-5060
Cert Contact: Bart Shaffer, Owner - 12534 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-5060
Owner Contact: Bart Shaffer, Owner - 12534 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-5060
Other Contact(s): Bart Shaffer, Owner - 12534 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-5060

Location ID: 4006773
Phone: 301-334-5060
NOB/SIC:

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125048H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	11/21/2020	Recurring Cert	Active	High Mountain Stg Area
MD130006V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000555031		Manchester	2005	11/21/2020	Recurring Cert	Active	Mountain High Shop

Total Objects at this location 2

Location: Hilltop Auto Center
Address: 12629 National Pike US Rt 40 Grantsville, MD 21536-3319
County: Garrett
Primary Contact: Hilltop Auto Center - Phone: 301-895-5870
Billing Contact: Hilltop Auto Center - 12629 National Pike US Rt 40 Grantsville, MD 21536-3319 - Phone: 301-895-5870
Cert Contact: Hilltop Auto Center - 12629 National Pike US Rt 40 Grantsville, MD 21536-3319 - Phone: 301-895-5870
Owner Contact: Hilltop Auto Center - 12629 National Pike US Rt 40 Grantsville, MD 21536-3319 - Phone: 301-895-5870
Other Contact(s): Hilltop Auto Center - 12629 National Pike US Rt 40 Grantsville, MD 21536-3319 - Phone: 301-895-5870
Hilltop Service Center Exxon - PO Box 31 Route 2 Grantsville, MD 21536-0031 - Phone: 4108955870

Location ID: 713827
Phone:
NOB/SIC:

My Company
Comments: MAC Inspection & Welding Agency

Thu, Nov 15, 11:20 AM (5 days ago)
to Elizabeth, Robin, Dorothy, brownsautodb69

All,

The above location has some changes but all PV'S have been inspected with no violations. We will submit the reports accordingly.

Best regards

Mike

The location called, received OD letter for the new. Emailed MAC to enter the report.

**My Shared
Comments:**

Location name change and contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157404V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000413679		Morganton	2014	11/02/2020	Recurring Cert	Active	Body Shop Comp. Room
MD157405V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033418	64255	Morganton	2010	11/02/2020	Recurring Cert	Active	Body Shop Comp. Room
MD162656V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000671944	745932	Morganton	2017	11/02/2020	Recurring Cert	Active	Body Shop Comp Room
Total Objects at this location					3						

Location: Hutton Auto
Address: 464 Hutton Rd Oakland, MD 21550-5208
County: Garrett
Primary Contact: Debra Gank, Owner - Phone: 301 616 0142
Billing Contact: Debra Gank - 464 Hutton Rd Oakland, MD 21550-5208 - Phone: 301 616 0142
Cert Contact: Debra Gank, Owner - 464 Hutton Rd Oakland, MD 21550-5208 - Phone: 301 616 0142
Owner Contact: Debra Gank, Owner - 464 Hutton Rd Oakland, MD 21550-5208 - Phone: 301 616 0142
Other Contact(s): Debra Gank, Owner - 464 Hutton Rd Oakland, MD 21550-5208 - Phone: 301 616 0142

Location ID: 3658043
Phone:
NOB/SIC:

My Company Comments: didn't mean to go back and forth with cert. Email Kevin to ask him to change to cert. Location and object was created because office was informed on 11-13-15 that location and object exists. Need inspector to investigate location. Scheduled Kevin Rice for 12-3-15

My Shared Comments: Debbie (Debbie.gank@gmail.com) called asking why they got an overdue letter when a state inspector had been out to number it. I explained the AIA cert

inspection and emailed the list to her.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152779V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000631141		Unknown	1900	02/02/2022	Recurring Cert	Active	OUT SHED

Total Objects at this location 1

Location: John L. Eisentrout Used Cars **Location ID:** 992348
Address: 3793 Hutton Rd Oakland, MD 21550-3039 **Phone:** 301-334-9160
County: Garrett **NOB/SIC:**
Primary Contact: John L. Eisentrout Used Cars
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): John & Connie Eisentrout, Owners - 3793 Hutton Rd Oakland, MD 21550-3039 - Phone: 3013349160
My Company Comments: Joan Eisentrout 301-334-9160 called they have retired, the business has closed and is up for sale.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138511V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000585888		Manchester	1997	10/17/2020	Recurring Cert	Active	METAL GARAGE

Total Objects at this location 1

Location: LGIT - Garrett Co Courthouse **Location ID:** 711655
Address: 203 S 4th St Rm 206 Oakland, MD 21550-1535 **Phone:** 301-334-1989
County: Garrett **NOB/SIC:**
Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcounty.org
Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928

My Company Comments: Contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043305H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000015315		COATS	1978	08/02/2020	Recurring Cert	Active	Equip Rm 2
MD043306V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000900329		Kargard	1978	08/02/2020	Recurring Cert	Active	Blrm 1
MD043308H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000134452		COATS	1978	08/02/2020	Recurring Cert	Active	Blrm 1
MD047194V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000285197		Manchester	1978	08/02/2020	Recurring Cert	Active	Blrm 2
MD139522H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2011	08/02/2020	Recurring Cert	Active	Blrm 3
MD139523H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2011	08/02/2020	Recurring Cert	Active	Blrm 3
MD139524H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2011	08/02/2020	Recurring Cert	Active	Blrm 3
Total Objects at this location											7

Location: LGIT - Garrett County Roads Department **Location ID:** 2392016
Address: 375 Francis Sanders Dr Oakland, MD 21550-6370 **Phone:** 301-334-9337
County: Garrett **NOB/SIC:**
Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcountry.org

Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928

Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

Paul Harvey - 375 Francis Sanders Dr W Oakland, MD 21550-6370 - Phone: 301-334-9337

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123782V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000986609		Manchester	2008	09/28/2020	Recurring Cert	Active	WASH BASIN
Total Objects at this location					1						

Location: LGIT - Garrett County/Accident Garage

Address: 80 Accident Garage Rd Accident, MD 21520-2048

County: Garrett

Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcounty.org

Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928

Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140901H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000202874	SN:00191	Giannoni	2011	12/23/2021	Recurring Cert	Active	Blrm
MD153732V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001666899		Manchester	2015	12/23/2021	Recurring Cert	Active	Comp Room

Total Objects at this location 2

Location: **LGIT - Garrett County/Govt/Annex** **Location ID:** 1739586
Address: 316 E Alder St Oakland, MD 21550-1515 **Phone:** 301-334-1989
County: Garrett **NOB/SIC:**
Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcounty.org
Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928
Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Linda Lindsey, Risk Manager - 313 E Alder St Oakland, MD 21550-1593 - Phone: 301-334-1989/301-334-1928 - Email: linda@garrettcounty.org

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122201H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1984	03/03/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **LGIT - Garrett County/Govt/Old Courthouse** **Location ID:** 708151
Address: 313 E Alder St Oakland, MD 21550-1593 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Other Contact(s): Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928
Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Linda Lindsey, Risk Manager - 313 E Alder St Oakland, MD 21550-1593 - Phone: 301-334-1989/301-334-1928 - Email: linda@garrettcounty.org

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153133H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000271225		Burnham	2013	08/02/2020	Recurring Cert	Active	Blrm 1
MD153134H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000271228		Burnham	2013	08/02/2020	Recurring Cert	Active	Blrm 1

Total Objects at this location 2

Location: LGIT - Garrett County/Kitzmilller Community Center
Address: 288 W Main St Kitzmilller, MD 21538-1245
County: Garrett
Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org
Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcountry.org
 Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928
 James E. Thomas, CPE, Director Of Facilities, Maintenance & Ops. - 40 S 2nd St Oakland, MD 21550-1518 - Phone: 301-334-8906/301-334-8900 - Email: Jthomas@ga.k12.md.us
 Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcountry.org

My Company Comments: Contact update.

My Shared Comments: DaVina Griffith called with update for this location, now a community center. Hartford will perform inspection. Received an email from Matt Zimmerman, Garrett Co. Schools, that this location is closed and has been taken over by Garrett County Commissioners. Emailing back with a response to Mr. Zimmerman and to have Garrett County Commissioner to contact me with the updated info. Also CC'd Mike Luce (of HSB) that the inspection is coming due and to verify that the object MD127746H, belongs to them.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127746H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2005	12/12/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: LGIT - Garrett County/Ruth Enlow Library
Address: 6 N 2nd St Oakland, MD 21550-1304
County: Garrett

Location ID: 723565
Phone: 301-334-3996
NOB/SIC:

Primary Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Billing Contact: Jason King - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Cert Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Owner Contact: Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org
Other Contact(s): DaVina Griffith, Risk Manager - 203 S 4th St Rm 206 Oakland, MD 21550-1535 - Phone: 301-334-1989 - Email: dgriffith@garrettcounty.org
Garrett County Facilities & Maintenance - 313 E Alder St Suite 105 Oakland, MD 21550-1531 - Phone: 301-334-1928
Jason King, Garrett Co. Facilities & Maintenance Mgr. - 313 E Alder St Rm 105 Oakland, MD 21550-1531 - Phone: 301-334-8061 - Cell: 301-616-0215 - Email: jking@garrettcounty.org

My Company Comments: Contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043687H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1981	09/29/2020	Recurring Cert	Active	Upper Boiler Room
MD165667H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006658	8719B00369	ECR	2019	01/13/2022	Recurring Cert	Active	Lower Blrm

Total Objects at this location 2

Location: LGIT - Grantsville Town/Water Treatment Plant
Address: 7593 National Pk Grantsville, MD 21536
County: Garrett

Location ID: 2211697
Phone:
NOB/SIC:

Primary Contact: Grantsville Town - Phone: (301)-301-7076
Billing Contact: Grantsville Town - PO Box 296 Grantsville, MD 21536-0296 - Phone: (301)-301-7076
Cert Contact: Grantsville Town - PO Box 296 Grantsville, MD 21536-0296 - Phone: (301)-301-7076
Owner Contact: Grantsville Town - PO Box 296 Grantsville, MD 21536-0296 - Phone: (301)-301-7076
Other Contact(s): Grantsville Town - PO Box 296 Grantsville, MD 21536-0296 - Phone: (301)-301-7076

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123003V	V-001	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000886299	886299	Buckeye	1989	08/18/2021	Recurring Cert	Active	Plant

Total Objects at this location 1

Location: LGIT - Kitzmiller/Town Hall **Location ID:** 715805
Address: 104 W Center St Kitzmiller, MD 21538-1243 **Phone:** 301-453-3449
County: Garrett **NOB/SIC:**
Primary Contact: Kaitlin Lucas - Phone: 301-453-3449 - Email: kitzmd@shentel.net
Billing Contact: Kaitlin Lucas - 104 W Center St Kitzmiller, MD 21538-1243 - Phone: 301-453-3449 - Email: kitzmd@shentel.net
Cert Contact: Kaitlin Lucas - 104 W Center St Kitzmiller, MD 21538-1243 - Phone: 301-453-3449 - Email: kitzmd@shentel.net
Owner Contact: Kaitlin Lucas - 104 W Center St Kitzmiller, MD 21538-1243 - Phone: 301-453-3449 - Email: kitzmd@shentel.net
Other Contact(s): Kaitlin Lucas - 104 W Center St Kitzmiller, MD 21538-1243 - Phone: 301-453-3449 - Email: kitzmd@shentel.net
Kitzmiller Town Hall - 104 Kitzmiller Street Kitzmiller, MD 21538 - Phone: 3014533449
Stephanie Schoch, Clerk / Treasurer - 104 W Center St Kitzmiller, MD 21538-1243 - Phone: 301-453-3449 - Email: kitzmd@shentel.net

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167593H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000626		Navien	2018	09/21/2022	Recurring Cert	Active	Boiler Room
MD167594H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000615		Navien	2018	09/21/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: M & S Stone Quarries, Inc. **Location ID:** 717074
Address: 7181 National Pike Grantsville, MD 21536-1056 **Phone:** 301-895-5151
County: Garrett **NOB/SIC:**
Primary Contact: Tracy Finzel - Phone: 301-895-5151 - Email: msstonequarries@aol.com
Billing Contact: Tracy Finzel - PO Box 357 Grantsville, MD 21536-0357 - Phone: 301-895-5151 - Email: msstonequarries@aol.com
Cert Contact: Tracy Finzel - PO Box 357 Grantsville, MD 21536-0357 - Phone: 301-895-5151 - Email: msstonequarries@aol.com

Owner Contact: Tracy Finzel - PO Box 357 Grantsville, MD 21536-0357 - Phone: 301-895-5151 - Email: msstonequarries@aol.com

Other Contact(s): Tracy Finzel - PO Box 357 Grantsville, MD 21536-0357 - Phone: 301-895-5151 - Email: msstonequarries@aol.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102195H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1960	01/23/2021	Recurring Cert	Active	Shop Area
MD146434V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001341529		Manchester	2013	01/23/2021	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: Manor Steakhouse
Address: 830 Memorial Dr Oakland, MD 21550-5101
County: Garrett
Primary Contact: Manor Steakhouse

Location ID: 707950
Phone: 301-334-6499
NOB/SIC:

Billing Contact:

Cert Contact:

Owner Contact:

Other Contact(s): Emily Berry, Owner - 830 Memorial Dr Oakland, MD 21550-5101 - Phone: 240-488-1234

My Company Comments: Emily Berry does not operate that location or conduct any business with Manor Steakhouse. Manor Steakhouse, 830 Memorial Dr. – Oakland MD, 21550 / Loc: 707950

The owner was unavailable so I spoke with the Chef and he said that owner was out-of-town and that the business has changed into a LLC. I gave him my card to give to the new owner and I suggested that they use an AIA to perform an inspection as soon as possible. The Chef said that he has information on the inspection company. Noonan, End of Day, 07/26/19

My Shared

Comments: per sdat no new information on owner -return mail

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127704H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64717901	Burnham	2004	03/11/2021	Recurring Cert	Active	Bsement

Total Objects at this location 1

Location: Martins Auto Body
Address: 2247 Hutton Rd Oakland, MD 21550-5225
County: Garrett
Primary Contact: Jeff Martins, Owner - Phone: 301-334-2903
Billing Contact: Jeff Martins - 2247 Hutton Rd Oakland, MD 21550-5225 - Phone: 301-334-2903
Cert Contact: Jeff Martins, Owner - 2247 Hutton Rd Oakland, MD 21550-5225 - Phone: 301-334-2903
Owner Contact: Jeff Martins, Owner - 2247 Hutton Rd Oakland, MD 21550-5225 - Phone: 301-334-2903
Other Contact(s): Jeff Martins, Owner - 2247 Hutton Rd Oakland, MD 21550-5225 - Phone: 301-334-2903

Location ID: 717552
Phone: 301-501-7325
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080811V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042863		Scaife	1973	03/26/2021	Recurring Cert	Active	Paint Garage
Total Objects at this location					1						

Location: Northern Garrett County Middle School #0511
Address: 371 Pride Pkwy Accident, MD 21520-2007
County: Garrett
Primary Contact: William Swift, Director of Facilities - Phone: 301-334-8906 - Email: william.swift@garrettcountyschools.org
Billing Contact: William Swift - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountyschools.org
Cert Contact: William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountyschools.org
Owner Contact: William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountyschools.org
Other Contact(s): James E. Thomas, CPE, Director Of Facilities, Maintenance & Ops. - 40 S 2nd St Oakland, MD 21550-1518 - Phone: 301-334-8906/301-334-8900 - Email: Jthomas@ga.k12.md.us
 Tom Sines - 371 Pride Pkwy Accident, MD 21520-2007 - Phone: (301) 746-8165
 William Swift, Director of Facilities - 770 Dennett Rd Oakland, MD 21550-1419 - Phone: 301-334-8906 - Email: william.swift@garrettcountyschools.org

Location ID: 719835
Phone:
NOB/SIC:

My Company

Comments: Notice of installation received for replacement of MD134541H.

My Shared

Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD165615H Water Heater (HLW) H - Hot Water Supply (Water <= 160 psig, 250 F) 000255112 192511539193 A O Smith 2019 10/03/2021 Recurring Cert Active LWR MECH

Total Objects at this location 1

Location: **Nu Finish Collision Center** **Location ID:** 719928
Address: 1470 Maryland Hwy Oakland, MD 21550-6348 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Steve Davis - Phone: 301-334-4727 - Email: nufinish@shentel.net
Billing Contact: Steve Davis - 1470 Maryland Hwy Oakland, MD 21550-6348 - Phone: 301-334-4727 - Email: nufinish@shentel.net
Cert Contact: Steve Davis - 1470 Maryland Hwy Oakland, MD 21550-6348 - Phone: 301-334-4727 - Email: nufinish@shentel.net
Owner Contact: Steve Davis - 1470 Maryland Hwy Oakland, MD 21550-6348 - Phone: 301-334-4727 - Email: nufinish@shentel.net
Other Contact(s): Debbie , manager - 1470 Maryland Hwy Oakland, MD 21550-6348 - Phone: (301) 334-4727
Steve Davis - 1470 Maryland Hwy Oakland, MD 21550-6348 - Phone: 301-334-4727 - Email: nufinish@shentel.net

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105660V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000806587		Wood	1982	06/22/2022	Recurring Cert	Active	Comp Rm
MD144090H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1998	06/22/2022	Recurring Cert	Active	Boiler Room
MD144091V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00019183		ICE	2012	06/22/2022	Recurring Cert	Active	Compressor Room
MD144092H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1998	06/22/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 4

Location: Oakland Car Wash
Address: 13000 Garrett Hwy Oakland, MD 21550-4007
County: Garrett

Location ID: 720051
Phone:
NOB/SIC:

Primary Contact: Stuart Thayer - Phone: 301-616-6218 - Email: supercarwash@verizon.net
Billing Contact: Stuart Thayer - PO Box 675 Oakland, MD 21550-4675 - Phone: 301-616-6218 - Email: supercarwash@verizon.net
Cert Contact: Stuart Thayer - PO Box 675 Oakland, MD 21550-4675 - Phone: 301-616-6218 - Email: supercarwash@verizon.net
Owner Contact: Stuart Thayer - PO Box 675 Oakland, MD 21550-4675 - Phone: 301-616-6218 - Email: supercarwash@verizon.net
Other Contact(s): Mike Kennedy, Owner - 2 Vacation Way Mc Henry, MD 21541-1383 - Phone: (301) 334-7852
Stuart Thayer - PO Box 675 Oakland, MD 21550-4675 - Phone: 301-616-6218 - Email: supercarwash@verizon.net

My Company Comments: Citation green card received 8/31/18.
Citation response
King Karen - ValleyForge-HSB <karen_king@hsb.com>
AttachmentsAug 30 (7 days ago)
to me

Thank you,

Karen King

Inspection Support Team Lead, Technical Support

The Hartford Steam Boiler Inspection and Insurance Company

150 years of engineering insurance innovation

595 East Swedesford Rd

Wayne, PA 19087

1-800-333-4677 ext. 61445

Fax: 1-800-224-1712

karen_king@hsb.com

Division of Labor & Industry
Boiler & Pressure Vessel Safety
1100 N. Eutaw St., RM. 605

Baltimore, MD 21201

Subject: Request for Hearing
Public Safety Article, Title 12, Subtitle 9, Annotated Code of Maryland
Code of Maryland Regulations (COMAR) 09.12.01

ATTN: Commission of Labor and Industry

The Hartford Steam Boiler Inspection and Insurance Company hereby requests a hearing with regard to the citation letter received in our office 8/29/2018 for the cited location:

Cited Location: Oakland Car Wash

Oakland Car Wash
1300 Garrett Hwy
Oakland, MD 21550-4007
Registration No. MD113791H

Respectfully,

Chris Mastrolia
Operations Manager, Inspection Services Division
Valley Forge Engineering

Citation should have not went to Insurance Co. Not overdue. Please re-issue to Owner. Violation.
response: Please contact Hartford Steam Boiler to verify and enter a clearing report.

Sonny O'Haver
Attachments
8:24 AM (3 hours ago)
to me

Yes we had fixed that issues. Attached is a photo of the correction. Adam Kobuck, HSB is the one that inspected that correction and then told us in Nov 21st that there was no violation but will be back again Tuesday Dec 18th 2018. So I'm not sure where or how the lost communication/report didn't get recorded, but we are working hard to get this all worked out..

Sonny O'Haver / Office Staff

Sonny O'Haver via sunrisesanitation.onmicrosoft.com Tue, Nov 27, 10:47 AM (2 days ago) to me THE INSPECTION WAS DONE (HSB) ON Nov 21, 2018 FOR CASE 6963 AND I THINK IT WAS PASSED

Tried to contact Stuart Thayer, left message to contact me for scheduling

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113790H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000141136		Lochinvar	2002	04/28/2021	Recurring Cert	Active	mech rm
MD113791H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000141337		Lochinvar	2002	04/28/2021	Recurring Cert	Active	MECH RM
MD113792H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000141446		Lochinvar	2002	04/28/2021	Recurring Cert	Active	MECH RM
MD135122V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009000		Morganton	2009	04/28/2021	Recurring Cert	Active	MECH RM
MD161513H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003923		Zink Corp.	2014	04/28/2021	Recurring Cert	Active	Mech Rm
Total Objects at this location					5						

Location: Penn Alps Inc
Address: 125 Casselman Rd Grantsville, MD 21536-2003
County: Garrett

Primary Contact: Sharon Slovak, Manager - Phone: (301)8955985

Billing Contact:

Cert Contact:

Owner Contact:

Other Contact(s): Sharon Slovak, Manager - 125 Casselman Rd Grantsville, MD 21536-2003 - Phone: (301)8955985

My Company MD063896H & MD063895H

Comments: The above location objects are completed with one violation on MD063896H. We will have the reports submitted within a couple of days.

Location ID: 721031

Phone:

NOB/SIC:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063895H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17094258	Burnham	1983	10/25/2022	Recurring Cert	Active	Boiler Room
MD063896H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17101531	Burnham	1983	10/25/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Randys Body Shop
Address: 2299 Hutton Rd Oakland, MD 21550-5225
County: Garrett
Primary Contact: Randys Body Shop - Phone: 3013341534
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Randys Body Shop - 2299 Hutton Rd Oakland, MD 21550-5225 - Phone: 3013341534

Location ID: 722414
Phone:
NOB/SIC:

My Company Comments: inspection up date
 Boilers@dllr
 x

JOHN'S BODY SHOP <RANDYSHOP@live.com>
 Fri, Dec 7, 9:15 AM (7 days ago)
 to boilers@dllr.state.md.us

to whom it may concern :
 randy's body shop was closed jan. 2017 due to his death. it is now john's body shop as of jan 2017 .I have contacted inspector it was inspected dec 5 2018. it took them three months . and it is insured under john 's body shop 2301 hutton rd Oakland md 21550 . im new to all this stuff so please contact me at 301-334-1534 or by mail if u need more info.

thank you.

john lantz (owner)

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093225V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)		000136372	Melben	1986	10/17/2020	Recurring Cert	Active	Garage

Vessel
w/comment

Total Objects at this location 1

Location: Southern Garrett County Rescue Squad
Address: 210 Baltimore Avenue Oakland, MD 21550-0256
County: Garrett

Location ID: 725303
Phone:
NOB/SIC:

Primary Contact: Ann Smith, President - Phone: 301-334-3000

Billing Contact: Ann Smith - PO Box 378 Oakland, MD 21550-0378 - Phone: 301-334-3000

Cert Contact: Ann Smith, President - PO Box 378 Oakland, MD 21550-0378 - Phone: 301-334-3000

Owner Contact: Ann Smith, President - PO Box 378 Oakland, MD 21550-0378 - Phone: 301-334-3000

Other Contact(s): Ann Smith, President - PO Box 378 Oakland, MD 21550-0378 - Phone: 301-334-3000
Southern Garrett County Rescue Squad - PO Box 256 Oakland, MD 21550-0256 - Phone: 3013343000

My Company Contact update.

Comments:

My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130766H		Miniature Boiler (NOT Fired Kettle)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000011156		Mutchkin	2007	07/10/2021	Recurring Cert	Active	BLRM
MD164444V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000778974		Morganton	2019	09/16/2021	Recurring Cert	Active	UTILITY ROOM

Total Objects at this location 2

Location: Sunset Inn, Inc.
Address: 256 Maple St Friendsville, MD 21531-2122
County: Garrett

Location ID: 2125829
Phone: 301-746-5445
NOB/SIC:

Primary Contact: Joe & Mary Ellen Sessa, Owners - Phone: 301 -746-5445

Billing Contact: Joe & Mary Ellen Sessa - PO Box 312 Friendsville, MD 21531-0312 - Phone: 301 -746-5445

Cert Contact: Joe & Mary Ellen Sessa, Owners - PO Box 312 Friendsville, MD 21531-0312 - Phone: 301 -746-5445

Owner Contact: Joe & Mary Ellen Sessa, Owners - PO Box 312 Friendsville, MD 21531-0312 - Phone: 301 -746-5445

Other Contact(s): Dirk Smith, Ops VP Eng - 1200 Atwater Dr Ste 250 Malvern, PA 19355-8793 - Phone: 610-407-7826 - Email: dirk.smith@mutualboilerre.com
Frances DiNardo - 1200 Atwater Dr Ste 250 Malvern, PA 19355-8793 - Phone: 800-814-4458 x 7807 - Email: Frances.DiNardo@mutualboilerre.com
Joe & Mary Ellen Sessa, Owners - PO Box 312 Friendsville, MD 21531-0312 - Phone: 301 -746-5445
Mary Ellen, Sessa - PO Box 312 Friendsville, MD 21531-0312 - Phone: 301-746-5445

**My Company
Comments:**

9704-270-4303-The Inn is closed now due to the passing of her husband, and the owner is in Florida. Her son can get to the location on a Saturday to open for the inspection. I gave her the number for MAC Inspection. CED is 10/25/20
MAC Inspection & Welding Agency
9:09 AM (7 hours ago)
to citations, Elizabeth, Robin, Dorothy

Citation,

The above objects have been inspected (right now) and we will process their reports accordingly. No violations are noted.

Best regards

Michael Coleman
12/21/18

MD127098H & MD127099H has been inspected with no violations. We will process the reports within a couple of days. Mike Coleman
Sunset Inn (MD127098H & MD127099H)
MAC Inspection & Welding Agency
2:37 PM (1 hour ago)
to me, Elizabeth, Robin, Dorothy

Citations,

We have scheduled to do there inspections on December 21st.

Best regards,

Michael Coleman
President/CEO
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962
cell: (443) 617-3681 12/13/18

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127098H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	27044165	Burnham	2000	10/25/2020	External Cert, Recurring Cert	Active	Basement
MD127099H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1BJ2	American Standard	1960	10/25/2020	External Cert, Recurring Cert	Active	Basement

Total Objects at this location 2

Location: Taco Bell
Address: 13010 Garrett Hwy Oakland, MD 21550-4007
County: Garrett

Location ID: 3635118
Phone:
NOB/SIC:

Primary Contact: Mark Dare, Maintenance - Phone: 443-829-4583

Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Cert Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Owner Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Other Contact(s): Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Mark Dare, Maintenance - 13010 Garrett Hwy Oakland, MD 21550-4007 - Phone: 443-829-4583

My Company Comments: NUCO2-corporate owned tank- Taco bell.

Taco Bell #3635118--MD160518V- Violation, spoke with Mark Dare, Maintenance 443-829-4583. Can he be added as a contact, please? I called NUCO2 about these violations, not a whole lot of help. Left a message for someone to call me back. Also waiting for someone to call back from OneCIS Insurance Co. G. Smith 10/2/20

Taco Bell, 1310 Garrett Rd – Oakland, MD 21550 / Loc: 3954239

My GPS guided my to the country road in the middle of nowhere for the above address. This address and location needs to be deleted. I googled the closest Taco Bell and the GPS guided me to the following:

Taco Bell, 13010 Garrett Hwy, Oakland MD / Loc: 3635118

The object listed at this location is MD160518V. Noonan, End of Day, 06/07/19

My Shared

Comments: customer owned equipment

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160518V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000306566	31732970	CHART	2017	02/16/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: The Black Bear (NuCo2)
Address: 99 Fort Dr Mc Henry, MD 21541-1278
County: Garrett

Location ID: 3635325
Phone:
NOB/SIC:

Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
 William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments: Gregory Smith 1-23-20 Black Bear Tavern and Restaurant LLC #3635325- Needs CO2 tank registered (see attachment) Spoke to Chuck Rogers. Does have a violation, needs vented to a safe place. NuCO2 Supply LLC ID tag is A879342.
 Gregory Smith 2/19/2020 The Black Bear #3635325--violation still exists
 Gregory Smith 3/3/2020 Black Bear #3635325--still has a violation
 NB000004160

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166262V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004160		Taylor-Wharton	2019	01/28/2022	Recurring Cert	Active	Under Deck
Total Objects at this location					1						

Location: Timbrook Ford of Oakland **Location ID:** 724744
Address: 12532 Garrett Hwy Oakland, MD 21550-1159 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Frank Cook, Service Manager - Phone: 301-334-2121
Billing Contact: Kathryn Shafter - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121
Cert Contact: Frank Cook, Service Manager - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121
Owner Contact: Kathryn Shafter, President - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121
Other Contact(s): Darrell Inactive-Savage, Service Manager - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121
 Frank Cook, Service Manager - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121
 Kathryn Shafter, President - 12532 Garrett Hwy Oakland, MD 21550-1159 - Phone: 301-334-2121

My Company Comments: American Boiler to inspect. Will call back with date.
 John- American Boiler Inc. on 11-23-16
 Shaffer Ford #724744--Is Now Timbrook Ford of Oakland, It has 4 objects at two different addresses.

Timbrook Ford of Oakland
 12532 Garrett HWY
 Oakland, MD 21550
 Contact Frank Cook, Service Manager 301-334-2121

Objects for Timbrook Ford: MD144052V
 MD144053V
 Specific Location for both is Shop Mezzanine

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144052V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024669		AIR COM	2009	11/21/2020	Recurring Cert	Active	Shop Mezzanine
MD144053V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001084		Young	1972	11/21/2020	Recurring Cert	Active	Shop Mezzanine

Total Objects at this location 2

Location: **Wal-Mart Store 2894** **Location ID:** 728224
Address: 13164 Garrett Hwy Oakland, MD 21550-1117 **Phone:**
County: Garrett **NOB/SIC:**
Primary Contact: Wal-Mart Store 2894
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107942V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000567181		Manchester	2000	11/21/2022	Recurring Cert	Active	Rear Rm
MD144000V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029411		Standard	2000	11/21/2022	Recurring Cert	Active	Outside/Motor Room
MD144001V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000033039		Standard	2000	11/21/2022	Recurring Cert	Active	Outside/Motor Room

MD144002V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031019	Standard	2000	11/21/2022	Recurring Cert	Active	Outside/Motor Room
-----------	--	--------------------------------	-----------	----------	------	------------	----------------	--------	--------------------

Total Objects at this location 4

Total Objects 82
Total Locations 43