

Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

Location: & Pizza (NuCo2) #686903 **Location ID:** 3968021
Address: 11626 Old Georgetown Rd - Rockville, MD 20852-2788 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD160153V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000157402 | | CHART | 2004 | 02/05/2022 | Recurring Cert | Active | dumpster area |

Total Objects at this Location: 1

Location: 10410 Apartment Building **Location ID:** 701694
Address: 10410 Fawcett St - Kensington, MD 20895-3343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: K. W. Simpson Jr. - Phone: 301 564 4585
Billing Contact: K. W. Simpson Jr. - 5720 Rossmoor Drive Bethesda, MD 20814 - Phone: 301 564 4585

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD111185H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1998 | 10/20/2020 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: 1St Baptist Church Of Rockville
Address: 55 Adclare Rd - Rockville, MD 20850-3827
County: Montgomery **FIPS:** 24031
Primary Contact: Sachi Nishio - Phone: 301-279-2400 - Email: sachi@firstbaptistrockville.org
Billing Contact: Sachi Nishio - 55 Adclare Rd Rockville, MD 20850-3827 - Phone: 301-279-2400 - Email: sachi@firstbaptistrockville.org

Location ID: 701734
Phone: 301-279-2400
NOB/SIC: Religious Organizations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------------|------------|------------|----------------|--------|-------------|
| MD112823H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000141149 | | Columbia Boiler Co | 2001 | 02/18/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: 200 E Middle Ln Unit A
Address: 200 E Middle Ln Unit A - Rockville, MD 20850-2206
County: Montgomery **FIPS:** 24031
Primary Contact: Steve Santa - Phone: 301-340-7159 - Email: ssanta@cwrestaurants.com
Billing Contact: Nassim Sultan - 200 E Middle Ln Unit A Rockville, MD 20850-2206 - Phone: 301-340-7159 - Email: nsultan@gbrestaurants.com

Location ID: 2125097
Phone:
NOB/SIC: Drinking Places (Alcoholic Beverages)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|----------|---------------|------------|------------|----------------|--------|-----------------------|
| MD127449H | #1 | Horizontal Water Tube | H - Heating-Cooking (Steam <= 15 psig) | 000057775 | 00000 | Parker Boiler | 2007 | 03/22/2020 | Recurring Cert | Active | 2nd Floor Boiler Room |
| MD160874H | A | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 65521559 | AHRI | 2015 | 03/28/2020 | Recurring Cert | Active | Boiler Room |
| MD160875H | B | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 65536430 | AHRI | 2015 | 03/28/2020 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: 209 Lincoln Ave
Address: 209 Lincoln Ave - Takoma Park, MD 20912-5738
County: Montgomery **FIPS:** 24031
Primary Contact: Tony Dixon - Phone: 301-332-2043 - Email: am_dixon@hotmail.com
Billing Contact: Tony Dixon - 7608 Alaska Ave NW Washington, DC 20012-1469 - Phone: 301-332-2043 - Email: am_dixon@hotmail.com

Location ID: 4072760
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---------------|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD170204H | | Cast Iron | H - Hot Water | CI | | Weil-McLain | 1989 | 05/07/2023 | Recurring Cert | Active | Basement |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------|---------------------------------|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | | Heat (Water <= 160 psig, 250 F) | | | | | | | | |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: 308 Patterson Court Apt. **Location ID:** 727470
Address: 308 Patterson Ct - Takoma Park, MD 20912-7750 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jamil Hishmeh - Phone: 301-655-1000 - Email: jmhproperties1@gmail.com
Billing Contact: Jamil Hishmeh - 706 Ludlow St Takoma Park, MD 20912-7310 - Phone: 301-655-1000 - Email: jmhproperties1@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|--------------|
| MD144835H | | Cast Iron | H - Hot Water Supply (Water <= 160 psig, 210 F) | CI | 31200127 | Dunkirk | 2012 | 05/13/2022 | Recurring Cert | Active | Laundry Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: 3202, LLC. **Location ID:** 710085
Address: 3202 Tower Oaks Blvd - Rockville, MD 20852-4219 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Carlos Blanco - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com
Billing Contact: Carlos Blanco - 3206 Tower Oaks Blvd Rockville, MD 20852-4254 - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD134069H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2009 | 06/23/2022 | Recurring Cert | Active | BOILER ROOM |
| MD134070H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2009 | 06/23/2022 | Recurring Cert | Active | BOILER ROOM |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: 3202, LLC.
Address: 3204 Tower Oak Boulevard - Rockville, MD 20852-4250
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Blanco
Billing Contact: Carlos Blanco - 3204 Tower Oaks Blvd Ste 110 Rockville, MD 20852-4206

Location ID: 710087
Phone:
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|------------------|
| MD134067H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2009 | 06/23/2022 | Recurring Cert | Active | BOILER ROOM |
| MD134068H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2009 | 06/23/2022 | Recurring Cert | Active | 3204 boiler room |

Total Objects at this Location: 2

Location: 3202, LLC.
Address: 3206 Tower Oaks Blvd - Rockville, MD 20852-4254
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Blanco - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com
Billing Contact: Carlos Blanco - 3206 Tower Oaks Blvd Rockville, MD 20852-4254 - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com

Location ID: 3542443
Phone:
NOB/SIC: Offices of Holding Companies, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD152157H | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000013559 | | Lochinvar | 2006 | 06/23/2022 | Recurring Cert | Active | 3206 Blrm |

Total Objects at this Location: 1

Location: 369, LLC.
Address: 451 Hungerford Dr - Rockville, MD 20850-4151
County: Montgomery **FIPS:** 24031
Primary Contact: Rodney Carter - Phone: 301-337-0455 - Email: rcarter@recurrent.net
Billing Contact: Kirk Alderice - 1390 Piccard Dr Ste 120 Rockville, MD 20850-4399 - Phone: 301-208-6700 - Cell: 301-518-4102 - Email: kirk@promarkre.com

Location ID: 1221970
Phone:
NOB/SIC: Business Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD134104H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000121083 | | A O Smith | 2007 | 11/17/2021 | Recurring Cert | Active | Penthouse |
| MD153955H | BLR-1/A | Cast Aluminum | H - Hot Water | CA | | Weil-McLain | 2015 | 11/17/2021 | Recurring Cert | Active | Penthouse |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------|
| | | | Heat (Water <= 160 psig, 250 F) | | | | | | | | |
| MD153957H | BLR-2/B | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | | Weil-McLain | 2015 | 11/17/2021 | Recurring Cert | Active | Penthouse |
| MD153958H | BLR-3/C | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | | Weil-McLain | 2015 | 11/17/2021 | Recurring Cert | Active | Penthouse |
| MD160613V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000002464 | Chiller-1 | McQuay | 2007 | 11/10/2021 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 5

Location: 457 N. Frederick Ave. LLC. **Location ID:** 715351
Address: 457 N Frederick Ave - Gaithersburg, MD 20877-2415 **Phone:** 301-990-6400
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: 457 N. Frederick Ave. LLC.
Billing Contact: - 107 W Jefferson St Rockville, MD 20850-4205

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|---------|--------------|------------|------------|----------------|--------|--------------|
| MD132668V | 2 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000864429 | dc47224 | Manchester | 2005 | 08/27/2021 | Recurring Cert | Active | Storage Room |
| MD140826V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000028300 | | AirCom | 2011 | 08/27/2021 | Recurring Cert | Active | store room |

Total Objects at this Location: 2

Location: 4641 Montgomery Avenue LP **Location ID:** 701837
Address: 4641 Montgomery Ave Ste 200 - Bethesda, MD 20814-3428 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Trusts, Except Educational, Religious, and Charitable
Primary Contact: Elmer Diaz - Phone: 301-951-8474 - Cell: 571-331-1706
Billing Contact: Elmer Diaz - 4641 Montgomery Ave Ste 200 Bethesda, MD 20814-3428 - Phone: 301-951-8474 - Cell: 571-331-1706

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|-----------|--------|-------------------|------------|------------|----------------|--------|----------|
| MD009366H | 4641 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | National Radiator | 1971 | 01/07/2023 | Recurring Cert | Active | BASEMENT |
| MD165167H | | Cast Iron | H - Hot Water Heat (Water <= | 000266766 | | AIC TUCHOM | 2018 | 10/24/2021 | Recurring Cert | Active | ROOF |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165168H | | Cast Iron | 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F) | 000266496 | | AIC TUCHOM | 2018 | 04/11/2023 | Recurring Cert | Active | ROOF |

Total Objects at this Location: 3

Location: 4935 Bar & Kitchen (Arc3) **Location ID:** 3974086
Address: 4935 Cordell Ave - Bethesda, MD 20814-2509 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD165190V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000012655 | | Taylor-Wharton | 1992 | 10/02/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: 5 Guys (Roberts) **Location ID:** 4049113
Address: 12029 Rockville Pike - Rockville, MD 20852-1603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: 5 Guys (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167756V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000314046 | | CHART | 2018 | 11/30/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: 5 Guys Burgers & Fries (Roberts) **Location ID:** 3974089
Address: 4829 Bethesda Ave - Bethesda, MD 20814-5240 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165197V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000200139 | | CHART | 2009 | 10/02/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: 6010 Executive Building **Location ID:** 701845
Address: 6010 Executive Blvd - Rockville, MD 20852-3809 **Phone:** 301-951-7222
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Steve Johnson - Cell: 202-437-4883
Billing Contact: David B. Brown - 4416 E West Hwy Ste 300 Bethesda, MD 20814-4566 - Phone: 301-951-7222 - Cell: 301-370-1817 - Email: DBrown@RonaldPaulCos.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD139433H | BLR-1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000189810 | C07189810 | Laars | 2007 | 09/24/2021 | Recurring Cert | Active | Boiler Room |
| MD139434H | BLR-2 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000188009 | C07188009 | Laars | 2007 | 09/24/2021 | Recurring Cert | Active | Boiler Room |
| MD139435H | BLR-3 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000188010 | C07188010 | Laars | 2007 | 09/24/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: 607 Sligo Ave
Address: 607 Sligo Ave - Silver Spring, MD 20910-4710
County: Montgomery **FIPS:** 24031
Primary Contact: 607 Sligo Ave
Billing Contact:

Location ID: 715675
Phone:
NOB/SIC: Garment Pressing, and Agents for Laundries and Drycleaners

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD004367 | | Vertical Tubeless | S - Power-Ironing (Steam > 15 psig) | 000074686 | | Fulton | 1995 | 06/12/2019 | Recurring Cert | Active | BLRM |
| MD099255V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 00042698J | | Brunner | 1995 | 06/09/2019 | Recurring Cert | Active | BOILER ROOM |
| MD099256V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000615019 | | Manchester | 1998 | 06/09/2019 | Recurring Cert | Active | BASEMENT |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: 7 Eleven (NuCo2) # 308720
Address: 14430 Layhill Rd - Silver Spring, MD 20906-1911
County: Montgomery **FIPS:** 24031
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3627909
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD165152V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000315953 | | CHART | 2018 | 08/21/2023 | Recurring Cert | Active | Store Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: 7 Eleven (NuCO2) # 308785
Address: 29 Olney Sandy Spring Rd - Ashton, MD 20861-3607
County: Montgomery **FIPS:** 24031
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Location ID: 3627950
Phone:
NOB/SIC: Industrial Gases

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD143849V | | Vertical Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000204184 | | CHART | 2009 | 11/24/2023 | Recurring Cert | Active | Store Room |

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: 7 Eleven (NuCO2) # 308791 **Location ID:** 3627954
Address: 7820 Wisconsin Ave - Bethesda, MD 20814-3524 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|-----------|----------------|------------|------------|----------------|--------|-------------------------|
| MD162348V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000074629 | 752044W50 | Taylor-Wharton | 2004 | 11/27/2021 | Recurring Cert | Active | Beverage Carbonation |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: 7 Locks Brewery (AirgasNC#3853393) **Location ID:** 4047423
Address: 12227 Wilkins Ave - Rockville, MD 20852-1833 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Airgas National Carbonation - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllca.com
Billing Contact: Brandon Loveridge - 5018 Bristol Ind Way Ste 203 Buford, GA 30518-1776 - Phone: 770-614-3111 - Email: brandon.loveridge@bpcllca.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD162586V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000316516 | | CHART | 2018 | 12/14/2022 | Recurring Cert | Active | Equipment Area |
| MD162587V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000316518 | | CHART | 2018 | 12/14/2022 | Recurring Cert | Active | Equipment Area |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: 7-11 Carwash
Address: 12301 Middlebrook Rd - Germantown, MD 20874-2605
County: Montgomery **FIPS:** 24031
Primary Contact: Mid Atlantic Petroleum Properties - Phone: 301 670 0500(wrong number)
Billing Contact: - 12301 Middlebrook Rd Germantown, MD 20874-2605 - Phone: 301 670 0500(wrong number)

Location ID: 2128835
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD132652V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000240774 | | Steel Fab | 2000 | 04/16/2022 | Recurring Cert | Active | Carwash |

Total Objects at this Location: 1

Location: 7-Eleven - 26881
Address: 8035 Snouffer School Rd - Gaithersburg, MD 20879-4729
County: Montgomery **FIPS:** 24031
Primary Contact: 7-Eleven - 26881
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3214713
Phone:
NOB/SIC: Miscellaneous Retail Stores, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD142561V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000082636 | | MVE | 1998 | 11/24/2023 | Recurring Cert | Active | store room |

Total Objects at this Location: 1

Location: 7-Eleven - 29912
Address: 15900 Shady Grove Rd - Gaithersburg, MD 20877-1315
County: Montgomery **FIPS:** 24031
Primary Contact: 7-Eleven - 29912
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3214676
Phone:
NOB/SIC: Miscellaneous Retail Stores, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD152939V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000144414 | | CHART | 2002 | 11/10/2023 | Recurring Cert | Active | Store Rm |

Total Objects at this Location: 1

Location: 7-Eleven - 32961
Address: 9051 Snouffer School Rd - Gaithersburg, MD 20879-1605
County: Montgomery **FIPS:** 24031
Primary Contact: 7-Eleven - 32961
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3187181
Phone:
NOB/SIC: Miscellaneous Retail Stores, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|------------------|------------|------------|----------------|--------|------------|
| MD149313V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000017265 | | Minnesota Valley | 1988 | 11/24/2021 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 1

Location: 7-Eleven - 36460
Address: 405 N Frederick Ave - Gaithersburg, MD 20877-2442
County: Montgomery **FIPS:** 24031
Primary Contact: 7-Eleven - 36460
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3469788
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD148380V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00006470 | | BTIC | 2012 | 11/10/2021 | Recurring Cert | Active | Closet |

Total Objects at this Location: 1

Location: 7-Eleven - 36867
Address: 418 Allied Pl - Gaithersburg, MD 20877-3029
County: Montgomery **FIPS:** 24031
Primary Contact: 7-Eleven - 36867
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3486672
Phone:
NOB/SIC: Miscellaneous Retail Stores, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD149810V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000238248 | | CHART | 2013 | 10/06/2023 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 1

Location: 7-Eleven - 39796
Address: 16201 New Hampshire Ave - Silver Spring, MD 20905-3921
County: Montgomery **FIPS:** 24031
Primary Contact: Kent Nay - Phone: 703-286-9540 - Email: knay01@7-11.com
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3967553
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165135V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000692969 | | Morganton | 2017 | 08/21/2021 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 1

Location: 7770 Norfolk
Address: 7770 Norfolk Ave - Bethesda, MD 20814-6024
County: Montgomery **FIPS:** 24031
Primary Contact: Jose Rodriguez - Cell: 240-678-2992 - Email: jrodriguez@cimgroup.com
Billing Contact: Jose Rodriguez - 7770 Norfolk Ave Bethesda, MD 20814-7004 - Cell: 240-678-2992 - Email: jrodriguez@cimgroup.com

Location ID: 3656587
Phone:
NOB/SIC: Operators of Dwellings Other Than Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------------|--------------|------------|------------|----------------|--------|---------------------------|
| MD155254H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | K940-14-11220 | Harsco | 2014 | 10/27/2021 | Recurring Cert | Active | Penthouse - Mechanical Rm |
| MD155255H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | K940-14-11219 | Harsco | 2014 | 10/27/2021 | Recurring Cert | Active | Penthouse - Mechanical Rm |
| MD155256H | BLR-3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | K940-14-11221 | Harsco | 2014 | 10/27/2021 | Recurring Cert | Active | Penthouse - Mechanical Rm |

Total Objects at this Location: 3

Location: 7900 Wisconsin, LLC.
Address: 7900 Wisconsin Ave - Bethesda, MD 20814-3601
County: Montgomery **FIPS:** 24031
Primary Contact: Sam Burrow
Billing Contact: Sam Burrow - 4747 Bethesda Ave Ste 200 Bethesda, MD 20814-5282

Location ID: 702579
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------------|--------------|------------|------------|----------------|--------|----------------------|
| MD168830H | Boiler #1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000087738 | 17P4MB.1400.242 | AIC GDYNIA | 2020 | 01/06/2023 | Recurring Cert | Active | Roof Mechanical Room |
| MD168831V | Boiler #1 | Heat Exchanger - Other w/comment | V - Process-Heat Transfer-Other w/comment | 000087715 | 17P4ME.1430.235 | AIC GDYNIA | 2020 | 01/06/2023 | Recurring Cert | Active | Roof Mechanical Room |
| MD168832H | Boiler #2 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000087414 | 17P4MB.1400.203 | AIC GDYNIA | 2020 | 01/06/2023 | Recurring Cert | Active | Roof Mechanical Room |
| MD168833V | Boiler #1 | Heat Exchanger - Other w/comment | V - Process-Heat Transfer-Other w/comment | 000087442 | 17P4ME.1430.199 | AIC GDYNIA | 2020 | 01/06/2023 | Recurring Cert | Active | Roof Mechanical Room |

Total Objects at this Location: 4

Location: 8109 Garland Avenue Condominums
Address: 8109 Garland Ave - Takoma Park, MD 20912-6851
County: Montgomery **FIPS:** 24031
Primary Contact: Wai Cheung - Phone: 240-506-2030 - Email: judyjeung66@yahoo.com
Billing Contact: Wai Cheung - 12 Sweetwood Ct Rockville, MD 20850-7406 - Phone: 240-506-2030 - Email: judyjeung66@yahoo.com

Location ID: 711639
Phone: 240-506-2030
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD162593H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | BFC | 2016 | 10/18/2020 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: 8203 Apartment Bldg **Location ID:** 715066
Address: 8203 Houston Court - Silver Spring, MD 20912-6244 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: David Rothman - Phone: 301 674 9977 - Cell: 301 270 0111 - Email: takomadave@gmail.com
Billing Contact: David Rothman - 7301 Garland Ave Takoma Park, MD 20912-6417 - Phone: 301 674 9977 - Cell: 301 270 0111 - Email: takomadave@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD165137H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2014 | 08/19/2023 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: 8305 Apartment Bldg. **Location ID:** 718432
Address: 8305 Garland Ave - Takoma Park, MD 20912-6724 **Phone:** 301-792-6453
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Michael Campbell - Phone: 301-792-6453 - Email: cmmarent@gmail.com
Billing Contact: Michael Campbell - PO Box 443 College Park, MD 20741-0443 - Phone: 301 779 4153/ 301 792 6453 - Cell: 364 537 9201

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|------------|----------------|------------|------------|----------------|--------|-------------|
| MD051494H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 3279V00013 | Bryant/Dunkirk | 1980 | 02/12/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: 8307 Apartment Bldg. **Location ID:** 718433
Address: 8307 Garland Ave - Takoma Park, MD 20912-6722 **Phone:** 301-792-6453
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Michael Campbell - Phone: 301-792-6453 - Email: cmmarent@gmail.com
Billing Contact: Michael Campbell - PO Box 443 College Park, MD 20741-0443 - Phone: 301 779 4153/ 301 792 6453 - Cell: 364 537 9201

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|-------------|
| MD146688H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | ULI24953 | Columbia | 2011 | 03/24/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: 8309 Apartment Bldg.
Address: 8309 Garland Ave - Takoma Park, MD 20912-6720
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Campbell - Phone: 301-792-6453 - Email: cmmarent@gmail.com
Billing Contact: Michael Campbell - PO Box 443 College Park, MD 20741-0443 - Phone: 301 779 4153/ 301 792 6453 - Cell: 364 537 9201

Location ID: 718434
Phone: 301-792-6453
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|-------------|
| MD130545H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | UHE23394 | Utica | 2007 | 02/12/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: 833 Apartment House
Address: 833 Fairview Ave - Takoma Park, MD 20912-5966
County: Montgomery **FIPS:** 24031
Primary Contact: Taylor Denchfield - Phone: 301-559-7500 - Email: taylor@alanmanagement.com
Billing Contact: Taylor Denchfield - 5920 Ager Rd Hyattsville, MD 20782-2663 - Phone: 301-559-7500 - Email: taylor@alanmanagement.com

Location ID: 722502
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166673H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000153551 | | KYUNG DONG | 2019 | 03/18/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: 8501 Flower
Address: 8501 Flower Ave - Takoma Park, MD 20912-6645
County: Montgomery **FIPS:** 24031
Primary Contact: Mathew Mader - Phone: 240-393-1114 - Email: maderproperties@gmail.com
Billing Contact: Mathew Mader - 6062 Sunny Spring Columbia, MD 21044-3614 - Phone: 240-393-1114 - Email: maderproperties@gmail.com

Location ID: 1339700
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD120714H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1986 | 08/21/2021 | Recurring Cert | Active | basement |

Total Objects at this Location: 1

Location: 9850 Key West Ave
Address: 9850 Key West Ave - Rockville, MD 20850-3960
County: Montgomery **FIPS:** 24031
Primary Contact: Paul Hernandez - Phone: 301-340-1081 - Cell: 240-286-4741 - Email: phernandez@writ.com
Billing Contact: Dick Fetter - 9850 Key West Ave Ste 306 Rockville, MD 20850-3958 - Phone: 301-637-6118 - Cell: 571-335-1062

Location ID: 2636366
Phone:
NOB/SIC: Offices and Clinics of Doctors of Medicine

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD146338H | 1 | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000178322 | | A O Smith | 1999 | 11/04/2021 | Recurring Cert | Active | Penthouse roof |

Total Objects at this Location: 1

Location: A-1 Auto
Address: 925 University Blvd E - Silver Spring, MD 20903-2918
County: Montgomery **FIPS:** 24031
Primary Contact: Takoma Park Station LLC
Billing Contact: - 1350 Connecticut Ave NW Ste 800 Washington, DC 20036-1733

Location ID: 717094
Phone: 410-439-2038
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD155607V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000249183 | | Manchester | 1994 | 09/29/2020 | Recurring Cert | Active | rear shed |

Total Objects at this Location: 1

Location: A.C. Crane
Address: 651 Southlawn Ln - Rockville, MD 20850-1495
County: Montgomery **FIPS:** 24031
Primary Contact: A.C. Crane - Phone: 301-260-2600
Billing Contact: Brian Townsend - 651 Southlawn Ln Rockville, MD 20850-1458 - Phone: 301-260-2600

Location ID: 714447
Phone:
NOB/SIC: Jewelry, Precious Metal

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|---------|--------------|------------|------------|----------------|--------|-------------------|
| MD112446V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 0002747 | 5406039 | Steel Fab | 1977 | 01/19/2023 | Recurring Cert | Active | Outside Rear Shed |
| MD112447V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000370676 | | Kargard | 1968 | 01/19/2023 | Recurring Cert | Active | Outside Rear Shed |

Total Objects at this Location: 2

Location: Action Worship International City of Truth, Inc. Location ID: 703820
Address: 12125 Veirs Mill Rd - Silver Spring, MD 20906-4503 Phone: 301-498-7501
County: Montgomery FIPS: 24031 NOB/SIC: Depository institutions
Primary Contact: Jeannine Forrester - Email: jeannineforrester@gmail.com
Billing Contact: Jeannine Forrester - 12125 Veirs Mill Rd Ste 200 Silver Spring, MD 20906-4503 - Email: jeannineforrester@gmail.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD057809H, Vertical Water Tube, H - Hot Water Heat (Water <= 160 psig, 250 F), 000015778, H15778, CAM, 1986, 06/22/2021, Recurring Cert, Active, 12125 Viers Mil

Total Objects at this Location: 1

Location: Adam A Weschler and Son Inc Location ID: 728703
Address: 40 W Gude Dr - Rockville, MD 20850-1152 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Tom Patterson - Phone: 301-758-4954 - Email: tpatterson@washreit.com
Billing Contact: Luis Jiron - 1775 Eye St NW Ste 1000 Washington, DC 20006-2404 - Phone: 202-764-7105 - Email: ljiron@washreit.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD114567H, Electric (NOT HLW), H - Hot Water Heat (Water <= 160 psig, 250 F), 000003570, Precision, 1985, 03/03/2022, Recurring Cert, Active, Boiler Room

Total Objects at this Location: 1

Location: Adler & Mandel Inc Location ID: 702120
Address: 12298 Wilkins Ave Ste B - Rockville, MD 20852-1862 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Adler & Mandel Inc - Phone: 3018813525
Billing Contact:

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD108229V, Vertical Unfired Pressure Vessel w/comment, V - Storage (NOT Cryogenic), 000026587, Industrial Comb, 1986, 08/12/2023, Recurring Cert, Active, Shop

Total Objects at this Location: 1

Location: **Advanced Surgery Center of Bethesda**
Address: 6430 Rockledge Dr Ste 160 - Bethesda, MD 20817-1847
County: Montgomery **FIPS:** 24031
Primary Contact: Daniele Marshall - Phone: 410-312-6144
Billing Contact: - 6430 Rockledge Dr Ste 160 Bethesda, MD 20817-1847 - Phone: 301-312-6144

Location ID: 3464581
Phone: 301-312-6144
NOB/SIC: General Medical and Surgical Hospitals

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-------------|--------------|------------|------------|----------------|--------|-----------------|
| MD149357 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000000663 | 40386 | Pemberton | 2012 | 10/31/2021 | Recurring Cert | Active | Clean Work Room |
| MD149358 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000000664 | 40387 | Pemberton | 2012 | 10/31/2021 | Recurring Cert | Active | Clean Work Room |
| MD149364V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Process-Sterilizing | 000037467 | 0580134-SAW | Amsco | 1980 | 10/29/2021 | Recurring Cert | Active | Clean Work Room |
| MD149365V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000065271 | 1091229 | Amsco | 1991 | 10/29/2021 | Recurring Cert | Active | Clean Work Room |

Total Objects at this Location: 4

Location: **Agile Data Sites Chesapeake**
Address: 2240 Broadbirch Dr - Silver Spring, MD 20904-1931
County: Montgomery **FIPS:** 24031
Primary Contact: Ed Killeen - Phone: 858-449-9617 - Email: ekilleen@agiledatasites.com
Billing Contact: Gigi Bondi - 7226 Lee Deforest Dr Ste 104 Columbia, MD 21046-3239 - Phone: 610-392-0133 - Email: gbondi@agiledatasites.com

Location ID: 711609
Phone: 858-449-9617
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD070157H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | N86-56 | H B Smith | 1986 | 12/02/2022 | Recurring Cert | Active | Mechanical Room |
| MD138149V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000926621 | | Manchester | 2008 | 12/02/2022 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 2

Location: Airpark Auto Center
Address: 66 Cessna Ct - Gaithersburg, MD 20879-4145
County: Montgomery **FIPS:** 24031
Primary Contact: Carlo - Phone: 301-977-9401
Billing Contact: Carlo - 66 Cessna Ct Gaithersburg, MD 20879-4145 - Phone: 301-977-9401

Location ID: 788004
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD117476V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000429740 | | Wood | 1968 | 06/02/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Airpark Auto Cooling
Address: 18725 Mooney Dr - Gaithersburg, MD 20879-4704
County: Montgomery **FIPS:** 24031
Primary Contact: Airpark Auto Cooling - Phone: 301-670-6046
Billing Contact: - 18725 Mooney Dr Gaithersburg, MD 20879-4704 - Phone: 301-670-6046

Location ID: 788009
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162770V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000126276 | | Manchester | 2002 | 04/18/2023 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Aktiv Automotive
Address: 22 W Diamond Ave - Gaithersburg, MD 20877-2111
County: Montgomery **FIPS:** 24031
Primary Contact: Kevin Lucas Jr - Phone: 301-869-3200 - Email: kevin@aktivautomotive.com
Billing Contact: Kevin Lucas Jr - 22 W Diamond Ave Gaithersburg, MD 20877-2111 - Phone: 301-869-3200 - Email: kevin@aktivautomotive.com

Location ID: 717975
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD020871V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000004260 | | Acme | 1960 | 08/13/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Aldon Management Corp.
Address: 4730 Bradley Blvd - Chevy Chase, MD 20815-6347
County: Montgomery **FIPS:** 24031
Primary Contact: Maria Rico - Phone: 301-656-5998 - Email: mhr@aldonmanagement.com
Billing Contact: Maria Rico - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-656-5998 - Email: mhr@aldonmanagement.com

Location ID: 702361
Phone: 301-656-7626
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD159453H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000117229 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD159454H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000117077 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD159455H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000116313 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD159456H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000117076 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD159457H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000117228 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD159458H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000116312 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler room |

Total Objects at this Location: 6

Location: Aldon Management Corp.
Address: 4757 Chevy Chase Dr - Chevy Chase, MD 20815-6449
County: Montgomery **FIPS:** 24031
Primary Contact: David Greaves - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com
Billing Contact: David Greaves - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com

Location ID: 702364
Phone: 301-656-7626
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD162175H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000132107 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD162176H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000130911 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD162177H | | Vertical Water Tube | H - Hot Water Heat (Water <= | 000132106 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD162178H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000130910 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD162179H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000129402 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD162180H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000129403 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: Aldon Management Corp. **Location ID:** 702365
Address: 4800 Wellington Dr - Chevy Chase, MD 20815-6252 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: David Greaves - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com
Billing Contact: David Greaves - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD088406H | 2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1994 | 10/02/2021 | External Cert | Active | Boiler Room |
| MD158572H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000047884 | | A O Smith | 2017 | 10/02/2021 | Recurring Cert | Active | blr rm |

Total Objects at this Location: 2

Location: Aldon Management Corp. **Location ID:** 702580
Address: 4858 Battery Ln - Bethesda, MD 20814-2742 **Phone:** 301-656-1306
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: David Greaves - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com
Billing Contact: David Greaves - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD158551H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000113546 | | Viessman | 2017 | 10/02/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Alem Weldehiamanot **Location ID:** 702369
Address: 7515 Maple Avenue Apt 100 Meriwill - Takoma Park, MD 20912- **Phone:** 202-459-1949
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Alem Welde-Hiamanot - Phone: 301 270 1373 (disconnected) - Cell: 202 459 1949 - Email: alemgmwh@gmail.com
Billing Contact: Alem Welde-Hiamanot - 7515 Maple Ave Apt 100 Takoma Park, MD 20912-4938 - Phone: 301 270 1373 (disconnected) - Cell: 202 459 1949 - Email: alemgmwh@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|---------------|
| MD128730H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Burnham | 2006 | 07/06/2022 | Recurring Cert | Active | basement 7515 |

Total Objects at this Location: 1

Location: Alexandria Real Estate Equities, Inc **Location ID:** 711731
Address: 50 W Watkins Mill Rd - Gaithersburg, MD 20878-4023 **Phone:** 301-279-0214
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Jason Lee - Cell: 240-246-5329 - Email: jason.lee@saint-gobain.com
Billing Contact: Jason Lee - 50 W Watkins Mill Rd Gaithersburg, MD 20878-4023 - Cell: 240-246-5329 - Email: jason.lee@saint-gobain.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|------------|--------------|------------|------------|----------------|--------|--------------|
| MD169365V | | Autoclave | V - Process-Sterilizing | 000008792 | 5911-211 | Consolidated | 2021 | 04/23/2023 | Recurring Cert | Active | Autoclave Rm |
| MD169366 | | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | 000008799 | SEB100-891 | Consolidated | 2021 | 05/19/2022 | Recurring Cert | Active | autoclave rm |

Total Objects at this Location: 2

Location: ALG Drapery & Installations LLC **Location ID:** 3270591
Address: 7895 Cessna Ave - Gaithersburg, MD 20879-4161 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Personal Services, NEC
Primary Contact: ALG Drapery & Installations LLC
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD118515 | | Vertical Fire Tube | S - Power-Other w/comment (Stm > 15 psig) | 000094153 | | Fulton | 2003 | 10/12/2021 | Recurring Cert | Active | BLRM |
| MD148958V | | Vertical Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000956495 | | Manchester | 2008 | 10/14/2021 | Recurring Cert | Active | blr rm |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|

w/comment

Total Objects at this Location: 2

Location: All Tune & Lube **Location ID:** 716927
Address: 324 N Stonestreet Ave - Rockville, MD 20850-1655 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: All Tune & Lube
Billing Contact: Glenn R Looper - 324 N Stonestreet Ave Rockville, MD 20850-1655 - Phone: 301-762-9333 - Email: loopersc@loopersc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|-----------------------------|-----------|--------|---------------|------------|------------|----------------|--------|-----------------|
| MD105525V | 01 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000046926 | | Manchester | 1989 | 05/03/2022 | Recurring Cert | Active | Compressor Area |
| MD105526V | 02 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000785404 | | Pressed Steel | 1955 | 05/03/2022 | Recurring Cert | Active | Compressor Area |

Total Objects at this Location: 2

Location: American Best Wings (Arc3) **Location ID:** 3993042
Address: 18208 Contour Rd - Montgomery Village, MD 20877-2607 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: American Best Wings (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166669V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000299293 | | CHART | 2014 | 11/19/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: American Inn **Location ID:** 702648
Address: 8130 Wisconsin Ave - Bethesda, MD 20814-3640 **Phone:** 301-656-9300
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Virginia Villegas - Phone: 301-656-9300 - Email: virginia.villegas@baywoodhotels.com
Billing Contact: Virginia Villegas - 8130 Wisconsin Ave Bethesda, MD 20814-3640 - Phone: 301-656-9300 - Email: virginia.villegas@baywoodhotels.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------------------|
| MD108329H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000117293 | | Lochinvar | 1994 | 03/27/2023 | Recurring Cert | Active | Guapos Basement |
| MD108330H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000091588 | | Teledyne Laars | 1994 | 03/27/2023 | Recurring Cert | Active | Tower Mechanical Room |
| MD108331H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000091589 | | Teledyne Laars | 1994 | 03/27/2023 | Recurring Cert | Active | Tower Mechanical Room |
| MD122011H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000160395 | | Lochinvar | 2003 | 03/27/2023 | Recurring Cert | Active | Tower Mechanical Room |

Total Objects at this Location: 4

Location: American Occupational Therapy **Location ID:** 702676
Address: 4720 Montgomery Ln - Bethesda, MD 20814-5320 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Health and Allied Services, NEC
Primary Contact: Jim Crawford - Phone: 240-499-9600 - Email: jcrawfor@foulgerpratt.com
Billing Contact: Jim Crawford - 9600 Blackwell Rd Ste 200 Rockville, MD 20850-3659 - Phone: 240-499-9600 - Email: jcrawfor@foulgerpratt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD080212V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000954064 | | Buckeye | 1990 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| MD141901V | | Heat Exchanger - Other w/comment | V - Process-Heat Transfer-Other w/comment | 000096019 | | Niles | 2011 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| MD141902V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000054948 | | JOHNSON | 2008 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| MD141903V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000054894 | | JOHNSON | 2008 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| MD141911H | | Cast Aluminum | H - Hot Water Heat (Water <= | CA | 6481 | Harsco | 2011 | 02/03/2022 | Recurring Cert | Active | Penthouse |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---------------|---|----|--------|--------------|------------|------------|----------------|--------|-----------|
| MD141912H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 7081 | Harsco | 2011 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| MD141913H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 7067 | Harsco | 2011 | 02/03/2022 | Recurring Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 7 | | | | | | | |

Location: American Podiatric Medical **Location ID:** 702682
Address: 9312 Old Georgetown Rd - Bethesda, MD 20814-1621 **Phone:** 301-581-9216
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership organizations
Primary Contact: Jay Levrio - Phone: 301-581-9200 - Email: jlevrio@apma.org
Billing Contact: Jay Levrio - 9312 Old Georgetown Rd Bethesda, MD 20814-1621 - Phone: 301-581-9200 - Email: jlevrio@apma.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------------------|---|-----------|---------|--------------|------------|------------|----------------|--------|----------|
| MD108918H | 9312 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000061861 | c963672 | Lochinvar | 1996 | 12/09/2022 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Apartment Bldg./60 Elm LLC **Location ID:** 717097
Address: 60 Pine Ave - Takoma Park, MD 20912-4611 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Brian Wright - Phone: 202-253-8297 - Email: brian_wright@verizon.net
Billing Contact: Brian Wright - 60 Pine Ave Takoma Park, MD 20912-4611 - Phone: 202-253-8297 - Email: brian_wright@verizon.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|----------|
| MD163255H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | | 65423314 | US Boiler | 2014 | 05/22/2021 | Recurring Cert | Active | Basement |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Apartments
Address: 8105 Greenwood Ave - Takoma Park, MD 20912-6872
County: Montgomery **FIPS:** 24031
Primary Contact: Deric or Yuri Tomenko - Phone: 240-339-3399/240-242-7722
Billing Contact: Deric or Yuri Tomenko - 8201 Flower Ave Apt 5 Takoma Park, MD 20912-6932 - Phone: 240-339-3399/240-242-7722

Location ID: 717530
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD154990H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 033125 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |
| MD154991H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 6544706 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |
| MD154992H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 65442705 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |
| MD154993H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 65433124 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |
| MD154994H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 65442704 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |
| MD154995H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000042705 | 65433128 | Burnham | 2014 | 05/01/2022 | Recurring Cert | Active | Equip Rm |

Total Objects at this Location: 6

Location: ARE- Medical Cente Drive, LLC.
Address: 9708 Medical Center Dr - Rockville, MD 20850-3343
County: Montgomery **FIPS:** 24031
Primary Contact: Davin Mackesy - Phone: 301-873-2587 - Email: dmackesy@na.ugllimited.com
Billing Contact: ARE MD No.45 - PO Box 439 Pasadena, CA 91102-0439

Location ID: 714556
Phone: 301-279-0214
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|-------------------------------|--------|---------------|
| MD091680V | 1 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00038345J | | Brunner | 1995 | 03/02/2022 | Recurring Cert | Active | BLDG 1 RM 116 |
| MD091681H | 1 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000023038 | | Burnham | 1995 | 03/02/2022 | External Cert, Recurring Cert | Active | Boiler Room |
| MD091682H | 2 | Horizontal Fire Tube | H - Hot Water Heat (Water <= | 000023039 | | Burnham | 1995 | 03/02/2022 | Recurring Cert | Active | BLDG 1 RM 116 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|---------|--------------|------------|------------|----------------|--------|--------------|
| MD114556H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000078936 | | A O Smith | 1990 | 03/02/2022 | Recurring Cert | Active | 9714 Mech Rm |
| MD142252V | 2 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000008638 | M 28267 | Morganton | 2009 | 03/02/2022 | Recurring Cert | Active | 9708 Mech Rm |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Aspen Hill Exxon **Location ID:** 3656987
Address: 14011 Georgia Ave - Silver Spring, MD 20906-2929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Aspen Hill Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD154647V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000068468 | H | Brunner | 1994 | 10/07/2021 | Recurring Cert | Active | Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Aspen Hill Racquet Club **Location ID:** 703242
Address: 14501 Homecrest Rd - Silver Spring, MD 20906-1823 **Phone:** 301-598-5200
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Organizations, NEC
Primary Contact: Zaf Khan - Phone: 301-598-5200/301-906-7153 - Email: zafkhan66@hotmail.com
Billing Contact: Zaf Khan - 14501 Homecrest Rd Silver Spring, MD 20906-1823 - Phone: 301-598-5200/301-906-7153 - Email: zafkhan66@hotmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD137222H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000183482 | | Laars | 2007 | 04/22/2022 | Recurring Cert | Active | Pool Room |
| MD137223H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000017325 | | A O Smith | 2007 | 04/22/2022 | Recurring Cert | Active | Pool Mech Rm |
| MD149583H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000288871 | | Laars | 2014 | 04/22/2022 | Recurring Cert | Active | blrm |

Total Objects at this Location: 3

Location: Aspenwood Meridian Retirement Center
Address: 14400 Homecrest Rd - Silver Spring, MD 20906-1871
County: Montgomery **FIPS:** 24031
Primary Contact: Aspenwood Meridian Retirement Center - Phone: 301-598-6434
Billing Contact: - 14400 Homecrest Rd Silver Spring, MD 20906-1871 - Phone: 301-598-6434

Location ID: 703248
Phone:
NOB/SIC: Offices and Clinics of Doctors of Medicine

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD170082H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000301768 | | Laars | 2019 | 12/09/2022 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 1

Location: Assembly at Watkins Mill
Address: 151 Watkins Station Cir - Gaithersburg, MD 20879-3338
County: Montgomery **FIPS:** 24031
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Location ID: 3486594
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------|
| MD166740H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000128459 | 143459 | Bradford White | 2018 | 03/10/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: Auburn Exxon
Address: 7975 Old Georgetown Rd - Bethesda, MD 20814-2430
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3974085
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165191V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000128555 | | CHART | 2001 | 10/02/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Audi Bethesda **Location ID:** 878219
Address: 5206 River Rd - Bethesda, MD 20816-1416 **Phone:** 240-762-5600
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Steve Krasner - Phone: 301-986-8800 - Email: skrasner@euromotorcars.com
Billing Contact: Steve Krasner - 7020 Arlington Rd Bethesda, MD 20814-5229 - Phone: 301-986-8800 - Email: skrasner@euromotorcars.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD153959V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000338251 | | Morganton | 2013 | 05/05/2022 | Recurring Cert | Active | Shop |
| MD153960V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000296821 | 310325 | Morganton | 2013 | 05/05/2022 | Recurring Cert | Active | Rear Shed |

Total Objects at this Location: 2

Location: Audubon Naturalist Society **Location ID:** 703327
Address: 8940 Jones Mill Rd - Chevy Chase, MD 20815-4725 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Organizations, NEC
Primary Contact: Raj Sakaria - Phone: 301-652-9188 ext 27
Billing Contact: Raj Sakaria - 8940 Jones Mill Rd Chevy Chase, MD 20815-4725 - Phone: 301-652-9188 ext 27

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------------------------|
| MD169403H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000478386 | | Trinity | 2019 | 11/18/2022 | Recurring Cert | Active | Mansion Basement Boiler Room |

Total Objects at this Location: 1

Location: Auto Clinic Care **Location ID:** 2933355
Address: 5531 Nicholson Ln Ste A - Rockville, MD 20852-3182 **Phone:** 301-881-7891
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Karen - Phone: 301-881-7891 - Email: autocliniccare@aol.com
Billing Contact: Karen - 5531 Nicholson Ln Ste A Rockville, MD 20852-3182 - Phone: 301-881-7891 - Email: autocliniccare@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD142909V | | Vertical Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000014069 | 19026 | Morganton | 2008 | 04/24/2023 | Recurring Cert | Active | Rear Storgae Shed |

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Auto Collision Craftsmen **Location ID:** 703351
Address: 7865 Cessna Ave - Gaithersburg, MD 20879-4109 **Phone:** 301-216-0630
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Ernie Lanciano - Phone: 301-216-0630 - Email: info@AutoCollisionCraftsmen.com
Billing Contact: Ernie Lanciano - 7865 Cessna Ave Gaithersburg, MD 20879-4109 - Phone: 301-216-0630 - Email: info@AutoCollisionCraftsmen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159935V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000694277 | | Morganton | 2017 | 04/30/2022 | Recurring Cert | Active | Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Autobody Dimensions Inc. **Location ID:** 3184499
Address: 7559 Rickenbacker Dr - Gaithersburg, MD 20879-4700 **Phone:** 301-670-6343
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Charlie Herbert - Phone: 301-670-6343 - Email: cherbertabd@aol.com
Billing Contact: Charlie Herbert - 7559 Rickenbacker Dr Gaithersburg, MD 20879-4700 - Phone: 301-670-6343 - Email: cherbertabd@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------------|
| MD167771V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002246929 | | Manchester | 2020 | 12/17/2022 | Recurring Cert | Active | Behind Paint Booth |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: AutoServ **Location ID:** 712577
Address: 2401 University Blvd W - Wheaton, MD 20902-4509 **Phone:** 301-949-0211
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Phillip, Peter or Alex Balourdos - Phone: 301-949-0400 - Email: autoservwheaton@gmail.com
Billing Contact: Phillip, Peter or Alex Balourdos - 2401 University Blvd W Wheaton, MD 20902-4509 - Phone: 301-949-0400 - Email: autoservwheaton@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD157374V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000016104 | | Jiaxing | 2016 | 05/10/2023 | Recurring Cert | Active | Compressor Room |

Total Objects at this Location: 1

Location: Avery Park Apartments **Location ID:** 712784
Address: 1701 Mount Pisgah Ln - Silver Spring, MD 20903-2429 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Susan Ferris - Phone: 301-434-5385
Billing Contact: Susan Ferris - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 301-434-5385

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD142994H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000092238 | | Jet Glass | 2010 | 03/18/2022 | Recurring Cert | Active | Equipment Room |

Total Objects at this Location: 1

Location: Avery Park Apartments **Location ID:** 712785
Address: 1704 Hampshire Green Ln - Silver Spring, MD 20903-2412 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Roshan Fierery - Phone: 3014345385 - Email: rfierery@laramarapts.com
Billing Contact: Roshan Fierery - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierery@laramarapts.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD142992H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083919 | | Jet Glass | 2008 | 03/18/2022 | Recurring Cert | Active | 1704 Building |
| MD142993H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083870 | | Jet Glass | 2008 | 03/18/2022 | Recurring Cert | Active | 1704 Building |

Total Objects at this Location: 2

Location: Avery Park Apartments Location ID: 712786
Address: 1704 Mount Pisgah Ln - Silver Spring, MD 20903-2435 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Susan Ferris - Phone: 301-434-5385
Billing Contact: Susan Ferris - 1801 Hampshire Green Ln Ofc Rental Silver Spring, MD 20903-2159 - Phone: 301-434-5385

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Avery Park Apartments Location ID: 712787
Address: 1705 Hampshire Green Ln - Silver Spring, MD 20903-2414 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Roshan Fierery - Phone: 3014345385 - Email: rfierery@laramarapts.com
Billing Contact: Roshan Fierery - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierery@laramarapts.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 712789
Address: 1709 Mount Pisgah Ln - Silver Spring, MD 20903-2443 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Avery Park Apartments - Phone: 301-434-0025 - Email: Avery-Park@GradyMgt.com
Billing Contact: - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-0025 - Email: Avery-Park@GradyMgt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------------|
| MD149141H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000103116 | | Jet Glass | 2013 | 03/15/2022 | Recurring Cert | Active | Basement of 1709 |

Total Objects at this Location: 1

Location: Avery Park Apartments **Location ID:** 993198
Address: 1711 Hampshire Green Ln - Silver Spring, MD 20903-2424 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Roshan Fierery - Phone: 3014345385 - Email: rfierery@laramarapts.com
Billing Contact: Roshan Fierery - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierery@laramarapts.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD154752H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000111842 | | Jet Glass | 2015 | 03/18/2022 | Recurring Cert | Active | 1711 Heater Rm |

Total Objects at this Location: 1

Location: Avery Park Apartments **Location ID:** 712790
Address: 1800 Mount Pisgah Ln - Silver Spring, MD 20903-2138 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD160649H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000125299 | | JETGLASS | 2017 | 04/03/2022 | Recurring Cert | Active | 1800 Mt. Pisgah |
| MD160650H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000119679 | | JETGLASS | 2017 | 04/03/2022 | Recurring Cert | Active | 1800 Mt. Pisgah |

Total Objects at this Location: 2

Location: Avery Park Apartments Location ID: 993199
Address: 1801 Greenwich Woods Drive - Silver Spring, MD 20903-2104 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nathan Moors - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com
Billing Contact: Nathan Moors - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD160648H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000100395, JETGLASS, 2012, 04/03/2022, Recurring Cert, Active, 1801 Greenwich

Total Objects at this Location: 1

Location: Avery Park Apartments Location ID: 712793
Address: 1805 Mount Pisgah Ln - Silver Spring, MD 20903-2148 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD128708H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000077384, 92384, Bradford White, 2007, 03/18/2022, Recurring Cert, Active, Basement of 1805. Row 2: MD142995H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000096330, Bradford White, 2011, 03/18/2022, Recurring Cert, Active, Basement

Total Objects at this Location: 2

Location: Avery Park Apartments Location ID: 712795
Address: 1811 Mount Pisgah Ln - Silver Spring, MD 20903-2154 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nathan Moors - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com
Billing Contact: Roshaun Ferradoni - 1801 Hampshire Green Ln Silver Spring, MD 20903-2159 - Phone: 301 434 5385

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD138646H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000083929, 98929, Bradford White, 2008, 03/18/2022, Recurring Cert, Active, Htr Rm - Basement

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------|
| MD138647H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083928 | 98928 | Bradford White | 2008 | 03/18/2022 | Recurring Cert | Active | Htr Rm - Basement |

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 712796
Address: 1814 Greenwich Wood Dr - Silver Spring, MD 20903-2123 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Roshan Fierey - Phone: 3014345385 - Email: rfieray@laramarapts.com
Billing Contact: Roshan Fierey - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfieray@laramarapts.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|---------------------|
| MD142990H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000093877 | | Bradford White | 2010 | 03/15/2022 | Recurring Cert | Active | Equipment Room 1814 |
| MD160647H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000096331 | | JETGLASS | 2011 | 04/03/2022 | Recurring Cert | Active | 1814 Greenwich |

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 993196
Address: 9706 Mount Pisgah Rd - Silver Spring, MD 20903-2006 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD163380H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000291860 | C18291860 | Laars | 2018 | 03/15/2023 | Recurring Cert | Active | Boiler Room |
| MD163381H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2018 | 03/15/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: AZ - Medimmune (Roberts) **Location ID:** 4060993
Address: 45 W Watkins Mill Rd - Gaithersburg, MD 20878-4026 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169371V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000312556 | | CHART | 2018 | 03/01/2023 | Recurring Cert | Active | Outside |
| MD169372V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000263351 | | CHART | 2014 | 03/01/2023 | Recurring Cert | Active | Outside |
| MD169373V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000262879 | | CHART | 2014 | 03/01/2023 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: AZ _ Medimmune (Roberts) **Location ID:** 4060994
Address: 35 W Watkins Mill Rd - Gaithersburg, MD 20878-4021 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169368V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000020186 | | Taylor | 1994 | 03/01/2023 | Recurring Cert | Active | Outside |
| MD169369V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000055331 | | Taylor | 2001 | 03/01/2023 | Recurring Cert | Active | Outside |
| MD169370V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000020289 | | Taylor | 1994 | 03/01/2023 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: AZ Medimmune
Address: 45 W Watkins Mill Rd - Gaithersburg, MD 20878-4026
County: Montgomery **FIPS:** 24031
Primary Contact: AZ Medimmune - Phone: 240-694-847
Billing Contact: Owner - 45 W Watkins Mill Rd Gaithersburg, MD 20878-4026 - Phone: 240-694-847

Location ID: 722038
Phone: 240-694-8047
NOB/SIC: Biological Products, Except Diagnostic Substances

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD169367H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000268097 | | A O Smith | 2020 | 03/01/2023 | Recurring Cert | Active | Mechanical Rm |

Total Objects at this Location: 1

Location: Balducci's Food Lovers Market #3602
Address: 10323 Old Georgetown Rd - Bethesda, MD 20814-1903
County: Montgomery **FIPS:** 24031
Primary Contact: Cecilia Nguyen - Phone: 623-869-4470
Billing Contact: Cecilia Nguyen - PO Box 29096 MS #6531 Phoenix, AZ 85038 - Phone: 623-869-4470

Location ID: 2648138
Phone: 301-564-3100
NOB/SIC: Food stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD143672V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000013909 | | Acme | 1984 | 06/27/2022 | Recurring Cert | Active | Motor Room |
| MD143673V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000013062 | | Acme | 1984 | 06/27/2022 | Recurring Cert | Active | Motor Room |
| MD143674V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000013910 | | Acme | 1984 | 06/27/2022 | Recurring Cert | Active | Motor Room |

Total Objects at this Location: 3

Location: Bank Of America **Location ID:** 703841
Address: 8722 Flower Ave - Silver Spring, MD 20901-4000 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Depository institutions
Primary Contact: Karen Tyler - Phone: 301-915-9445 - Email: ktyler@finmarc.com
Billing Contact: Margaret Sexton - 525 N Tryon St Mailcode NC1-023-05-55 Charlotte, NC 28202-0202 - Phone: 860-244-4091 - Cell: 860-937-7618 - Email: margaret.sexton@cbre.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|------------------|
| MD135720H | #1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2007 | 11/09/2021 | Recurring Cert | Active | Basement of 8722 |
| MD135721H | #2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2007 | 11/09/2021 | Recurring Cert | Active | Basement of 8722 |

Total Objects at this Location: 2

Location: Bar Louie (NuCO2) #577910 **Location ID:** 3957724
Address: 11160 Veirs Mill Rd - Silver Spring, MD 20902-2538 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Bar Louie (NuCO2) #577910
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|------------|--------------|------------|------------|----------------|--------|----------|
| MD165561V | A948275 | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000052848 | CCFC96G213 | MVE Inc | 1996 | 10/11/2021 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Barclay Apartments **Location ID:** 2278736
Address: 4700 Bradley Blvd - Chevy Chase, MD 20815-6351 **Phone:** 301-656-3737
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Tony Ross - Phone: 301-953-2366 - Email: tkennedy@res1.net
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-363-2510 - Email: tkennedy@res1.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162750H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000234995 | | A O Smith | 2017 | 04/03/2023 | Recurring Cert | Active | BLRM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162751H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000242808 | | A O Smith | 2018 | 04/03/2023 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 2

Location: Barclay Apartments **Location ID:** 703885
Address: 4707 Chevy Chase Dr - Chevy Chase, MD 20815-6405 **Phone:** 301-656-3737
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Thelma Kennedy - Phone: 301-939-7579 - Cell: 301-363-2510 - Email: tkennedy@res1.net
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-363-2510 - Email: tkennedy@res1.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-------------|--------------|------------|------------|----------------|--------|------------------|
| MD124705H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000093346 | C05-M000656 | A O Smith | 2005 | 03/26/2023 | Recurring Cert | Active | basement of 4707 |
| MD162752H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000239846 | | A O Smith | 2018 | 04/03/2023 | Recurring Cert | Active | blrm |

Total Objects at this Location: 2

Location: Barclay Apartments **Location ID:** 703886
Address: 4708 Bradley Blvd - Chevy Chase, MD 20815-6320 **Phone:** 301-656-3737
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Thelma Kennedy - Phone: 301-939-7579 - Cell: 301-363-2510 - Email: tkennedy@res1.net
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-363-2510 - Email: tkennedy@res1.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD129744H | 2 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106021 | | A O Smith | 2006 | 03/26/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Barlow Office Building
Address: 5454 Wisconsin Ave - Chevy Chase, MD 20815-6902
County: Montgomery **FIPS:** 24031
Primary Contact: Don West - Phone: 301-656-5653 - Cell: 202-631-0900 - Email: dwest@carrprop.com
Billing Contact: Don West - 5454 Wisconsin Ave Chevy Chase, MD 20815-6902 - Phone: 301-656-5653 - Cell: 202-631-0900 - Email: dwest@carrprop.com

Location ID: 703895
Phone:
NOB/SIC: Offices of Bank Holding Companies

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------------|--------------|------------|------------|-------------------------------|--------|-----------------|
| MD081129V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000480648 | | Manchester | 1990 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD117864V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001027021 | | Melben | 2002 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD132691H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000022519 | 100851266 | R B I | 2008 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD132692H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000022520 | 100851267 | R B I | 2008 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD143031H | Boiler #1 | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | 28HE-18-127659 | HB Smith | 2012 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD143032H | Boiler #2 | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | 28HE-18-127658 | HB Smith | 2012 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD143033H | Boiler #3 | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | 28HE-18-127660 | HB Smith | 2012 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD143677V | Chiller #1 | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000189673 | 472884 | Carrier | 1993 | 07/26/2022 | External Cert, Recurring Cert | Active | 18th Floor BLRM |
| MD143678V | Chiller #2 | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000189898 | 473434 | Carrier | 1993 | 07/26/2022 | Recurring Cert | Active | 18th Floor BLRM |

Total Objects at this Location: 9

Location: Barnesville Baptist Church **Location ID:** 2108843
Address: 17917 Barnesville Rd - Barnesville, MD 20838-9722 **Phone:** 301-407-0500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Danny Moore - Cell: 410-459-3993
Billing Contact: Danny Moore - 17917 Barnesville Rd Barnesville, MD 20838-9722 - Cell: 410-459-3993

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD142328H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 070200066 | Columbia | 2007 | 10/12/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Battery Garden Apartments **Location ID:** 703952
Address: 4920 Battery Ln - Bethesda, MD 20814-4954 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ana Marie Mutter - Phone: 301-656-8362 - Cell: 240-418-5567 - Email: Manager@thebatterygardens.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|-------------------|------------|------------|----------------|--------|-------------|
| MD037973H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | REDBSHPRV | American Standard | 1955 | 08/18/2022 | Recurring Cert | Active | Boiler Room |
| MD161747H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000228767 | | A O Smith | 2016 | 08/15/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Battery Garden Apartments **Location ID:** 703953
Address: 4926 Battery Ln - Bethesda, MD 20814-4951 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|-------------------|------------|------------|----------------|--------|-------------|
| MD037975H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | American Standard | 1955 | 08/18/2022 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|---------|--------------|------------|------------|----------------|--------|-------------|
| MD161748H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000226810 | PRVDSCH | A O Smith | 2016 | 08/15/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Battery Garden Apartments **Location ID:** 703954
Address: 4932 Battery Ln - Bethesda, MD 20814-4948 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|-------------------|------------|------------|----------------|--------|-------------|
| MD037977H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | American Standard | 1955 | 08/18/2022 | Recurring Cert | Active | Boiler Room |
| MD161746H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000200992 | | A O Smith | 2015 | 08/15/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Battery Garden Apartments **Location ID:** 703955
Address: 4938 Battery Ln - Bethesda, MD 20814-4945 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|-------------------|------------|------------|----------------|--------|-------------|
| MD037970H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | American Standard | 1955 | 08/18/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Bel Pre Glassworks, Inc.
Address: 3 Derwood Cir - Rockville, MD 20850-1263
County: Montgomery
Primary Contact: Jeffrey James
Billing Contact:

Location ID: 3921144
Phone:
FIPS: 24031
NOB/SIC: Flat Glass

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD163078V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000872811 | | Steel Fab | 2018 | 01/23/2023 | Recurring Cert | Active | SHOP |
| MD163079V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000388780 | | Manchester | 2004 | 01/23/2023 | Recurring Cert | Active | SHOP |
| MD163080V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000708840 | | Steel Fab | 2012 | 01/23/2023 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 3

Location: Bethesda Chevy Chase Surgery Center
Address: 6931 Arlington Rd 1st Floor Ste E - Bethesda, MD 20814-5268
County: Montgomery

Location ID: 4060700
Phone: 301-968-3184
FIPS: 24031
NOB/SIC:

Primary Contact: Elaine Feyder - Phone: 301-968-3184 - Cell: 301-412-9298 - Email: efeyder@bethesdacc.com
Billing Contact: Elaine Feyder - 6931 Arlington Rd Ste E Bethesda, MD 20814-5268 - Phone: 301-968-3184 - Cell: 301-412-9298 - Email: efeyder@bethesdacc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|--------------------|---|------------|---------|--------------|------------|------------|----------------|--------|-----------------|
| NEW | #1 | Autoclave | V - Process-Sterilizing | 000086823 | 0603119 | Steris Corp | 2003 | 03/02/2023 | Recurring Cert | Active | Clean Work Room |
| NEW | #2 | Autoclave | V - Process-Sterilizing | 000078187 | 1098131 | Steris Corp | 1998 | 03/02/2023 | Recurring Cert | Active | Clean Work Room |
| NEW | #2 | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | None Found | 108763 | Reimers | 2017 | 03/02/2022 | Recurring Cert | Active | Clean Work Room |
| NEW | #1 | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | None Found | 108767 | Reimers | 2017 | 03/02/2022 | Recurring Cert | Active | Clean Work Room |

Total Objects at this Location: 4

Location: Bethesda Crossing
Address: 7315 Wisconsin Ave - Bethesda, MD 20814-3202
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Hugo - Phone: 301-469-3035 - Email: GHugo@mrprealty.com
Billing Contact: Chris Shanahan - 7315 Wisconsin Ave Bethesda, MD 20814-3202 - Phone: 301-469-3037 - Cell: 202-441-8735 - Email: cshanahan@mrpproperty.com

Location ID: 704495
Phone:
NOB/SIC: Offices of Holding Companies, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|---------|----------------|------------|------------|----------------|--------|-------------|
| MD008482H | BLR-1 | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000043924 | L50285 | Cleaver Brooks | 1970 | 08/24/2021 | External Cert | Active | Boiler Room |
| MD008483H | BLR-2 | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000043999 | L50224 | Cleaver Brooks | 1970 | 08/24/2021 | External Cert | Active | Boiler Room |
| MD046419H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 2114752 | Peerless | 1970 | 06/13/2022 | Recurring Cert | Active | Boiler Room |
| MD150440H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000250924 | | Lochinvar | 2013 | 06/13/2022 | Recurring Cert | Active | Boiler Room |
| MD150441V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000246914 | | Lochinvar | 2013 | 06/13/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 5

Location: Bethesda-Chevy Chase Rescue Squad
Address: 5020 Battery Ln - Bethesda, MD 20814-2642
County: Montgomery **FIPS:** 24031
Primary Contact: Tony Veith - Phone: 301-652-0077 - Email: tony.veith@bccrs.org
Billing Contact: Tony Veith - 5020 Battery Ln Bethesda, MD 20814-2642 - Phone: 301-652-0077 - Email: tony.veith@bccrs.org

Location ID: 718870
Phone: 301-652-0077
NOB/SIC: Justice, public order, and safety

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169778H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000124896 | | Bradford | 2017 | 12/07/2022 | Recurring Cert | Active | LAUNDRY RM |

Total Objects at this Location: 1

Location: Biomedical Research & Development
Address: 8561 Atlas Dr - Gaithersburg, MD 20877-4135
County: Montgomery **FIPS:** 24031
Primary Contact: Biomedical Research & Development - Phone: 3019486506
Billing Contact:

Location ID: 704665
Phone:
NOB/SIC: Fluid Power Valves and Hose Fittings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|---------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD165868V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 2068016 | | Manchester | 2019 | 12/13/2021 | Recurring Cert | Active | REAR UTILITY ROOM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Biomedical Research Institute (Roberts Oxygen)
Address: 9410 Key West Ave - Rockville, MD 20850-3345
County: Montgomery **FIPS:** 24031
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

Location ID: 3839665
Phone:
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD158622V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000076303 | | CHART | 2015 | 11/21/2021 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: BMR-Medical Center Dr., LLC.
Address: 9714 Medical Center Dr - Rockville, MD 20850-3773
County: Montgomery **FIPS:** 24031
Primary Contact: Desirae Whitaker - Phone: 301-279-0214/301-279-0214 - Email: desirae.whitaker@biomedrealty.com
Billing Contact: Erin Shea - 17190 Bernard Dr San Diego, CA 92128 - Phone: 301-279-0214

Location ID: 994219
Phone: 301-279-0214
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD114555V | 2 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00043003L | | Brunner | 1998 | 03/02/2020 | Recurring Cert | Active | mech rm 3 |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Bradford Road Apartments
Address: 8712 Bradford Rd - Silver Spring, MD 20901-4006
County: Montgomery **FIPS:** 24031
Primary Contact: Daniel Fabyubi - Phone: 301-337-4700 X 265 - Cell: 301-520-4379
Billing Contact: - 9201 Corporate Blvd Ste 420 Rockville, MD 20850-6523 - Phone: 301-337-4700

Location ID: 704979
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|--------------|
| MD129333H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |
| MD129334H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |
| MD129335H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |
| MD129336H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |
| MD129337H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |
| MD129338H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | WILLIAMSON | 2002 | 04/17/2021 | Recurring Cert | Active | Laundry Room |

Total Objects at this Location: 6

Location: Bradford Road Apartments, Ste 3
Address: 8710 Bradford Rd - Silver Spring, MD 20901-4005
County: Montgomery **FIPS:** 24031
Primary Contact: Betsy & James Speropulos - Phone: 3016811238
Billing Contact: - 10005 Raynor Rd Silver Spring, MD 20901-2124 - Phone: 3016811238

Location ID: 704552
Phone: 301-641-1099
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|-----------|--------|---------------|------------|------------|----------------|--------|----------|
| MD135735H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000040713 | 41028 | Triangle Tube | 2009 | 12/11/2022 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Brandywine Realty Trust "Atrium at Station Square"
Address: 1010 Wayne Ave - Silver Spring, MD 20910-5600
County: Montgomery **FIPS:** 24031
Primary Contact: Alfred Liggins - Phone: 301-429-3200
Billing Contact: Tony Eastridge - 1100 Wayne Ave Ste 1107 Silver Spring, MD 20910-5616 - Phone: 240-821-1484 - Email: tony.eastridge@bdnreit.com

Location ID: 701693
Phone:
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|---------------|------------|------------|----------------|--------|----------------|
| MD169845H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000022310 | | VPI Precision | 2019 | 07/20/2023 | Recurring Cert | Active | PENTHOUSE 1010 |

Total Objects at this Location: 1

Location: Brandywine Realty Trust "Colonnade at Station Squa
Address: 1100 Wayne Ave - Silver Spring, MD 20910-5642
County: Montgomery **FIPS:** 24031
Primary Contact: John McKenzie - Phone: 240-821-1516 - Email: John.McKenzie@bdnreit.com
Billing Contact: Tony Eastridge - 1100 Wayne Ave Ste 1107 Silver Spring, MD 20910-5616 - Phone: 240-821-1484 - Email: tony.eastridge@bdnreit.com

Location ID: 3214577
Phone:
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|---------------|------------|------------|----------------|--------|-----------|
| MD169844H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000022309 | | VPI Precision | 2019 | 03/16/2023 | Recurring Cert | Active | PENTHOUSE |

Total Objects at this Location: 1

Location: Brandywine Realty Trust-Plaza at Station Square
Address: 8484 Georgia Ave - Silver Spring, MD 20910-5604
County: Montgomery **FIPS:** 24031
Primary Contact: John McKenzie - Phone: 240-821-1516 - Email: John.McKenzie@bdnreit.com
Billing Contact: Tony Eastridge - 1100 Wayne Ave Ste 1107 Silver Spring, MD 20910-5616 - Phone: 240-821-1484 - Email: tony.eastridge@bdnreit.com

Location ID: 718971
Phone:
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|---------------|------------|------------|----------------|--------|-----------|
| MD169843H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000022311 | | VPI Precision | 2019 | 07/20/2021 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: Briggs Chaney Exxon **Location ID:** 705093
Address: 3050 Briggs Chaney Rd - Silver Spring, MD 20904-4963 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Briggs Chaney Exxon - Phone: 3018909313
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD105721V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000076230 | | Brunner | 1995 | 09/28/2023 | Recurring Cert | Active | Comp Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Brightlight Baptist Church **Location ID:** 705099
Address: 7300 New Hampshire Ave - Takoma Park, MD 20912-6908 **Phone:** 301-891-8900
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership organizations
Primary Contact: Watt Jefferson - Phone: 301-270-2645 - Email: wjeffer2@yahoo.com
Billing Contact: Watt Jefferson - 7300 New Hampshire Ave Takoma Park, MD 20912-6908 - Phone: 301-270-2645 - Email: wjeffer2@yahoo.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD161174H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000299558 | | LC | 2016 | 03/25/2022 | Recurring Cert | Active | blr rm |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: BSREP II MD Office 20 W Gude LLC. **Location ID:** 718837
Address: 20 W Gude Dr - Rockville, MD 20850-4356 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: Michael Frazier - Phone: 240-204-4164
Billing Contact: Rainey Murdock - 51 Monroe St Ste 100 Rockville, MD 20850-2414 - Phone: 301-762-4833 - Email: rainey.murdock@cushwake.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD143864H | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000019628 | | Precision | 2011 | 03/03/2022 | Recurring Cert | Active | Basement |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: BSREP II MD Office Monroe, LLC.
Address: 51 Monroe St Ste 100 - Rockville, MD 20850-2414
County: Montgomery **FIPS:** 24031
Primary Contact: Aleah Ireland - Phone: 301-762-4833 - Email: aleah.ireland@cushwake.com
Billing Contact: Aleah Ireland - Cushman & Wakefield US Inc 51 Monroe St Suite 100 Rockville, MD 20850-2414 - Phone: 301-762-4833 - Email: aleah.ireland@cushwake.com

Location ID: 728205
Phone:
NOB/SIC: Offices of Holding Companies, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------|
| MD107797V | 1 | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000189682 | Chiller-1 | Carrier | 1994 | 12/09/2021 | Recurring Cert | Active | Penthouse |
| MD107798V | 2 | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000190745 | Chiller-2 | Carrier | 1994 | 12/09/2021 | Recurring Cert | Active | Penthouse |
| MD143262H | 3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000201106 | BLR-3 | Lochinvar | 2007 | 12/09/2021 | Recurring Cert | Active | Penthouse |
| MD143263H | 1 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000201107 | BLR-1 | Lochinvar | 2007 | 12/09/2021 | Recurring Cert | Active | Penthouse |
| MD143264H | 3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000201108 | BLR-2 | Lochinvar | 2007 | 12/09/2021 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 5

Location: Bucknell Apartments
Address: 11500 Bucknell Dr - Wheaton, MD 20902-2837
County: Montgomery **FIPS:** 24031
Primary Contact: Terri Bridgeman - Phone: 202-726-5773 - Email: ttbridgeman@yahoo.com
Billing Contact: Victor Ysern - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202 726 5773

Location ID: 705402
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD153843H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000200982 | | A O Smith | 2015 | 05/21/2023 | Recurring Cert | Active | Bldg 11500 |

Total Objects at this Location: 1

Location: Bucknell Apartments
Address: 11502 Bucknell Dr - Wheaton, MD 20902-2838
County: Montgomery **FIPS:** 24031
Primary Contact: Melissa Polott - Phone: 202-726-9410 - Email: polott57@gmail.com
Billing Contact: Terri Bridgeman - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202-726-5773 - Email: tbridgeman6939@gmail.com

Location ID: 705403
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD162395H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000242526 | | A O Smith | 2018 | 03/12/2023 | Recurring Cert | Active | 11502 HEATER RM |

Total Objects at this Location: 1

Location: Bucknell Apartments
Address: 11504 Bucknell Dr - Wheaton, MD 20902-2839
County: Montgomery **FIPS:** 24031
Primary Contact: Terri Bridgeman - Phone: 202-726-5773 - Email: ttbridgeman@yahoo.com
Billing Contact: Victor Ysern - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202 726 5773

Location ID: 1134057
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|------------|
| MD140553H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000086662 | 101662 | Bradford White | 2009 | 02/18/2023 | Recurring Cert | Active | Bldg 11504 |

Total Objects at this Location: 1

Location: Burning Tree Country Club
Address: 8600 Burdette Rd - Bethesda, MD 20817-2803
County: Montgomery **FIPS:** 24031
Primary Contact: Nate Reid - Phone: 301-365-1200
Billing Contact: Nate Reid - 8600 Burdette Rd Bethesda, MD 20817-2803 - Phone: 301-365-1200

Location ID: 705494
Phone:
NOB/SIC: Membership Organizations, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|---------------|--------|------------|
| MD085888V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000999504 | | Buckeye | 1991 | 10/23/2021 | External Cert | Active | MAINT BLDG |
| MD132629V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000374336 | | Manchester | 2004 | 10/23/2021 | External Cert | Active | BASEMENT |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD134011H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000079682 | | Bradford White | 2007 | 10/23/2021 | External Cert | Active | Basement |
| MD159864H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000121456 | | Jet Glass | 2017 | 10/23/2021 | Recurring Cert | Active | BASEMENT |
| MD165199H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000340610 | | AIC | 2018 | 10/04/2021 | Recurring Cert | Active | BASEMENT |
| MD165200H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000122332 | | BRDFRD WHT | 2017 | 10/04/2021 | Recurring Cert | Active | BASEMENT |
| MD165849H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000122925 | | Bradford | 2017 | 12/05/2021 | Recurring Cert | Active | Basement |
| Total Objects at this Location: | | | | 7 | | | | | | | |

Location: Burtonsville Fuel Co Inc
Address: 15408 Old Columbia Pike - Burtonsville, MD 20866-1688
County: Montgomery **FIPS:** 24031
Primary Contact: Wesley Santini - Phone: 301-384-7575 - Email: lsantini@burtonsvillefuel.com
Billing Contact: Lisa Santini - 15408 Old Columbia Pike Burtonsville, MD 20866-1688 - Phone: 301-384-7575 - Email: lsantini@burtonsvillefuel.com

Location ID: 754262
Phone: 301-384-7575
NOB/SIC: Business Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD116677V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000423712 | | Wood | 1968 | 04/05/2022 | Recurring Cert | Active | SHOP |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: C & D Recovery, LLC.
Address: 24120 Frederick Rd - Clarksburg, MD 20871-9721
County: Montgomery **FIPS:** 24031
Primary Contact: Mark Minnick - Phone: 202-360-7223 - Email: mminnick@pleasants.org
Billing Contact: - 24120 Frederick Rd Clarksburg, MD 20871-9721 - Phone: 301-428-7901

Location ID: 2910574
Phone: 301-428-7901
NOB/SIC: General Contractors-Industrial Buildings and Warehouses

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD169423V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002338045 | | Manchester | 2021 | 05/20/2023 | Recurring Cert | Active | Equipment Room |

Total Objects at this Location: 1

Location: C.A.R.P. Auto Service Location ID: 788014
Address: 8174 Beechcraft Ave - Gaithersburg, MD 20879-1585 Phone: 301-330-5999
County: Montgomery FIPS: 24031 NOB/SIC: General Automotive Repair Shops
Primary Contact: Gus - Phone: 301-330-5999 - Cell: 240-994-2169 - Email: carpautoservice@yahoo.com
Billing Contact: Gus - 8174 Beechcraft Ave Gaithersburg, MD 20879-1585 - Phone: 301-330-5999 - Cell: 240-994-2169 - Email: carpautoservice@yahoo.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of equipment data.

Total Objects at this Location: 2

Location: Cadia HealthCare Location ID: 722407
Address: 4011 Randolph Rd - Wheaton, MD 20902-1054 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: Javier Salador - Phone: 301-933-2500
Billing Contact: Javier Salador - 4011 Randolph Rd Wheaton, MD 20902-1054 - Phone: 301-933-2500

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains one row of equipment data.

Total Objects at this Location: 1

Location: Caliber Collision - Silver Spring 3017 Location ID: 3686457
Address: 12120 Tech Rd - Silver Spring, MD 20904-1914 Phone: 301-622-4777
County: Montgomery FIPS: 24031 NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Holly Gingell - Phone: 301-622-4777
Billing Contact: Reg. Comp. Coordinator - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains one row of equipment data.

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| | | w/comment | | | | | | | | | |
| MD155131V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000395193 | | Morganton | 2014 | 10/24/2022 | Recurring Cert | Active | Storage Room |
| | | w/comment | | | | | | | | | |
| MD167744V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000038912 | | Aircon | 2019 | 11/30/2022 | Recurring Cert | Active | BODY SHOP |
| | | w/comment | | | | | | | | | |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Caliber Collision Center **Location ID:** 3600653
Address: 309 E Gude Dr - Rockville, MD 20850-1394 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Sharon Lawrence - Phone: 469-948-9630 - Email: sharon.lawrence@calibercollision.com
Billing Contact: Sharon Lawrence - 401 E Corporate Dr Ste 150 Lewisville, TX 75057-6449 - Phone: 469-948-9630 - Email: sharon.lawrence@calibercollision.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD162252V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000024828 | | Air Con | 2016 | 10/09/2022 | Recurring Cert | Active | Comp. Rm. |
| | | w/comment | | | | | | | | | |
| MD167775V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000351888 | | Manchester | 2004 | 12/23/2022 | Recurring Cert | Active | Comp. Rm. |
| | | w/comment | | | | | | | | | |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Calvary Evangelical Lutheran Church **Location ID:** 705665
Address: 9545 Georgia Ave - Silver Spring, MD 20910-1438 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Beverly Harmon - Phone: 301-589-4041 - Email: bharmon@celcs.org
Billing Contact: Donna Clark - 9545 Georgia Ave Silver Spring, MD 20910-1438 - Phone: 3015894041

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---------------|---|----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD168890H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | | Weil-McLain | 2020 | 02/11/2023 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Camelback Village Condominiums
Address: 17815 Buehler Rd - Olney, MD 20832-2349
County: Montgomery **FIPS:** 24031
Primary Contact: Ruchita Patel - Phone: 301-948-6666 x1115 - Email: rpatel@tmgainc.com
Billing Contact: Ruchita Patel - 20440 Century Blvd Ste 100 Germantown, MD 20874-7116 - Phone: 301-948-6666 x1115 - Email: rpatel@tmgainc.com

Location ID: 705770
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---------------|---|----------|--------|------------------|------------|------------|----------------|--------|-------------|
| MD154664H | 1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 139593 | Patterson Kelley | 2013 | 03/15/2022 | Recurring Cert | Active | Boiler Room |
| MD154665H | 2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 139594 | Patterson Kelley | 2013 | 03/15/2022 | Recurring Cert | Active | Boiler Room |
| MD154666H | 3 | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 250 F) | CA | 139596 | Patterson Kelley | 2013 | 03/15/2022 | Recurring Cert | Active | Boiler Room |
| MD154667H | 4 | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 250 F) | CA | 139595 | Patterson Kelley | 2013 | 03/15/2022 | Recurring Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 4 | | | | | | | |

Location: Capital Orthopedics Surgery Center (COSC)
Address: 20680 Seneca Meadows Pkwy Suite 200 - Germantown, MD 20876
County: Montgomery **FIPS:** 24031
Primary Contact: Sarah Finley - Phone: 301 701 6900 - Email: sfinley@capitalosc.com
Billing Contact:

Location ID: 4046230
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------------------------------|---|-----------|---------|--------------|------------|------------|----------------|--------|--------------------|
| MD168877V | | Autoclave | V - Process-Sterilizing | 000061060 | 0290093 | Amsco | 1990 | 11/06/2022 | Recurring Cert | Active | Sterile Processing |
| MD168878 | | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | 000003836 | 43424 | Pemberton | 2020 | 11/06/2021 | Recurring Cert | Active | Sterile Processing |
| MD168879V | | Autoclave | V - Process-Sterilizing | 000061785 | 0590181 | Amsco | 1990 | 11/06/2022 | Recurring Cert | Active | Sterile Processing |
| MD168880 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000003837 | 43425 | Pemberton | 2020 | 11/06/2021 | Recurring Cert | Active | Sterile Processing |
| Total Objects at this Location: | | | | 4 | | | | | | | |

Location: Car Premaintenance Service **Location ID:** 4069440
Address: 7615 Rickenbacker Dr Ste E - Gaithersburg, MD 20879-4783 **Phone:** 301-792-2421
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Jesus Rodriguez - Phone: 301-792-2421
Billing Contact: Jesus Rodriguez - 7615 Rickenbacker Dr Ste E Gaithersburg, MD 20879-4783 - Phone: 301-792-2421

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169415V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000295713 | 324645 | Morganton | 2013 | 04/16/2023 | Recurring Cert | Active | Back of Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Car Quest **Location ID:** 988461
Address: 9930 Main St - Damascus, MD 20872-2017 **Phone:** 301-482-1900
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Physical Fitness Facilities
Primary Contact: Scott Johnston - Phone: 301-253-0066 - Cell: 301-788-5754 - Email: carquestautoparts@comcast.net
Billing Contact: Scott Johnston - 9930 Main St Damascus, MD 20872-2017 - Phone: 301-253-0066 - Cell: 301-788-5754 - Email: carquestautoparts@comcast.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD116925H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 1964 | 09/22/2022 | Recurring Cert | Active | LOWER LEVEL |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Chaney Apartment Homes **Location ID:** 701855
Address: 704 Chaney Dr - Takoma Park, MD 20912-6366 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Chris DeChaine - Phone: 703-623-3228 - Cell: 410 956 5824
Billing Contact: - 3080 Tudor Hall Rd Riva, MD 21140-1324 - Phone: 301410 956 5824

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD111973H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Burnham | 1999 | 01/03/2021 | Recurring Cert | Active | Laundry Rm - Rear |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Chase Bank
Address: 7901 Wisconsin Ave - Bethesda, MD 20814-3619
County: Montgomery **FIPS:** 24031
Primary Contact: Mike Hudy - Phone: 301-841-0518 - Email: michael.s.hudy@chase.com
Billing Contact: Mike Hudy - 7901 Wisconsin Ave Bethesda, MD 20814-3619 - Phone: 301-841-0518 - Email: michael.s.hudy@chase.com

Location ID: 710749
Phone:
NOB/SIC: Depository institutions

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD111180H | 7901 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000079852 | 00000 | Lochinvar | 1997 | 11/01/2021 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: Chic-Fil-A 03440 (Arc3)
Address: 18115 Georgia Ave - Olney, MD 20832-1401
County: Montgomery **FIPS:** 24031
Primary Contact: Chic-Fil-A 03440 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 4039166
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167189V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000303902 | | CHART | 2017 | 08/25/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Chick-Fil-A (Arc3)
Address: 12289 Tech Rd - Silver Spring, MD 20904-1901
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3991462
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165600V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000210213 | | CHART | 2010 | 11/14/2021 | Recurring Cert | Active | THE CAGE |

Total Objects at this Location: 1

Location: Chick-Fil-A - 0475 (Arc3) **Location ID:** 3974070
Address: 7101 Democracy Blvd - Bethesda, MD 20817-1018 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------------|
| MD165810V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000132288 | | CHART | 2001 | 10/02/2021 | Recurring Cert | Active | Loading Dock GARAGE |

Total Objects at this Location: 1

Location: Chick-Fil-A - 2932 (Arc3) **Location ID:** 3918915
Address: 12001 Rockville Pike - Rockville, MD 20852-1603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Chick-Fil-A - 2932 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162893V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000243714 | | CHART | 2013 | 12/13/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Christ Episcopal School **Location ID:** 717182
Address: 22 W Jefferson St - Rockville, MD 20850-4215 **Phone:** 301-762-2191
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Donna Flint - Phone: 301-424-6550 x104 - Email: dflint@cesrockville.org
Billing Contact: Donna Flint - 22 W Jefferson St Rockville, MD 20850-4282 - Phone: 301-424-6550 x104 - Email: dflint@cesrockville.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|-------------------|------------|------------|----------------|--------|-------------|
| MD009377H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | American Standard | 1959 | 02/02/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Chuck E Cheese's #401
Address: 516 N Frederick Avenue - Gaithersburg, MD 20877-2504
County: Montgomery **FIPS:** 24031
Primary Contact: Esigrid Lenhardt/ Anup Joshi - Phone: 301-869-9723
Billing Contact: Department Licensing - 1707 Market Place Blvd Ste 200 Irving, TX 75063 - Phone: 972-258-5481 - Email: malamillo@cecentertainment.com

Location ID: 707066
Phone: 301-869-9723
NOB/SIC: Eating and drinking places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD111527V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000135011 | | Trinity | 2001 | 08/11/2021 | Recurring Cert | Active | Compressor Room |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 14120 Pear Tree Ln - Silver Spring, MD 20906-2517
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707148
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|---------------|--------|--------------|
| MD145289H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000085209 | | Bradford White | 2009 | 04/28/2023 | External Cert | Active | 14120 PEAR T |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3501 Pear Tree Ct - Silver Spring, MD 20906-2557
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707159
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|---------------|--------|--------------|
| MD145290H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000092783 | | AO Smith | 2010 | 04/28/2023 | External Cert | Active | 3501 PEAR TR |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3502 Pear Tree Ct - Silver Spring, MD 20906-2559
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707149
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|---------------|--------|--------------|
| MD137220H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000080079 | | Bradford White | 2007 | 05/13/2023 | External Cert | Active | 3502 PEAR TR |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3503 Pear Tree Ct - Silver Spring, MD 20906-2560
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707150
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD145952H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000096346 | | Bradford White | 2011 | 05/13/2023 | Recurring Cert | Active | 3503 PEAR TR |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3522 Pear Tree Ct - Silver Spring, MD 20906-2562
County: Montgomery **FIPS:** 24031
Primary Contact: Doreen Riales - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Billing Contact: Doreen Riales - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Location ID: 707152
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD148263H | | Vertical Fire Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000180505 | | A O Smith | 2013 | 05/13/2023 | Recurring Cert | Active | 3522 PEAR TR |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3530 Pear Tree Ct - Silver Spring, MD 20906-2565
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707154
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD157758H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000109657 | | Bradford White | 2014 | 04/28/2023 | Recurring Cert | Active | 3530 PEAR TR |

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3532 Pear Tree Ct - Silver Spring, MD 20906-2566
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707155
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|---------------|--------|--------------|
| MD137221H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083543 | | Bradford White | 2008 | 05/13/2023 | External Cert | Active | 3532 PEAR TR |

Total Objects at this Location: 1

Location: Classic Auto Body
Address: 425 E Diamond Ave - Gaithersburg, MD 20877-3019
County: Montgomery **FIPS:** 24031
Primary Contact: Amir Miljkovic - Phone: 301-948-5993
Billing Contact: - 425 E Diamond Ave Gaithersburg, MD 20877-3019 - Phone: 301-948-5993

Location ID: 707324
Phone:
NOB/SIC: Automotive Dealers, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|-------------------------------|--------|--|
| MD112451V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00046521L | | Brunner | 1998 | 10/05/2021 | External Cert, Recurring Cert | Active | Basic Science 10th Floor Mechanical Rm |
| MD153068V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001872688 | | CAMPBELL | 2014 | 07/08/2023 | Recurring Cert | Active | Shed-rear of building |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169832V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000028686 | | Aircom | 2017 | 06/21/2023 | Recurring Cert | Active | Shop |

Total Objects at this Location: 3

Location: Cloverly Auto Care
Address: 15501 New Hampshire Ave - Silver Spring, MD 20905-4077
County: Montgomery **FIPS:** 24031
Primary Contact: Uzzie Cheema - Phone: 301-384-9600 - Email: cloerlyvalero@gmail.com
Billing Contact: Uzzie Cheema - 15501 New Hampshire Ave Silver Spring, MD 20905-4077 - Phone: 301-384-9600 - Email: cloerlyvalero@gmail.com

Location ID: 787659
Phone: 301-384-9600
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|-----------------------------|-----------|--------|--------------|------------|------------|---------------|--------|-----------|
| MD166412V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001188084 | | Manchester | 2001 | 09/19/2021 | External Cert | Active | Back Room |

Total Objects at this Location: 1

Location: Cloverly Citgo
Address: 15541 New Hampshire Ave - Silver Spring, MD 20905-4077
County: Montgomery **FIPS:** 24031
Primary Contact: John Bunn - Phone: 3013844140
Billing Contact: John Bunn - 15541 New Hampshire Ave Silver Spring, MD 20905-4077 - Phone: 3013844140

Location ID: 707432
Phone: (301) 384-4140
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD161826V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000001446 | | Morganton | 2016 | 08/23/2022 | Recurring Cert | Active | Back Room |

Total Objects at this Location: 1

Location: Coastal Flats (Roberts Oxygen) **Location ID:** 3562595
Address: 135 Crown Park Ave - Gaithersburg, MD 20878-4551 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Industrial Gases
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD149627V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000029055 | | Cryogenic | 1994 | 08/03/2022 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 1

Location: Colesville Towers **Location ID:** 707509
Address: 8811 Colesville Rd - Silver Spring, MD 20910-4343 **Phone:** 301-585-5500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: John Porter - Phone: 301-345-1622 - Cell: 240-994-4407, 240-676-2032 - Email: jporter@rossmgtservices.com
Billing Contact: - 8811 Colesville Rd Silver Spring, MD 20910-4343 - Phone: 833-443-1862

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD153388H | BLR-1 | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000400826 | | Raypak | 2015 | 12/15/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: College Plaza Exxon - 2198 (Sunoco) **Location ID:** 3656554
Address: 15211 Frederick Rd - Rockville, MD 20850-1111 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: College Plaza Exxon - 2198 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD152111V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001119539 | | Manchester | 2001 | 09/28/2021 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Collingswood Nursing Home
Address: 299 Hurley Ave - Rockville, MD 20850-3118
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Willis - Cell: 804-305-1210 - Email: mwillis@mhspl.com
Billing Contact: Jim Willey - 299 Hurley Ave Rockville, MD 20850-3118 - Phone: 301-762-8900 - Email: jwilley@tjrock.com

Location ID: 707543
Phone: 301-762-8900
NOB/SIC: Skilled Nursing Care Facilities

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD134143H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000126445 | | Lochinvar | 2009 | 09/08/2022 | Recurring Cert | Active | BLRM |
| MD134144H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000127397 | | Lochinvar | 2009 | 09/08/2022 | Recurring Cert | Active | BLRM |
| MD134145H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000143664 | | Lochinvar | 2009 | 09/08/2022 | Recurring Cert | Active | BLRM |
| MD134146H | | Vertical Fire Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000100301 | | Lochinvar | 2009 | 09/08/2022 | Recurring Cert | Active | BLRM |
| MD134147H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000100303 | | Lochinvar | 2009 | 09/08/2022 | Recurring Cert | Active | blrm |
| MD150288H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000273360 | | Lochinvar | 2014 | 09/08/2022 | Recurring Cert | Active | LAUNDRY RM |
| MD150448V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000434501 | 473793 | Morganton | 2014 | 09/08/2024 | Recurring Cert | Active | BLRM |
| MD155583V | middle | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000041142 | | Lochinvar | 2009 | 09/08/2024 | Recurring Cert | Active | BLRM |
| MD155584V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000041143 | | Lochinvar | 2009 | 09/08/2024 | Recurring Cert | Active | Boiler room |
| MD155585V | right | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000041146 | | Lochinvar | 2009 | 09/08/2024 | Recurring Cert | Active | BLRM |
| MD155586V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000291899 | | Lochinvar | 2015 | 09/08/2024 | Recurring Cert | Active | LAUNDRY BOIL |

Total Objects at this Location: 11

Location: Colonial Shell - 878
Address: 4101 Randolph Rd - Silver Spring, MD 20906-4502
County: Montgomery **FIPS:** 24031
Primary Contact: Colonial Shell - 878
Billing Contact:

Location ID: 1093225
Phone:
NOB/SIC: Automotive Dealers, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139682V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000426690 | | Steel Fab | 2006 | 07/16/2023 | Recurring Cert | Active | comp rm |

Total Objects at this Location: 1

Location: Congregation Beth-El Of Montgomery County
Address: 8215 Old Georgetown Rd - Bethesda, MD 20814-1451
County: Montgomery **FIPS:** 24031
Primary Contact: Congregation Beth-El Of Montgomery County - Phone: 301 652 2606
Billing Contact: - 8215 Old Georgetown Rd Bethesda, MD 20814-1451 - Phone: 301 652 2606

Location ID: 707800
Phone:
NOB/SIC: Membership Organizations, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------------|
| MD163275H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000238150 | | A O Smith | 2018 | 06/14/2023 | Recurring Cert | Active | bBsement of 4707 |

Total Objects at this Location: 1

Location: Connelly School Of The Holy Child
Address: 9029 Bradley Blvd - Potomac, MD 20854-4604
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Owen - Phone: 301-365-0955 - Email: mowen@holychild.org
Billing Contact: Michael Owen - 9029 Bradley Blvd Potomac, MD 20854-4604 - Phone: 301-365-0955 - Email: mowen@holychild.org

Location ID: 707817
Phone: 301-365-0955
NOB/SIC: Elementary and Secondary Schools

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD087630V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000240811 | | Melben | 1989 | 06/17/2023 | Recurring Cert | Active | LOWER SCHOOL |
| MD112849H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000027158 | | Burnham | 2000 | 06/17/2023 | Recurring Cert | Active | LOWER SCHOOL |
| MD146659H | | Vertical Fire Tube | H - Hot Water | 000061800 | | Aerco | 2012 | 05/11/2023 | Recurring Cert | Active | BLRM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD146660H | | Vertical Fire Tube | Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F) | 000061799 | | Aerco | 2012 | 05/11/2023 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 4

Location: Courtyard by Marriott - Bethesda Chevy Chase
Address: 5520 Wisconsin Ave - Chevy Chase, MD 20815-4403
County: Montgomery
Primary Contact: Justin White - Phone: 301-656-1500 - Email: justin.white@courtyardchevyCHASE..com
Billing Contact: Justin White - 5520 Wisconsin Ave Chevy Chase, MD 20815-4403 - Phone: 301-656-1500 - Email: justin.white@courtyardchevyCHASE..com

Location ID: 3964105
Phone: 301-656-1500
FIPS: 24031
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|--------------------|
| MD170179H | left | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000082842 | G-18-2840 | Aerco | 2018 | 07/27/2023 | Recurring Cert | Active | Boiler Room 2nd Ft |
| MD170180H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000000318 | | Aerco | 2008 | 07/27/2023 | Recurring Cert | Active | Boiler Rm - 2nd fl |
| MD170181H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000000316 | | Aerco | 2008 | 07/27/2023 | Recurring Cert | Active | Boiler Rm - 2nd fl |

Total Objects at this Location: 3

Location: Crystal Rock Exxon #0105-4634 (Sunoco)
Address: 19815 Germantown Rd - Germantown, MD 20874-1205
County: Montgomery
Primary Contact: Kathleen McCaney - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 3801 W Chester Pike Newtown Square, PA 19073-2320 - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656993
Phone:
FIPS: 24031
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD153227V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000002873 | | Taylor | 1987 | 10/06/2021 | Recurring Cert | Active | Outside |
| MD165844V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000545316 | | Manchester | 2005 | 11/19/2021 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 2

Location: D & G Auto Repair
Address: 7615 Rickenbacker Dr Ste N - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: Fernando Oyola - Phone: 301-330-6280 - Email: f.oyola@hotmail.com
Billing Contact: Fernando Oyola - 7615 Rickenbacker Dr Ste N Gaithersburg, MD 20879-4783 - Phone: 301-330-6280 - Email: f.oyola@hotmail.com

Location ID: 3596265
Phone: 301-330-6280
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD150868V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000576240 | | Steel Fab | 2009 | 05/13/2023 | Recurring Cert | Active | Back of Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: D & G Group Apartments
Address: 8401 Greenwood Ave - Takoma Park, MD 20912-6762
County: Montgomery **FIPS:** 24031
Primary Contact: Uri Tomenko - Phone: 301-523-4400
Billing Contact: Uri Tomenko - 8201 Flower Ave Takoma Park, MD 20912-6932 - Phone: 301-523-4400

Location ID: 712800
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD128742H | 02 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 3576 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| MD128743H | 04 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7260 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| MD128744H | 06 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7258 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| MD128745H | 05 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 3593 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| MD128746H | 03 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7253 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| MD128747H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 3575 | Burnham | 2006 | 10/06/2022 | Recurring Cert | Active | Basement |
| Total Objects at this Location: | | | | 6 | | | | | | | |

Location: Dale Apartments
Address: 526 Thayer Avenue - Silver Spring, MD 20910-5335
County: Montgomery **FIPS:** 24031
Primary Contact: Janine Bryan
Billing Contact: Janine Bryan - 5301 New Hampshire Ave NW Washington, DC 20011-6639

Location ID: 708549
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|----|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD145740H | BLR-1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | | Weil-McLain | 2011 | 02/27/2023 | Recurring Cert | Active | Boiler Room |
| MD145741H | BLR-2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | CP6443607 | Weil-McLain | 2011 | 02/27/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Damascus Volunteer Fire Department
Address: 26334 Ridge Rd - Damascus, MD 20872-1947
County: Montgomery **FIPS:** 24031
Primary Contact: Damascus Volunteer Fire Department - Phone: 3012533988
Billing Contact: June Evans - 100 Edison Park Dr Fl 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

Location ID: 708569
Phone:
NOB/SIC: Justice, public order, and safety

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD165860H | 2(middle) | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 1991 | 01/31/2022 | Recurring Cert | Active | Boiler Room |
| MD165861H | 3(RIGHT) | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA 1 | | Peerless | 1991 | 01/31/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Darcars Chrysler/Jeep **Location ID:** 1991764
Address: 12214 Cherry Hill Rd - Silver Spring, MD 20904-1968 **Phone:** 301-902-2150
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: George Castenda - Phone: 301-902-2150
Billing Contact: George Castenda - 12214 Cherry Hill Rd Silver Spring, MD 20904-1968 - Phone: 301-902-2150

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------------------|
| MD075089V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000163555 | | Iamco | 1989 | 08/15/2022 | Recurring Cert | Active | Rear Outside Open Shed |
| MD116190V | 3 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000580065 | | Manchester | 2002 | 08/15/2022 | Recurring Cert | Active | Rear Outside Open Shed |

Total Objects at this Location: 2

Location: Dash In (Robert's) **Location ID:** 4033611
Address: 11150 New Hampshire Ave - Silver Spring, MD 20904-2604 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166693V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000290523 | | CHART | 2016 | 07/28/2022 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Davids Beautiful People **Location ID:** 708643
Address: 12121 Rockville Pike - Rockville, MD 20852-1605 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Beauty Shops
Primary Contact: Cheri Vaszil - Phone: 301-881-2540
Billing Contact: Cheri Vaszil - 12121 Rockville Pike Rockville, MD 20852-1605 - Phone: 301-881-2540

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|---------------|--------|----------|
| MD154921H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000191468 | | A O Smith | 2014 | 12/16/2021 | External Cert | Active | Closet |

Total Objects at this Location: 1

Location: Delta Auto Body Inc **Location ID:** 2209032
Address: 12312 Carroll Ave - Rockville, MD 20852-1814 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive Repair Shops, NEC
Primary Contact: Min Kyon Kang - Phone: 301-984-2948 - Email: minkang216@aol.com
Billing Contact: Min Kyon Kang - 12312 Carroll Ave Rockville, MD 20852-1814 - Phone: 301-984-2948 - Email: minkang216@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD134127V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000574481 | | Manchester | 2006 | 09/07/2022 | Recurring Cert | Active | Under Stairway |

Total Objects at this Location: 1

Location: DG Autobody **Location ID:** 3932875
Address: 7615 Rickenbacker Dr Ste C - Gaithersburg, MD 20879-4783 **Phone:** 301-330-6280
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: DG Autobody
Billing Contact: Fernando Oyola - 7615 Rickenbacker Dr Ste N Gaithersburg, MD 20879-4783 - Phone: 301-330-6280 - Email: f.oyola@hotmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD163456V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000598693 | 621624 | Morganton | 2016 | 04/12/2023 | Recurring Cert | Active | Rear Shop |

Total Objects at this Location: 1

Location: DGWK Apt. Bldg. **Location ID:** 708512
Address: 311 Domer Ave - Takoma Park, MD 20912-6651 **Phone:** 240-339-3399
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Deric Tomenko - Phone: 240-339-3399
Billing Contact: Deric Tomenko - 8201 Flower Ave Takoma Park, MD 20912-6932 - Phone: 240-339-3399

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD129332H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2005 | 05/12/2022 | Recurring Cert | Active | Basement-blr rm |

Total Objects at this Location: 1

Location: Diamond House Apartments
Address: 1-3 Water St - Gaithersburg, MD 20877-1942
County: Montgomery **FIPS:** 24031
Primary Contact: Lee Wells
Billing Contact: Lee Wells - 342 Hart Rd Gaithersburg, MD 20878-5473

Location ID: 2379310
Phone: 301-325-0482
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD155289H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000111924 | | Bradford White | 2015 | 07/13/2022 | Recurring Cert | Active | BLRM |
| MD157210H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Bosch | 2016 | 01/13/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Dock Of The Bay
Address: 429 S Frederick Ave - Gaithersburg, MD 20877-2326
County: Montgomery **FIPS:** 24031
Primary Contact: Samath Chheng - Phone: 301-789-5044/240-631-0660 - Email: s.chheng@hotmail.com
Billing Contact: Samath Chheng - 429 S Frederick Ave Gaithersburg, MD 20877-2326 - Phone: 301-789-5044/240-631-0660 - Email: s.chheng@hotmail.com

Location ID: 1224277
Phone: 240-631-0660
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD118657H | | Cast Iron | S - Power-Other w/comment (Stm > 15 psig) | CI | | Columbia | 2004 | 02/03/2023 | Recurring Cert | Active | KITCHEN |

Total Objects at this Location: 1

Location: Donald Nash
Address: 20514 Georgia Ave - Brookeville, MD 20833-1700
County: Montgomery **FIPS:** 24031
Primary Contact: Donald Nash - Phone: 301-335-7400
Billing Contact: - 20530 Georgia Ave Brookeville, MD 20833-1722 - Phone: 301-335-7400

Location ID: 709076
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD089859H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Pacific | 1947 | 10/19/2022 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 1

Location: DRS Technologies **Location ID:** 726405
Address: 1 Milestone Center Ct - Germantown, MD 20876-7106 **Phone:** 301-944-8390
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Electrical and electronic equipment
Primary Contact: Pearl Lane - Phone: 301-353-1680
Billing Contact: Pearl Lane - 12410 Milestone Center Dr Suite 150 Germantown, MD 20876-7105 - Phone: 301-353-1680

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD116350V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000293451 | | Steel Fab | 2002 | 04/17/2023 | Recurring Cert | Active | Comp. Room |
| MD116351V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000293452 | | Steel Fab | 2002 | 04/17/2023 | Recurring Cert | Active | Comp. Room |

Total Objects at this Location: 2

Location: Dry Clean Plus **Location ID:** 753740
Address: 10311 Westlake Dr - Bethesda, MD 20817-6403 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Services, NEC
Primary Contact: Dry Clean Plus
Billing Contact: - 10311 Westlake Dr Bethesda, MD 20817-6403

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD140139V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000847615 | | Manchester | 2007 | 01/03/2022 | Recurring Cert | Active | BOILER ROOM |
| MD155610 | | Vertical Tubeless | S - Power-Ironing (Steam > 15 psig) | 000120948 | | Fulton | 2016 | 07/27/2020 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 2

Location: Dry Cleaner Plus
Address: 5233 River Rd - Bethesda, MD 20816-1415
County: Montgomery **FIPS:** 24031
Primary Contact: John Ryoo - Phone: 301-767-1947
Billing Contact: John Ryoo - 10311 Westlake Dr Bethesda, MD 20817-6403 - Phone: 301-767-1947

Location ID: 1083053
Phone:
NOB/SIC: Manufacturing Industries, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD118513V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 001097735 | | Manchester | 2000 | 02/18/2022 | Recurring Cert | Active | BLRM |
| MD164200 | | Vertical Fire Tube | S - Power-Ironing (Steam > 15 psig) | 000124565 | | Fulton | 2019 | 06/10/2021 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Duramax Body Shop
Address: 10515 Summit Ave - Kensington, MD 20895-2423
County: Montgomery **FIPS:** 24031
Primary Contact: Florencia Gradillas - Phone: 301-897-8190 - Email: duramaxbodysshop@gmail.com
Billing Contact: Maia Danna - 10515 Summit Ave Kensington, MD 20895-2423 - Phone: 301-897-8190

Location ID: 730774
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|---------------|------------|------------|----------------|--------|-----------|
| MD138823V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000747973 | | Pressed Steel | 1954 | 07/02/2023 | Recurring Cert | Active | Shop |
| MD164138V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000345858 | | Steel Fab | 2004 | 06/10/2023 | Recurring Cert | Active | Shop Rear |

Total Objects at this Location: 2

Location: Earle Manor I
Address: 10820 Georgia Ave - Wheaton, MD 20902-4763
County: Montgomery **FIPS:** 24031
Primary Contact: Yvonne Lepage - Phone: 301-933-1576 - Cell: 301-250-8408 - Email: earlemanorapts@gmail.com
Billing Contact: Michelle Morton - 10820 Georgia Ave Wheaton, MD 20902-4763 - Phone: 301-802-0959 - Email: earlemanor@yahoo.com

Location ID: 709472
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|------------------------------|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD081134H | | Cast Iron | H - Hot Water Heat (Water <= | CI | | Weil-McLain | 1992 | 11/08/2022 | Recurring Cert | Active | BOILER ROOM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD143606H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000168697 | | A O Smith | 2012 | 11/08/2022 | Recurring Cert | Active | BOILER ROOM |
| MD167785H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000264527 | | A O Smith | 2020 | 08/21/2022 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Earle Manor II **Location ID:** 705535
Address: 10800 Georgia Ave - Wheaton, MD 20902-4762 **Phone:** 301-933-1576
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Yvonne Lepage - Phone: 301-933-1576 - Cell: 301-250-8408 - Email: earlemanorapts@gmail.com
Billing Contact: Michelle Morton - 10820 Georgia Ave Wheaton, MD 20902-4763 - Phone: 301-802-0959 - Email: earlemanor@yahoo.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD068594H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1988 | 11/08/2022 | Recurring Cert | Active | BOILER ROOM |
| MD155189H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000215379 | | A O Smith | 2016 | 11/08/2022 | Recurring Cert | Active | Boiler Room |
| MD155190H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000275380 | | A O Smith | 2016 | 11/08/2022 | Recurring Cert | Active | BOILER ROOM |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: East Diamond Brewing (Arc3) **Location ID:** 4039063
Address: 227 E Diamond Ave - Gaithersburg, MD 20877-3015 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: East Diamond Brewing (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167703V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000323835 | | CHART | 2019 | 08/25/2022 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Eastern Avenue Apartments **Location ID:** 709517
Address: 7603 Eastern Ave - Takoma Park, MD 20912-4036 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|-----------|--------------|------------|------------|----------------|--------|----------|
| MD121849H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | CP5360935 | HB Smith | 2005 | 10/27/2021 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Eastern Avenue Apartments **Location ID:** 709522
Address: 7607 Eastern Ave - Takoma Park, MD 20912-4005 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD149002H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Burnham | 2013 | 10/27/2021 | Recurring Cert | Active | Basement |
| MD149003H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | | Weil-McLain | 2013 | 10/27/2021 | Recurring Cert | Active | Basement |

Total Objects at this Location: 2

Location: Eastern Avenue Apartments **Location ID:** 709523
Address: 7611 Eastern Ave - Takoma Park, MD 20912-4004 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD149000H | | Cast Iron | H - Hot Water Supply (Water <= 160 psig, 250 F) | CI | | Burnham | 2009 | 10/27/2021 | Recurring Cert | Active | Basement |
| MD149001H | | Cast Iron | H - Steam Heat | CI | | Weil-McLain | 2013 | 10/27/2021 | Recurring Cert | Active | Basement |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|--------------------|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | | (Steam <= 15 psig) | | | | | | | | |

Total Objects at this Location: 2

Location: Eastern Avenue Apartments **Location ID:** 709518
Address: 7615 Eastern Ave - Takoma Park, MD 20912-4034 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|----------|
| MD139425H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | CP5888931 | Weil-McLain | 2009 | 10/28/2021 | Recurring Cert | Active | Basement |
| MD166414H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000130861 | | Jet Glass | 2019 | 11/20/2021 | Recurring Cert | Active | Basement |

Total Objects at this Location: 2

Location: Educational Funding Company **Location ID:** 719651
Address: 4740 Chevy Chase Dr - Chevy Chase, MD 20815-6461 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: John Cokinos - Phone: 301-654-2277
Billing Contact: John Cokinos - 4740 Chevy Chase Dr Chevy Chase, MD 20815-6461 - Phone: 301-654-2277

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD150257H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2012 | 11/16/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Ellsworth Place **Location ID:** 707252
Address: 8661 Colesville Rd - Silver Spring, MD 20910-3924 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Gary Brewer - Phone: 301-589-1091 - Cell: 301-674-4928 - Email: gary.brewer@gbtrealty.com
Billing Contact: Gary Brewer - 8661 Colesville Rd Ste A-100 Silver Spring, MD 20910-3924 - Phone: 301-589-1091 - Cell: 301-674-4928 - Email: gary.brewer@gbtrealty.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD075707V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000014897 | | Snyder General | 1991 | 08/13/2021 | Recurring Cert | Active | 6th FI Roof |
| MD075708V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000014901 | | Snyder General | 1991 | 08/13/2021 | Recurring Cert | Active | 6th FI Roof |
| MD075709V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000079025 | | Brunner | 1990 | 08/13/2021 | Recurring Cert | Active | 6th FI Roof |

Total Objects at this Location: 3

Location: Enclave at Silver Spring **Location ID:** 992963
Address: 11200 Lockwood Dr - Silver Spring, MD 20901-4551 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|----------------|------------|------------|----------------|--------|------------|
| MD067851V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000568739 | | Bell & Gossett | 1984 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD068167V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000576326 | | Bell & Gossett | 1985 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD083577H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1992 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD119535H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD119536H | 02 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD119537H | 03 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD134040V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000290361 | | Manchester | 2004 | 06/22/2021 | Recurring Cert | Active | BLDG 11200 |
| MD148844V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000010305 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | 11200 |
| MD148846V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000010315 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | 11200 |
| Total Objects at this Location: | | | | 9 | | | | | | | |

Location: Enclave Silver Spring **Location ID:** 704371
Address: 11215 Oak Leaf Dr - Silver Spring, MD 20901-1317 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|----------------|------------|------------|----------------|--------|------------|
| MD014827V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000222077 | | Bell & Gossett | 1966 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD083578H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1993 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD119538H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD119539H | 02 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD119540H | 03 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD133921V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000032198 | | Bell & Gossett | 1993 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD133922V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000290362 | | Manchester | 2004 | 06/22/2021 | Recurring Cert | Active | BLDG 11215 |
| MD147964V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000010329 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | 11215 |
| MD148843V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000010311 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | 11215 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|------------------------------------|
| MD152077H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000013436 | 050538744 | R B I | 2005 | 06/22/2021 | Recurring Cert | Active | Bldg 11225 pool house double doors |

Total Objects at this Location: 10

Location: Enclave Silver Spring **Location ID:** 992965
Address: 11235 Oak Leaf Dr - Silver Spring, MD 20901-1318 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD014829V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000560904 | | Bell & Gossett | 1965 | 06/22/2021 | Recurring Cert | Active | 11235 Bldg 2 |
| MD083576H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1991 | 06/22/2021 | Recurring Cert | Active | BLDG 11235 |
| MD119532H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11235 |
| MD119533H | 02 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11235 |
| MD119534H | 03 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 2003 | 06/22/2021 | Recurring Cert | Active | BLDG 11235 |
| MD133919V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000290333 | | Manchester | 2004 | 06/22/2021 | Recurring Cert | Active | BLDG 11235 |
| MD133920V | | Heat Exchanger - Other w/comment | V - Storage (NOT Cryogenic) | 000569812 | | Bell & Gossett | 1985 | 06/22/2021 | Recurring Cert | Active | bldg 11235 |
| MD148845V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000010291 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | Bldg. 11235 |
| MD152078V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000010327 | | Carrier | 2004 | 06/22/2021 | Recurring Cert | Active | Bldg 11235 |

Total Objects at this Location: 9

Location: Euro Motor Cars
Address: 19750 Germantown Rd - Germantown, MD 20874-1218
County: Montgomery **FIPS:** 24031
Primary Contact: Euro Motor Cars
Billing Contact: Steve Krasner - 7020 Arlington Rd Bethesda, MD 20814-5229 - Phone: 301-986-8800

Location ID: 1685120
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169795V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000328988 | | Morganton | 2004 | 06/28/2023 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Euro Motor Cars
Address: 7020 Arlington Rd - Bethesda, MD 20814-5229
County: Montgomery **FIPS:** 24031
Primary Contact: Bill Gross - Phone: 301-215-5429
Billing Contact: Steve Krasner - 7020 Arlington Rd Bethesda, MD 20814-5229 - Phone: 301-986-8800

Location ID: 710142
Phone: 301-215-5429
NOB/SIC: Automotive Dealers, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|------------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD074496V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000813430 | | Buckeye | 1987 | 06/29/2023 | Recurring Cert | Active | COMP SHED |
| MD169797V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002295005 | | Champion | 2020 | 06/29/2023 | Recurring Cert | Active | Compressor Shed |
| MD169798V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 0002295006 | | Champion | 2020 | 06/29/2023 | Recurring Cert | Active | Compressor Shed |

Total Objects at this Location: 3

Location: Executive Sunoco
Address: 6060 Montrose Rd - Rockville, MD 20852-4802
County: Montgomery **FIPS:** 24031
Primary Contact: Executive Sunoco - Phone: 301-230-0120 - Cell: 240-413-0139
Billing Contact:

Location ID: 710210
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD112809V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00036464D | | Brunner | 1985 | 10/19/2022 | Recurring Cert | Active | COMP ROOM |

Total Objects at this Location: 1

Location: Expression Pathology Inc (Roberts Oxygen)
Address: 9600 Medical Center Dr - Rockville, MD 20850-3336
County: Montgomery **FIPS:** 24031
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

Location ID: 3839666
Phone:
NOB/SIC: Biological Products, Except Diagnostic Substances

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD160864V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000013962 | | MVE | 1987 | 11/21/2023 | Recurring Cert | Active | Loading Dock |

Total Objects at this Location: 1

Location: Exxon Columbia Automotive/Iverson Mall
Address: 12601 Old Columbia Pike - Silver Spring, MD 20904-1614
County: Montgomery **FIPS:** 24031
Primary Contact: Sunny Singh - Phone: 301-622-4400
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 714660
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD137789V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000973118 | | Manchester | 2008 | 10/07/2021 | Recurring Cert | Active | Car Wash |
| MD152140V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000024572 | | Taylor-Wharton | 1995 | 10/07/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 2

Location: Exxon Tiger Mart (Roberts Oxygen) Location ID: 3968118
Address: 13400 Old Columbia Pike - Silver Spring, MD 20904-4546 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Gasoline Service Stations
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD165153V, Vertical Unfired Pressure Vessel w/comment, V - Storage (Cryogenic), 000284256, CHART, 2016, 08/27/2023, Recurring Cert, Active, Outside Shed

Total Objects at this Location: 1

Location: Fairways North Location ID: 710371
Address: 3310 N Leisure World Blvd - Silver Spring, MD 20906-5657 Phone: 301-598-1520
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: JoAnn McDermitt Mgmt. Office- Lobby - Phone: 301-598-1520 - Email: lwfni7a@gmail.com
Billing Contact: JoAnn McDermitt Mgmt. Office- Lobby - 3310 N Leisure World Blvd Silver Spring, MD 20906-5657 - Phone: 301-598-1520 - Email: lwfni7a@gmail.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD169518H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000914925, PVI Industries, 2019, 04/16/2023, Recurring Cert, Active, BLRM. Row 2: MD169519H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000148103, PVI Industries, 2019, 04/16/2023, Recurring Cert, Active, BLRM

Total Objects at this Location: 2

Location: Firehouse Subs (Arc3) Location ID: 3918918
Address: 28 Upper Rock Cir - Rockville, MD 20850-4098 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Eating and Drinking Places
Primary Contact: Firehouse Subs (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD162930V, Vertical Unfired Pressure Vessel, V - Storage (Cryogenic), 000304233, CHART, 2017, 12/13/2022, Recurring Cert, Active, Closet

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Firehouse Subs - 0702 (Arc3) **Location ID:** 3993045
Address: 19851 Century Blvd - Germantown, MD 20874-7144 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Firehouse Subs - 0702 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165832V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000021084 | | Taylor | 1995 | 11/19/2021 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Firestone - 0469 **Location ID:** 710704
Address: 11500 Georgia Avenue - Silver Spring, MD 20902-1909 **Phone:** 301-942-8120
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Firestone - 0469
Billing Contact:

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD074374V | 02 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000871802 | | Buckeye | 1988 | 12/27/2022 | Recurring Cert | Active | Storage Room |
| MD074495V | 03 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000871798 | | Buckeye | 1988 | 12/27/2022 | Recurring Cert | Active | Storage Rm |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Fitzgerald Lakeforest Auto Mall
Address: 905 N Frederick Ave - Gaithersburg, MD 20879-3370
County: Montgomery **FIPS:** 24031
Primary Contact: Tony Pearson - Phone: 301-670-4831
Billing Contact: Tony Pearson - 905 N Frederick Ave Gaithersburg, MD 20879-3323 - Phone: 301-670-4831

Location ID: 716033
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD161496V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000840722 | | Steel Fab | 2017 | 07/12/2022 | Recurring Cert | Active | COMPRESSOR RM |

Total Objects at this Location: 1

Location: Flowerhill Car Wash
Address: 8441 Snouffer School Rd - Gaithersburg, MD 20879-5541
County: Montgomery **FIPS:** 24031
Primary Contact: Oxenhill Services, Inc.
Billing Contact: - 1300 Caraway Ct Ste 202 Upper Marlboro, MD 20774-5462

Location ID: 2549771
Phone:
NOB/SIC: Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD141786V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000635816 | | Manchester | 1998 | 02/15/2022 | Recurring Cert | Active | Car Wsh Bkrm |

Total Objects at this Location: 1

Location: Flowers Garden Apartments
Address: 8240 Flower Ave - Takoma Park, MD 20912-6800
County: Montgomery **FIPS:** 24031
Primary Contact: Max Chaiken - Phone: 301-983-0519
Billing Contact: Max Chaiken - PO Box 34743 C/O Steve Chalken Bethesda, MD 20827-0743 - Phone: 301-983-0519

Location ID: 710861
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD100173H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000075202 | | Rheem | 1997 | 11/13/2021 | Recurring Cert | Active | Boiler Room |
| MD133975H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2005 | 11/13/2021 | Recurring Cert | Active | Boiler room |

Total Objects at this Location: 2

Location: Forest Apartments Location ID: 2897914
Address: 2004 Baltimore Rd - Rockville, MD 20851-1209 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: David Craig Jr - Phone: 301-340-1990 - Email: dcraig@horningbros.com
Billing Contact: Veda Brinkley - 2012 Baltimore Rd Ofc Rockville, MD 20851-1210 - Phone: 301-340-1990

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD148259H, Water Heater (HLW), H - Hot Water Supply (Water <= 160 psig, 210 F), 000093059, Bradford, 2010, 09/27/2022, Recurring Cert, Active, Basement

Total Objects at this Location: 1

Location: Forest Glen Medical Center Location ID: 710955
Address: 9801 Georgia Ave - Silver Spring, MD 20902-5276 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Health services
Primary Contact: Christina Martin - Phone: 301-222-0026 - Email: cmartin@edgecre.com
Billing Contact: Christina Martin - 2273 Research Blvd Rockville, MD 20850-3264 - Phone: 301-222-0026 - Email: cmartin@edgecre.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Rows include MD106337V (Heat Exchanger - Shell and Tube), MD138136H (Vertical Fire Tube), MD138137H (Vertical Fire Tube), MD162362H (Water Heater (HLW))

Total Objects at this Location: 4

Location: Fox Chase Rehab & Nursing **Location ID:** 722625
Address: 2015 East West Hwy - Silver Spring, MD 20910-2602 **Phone:** 301-587-0786
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Skilled Nursing Care Facilities
Primary Contact: Garth Wilson - Phone: 301-587-2400 - Cell: 240-616-8168 - Email: gwilson@parkhealthfoxchase.com
Billing Contact: Alex Nowell - 2015 East West Hwy Silver Spring, MD 20910-2602 - Phone: 301-587-0786

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD145747H | MSN-THERM | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000154608 | | A O Smith | 2011 | 08/24/2022 | Recurring Cert | Active | Boiler Room |
| MD149272H | 2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 11992 | Hydrotherm | 2013 | 08/24/2022 | Recurring Cert | Active | Boiler Room |
| MD149273H | BLR-1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | 11991 | Hydrotherm | 2013 | 08/24/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: Francis G. Newlands Bldg/Cesco Osteria Restaurant **Location ID:** 3521737
Address: 2 Bethesda Metro Ctr - Bethesda, MD 20814-6319 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Rick Emelio - Phone: 301-951-5600 - Cell: 301-915-7045* - Email: rje@cclandco.com
Billing Contact: Barbra Pierson - 2 Bethesda Metro Ctr Bethesda, MD 20814-6319 - Phone: 301-951-5600

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------------|
| MD149354H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000088626 | | Laars | 2012 | 04/27/2022 | Recurring Cert | Active | Penthouse Boiler Room |

Total Objects at this Location: 1

Location: G O M C
Address: 15020 Shady Grove Road - Gaithersburg, MD 20898
County: Montgomery **FIPS:** 24031
Primary Contact: Laura Mandeville - Phone: 301-657-590
Billing Contact: Laura Mandeville - 4630 Montgomery Ave Bethesda, MD 20814-3410 - Phone: 301-657-590

Location ID: 711534
Phone: 301-949-2131
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|-------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD075385H | | Electric (NOT HLW) | O - Other (Blr Use) w/comment | 000023782 | | CAM | 1988 | 08/16/2020 | Recurring Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Gaithersburg Exxon
Address: 408 N Frederick Ave - Gaithersburg, MD 20877-2404
County: Montgomery **FIPS:** 24031
Primary Contact: Leonard Shipe - Phone: (301) 840-1821 - Email: dileninc@verizon.net
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 711568
Phone: 301-840-1821
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD153070V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001564894 | | Manchester | 2015 | 08/12/2023 | Recurring Cert | Active | Container |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Gaithersburg Mazda
Address: 625 N Frederick Ave - Gaithersburg, MD 20879-3306
County: Montgomery **FIPS:** 24031
Primary Contact: Fred Fees - Phone: 703-409-6199 - Email: ffees@rosenthalauto.com
Billing Contact: Ben Calvitti - 625 N Frederick Ave Gaithersburg, MD 20879-3306 - Phone: 301-840-9333

Location ID: 3475579
Phone: 301-840-9333
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD099041V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000075471 | | Brunner | 1994 | 02/22/2022 | Recurring Cert | Active | COMPRES ROOM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Garden Plaza **Location ID:** 706937
Address: 7700 Old Georgetown Rd - Bethesda, MD 20814-6100 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Steve Hickman - Phone: 240-497-7503 - Cell: 301-674-0854 - Email: steve.hickman@bfsaulco.com
Billing Contact: Steve Hickman - 7501 Wisconsin Ave Ste 300 Bethesda, MD 20814-6569 - Phone: 240-497-7503 - Cell: 301-674-0854 - Email: steve.hickman@bfsaulco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|-------------------|------------|------------|---------------|--------|-----------|
| MD132638H | 1 | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000053533 | | Lattner Boiler Co | 2006 | 09/29/2022 | External Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: Garland Towers **Location ID:** 707812
Address: 8221 Garland Ave - Takoma Park, MD 20912-6883 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Connave Limited Partnership - Phone: (202) 244-8000
Billing Contact: Connave Limited Partnership - 4102 Brandywine St NW Washington, DC 20016-4668 - Phone: (202) 244-8000

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169863H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000220687 | | A O Smith | 2016 | 11/05/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Gentleman Jim's Restuarant (Arc3) **Location ID:** 4039062
Address: 18257 Flower Hill Way - Gaithersburg, MD 20879-5335 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Gentleman Jim's Restuarant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD167750V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000127584 | | MVE | 2001 | 08/25/2022 | Recurring Cert | Active | Outside cage |

Total Objects at this Location: 1

Location: George Mader **Location ID:** 711830
Address: 8507 Flower Ave - Takoma Park, MD 20912-6641 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Mathew Mader - Phone: 240-393-1114 - Email: maderproperties@gmail.com
Billing Contact: Mathew Mader - 6062 Sunny Spring Columbia, MD 21044-3614 - Phone: 240-393-1114 - Email: maderproperties@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|--------------|
| MD111856H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2001 | 10/16/2022 | Recurring Cert | Active | Laundry Room |

Total Objects at this Location: 1

Location: Georgia Fuel & Treats, LLC. **Location ID:** 724995
Address: 9336 Georgia Ave - Silver Spring, MD 20910-1726 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Eyob Gebrekidan - Phone: 301-589-7071
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD105061V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000095275 | | Brunner | 1983 | 09/28/2023 | Recurring Cert | Active | Comp Room |
| MD150896V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000721865 | | Steel Fab | 2013 | 10/08/2023 | Recurring Cert | Active | Comp Room |

Total Objects at this Location: 2

Location: Gerber Collision **Location ID:** 3243990
Address: 19560 Frederick Rd - Germantown, MD 20876-1304 **Phone:** 301-926-6184
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Jessie Savannah - Phone: 301-916-9081
Billing Contact: Jessie Savannah - 19560 Frederick Rd Germantown, MD 20876-1304 - Phone: 301-916-9081

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD137011V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000609460 | | Trinity | 2006 | 11/04/2022 | Recurring Cert | Active | Main Comp. Shed |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD155188V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000782050 | | Steel Fab | 2015 | 11/09/2022 | Recurring Cert | Active | Paint Shop Shed |
| MD167770V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000954867 | | samuel | 2020 | 12/15/2022 | Recurring Cert | Active | paint shop |

Total Objects at this Location: 3

Location: Germantown Service Center
Address: 19941 Aircraft Dr - Germantown, MD 20874-1101
County: Montgomery **FIPS:** 24031
Primary Contact: Vazgen Teynouri - Phone: 301-428-0585 - Email: Teynourivazgen@yahoo.com
Billing Contact: Vazgen Teynouri - 19941 Aircraft Dr Germantown, MD 20874-1101 - Phone: 301-428-0585 - Email: Teynourivazgen@yahoo.com

Location ID: 711907
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD112821V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000057180 | | Press Steel Tank | 1966 | 04/18/2022 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 1

Location: Germantown Tire & Auto
Address: 19971 Aircraft Dr - Germantown, MD 20874-1101
County: Montgomery **FIPS:** 24031
Primary Contact: Germantown Tire & Automotive Center
Billing Contact:

Location ID: 708982
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD150899V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000321576 | | Morganton | 2013 | 10/13/2021 | Recurring Cert | Active | Compressor room |

Total Objects at this Location: 1

Location: Glen Echo Exxon **Location ID:** 3270281
Address: 6729 Goldsboro Rd - Bethesda, MD 20817-5417 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD145947V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000893266 | | Manchester | 2007 | 11/04/2021 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments **Location ID:** 711891
Address: 2305 Shorefield Rd - Wheaton, MD 20902-1852 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD129725H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000018181 | | R B I | 2007 | 09/28/2021 | Recurring Cert | Active | Basement |
| MD129726H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000018180 | | R B I | 2007 | 09/28/2021 | Recurring Cert | Active | Basement |
| MD129727H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000018201 | | R B I | 2007 | 09/28/2021 | Recurring Cert | Active | Basement |
| MD129728H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000018186 | | R B I | 2007 | 09/28/2021 | Recurring Cert | Active | Basement |
| MD142905H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000018179 | | R B I | 2007 | 09/28/2021 | Recurring Cert | Active | Basement |

Total Objects at this Location: 5

Location: Glenmont Crossing Apartments
Address: 2116 Georgian Woods Pl - Silver Spring, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

Location ID: 1930034
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------------|
| MD129739H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018168 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Heater Room 2116 |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Glenmont Crossing Apartments
Address: 2130 Georgian Woods Pl - Silver Spring, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

Location ID: 2330309
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------------|
| MD129738H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018192 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Storage Room 2130 |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Glenmont Crossing Apartments
Address: 2150 Georgian Woods Pl - Wheaton, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

Location ID: 711884
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------------|
| MD129736H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018202 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Heater Room 2150 |

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments **Location ID:** 1930033
Address: 2164 Georgian Woods PI - Wheaton, MD 20902-1808 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD129737H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018200 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | heater rm-2164 |

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments **Location ID:** 2330334
Address: 2203 Georgian Woods PI - Silver Spring, MD 20902 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD129735H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018182 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Shop 2203 |

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments **Location ID:** 711883
Address: 2222 Georgian Woods PI - Silver Spring, MD 20902-1810 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|------------------|
| MD129734H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018167 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Heater Room 2222 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location | |
|---------|-------------|------|-----|--|--------|--------------|------------|----------|--------------|--------|----------|---|
| | | | | Total Objects at this Location: | | | | | | | | 1 |

Location: Glenmont Crossing Apartments **Location ID:** 711882
Address: 2240 Georgian Woods Pl - Silver Spring, MD 20902-1810 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location | |
|-----------|-------------|---|---|--|--------|--------------|------------|------------|----------------|--------|---------------|---|
| MD129740H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018185 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Basement 2244 | |
| | | | | Total Objects at this Location: | | | | | | | | 1 |

Location: Glenmont Crossing Apartments **Location ID:** 2330335
Address: 2262 Georgian Woods Pl - Silver Spring, MD 20902-1810 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location | |
|-----------|-------------|---|---|--|--------|--------------|------------|------------|----------------|--------|------------------|---|
| MD129733H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018184 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | Heater rm - 2262 | |
| | | | | Total Objects at this Location: | | | | | | | | 1 |

Location: Glenmont Crossing Apartments
Address: 2302 Georgian Woods Pl - Silver Spring, MD 20902-1812
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853 - Email: theglenmaint@emcmgmt.com

Location ID: 2330336
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|------------------|
| MD138140H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000024078 | | R B I | 2010 | 05/25/2022 | Recurring Cert | Active | Heater Room 2302 |

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments
Address: 2318 Georgian Woods Pl - Silver Spring, MD 20902-1812
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones - Email: theglenmaint@emcmgmt.com
Billing Contact: David Inactive-Williams - 2309 Shorefield Rd Silver Spring, MD 20902-1853 - Phone: 3019463300 - Cell: 2404182544

Location ID: 2330337
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD129731H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018191 | | R B I | 2007 | 05/25/2022 | Recurring Cert | Active | basement- 2318 |

Total Objects at this Location: 1

Location: Global Mission Church-BMIC#413476
Address: 13421 Georgia Ave - Silver Spring, MD 20906-5201
County: Montgomery **FIPS:** 24031
Primary Contact: Joaquin Marmol - Phone: 301-460-1656 - Cell: 240-364-4983 - Email: yangsook.sung@gmcusa.org
Billing Contact: - 13421 Georgia Ave Silver Spring, MD 20906-5201 - Phone: 301-460-1656

Location ID: 712290
Phone: 301-460-1656
NOB/SIC: Religious Organizations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|----------|--------------|------------|------------|----------------|--------|-----------|
| MD071373H | 02 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000014360 | L-895127 | Lochinvar | 1990 | 08/03/2022 | Recurring Cert | Active | Boiler Rm |
| MD097195H | | Cast Iron | H - Hot Water Heat (Water <= | CI | | Weil-McLain | 1997 | 08/03/2022 | Recurring Cert | Active | Boiler Rm |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD142027H | | Cast Iron | 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F) | Cast Iron | | Burnham | 2006 | 08/03/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: Glyco Mimetics **Location ID:** 3699349
Address: 9708 Medical Center Dr - Rockville, MD 20850-3343 **Phone:** 301-417-4224
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Joan Moeltner - Phone: 301-417-4224 - Email: jmoeltner@glycomimetics.com
Billing Contact: Joan Moeltner - 9708 Medical Center Dr Rockville, MD 20850-3343 - Phone: 301-417-4224 - Email: jmoeltner@glycomimetics.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD091683H | 1 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000084519 | | PVI | 1995 | 03/02/2022 | Recurring Cert | Active | BLDG 1 RM 116 |

Total Objects at this Location: 1

Location: Goldfish Swim School **Location ID:** 4002314
Address: 1701 Rockville Pike - Rockville, MD 20852-1613 **Phone:** 301 640 5592
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Bob Panzone - Phone: 301 252 5331
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD165885H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000341508 | | AIC | 2018 | 01/27/2022 | Recurring Cert | Active | MECH ROOM |
| MD165886H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000341511 | | AIC | 2018 | 01/27/2022 | Recurring Cert | Active | MECH ROOM |

Total Objects at this Location: 2

Location: Goldfish Swim School **Location ID:** 4049162
Address: 801 Center Point Way - Gaithersburg, MD 20878-6461 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Goldfish Swim School
Billing Contact: Jake Atchoo - 801 Center Point Way Gaithersburg, MD 20878-6461 - Phone: 248-763-5400 - Email: jake.atchoo@goldfishsf.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD168854H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000143564 | | AIC | 2019 | 01/22/2023 | Recurring Cert | Active | MECH ROOM |
| MD168855H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000143559 | | AIC | 2019 | 01/22/2023 | Recurring Cert | Active | MECH ROOM |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Good Hope Development Center **Location ID:** 2858253
Address: 15930 Good Hope Rd - Silver Spring, MD 20905-4038 **Phone:** 301-421-9813
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Good Hope Development Center - Phone: 301-421-9813
Billing Contact: - 15930 Good Hope Rd Silver Spring, MD 20905-4038 - Phone: 301-421-9813

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------------|
| MD135724H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2002 | 07/12/2022 | Recurring Cert | Active | Boiler Room #1 |
| MD135725H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1993 | 07/12/2022 | Recurring Cert | Active | Boiler Room #2 |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Goodstone, LLC.
Address: 6116 Executive Blvd - Rockville, MD 20852-4920
County: Montgomery **FIPS:** 24031
Primary Contact: Mary Burns - Phone: 240-832-6833 - Email: mary.burns@ausonyoung.com
Billing Contact: Mary Burns - 11921 Rockville Pike Ste 200 Rockville, MD 20852-2737 - Phone: 240-832-6833 - Email: mary.burns@ausonyoung.com

Location ID: 701848
Phone:
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD078307V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213697 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | 8th Floor North |
| MD078308V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213534 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #8 Floor South |
| MD078309V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212383 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #7 Floor North |
| MD078310V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212386 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #7 Floor South |
| MD078311V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212397 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #6 Floor North |
| MD078312V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212395 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #6 Floor South |
| MD078313V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212384 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #5 Floor North |
| MD078314V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212398 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #5 Floor South |
| MD078335V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212385 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #4 Floor North |
| MD078336V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212396 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #4 Floor South |
| MD078337V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212394 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #3 Floor North |
| MD078338V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000212382 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #3 Floor South |
| MD078339V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213531 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #2 Floor South |
| MD078340V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213533 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #2 Floor North |
| MD078341V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213532 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #1 Floor North |
| MD078342V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000213530 | | Trane | 1988 | 01/03/2023 | Recurring Cert | Active | #1 Floor South |

Total Objects at this Location: 16

Location: Goodyear Tire Center **Location ID:** 712359
Address: 15420 Old Columbia Pike - Burtonsville, MD 20866-1671 **Phone:** 301-421-1505
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Jim Wilson - Phone: 301-642-3826 - Email: WJimWilson@comcast.net
Billing Contact: Jim Wilson - 7107 Moorland Dr Clarksville, MD 21029-1734 - Phone: 301-642-3826 - Email: WJimWilson@comcast.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD088262V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000877193 | | Buckeye | 1988 | 11/03/2021 | Recurring Cert | Active | Store Room |
| MD088263V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000877194 | | Buckeye | 1988 | 11/03/2021 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 2

Location: Goshen Crossing Sunoco **Location ID:** 2911862
Address: 20050 Goshen Rd - Gaithersburg, MD 20879-1604 **Phone:** 301-977-3200
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Keith Kim - Phone: 301-977-3200
Billing Contact: Keith Kim - 20050 Goshen Rd Gaithersburg, MD 20879-1604 - Phone: 301-977-3200

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD156543V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001691609 | | Manchester | 2016 | 05/02/2023 | Recurring Cert | Active | Comp Shed |

Total Objects at this Location: 1

Location: Grace United Methodist Church **Location ID:** 712520
Address: 7001 New Hampshire Ave - Takoma Park, MD 20912-5816 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Dunrick Sogie-Thomas - Cell: 240 602 9572
Billing Contact: Joan - 7001 New Hampshire Ave Takoma Park, MD 20912-5816 - Phone: 301 891 2100 - Email: thenehemiahcharge@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|----------|
| MD125738H | No. 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | UFC26446 | Utica | 2005 | 03/07/2021 | Recurring Cert | Active | Blrm |
| MD125739H | No. 2 | Cast Iron | H - Hot Water | CI | UGC26938 | Utica | 2005 | 03/07/2021 | Recurring Cert | Active | BLRM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|----------|--------------|------------|------------|----------------|--------|----------|
| | | | Heat (Water <= 160 psig, 250 F) | | | | | | | | |
| MD125740H | No. 3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | UGC27154 | Utica | 2005 | 03/07/2021 | Recurring Cert | Active | BLRM |
| MD125741H | No.4 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | UGC27155 | Utica | 2005 | 03/07/2021 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 4

Location: Grand Bel Manor Condominiums
Address: 3830 Bel Pre Rd - Silver Spring, MD 20906-2630
County: Montgomery **FIPS:** 24031
Primary Contact: Ron Llevergood - Cell: 3015256102
Billing Contact:

Location ID: 712539
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|---------------|--------------|------------|------------|----------------|--------|-------------|
| MD154871H | 3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000001772 | | Viessman | 2013 | 07/06/2022 | Recurring Cert | Active | boiler room |
| MD154872H | 4 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000001771 | | Viessman | 2013 | 07/06/2022 | Recurring Cert | Active | boiler room |
| MD161651H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000003399 | 7513668700491 | Viessman | 2017 | 07/30/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: Grand Bell II Condominiums
Address: 3924 Bell Pre Road - Silver Spring, MD 20906-2801
County: Montgomery **FIPS:** 24031
Primary Contact: Lynne Singer - Phone: 301-948-6666 - Email: lsinger@trmgainc.com
Billing Contact: Steve Leskowitz - 20440 Century Blvd Ste 100 Germantown, MD 20874-7116 - Phone: 301-948-6666

Location ID: 712541
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD135700H | #1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005625 | | Fulton | 2007 | 06/03/2021 | Recurring Cert | Active | BLRM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD135701H | #2 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005613 | | Fulton | 2007 | 06/03/2021 | Recurring Cert | Active | BLRM |
| MD135702H | #3 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005722 | | Fulton | 2007 | 06/03/2021 | Recurring Cert | Active | BLRM |
| MD135703H | #4 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005719 | | Fulton | 2007 | 06/03/2021 | Recurring Cert | Active | BLRM |
| MD135704H | #5 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005621 | | Fulton | 2007 | 06/03/2021 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Green Growlers **Location ID:** 711559
Address: 227 E Diamond Ave - Gaithersburg, MD 20877-3015 **Phone:** 000-000-0000
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Drinking Places (Alcoholic Beverages)
Primary Contact: Green Growlers
Billing Contact: Bret Kimbrough - 227 E Diamond Ave Gaithersburg, MD 20877-3015 - Phone: 301-519-9400

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---------------------|--|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD161837H | | Vertical Water Tube | H - Heating-Cooking (Steam <= 15 psig) | 000154262 | | Columbia | 2017 | 10/15/2022 | Recurring Cert | Active | Brew House |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Greenhill Child Development Center **Location ID:** 997364
Address: 120 Geneva Avenue - Silver Spring, MD 20910-5105 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Malika Clarke - Phone: 301-589-0613 - Email: malikaclarke.greenhillcdc@gmail.com
Billing Contact: Kimberly Kight - 120 Geneva Ave Silver Spring, MD 20910-5105 - Phone: 301-589-0613 - Cell: 301-678-9566/301-523-4232 - Email: kkight@greenhillcdc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD119978H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Columbia | 2002 | 10/14/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Greenhill Realty Property **Location ID:** 728968
Address: 11435 Grandview Ave - Wheaton, MD 20902-2741 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Steven Toliver - Phone: 301-657-2525
Billing Contact: Steven Toliver - 4901 Fairmont Ave Ste 200 Bethesda, MD 20814-6062 - Phone: 301-657-2525

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD095866H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 1970 | 06/02/2020 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: H & R Enterprises **Location ID:** 708760
Address: 19050 Woodfield Rd - Gaithersburg, MD 20879-4705 **Phone:** 301-294-9700
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Wholesale trade--durable goods
Primary Contact: H & R Enterprises
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD095867H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1997 | 08/25/2022 | Recurring Cert | Active | Boiler Room |
| MD095868H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1997 | 08/25/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: H Mart **Location ID:** 3218416
Address: 12015 Georgia Ave - Silver Spring, MD 20902-2003 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Prepared Flour Mixes and Doughs
Primary Contact: Eric Lim - Email: judy.lim@hmart.com
Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|------------------------------------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD143332V | | Horizontal Unfired Pressure Vessel | V - Storage (Cryogenic) | 000247352 | | Standard | 1988 | 10/29/2023 | Recurring Cert | Active | Motor Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------------------------------------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| | | w/comment | | | | | | | | | |
| MD143333V | | Horizontal Unfired Pressure Vessel | V - Storage (Cryogenic) | 000239474 | | Standard | 1987 | 10/29/2023 | Recurring Cert | Active | Motor Room |
| | | w/comment | | | | | | | | | |
| MD143334V | | Horizontal Unfired Pressure Vessel | V - Storage (Cryogenic) | 000247364 | | Standard | 1988 | 10/29/2023 | Recurring Cert | Active | Motor Room |
| | | w/comment | | | | | | | | | |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: H Mart
Address: 9639 Lost Knife Rd - Gaithersburg, MD 20877-2618
County: Montgomery **FIPS:** 24031
Primary Contact: Young W. Moon - Phone: 301-35-7499
Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com

Location ID: 2181038
Phone: 301-355-7499
NOB/SIC: Grocery Stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD133873V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000166809 | | Standard | 1982 | 12/16/2021 | Recurring Cert | Active | Motor Room Unit A |
| | | w/comment | | | | | | | | | |
| MD133874V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000174311 | | Standard | 1982 | 12/16/2021 | Recurring Cert | Active | Motor Room Unit D |
| | | w/comment | | | | | | | | | |
| MD133875V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000173585 | | Standard | 1982 | 12/16/2021 | Recurring Cert | Active | Motor Room Unit B |
| | | w/comment | | | | | | | | | |
| MD133876V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000171043 | | Standard | 1982 | 12/16/2021 | Recurring Cert | Active | Motor Room Unit C |
| | | w/comment | | | | | | | | | |
| Total Objects at this Location: | | | | 4 | | | | | | | |

Location: Heritage Green Condominiums
Address: 13135 Dairymaid Dr - Germantown, MD 20874-2316
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 713612
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD139659H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018446 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | Bldg 3135 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13137 Dairymaid Dr - Germantown, MD 20874-2319
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975196
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139658H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000016743 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13137 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13139 Dairymaid Dr - Germantown, MD 20874-2322
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975195
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139657H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018453 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13139 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13143 Dairymaid Dr - Germantown, MD 20874-2323
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: schung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975194
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139656H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000016757 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13143 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13145 Dairymaid Dr - Germantown, MD 20874-2326
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: schung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975193
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139655H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000016758 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13145 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13205 Dairymaid Dr - Germantown, MD 20874-2327
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: schung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975192
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139654H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000014457 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13205 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13207 Dairymaid Dr - Germantown, MD 20874-2329
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975191
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139653H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000018445 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13207 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13209 Dairymaid Dr - Germantown, MD 20874-2331
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975189
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139652H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000016756 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13209 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13213 Dairymaid Dr - Germantown, MD 20874-2333
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 2975188
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139651H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000012054 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13213 |

Total Objects at this Location: 1

Location: Heritage Green Condominiums
Address: 13215 Dairymaid Dr - Germantown, MD 20874-2335
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: schung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 713613
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139650H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000012053 | | R B I | 2007 | 08/14/2021 | Recurring Cert | Active | 13215 |

Total Objects at this Location: 1

Location: Hillwood Manor Apartments
Address: 1202 Myrtle Ave - Takoma Park, MD 20912-6507
County: Montgomery **FIPS:** 24031
Primary Contact: Hillwood Manor Apartments
Billing Contact:

Location ID: 713830
Phone: 240-582-5018
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------------|
| MD110285H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | N2001-151 | H B Smith | 2001 | 03/16/2022 | Recurring Cert | Active | 1202 Myrtle Ave |
| MD141386H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000162307 | | A O Smith | 2011 | 03/16/2022 | Recurring Cert | Active | 1202 Myrtle Ave |
| MD169860H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000122857 | | Jet Glass | 2017 | 10/07/2022 | Recurring Cert | Active | 1202 Myrtle |

Total Objects at this Location: 3

Location: Hillwood Manor Apartments
Address: 7105 New Hampshire Ave - Takoma Park, MD 20912-5812
County: Montgomery **FIPS:** 24031
Primary Contact: Hillwood Manor Apartments
Billing Contact:

Location ID: 988814
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|--------------------|
| MD141259H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | Cast Iron | CP5817510 | Weil-McLain | 2010 | 03/16/2022 | Recurring Cert | Active | 7105 New Hampshire |
| MD149325H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000176909 | | A O Smith | 2013 | 03/16/2022 | Recurring Cert | Active | 7105 New Hampshire |

Total Objects at this Location: 2

Location: HOCMC-4500 Avondale St
Address: 4500 Avondale St - Bethesda, MD 20814-3541
County: Montgomery **FIPS:** 24031
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

Location ID: 714924
Phone: 301-803-9782
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD149590H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000207803 | 65307634 | Burnham | 2012 | 07/29/2022 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 1

Location: HOCMC-4504 Avondale St
Address: 4504 Avondale St - Bethesda, MD 20814-3599
County: Montgomery **FIPS:** 24031
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

Location ID: 1526627
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD149592H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000207062 | 65307633 | Burnham | 2012 | 07/29/2022 | Recurring Cert | Active | blrm |

Total Objects at this Location: 1

Location: HOCMC-4508 Avondale St **Location ID:** 1526629
Address: 4508 Avondale St - Bethesda, MD 20814-3598 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD149591H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000199608 | 65302587 | Burnham | 2012 | 07/29/2022 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 1

Location: Holiday Inn Express **Location ID:** 713172
Address: 20260 Goldenrod Ln - Germantown, MD 20876-4063 **Phone:** 301-428-1300
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places
Primary Contact: Simon Ferrufino - Phone: 301.767.6737 - Email: simon.ferrufino@bfsaul.com
Billing Contact: - 20260 Goldenrod Ln Germantown, MD 20876-4063 - Phone: 301-605-1432 - Email: linda.obrien@bfsaul.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD148645H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000C36700 | DHWB-1 | A O Smith | 2012 | 04/04/2022 | Recurring Cert | Active | Mechanical Room |
| MD154658H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000C45052 | DHWB-3 | A O Smith | 2015 | 04/04/2022 | Recurring Cert | Active | Mechanical Room |
| MD167747H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000C50360 | DHWB-2 | A O Smith | 2018 | 09/23/2022 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 3

Location: Holiday Inn Express **Location ID:** 709659
Address: 7990 Georgia Ave - Silver Spring, MD 20910-4837 **Phone:** 3015653444
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places
Primary Contact: Harry Patel - Phone: 3015653444 - Cell: 2013064602 - Email: harry7990@gmail.com
Billing Contact: Harry Patel - 7990 Georgia Ave Silver Spring, MD 20910-4837 - Phone: 3015653444 - Cell: 2013064602 - Email: harry7990@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD161089H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000237725 | | A O Smith | 2018 | 06/08/2022 | Recurring Cert | Active | BLRM |
| MD161090H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000237713 | | A O Smith | 2018 | 06/08/2022 | Recurring Cert | Active | BLRM |
| MD161091H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000237723 | | A O Smith | 2018 | 06/08/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 3

Location: Holiday Inn Gaithersburg **Location ID:** 713918
Address: 2 Montgomery Village Ave - Gaithersburg, MD 20879-3504 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels and Motels
Primary Contact: Naleen Rajapaksha - Phone: 301-948-8900 - Cell: 240-780-6932 - Email: Naleen.Rajapaksha@bfsaul.com
Billing Contact: Naleen Rajapaksha - 2 Montgomery Village Ave Gaithersburg, MD 20879-3504 - Phone: 301-948-8900 - Cell: 240-780-6932 - Email: Naleen.Rajapaksha@bfsaul.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|---------------|--------|------------------|
| MD105522H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000043598 | DHWB-5 | A O Smith | 1998 | 03/20/2023 | External Cert | Active | North Penthouse |
| MD105523H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000046740 | DHWB-6 | A O Smith | 1998 | 03/20/2023 | External Cert | Active | North Penthouse |
| MD142811H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000C20658 | DHWB-4 | A O Smith | 2008 | 03/20/2023 | External Cert | Active | South Mechanical |
| MD148976H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000C37357 | DHWB-3 | A O Smith | 2013 | 03/20/2023 | External Cert | Active | South Mechanical |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|------------|----------|--------------|------------|------------|---------------|--------|------------------|
| MD153971H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 0000C40090 | HWB-1 | A O Smith | 2014 | 03/20/2023 | External Cert | Active | South Mechanical |
| MD158583H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000C48392 | DHWB-2 | A O Smith | 2017 | 03/20/2023 | External Cert | Active | South Mechanical |
| MD162740H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000467526 | Pool Htr | Raypak | 2018 | 03/20/2023 | External Cert | Active | South Mechanical |
| Total Objects at this Location: | | | | 7 | | | | | | | |

Location: Holy Cross Catholic Parish Church & School#222 **Location ID:** 714026
Address: 4900 Strathmore Ave - Garrett Park, MD 20896-1548 **Phone:** 301-942-1020
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Raul Alfonso - Phone: 301-949-0053
Billing Contact: Raul Alfonso - PO Box 249 Garrett Park, MD 20896-0249 - Phone: 301-949-0053

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------|---|----------|---------|--------------|------------|------------|----------------|--------|--------------------|
| MD040282H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 1961 | 08/10/2023 | Recurring Cert | Active | Church Boiler Room |
| MD054049H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | N86 849 | HB Smith | 1986 | 08/10/2023 | Recurring Cert | Active | School Boiler Room |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Holy Cross Hospital (Roberts Oxygen) **Location ID:** 3839671
Address: 1500 Forest Glen Rd - Silver Spring, MD 20910-1460 **Phone:** 301-754-7097
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Medical and Surgical Hospitals
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------------|
| MD159486V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000275772 | | CHART | 2015 | 11/21/2021 | Recurring Cert | Active | Outside Gated Area |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------------|
| MD159487V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000076258 | | CHART | 2015 | 11/21/2021 | Recurring Cert | Active | Outside Gated Area |

Total Objects at this Location: 2

Location: Houston LLC. **Location ID:** 702590
Address: 8202 Houston Ct - Takoma Park, MD 20912-6245 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: 8202 Houston Court, LLC
Billing Contact: Facility Manager - 1325 Independence Ave SE Washington, DC 20003-2302

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|------------|--------------|------------|------------|----------------|--------|----------|
| MD110994H | #1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Slant Fin | 1999 | 06/26/2020 | Recurring Cert | Active | Basement |
| MD110995H | #2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Slant Fin | 1999 | 06/26/2020 | Recurring Cert | Active | Basement |
| MD110998H | #5 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Slant Fin | 1999 | 06/26/2020 | Recurring Cert | Active | Basement |
| MD110999H | #6 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Slant Fin | 1999 | 06/26/2020 | Recurring Cert | Active | Basement |
| MD150861H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | AHRI | 2012 | 06/26/2020 | Recurring Cert | Active | Basement |
| MD159926H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 331600493S | Utica | 2017 | 04/04/2020 | Recurring Cert | Active | Blr Rm |

Total Objects at this Location: 6

Location: Howard Hughes Medical Institute
Address: 4000 Jones Bridge Rd - Chevy Chase, MD 20815-6720
County: Montgomery **FIPS:** 24031
Primary Contact: John Keister - Phone: 301-215-8991
Billing Contact: John Keister - 4000 Jones Bridge Rd Chevy Chase, MD 20815-6720 - Phone: 301-215-8991

Location ID: 714208
Phone:
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------------------|
| MD138612H | Boiler #1 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000030159 | | Burnham | 2008 | 01/06/2022 | Recurring Cert | Active | New Boiler Room Bl# 1 |
| MD138613H | Boiler # 2 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000030115 | | Burnham | 2008 | 01/06/2022 | Recurring Cert | Active | New Boiler Room Bl#2 |
| MD149664H | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000020045 | | Precision | 2012 | 01/06/2022 | Recurring Cert | Active | H House Boiler Room |
| MD149665H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000138057 | | PVI Industries | 2014 | 01/06/2022 | Recurring Cert | Active | Blr rm H bld |
| MD165892H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000148384 | | PVI | 2019 | 12/10/2021 | Recurring Cert | Active | Boiler Room |
| MD165893H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000149408 | | PVI | 2019 | 12/10/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: Imperial Autobody
Address: 690 Lofstrand Ln - Rockville, MD 20850-1313
County: Montgomery **FIPS:** 24031
Primary Contact: Sevag Poochikian - Phone: 301-354-9803 - Email: anthony@imperialab.com
Billing Contact: Sevag Poochikian - 690 Lofstrand Ln Rockville, MD 20850-1313 - Phone: 301-354-9803 - Email: anthony@imperialab.com

Location ID: 1728973
Phone: 301-354-9803
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD165184V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000029743 | | AIR COM | 2017 | 08/29/2021 | Recurring Cert | Active | Paintshop |

Total Objects at this Location: 1

Location: Ingleside at King Farm
Address: 701 King Farm Blvd - Rockville, MD 20850-6165
County: Montgomery **FIPS:** 24031
Primary Contact: Barbara Hopper - Phone: 240-499-9015
Billing Contact: Barbara Hopper - 701 King Farm Blvd Rockville, MD 20850-6165 - Phone: 240-499-9015

Location ID: 2401026
Phone: 240-499-9026
NOB/SIC: Civic, Social, and Fraternal Associations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------|
| MD131842H | | Other w/comment | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000122183 | | PVI Industries | 2007 | 10/18/2022 | Recurring Cert | Active | EAST BLRM |
| MD170200H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000152022 | | PVI | 2020 | 01/08/2023 | Recurring Cert | Active | EAST BLRM |

Total Objects at this Location: 2

Location: Innovations Surgery Center
Address: 3206 Tower Oaks Blvd Ste 100 - Rockville, MD 20852-4255
County: Montgomery **FIPS:** 24031
Primary Contact: Innovations Surgery Center
Billing Contact:

Location ID: 3919529
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|--------------|-------------------------------------|---|-----------|---------|--------------|------------|------------|----------------|--------|--------------------|
| MD162940 | Boiler #1 | Miniature Boiler (NOT Fired Kettle) | S - Power-Electric Generation (Steam > 15 psig) | 000000141 | 28618 | Ogden MFG Co | 2003 | 01/09/2022 | Recurring Cert | Active | Sterile Processing |
| MD162941 | Boiler #2 | Miniature Boiler (NOT Fired Kettle) | S - Power-Electric Generation (Steam > 15 psig) | 000017088 | 25386 | Chromalox | 2001 | 01/09/2022 | Recurring Cert | Active | Sterile Processing |
| MD162942V | Autoclave #1 | Autoclave | V - Process-Sterilizing | 000075544 | 0797045 | Amsco | 1997 | 01/09/2023 | Recurring Cert | Active | Sterile Processing |
| MD162943V | Autoclave #2 | Autoclave | V - Process-Sterilizing | 000088408 | 0404008 | Steris | 2004 | 01/09/2023 | Recurring Cert | Active | Sterile Processing |

Total Objects at this Location: 4

Location: International Collision Center
Address: 627 Southlawn Ln - Rockville, MD 20850-1458
County: Montgomery **FIPS:** 24031
Primary Contact: Advanced Collision Center
Billing Contact: - 627 Southlawn Ln Rockville, MD 20850-1458

Location ID: 1932065
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD132356V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000351874 | | Manchester | 2004 | 04/20/2021 | Recurring Cert | Active | Outside shed |

Total Objects at this Location: 1

Location: ISN Building
Address: 10411 Motor City Dr - Bethesda, MD 20817-1008
County: Montgomery **FIPS:** 24031
Primary Contact: Gregory Adams - Phone: 301-717-2371
Billing Contact: Gregory Adams - 10411 Motor City Dr Bethesda, MD 20817-1008 - Phone: 301-717-2371

Location ID: 714654
Phone: 301 469 0400
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD153394V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000320403 | | Manchester | 2013 | 11/19/2021 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: J & J Coin-op Laundromat
Address: 12206 Veirs Mill Rd - Silver Spring, MD 20906-4505
County: Montgomery **FIPS:** 24031
Primary Contact: Jong Il Lee - Phone: 202-494-3653
Billing Contact: Jong Il Lee - 12206 Veirs Mill Rd Silver Spring, MD 20906-4505 - Phone: 202-494-3653

Location ID: 722392
Phone: 202-494-3653
NOB/SIC: Personal services

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD152141H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000036599 | | R B I | 2014 | 02/02/2022 | Recurring Cert | Active | HEATER ROOM |

Total Objects at this Location: 1

Location: J C PENNEY #0273
Address: 701 Russell Ave - Gaithersburg, MD 20877-2631
County: Montgomery **FIPS:** 24031
Primary Contact: Ben Roberts - Phone: 972-431-1128 - Email: bfrobert@jcp.com
Billing Contact: - 6501 Legacy Dr. Plano, TX 75024-3612 - Phone: 972-431-4644 - Email: fgpruitt@jcp.com

Location ID: 714741
Phone: 301-840-0010
NOB/SIC: Department Stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD038494V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000890153 | | Kargard | 1977 | 03/08/2022 | Recurring Cert | Active | Penthouse |
| MD114731V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000205470 | | Carrier | 1996 | 03/08/2022 | Recurring Cert | Active | Penthouse |
| MD133183H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000208312 | | Lochinvar | 2007 | 03/08/2022 | Recurring Cert | Active | Penhouse |
| MD133184H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000208314 | | Lochinvar | 2007 | 03/08/2022 | Recurring Cert | Active | Penthouse |
| MD133185V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000158480 | | Trane | 2007 | 03/08/2022 | Recurring Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Jaguar/Land Rover/Range Rover of Bethesda
Address: 11617 Old Georgetown Rd - Rockville, MD 20852-2797
County: Montgomery **FIPS:** 24031
Primary Contact: David Bohn - Phone: 301-424-7000
Billing Contact: David Bohn - 11617 Old Georgetown Rd Rockville, MD 20852-2797 - Phone: 301-424-7000

Location ID: 717231
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------------------|
| MD107715V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000365572 | | Manchester | 1996 | 07/05/2022 | Recurring Cert | Active | Rear Outside Open Shed |
| MD146021V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000377737 | | Manchester | 2004 | 07/05/2022 | Recurring Cert | Active | Rear Outside Open Shed |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: JB Auto Repair
Address: 7615 Rickenbacker Dr Ste K - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: JB Auto Repair - Phone: 301-216-2622
Billing Contact: - 7615 Rickenbacker Dr Ste K Gaithersburg, MD 20879-4783 - Phone: 301-216-2622

Location ID: 3596262
Phone: 301-216-2622
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------------------|
| MD150869V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000885423 | | Kargard | 1977 | 05/13/2023 | Recurring Cert | Active | Back of Shop, Under Steps |

Total Objects at this Location: 1

Location: JBG/NCI Campus II LLC
Address: 9615 Medical Center Dr - Rockville, MD 20850-3330
County: Montgomery **FIPS:** 24031
Primary Contact: Ron Doss - Phone: 301-545-5102 - Cell: 240-375-1412 - Email: rdoss@jbgsmith.com
Billing Contact: Ron Doss - 9613 Medical Center Dr Ste A Rockville, MD 20850-2959 - Phone: 301-545-5102 - Cell: 240-375-1412 - Email: rdoss@jbgsmith.com

Location ID: 3920629
Phone: 443-525-5670
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|---------|------------------------|------------|------------|----------------|--------|-------------|
| MD157211V | | Autoclave | V - Process-Sterilizing | 000005636 | | RV Industries | 2016 | 07/21/2022 | External Cert | Active | 3rd Floor |
| MD165803H | B-3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000338088 | | Lochinvar | 2019 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD165804H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000338087 | | Lochinvar | 2019 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD165805H | B-1 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000338086 | | Lochinvar | 2019 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD165806H | | Vertical Tubeless | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000147560 | | PVI Industries | 2018 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD165807H | | Vertical Tubeless | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000147504 | | PVI Industries | 2018 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD165808V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000896956 | | Samuel | 2018 | 12/06/2021 | Recurring Cert | Active | Boiler Room |
| MD169387V | | Autoclave | V - Storage (NOT Cryogenic) | 000000465 | 5170412 | BMT Medical Technology | 2017 | 09/29/2022 | Recurring Cert | Active | RM 3-310 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169388 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000003414 | | Pemberton | 2019 | 07/08/2021 | Recurring Cert | Active | RM 3-310 |
| MD169389 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000003288 | | Pemberton | 2019 | 07/08/2021 | Recurring Cert | Active | RM 3-310 |
| MD169390V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000335264 | | CHART | 2020 | 06/01/2023 | Recurring Cert | Active | RM 1-306 |
| MD169391V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000335260 | | CHART | 2020 | 06/01/2023 | Recurring Cert | Active | rm 1-306 |
| MD169392V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000335270 | | CHART | 2020 | 06/01/2023 | Recurring Cert | Active | rm 1-306 |
| MD169393V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000335637 | | CHART | 2020 | 06/01/2023 | Recurring Cert | Active | rm 1-306 |

Total Objects at this Location: 14

Location: Jersey Mikes Subs (NuCo2) # 428350 **Location ID:** 3631636
Address: 249 Kentlands Blvd - Gaithersburg, MD 20878-5446 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD167221V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000090831 | | MVE | 1998 | 10/21/2022 | Recurring Cert | Active | Outside Rear |

Total Objects at this Location: 1

Location: Jewish Council for the Aging **Location ID:** 704838
Address: 12320 Parklawn Dr - Rockville, MD 20852-1726 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Social Services, NEC
Primary Contact: Maria Hernandez - Phone: 301-255-4220 - Email: mhernandez@AccessJCA.org
Billing Contact: Maria Hernandez - 12320 Parklawn Dr Rockville, MD 20852-1726 - Phone: 301-255-4220 - Email: mhernandez@AccessJCA.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD118649H | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000094291 | | Fulton | 2003 | 01/04/2021 | Recurring Cert | Active | Boiler Room |
| MD118650H | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000094287 | | Fulton | 2003 | 01/04/2021 | Recurring Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Jiffy Lube **Location ID:** 715036
Address: 3251 Automobile Blvd - Silver Spring, MD 20904-4909 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Brett Davis
Billing Contact: Brett Davis - 3251 Automobile Blvd Silver Spring, MD 20904-4909

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD063008V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000130754 | | Manchester | 1985 | 08/24/2021 | Recurring Cert | Active | STORAGE ROOM |
| MD063009V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000031700 | | Kargard | 1985 | 08/24/2021 | Recurring Cert | Active | STORAGE ROOM |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Jiffy Lube - 1213
Address: 19520 Walter Johnson Drive - Germantown, MD 20874-2656
County: Montgomery **FIPS:** 24031
Primary Contact: Jiffy Lube - 1213
Billing Contact: Chris Burns - 13300 Minnieville Rd Woodbridge, VA 22192-4032 - Phone: 703-494-1108 x 301 - Cell: 571-437-8971 - Email: cburns@atcjiffylube.com

Location ID: 715057
Phone:
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD077747V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000897023 | | Buckeye | 1989 | 04/16/2022 | Recurring Cert | Active | Basement |
| MD110396V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000535229 | | Manchester | 1997 | 04/16/2022 | Recurring Cert | Active | Basement |

Total Objects at this Location: 2

Location: Jiffy Lube - 1272
Address: 5535 Nicholson Ln - Rockville, MD 20852-3133
County: Montgomery **FIPS:** 24031
Primary Contact: Jiffy Lube - 1272
Billing Contact: Doug Wheeler - 8754 Virginia Meadows Dr Manassas, VA 20109-7820 - Phone: 888-425-9400 x-406 - Cell: 571-217-9703 - Email: dwheeler@premierler.com

Location ID: 715058
Phone:
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD077744V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000960000 | | Buckeye | 1980 | 05/16/2023 | Recurring Cert | Active | Basement |
| MD125736V | 3 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000420560 | | Trinity | 2004 | 05/16/2023 | Recurring Cert | Active | BASEMENT |

Total Objects at this Location: 2

Location: Jiffy Lube - 777 **Location ID:** 3285969
Address: 806 Rockville Pike - Rockville, MD 20852-1224 **Phone:** 301-424-9531
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Frank Bowers - Phone: 301-424-9531 - Email: HLLjiffylube@yahoo.com
Billing Contact: Rob Waters - 806 Rockville Pike Rockville, MD 20852-1224 - Phone: 410-4961-7431/240-529-7348 - Email: HLCjiffylube@yahoo.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD145285V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000811997 | | Buckeye | 1987 | 10/26/2022 | Recurring Cert | Active | Storage Room |
| MD156420V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000823551 | | Steel Fab | 2016 | 11/04/2022 | Recurring Cert | Active | Equipment Room |

Total Objects at this Location: 2

Location: Jimenez Apartments **Location ID:** 709627
Address: 8304 Eastridge Ave - Takoma Park, MD 20912-6748 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Julio Jemee - Phone: 301-537-7631
Billing Contact: Julio Jemee - PO Box 6114 Silver Spring, MD 20916-6114 - Phone: 301-537-7631

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD076098H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1987 | 05/02/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: JIMY Apartments **Location ID:** 709912
Address: 8809 Plymouth St - Silver Spring, MD 20901-4070 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Bin Jiang - Phone: 703 861 1345
Billing Contact: Bin Jiang - 47 Longmeadow Dr Gaithersburg, MD 20878-1997 - Phone: 703 861 1345

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD066719H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Columbia | 1987 | 06/15/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Joan F. Curtis Trust
Address: 3700 Decatur Ave - Kensington, MD 20895-2104
County: Montgomery **FIPS:** 24031
Primary Contact: Joan F. Curtis Trust
Billing Contact: Vicki Wilhelm - PO Box 35 Woodstock, MD 21163-0035 - Phone: 410-404-4839

Location ID: 4009280
Phone: 410-404-4839
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD168902H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI 1 | | Weil-McLain | 2011 | 01/29/2022 | Recurring Cert | Active | 3700 Decatur |
| MD168903H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI 2 | | Weil-McLain | 2011 | 01/29/2022 | Recurring Cert | Active | 3700 Decatur |

Total Objects at this Location: 2

Location: Katz & Company
Address: 817 Silver Spring Ave Ste 305G - Silver Spring, MD 20910-4617
County: Montgomery **FIPS:** 24031
Primary Contact: Elmer Diaz - Phone: 301 951 8474
Billing Contact: Elmer Diaz - 817 Silver Spring Ave Ste 305G Silver Spring, MD 20910-4617 - Phone: 301 951 8474

Location ID: 2059707
Phone:
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|-------------------|------------|------------|----------------|--------|-----------------------|
| MD120108H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | American Standard | 1965 | 04/18/2022 | Recurring Cert | Active | 817 SILVER SPRING AVE |

Total Objects at this Location: 1

Location: Kehilat Shalom
Address: 9915 Apple Ridge Rd - Gaithersburg, MD 20886-1332
County: Montgomery **FIPS:** 24031
Primary Contact: Thomas Loggie - Phone: 301-869-7699 - Cell: 301-869-9030 - Email: administrator@kehillatshalom.org
Billing Contact: Thomas Loggie - 9915 Apple Ridge Rd Gaithersburg, MD 20886-1332 - Phone: 301-869-7699 - Cell: 301-869-9030 - Email: administrator@kehillatshalom.org

Location ID: 785660
Phone:
NOB/SIC: Religious Organizations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------------------|
| MD115896H | | Water Heater (HLW) | H - Hot Water Supply (Water <= | 000057709 | | Rheem/Ruud | 1991 | 04/23/2021 | Recurring Cert | Active | Sisterhood Hall Mech Rm |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------|------------------|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | | 160 psig, 210 F) | | | | | | | | |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Kelleys Auto Body **Location ID:** 715475
Address: 10644 Connecticut Ave - Kensington, MD 20895-2501 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Raffi Kasparian - Phone: 3019460051
Billing Contact: Raffi Kasparian - 10644 Connecticut Ave Kensington, MD 20895-2501 - Phone: 3019460051

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD111511V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000244289 | | Steel Products | 2000 | 11/01/2021 | Recurring Cert | Active | CPRM |
| MD159085V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000387387 | | MAT Industries | 2016 | 11/01/2021 | Recurring Cert | Active | COMPRESSOR A |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Ken Mil Apartments **Location ID:** 715491
Address: 9119 Manchester Rd - Silver Spring, MD 20901-4146 **Phone:** 301-587-7740
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovos - Phone: 301-587-7740
Billing Contact: Linda Rutkai - 9119 Manchester Rd Silver Spring, MD 20901-4146 - Phone: 301-587-7740 - Email: sailmr@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD161655H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000040150 | | R B I | 2017 | 08/24/2022 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Kensington Apartments
Address: 4010 Hampden St - Kensington, MD 20895-2009
County: Montgomery **FIPS:** 24031
Primary Contact: Alex Fitch - Phone: 301 949 9056 - Cell: 240-472-1884
Billing Contact: Dana Fawn - 11119 Devereux Station Ln Fairfax Station, VA 22039-2339 - Phone: 703 622 5911

Location ID: 710506
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD161444H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000C44125 | | A O Smith | 2015 | 03/11/2023 | Recurring Cert | Active | Bldg 4010 |

Total Objects at this Location: 1

Location: Kensington Apartments
Address: 4107 Plyers Mill Rd - Kensington, MD 20895-2022
County: Montgomery **FIPS:** 24031
Primary Contact: Alex Fitch - Phone: 301 949 9056 - Cell: 240-472-1884
Billing Contact: Dana Fawn - 11119 Devereux Station Ln Fairfax Station, VA 22039-2339 - Phone: 703 622 5911

Location ID: 710505
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD156532H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000C43597 | | A O Smith | 2015 | 03/11/2023 | Recurring Cert | Active | Bldg 4107 |

Total Objects at this Location: 1

Location: Kensington Getty Inc
Address: 10616 Connecticut Ave - Kensington, MD 20895-2524
County: Montgomery **FIPS:** 24031
Primary Contact: Mostafa Abyaneh - Phone: 3019492783
Billing Contact: Mostafa Abyaneh - 10616 Connecticut Ave Kensington, MD 20895-2524 - Phone: 3019492783

Location ID: 715572
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169818V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002255573 | | Manchester | 2020 | 07/07/2023 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 1

Location: Kensington Terrace Condominiums **Location ID:** 715558
Address: 3409 University Blvd W - Kensington, MD 20895-1733 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Neil Nichols, CMCA, AMS - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com
Billing Contact: Neil Nichols, CMCA, AMS - 4550 Forbes Blvd Ste 120 Lanham, MD 20706-6305 - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD143450H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000089812 | | Brad White | 2010 | 03/19/2023 | Recurring Cert | Active | Bldg 3409 |

Total Objects at this Location: 1

Location: Kensington Terrace Condominiums **Location ID:** 715559
Address: 3419 University Blvd W - Kensington, MD 20895-1736 **Phone:** 301-468-8919
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Neil Nichols, CMCA, AMS - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com
Billing Contact: Neil Nichols, CMCA, AMS - 4550 Forbes Blvd Ste 120 Lanham, MD 20706-6305 - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------------------|
| MD139439H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000066599 | | Jetglass | 2004 | 03/19/2023 | Recurring Cert | Active | 3419 Basement Storage |
| MD139440H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000093475 | 103475 | Bradford White | 2010 | 03/19/2023 | Recurring Cert | Active | Bsmt-Storage room |

Total Objects at this Location: 2

Location: Kenwood Auto Body Inc **Location ID:** 724752
Address: 19310 Woodfield Rd - Gaithersburg, MD 20879-4723 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Ken Steiding - Phone: 301 540 8100 - Email: kenwd2@aol.com
Billing Contact: Ken Steiding - 19310 Woodfield Rd Gaithersburg, MD 20879-4723 - Phone: 301 540 8100 - Email: kenwd2@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|------------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD138504V | | Steam Coil Water Heater | V - Storage (NOT Cryogenic) | 000439433 | | Silvan | 2004 | 07/30/2023 | Recurring Cert | Active | Rear Shop |
| MD169842V | | Horizontal Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000027381 | | Aircom | 2017 | 07/13/2023 | Recurring Cert | Active | Shop |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| w/comment | | | | | | | | | | | |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Kenwood Body Shop **Location ID:** 1760703
Address: 664 Lofstrand Ln - Rockville, MD 20850-1313 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Louis Santos - Phone: 301-340-0393
Billing Contact: Louis Santos - 664 Lofstrand Ln Rockville, MD 20850-1313 - Phone: 301-340-0393

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD156400V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000649675 | | Steel Fab | 2011 | 11/10/2022 | Recurring Cert | Active | Rear Shed |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Kenwood Golf & Country Club **Location ID:** 715644
Address: 5601 River Rd - Bethesda, MD 20816-1246 **Phone:** 301-320-3000
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Bill Worrell - Phone: 301-320-3000 x1319 - Email: bill@kenwoodcc.net
Billing Contact: Bill Worrell - 5601 River Rd Bethesda, MD 20816-1246 - Phone: 301-320-3000 x1319 - Email: bill@kenwoodcc.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|---------|--------------|------------|------------|----------------|--------|-------------|
| MD083076H | 5601 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 2294310 | Weil-McLain | 1993 | 09/02/2021 | Recurring Cert | Active | Boiler Room |
| MD083078H | 5601 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1993 | 09/02/2021 | Recurring Cert | Active | Boiler Room |
| MD083079H | 5601 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000016509 | | A O Smith | 1992 | 09/02/2021 | Recurring Cert | Active | Boiler Room |
| MD096092H | 5601 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1994 | 09/02/2021 | Recurring Cert | Active | Boiler Room |
| MD096093H | 5601 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1994 | 09/02/2021 | Recurring Cert | Active | Boiler Room |
| MD096094H | 5601 | Cast Iron | H - Hot Water Heat (Water <= | CI | 2603288 | Weil-McLain | 1994 | 09/02/2021 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------------------|
| | | | 160 psig, 250 F) | | | | | | | | |
| MD123733H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000180448 | | Lochinvar | 2005 | 09/02/2021 | Recurring Cert | Active | Blr Rm extention Bldg |
| MD123734H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000180449 | | Lochinvar | 2005 | 09/02/2021 | Recurring Cert | Active | Blr Rm of Ext. Bldg |
| MD150800V | | Vertical Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000066043 | | Ajax | 2005 | 09/02/2021 | Recurring Cert | Active | Blr Rm of Extention Bldg |
| MD150801V | | Vertical Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000066044 | | Ajax | 2005 | 09/02/2021 | Recurring Cert | Active | Blr Rm of Extention Bldg |

Total Objects at this Location: 10

Location: Kenwood Professional Building **Location ID:** 715650
Address: 5272 River Rd - Bethesda, MD 20816-1405 **Phone:** 301-656-7790
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: William Singer - Phone: 301-656-7790 - Email: billsinger@kenwoodmgt.com
Billing Contact: William Singer - 5272 River Rd Ste 725 Bethesda, MD 20816-1405 - Phone: 301-656-7790 - Email: billsinger@kenwoodmgt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|------------|--------|----------------|------------|------------|----------------|--------|-----------|
| MD003552H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | None Found | 26329 | Cleaver Brooks | 1965 | 11/10/2022 | Recurring Cert | Active | Penthouse |
| MD118954V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000096730 | | Brunner | 2002 | 11/10/2022 | Recurring Cert | Active | Penthouse |
| MD135716V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000929626 | | Manchester | 2008 | 11/10/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 3

Location: Kenwood Sunoco
Address: 5201 River Rd - Bethesda, MD 20816-1400
County: Montgomery **FIPS:** 24031
Primary Contact: James Spicer Jr. - Phone: 301-801-9217 - Email: jspicer2@yahoo.com
Billing Contact: James Spicer Jr. - 5201 River Rd Bethesda, MD 20816-1400 - Phone: 301-801-9217 - Email: jspicer2@yahoo.com

Location ID: 715647
Phone: 301-652-9527
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD105745V | 01 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000528809 | | Manchester | 1997 | 12/06/2022 | Recurring Cert | Active | OS SHED |
| MD105746V | 02 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000787549 | | Buckeye | 1987 | 12/06/2022 | Recurring Cert | Active | OS SHED |

Total Objects at this Location: 2

Location: King Farm Pool
Address: 920 Crestfield Dr - Rockville, MD 20850
County: Montgomery **FIPS:** 24031
Primary Contact: Jennifer Gillmore - Phone: 301-987-0122 X 4 - Email: jennifer@kingfarm.org
Billing Contact: Jennifer Gillmore - 300 Saddle Ridge Cir Rockville, MD 20850-5743 - Phone: 301-987-0122 X 4 - Email: jennifer@kingfarm.org

Location ID: 3184512
Phone: 301-987-0122
NOB/SIC: Investors, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD142816H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000113499 | | PVI | 2004 | 04/14/2021 | Recurring Cert | Active | Mechanical Room |
| MD142817H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000113500 | | PVI | 2004 | 04/14/2021 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 2

Location: King Kia/Volkswagon
Address: 953 N Frederick Rd - Gaithersburg, MD 20877
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Penn - Phone: 240-575-4965
Billing Contact: Jason Aschenback - 953 N Frederick Rd Gaithersburg, MD 20877

Location ID: 715749
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD109267V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000225140 | | Steel Fab | 1999 | 08/10/2022 | Recurring Cert | Active | Outside Shop Area |
| MD125039V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001198976 | | Manchester | 2001 | 08/10/2022 | Recurring Cert | Active | OUTSIDE |

Total Objects at this Location: 2

Location: King Pontiac, Buick, GMC Inc
Address: 16200 Frederick Rd - Gaithersburg, MD 20877-4023
County: Montgomery **FIPS:** 24031
Primary Contact: Lyle Etzwiler - Phone: 301-948-9111 - Email: letzwiler@kingauto.com
Billing Contact: Lyle Etzwiler - 16200 Frederick Rd Gaithersburg, MD 20877-4023 - Phone: 301-948-9111 - Email: letzwiler@kingauto.com

Location ID: 715750
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|----------------|------------|------------|----------------|--------|-----------|
| MD072071H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 52370190 | Peerless | 1990 | 07/13/2023 | Recurring Cert | Active | Mezzanine |
| MD099275V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001165182 | | Manchester | 2001 | 07/13/2023 | Recurring Cert | Active | REAR SHED |
| MD109271V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000833201 | | Manchester | 1999 | 07/13/2023 | Recurring Cert | Active | REAR SHED |
| MD142813H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000066845 | | Bradford White | 2004 | 07/13/2023 | Recurring Cert | Active | Mezzanine |

Total Objects at this Location: 4

Location: King Volkswagen
Address: 979 N Frederick Ave - Gaithersburg, MD 20879-3303
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Penn - Phone: 240-575-4965
Billing Contact: Jason Ashenback - 979 N Frederick Ave Gaithersburg, MD 20879-3303

Location ID: 2360682
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD149932V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000276545 | | Manchester | 2004 | 08/10/2022 | Recurring Cert | Active | OUTSIDE |

Total Objects at this Location: 1

Location: Knox Orthodox Presbyterian Church
Address: 410 Granville Dr - Silver Spring, MD 20901-3237
County: Montgomery **FIPS:** 24031
Primary Contact: Rick Smith - Phone: 3015876637 - Cell: 202 489 7042
Billing Contact: Rick Smith - 410 Granville Dr Silver Spring, MD 20901-3237 - Phone: 3015876637 - Cell: 202 489 7042

Location ID: 715846
Phone:
NOB/SIC: Membership organizations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------|--------------|------------|------------|----------------|--------|----------------|
| MD071383H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 1268873 | Weil-McLain | 1980 | 10/19/2023 | Recurring Cert | Active | Boiler Room #1 |
| MD138641H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Burnham | 2005 | 10/19/2023 | Recurring Cert | Active | Blr rm #2 |

Total Objects at this Location: 2

Location: La Mexicana (Arc3)
Address: 13016 Middlebrook Rd - Germantown, MD 20874-2617
County: Montgomery **FIPS:** 24031
Primary Contact: La Mexicana (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3993046
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165835V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000153951 | | CHART | 2004 | 11/19/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Lake Forest Exxon **Location ID:** 3656991
Address: 448 N Frederick Ave - Gaithersburg, MD 20877-2416 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Lake Forest Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD152146V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000076138 | | Brunner | 1995 | 02/10/2022 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 1

Location: Lakeside Apartments **Location ID:** 716038
Address: 517 S Frederick Ave - Gaithersburg, MD 20877-6361 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Karen Fishman - Cell: 240-300-1194
Billing Contact: - PO Box 4234 Silver Spring, MD 20914-4234 - Phone: 301-384-7762

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|---------------|--------|-------------|
| MD047167H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Hydrotherm | 1967 | 10/06/2022 | External Cert | Active | Boiler Room |
| MD149620H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000082791 | | Bradford White | 2008 | 10/06/2022 | External Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Landmark at Glenmont Station **Location ID:** 787370
Address: 12509 Winexburg Manor Dr - Silver Spring, MD 20906-3439 **Phone:** 301-933-4848
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ephraim Crocker - Phone: 757-995-9072
Billing Contact: Ephraim Crocker - 2301 Glenallan Ave Silver Spring, MD 20906-3525 - Phone: 757-995-9072

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|------------------------------|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD003535H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= | 000039343 | BLR-2 | Cleaver Brooks | 1969 | 04/03/2023 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD003536H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000039381 | | Cleaver Brooks | 1969 | 04/03/2023 | Recurring Cert | Active | Boiler Room |
| MD169514H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000268938 | DWH-1 | A O Smith | 2020 | 04/15/2023 | Recurring Cert | Active | Boiler Room |
| MD169515H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000269335 | DWH-2 | A O Smith | 2020 | 04/15/2023 | Recurring Cert | Active | Boiler Room |
| MD169516H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000268939 | DWH-3 | A O Smith | 2020 | 04/15/2023 | Recurring Cert | Active | Boiler Room |
| MD169517H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000266824 | DWH-4 | A O Smith | 2020 | 04/15/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: Landmark at Glenmont Station
Address: 12715 Layhill Rd - Silver Spring, MD 20906-3421
County: Montgomery **FIPS:** 24031
Primary Contact: Ephraim Crocker - Phone: 757-995-9072
Billing Contact: Ephraim Crocker - 2301 Glenallan Ave Silver Spring, MD 20906-3525 - Phone: 757-995-9072

Location ID: 729306
Phone: 301-933-4848
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD120716H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000056878 | 71878 | Jet Glass | 2002 | 04/03/2023 | Recurring Cert | Active | Mechanical Room |
| MD169866H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000136838 | | JETGLASS | 2021 | 04/15/2023 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 2

Location: Landmark at Glenmont Station
Address: 12725 Layhill Rd - Silver Spring, MD 20906-3423
County: Montgomery **FIPS:** 24031
Primary Contact: Ephraim Crocker - Phone: 757-995-9072
Billing Contact: Ephraim Crocker - 2301 Glenallan Ave Silver Spring, MD 20906-3525 - Phone: 757-995-9072

Location ID: 729307
Phone: 301-933-4848
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD142014H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000067889 | | Jet Glass | 2005 | 04/03/2023 | Recurring Cert | Active | Mechanical Room |
| MD163461H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000126632 | | Jet Glass | 2018 | 04/03/2023 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 2

Location: Landmark at Glenmont Station
Address: 2217 Glenallan Ave - Silver Spring, MD 20906-3510
County: Montgomery **FIPS:** 24031
Primary Contact: Ephraim Crocker - Phone: 757-995-9072
Billing Contact: Ephraim Crocker - 2301 Glenallan Ave Silver Spring, MD 20906-3525 - Phone: 757-995-9072

Location ID: 729308
Phone: 301-933-4848
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD006110H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000027744 | L54526 | Cleaver Brooks | 1972 | 04/03/2023 | Recurring Cert | Active | Boiler Room |
| MD011002H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000027707 | BLR-1 | Cleaver Brooks | 1972 | 04/03/2023 | Recurring Cert | Active | Boiler Room |
| MD142012H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000146549 | | A O Smith | 2010 | 04/03/2023 | Recurring Cert | Active | Boiler Room |
| MD145783H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000164721 | | A O Smith | 2011 | 04/03/2023 | Recurring Cert | Active | Boiler Room |
| MD166709H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000267767 | | A O Smith | 2020 | 08/20/2022 | Recurring Cert | Active | Boiler Room |
| MD166710H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000262294 | | A O Smith | 2020 | 08/20/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: Layhill Center (Bita Healthcare)
Address: 3227 Bel Pre Rd - Silver Spring, MD 20906-2423
County: Montgomery **FIPS:** 24031
Primary Contact: Janice Burnap - Phone: 919-529-4490 - Email: Janice.burnap@genesishcc.com
Billing Contact: - 3227 Bel Pre Rd Silver Spring, MD 20906-2423

Location ID: 716358
Phone:
NOB/SIC: Offices and Clinics of Doctors of Medicine

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------------|--------------|------------|------------|----------------|--------|-------------|
| MD067585H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7FDA-5074-1086 | Peerless | 1986 | 04/23/2023 | Recurring Cert | Active | Boiler Room |
| MD142528H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000014156 | 090539772 | R B I | 2005 | 04/23/2023 | Recurring Cert | Active | Boiler Room |
| MD142529H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | Cast Iron | 65212480 | Burnham | 2010 | 04/23/2023 | Recurring Cert | Active | Boiler Room |
| MD170215H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000366516 | | LC | 2021 | 08/31/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 4

Location: Lee Avenue Apartments
Address: 127 Lee Ave - Takoma Park, MD 20912-4929
County: Montgomery **FIPS:** 24031
Primary Contact: Ed Billingsly - Phone: 301-774-3620/301-924-5107 - Cell: 1-8009935715
Billing Contact: Ed Billingsly - PO Box 4589 Silver Spring, MD 20914-4589 - Phone: 301-774-3620/301-924-5107 - Cell: 1-8009935715

Location ID: 716408
Phone: 301-774-3620
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD107059H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Dunkirk | 1995 | 07/30/2021 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Lees Auto Care Wheaton W Express
Address: 2204 University Blvd W - Wheaton, MD 20902-4506
County: Montgomery **FIPS:** 24031
Primary Contact: Sang Lee - Phone: 301-949-8004
Billing Contact: Sang Lee - 2204 University Blvd W Wheaton, MD 20902-4506 - Phone: 301-949-8004

Location ID: 727262
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD113091V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001024115 | | Manchester | 2000 | 12/06/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Leidos
Address: 700 N Frederick Ave - Gaithersburg, MD 20879-3328
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Abell - Phone: 202-308-9168 - Email: charles.abell@jll.com
Billing Contact: Charles Abell - 700 N Frederick Ave Gaithersburg, MD 20879-3328 - Phone: 202-308-9168 - Email: charles.abell@jll.com

Location ID: 716829
Phone: 301-240-7035
NOB/SIC: Electrical and electronic equipment

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|---------|--------------|------------|------------|----------------|--------|---------------------|
| MD133169V | Chiller-2 | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000020535 | 00000 | Carrier | 2008 | 01/16/2021 | Recurring Cert | Active | 182 Mechanical Room |
| MD140020H | BLR-1 | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000019405 | M702090 | Lochinvar | 2011 | 01/16/2021 | Recurring Cert | Active | 182 Mechanical Room |
| MD148964H | BLR-2 | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000020102 | | Lochinvar | 2011 | 01/16/2021 | Recurring Cert | Active | 182 Mechanical Room |
| MD155228V | Chiller-3 | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000027673 | | Carrier | 2014 | 01/16/2021 | Recurring Cert | Active | 182 Mechanical Room |
| MD155229V | Chiller-1 | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Feedwater Heater | 000033397 | | Carrier | 2015 | 01/16/2021 | Recurring Cert | Active | 182 Mechanical Room |

Total Objects at this Location: 5

Location: Lexus Of Rockville
Address: 15501 Frederick Rd - Rockville, MD 20855-2110
County: Montgomery **FIPS:** 24031
Primary Contact: Larry Solan - Phone: 301-639-7254 - Email: larry.solan@rockvillelexus.com
Billing Contact: - 15501 Frederick Rd Rockville, MD 20855-2110 - Phone: 301-762-9009

Location ID: 716550
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD128741V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000668708 | | Manchester | 2006 | 01/16/2023 | Recurring Cert | Active | COMPRESSOR R |
| MD146257V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000269212 | | Morganton | 2012 | 01/16/2023 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 2

Location: LGIT - City of Rockville/Civic Center
Address: 601 Edmonston Drive - Rockville, MD 20852-1009
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 707260
Phone: C5402165-1035
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|---------------|--------|------------------------|
| MD066132H | 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP1441927 | Weil-McLain | 1987 | 08/26/2021 | External Cert | Active | Boiler Room Auditorium |
| MD143500H | 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000012707 | | R B I | 2005 | 08/26/2021 | External Cert | Active | Mansion Boiler Room |

Total Objects at this Location: 2

Location: LGIT - City of Rockville/Police Station Annex
Address: 2 W Montgomery Ave - Rockville, MD 20850-4211
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 2549032
Phone:
NOB/SIC: Police Protection

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------------|------------------|------------|------------|----------------|--------|-------------|
| MD142571H | 1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | M508-11-6448 | Patterson Kelley | 2011 | 04/20/2022 | Recurring Cert | Active | Boiler Room |
| MD142572H | 2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | M517-11-6677 | Patterson Kelley | 2011 | 04/20/2022 | Recurring Cert | Active | Boiler Room |
| MD142573H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000132644 | | PVI Industries | 2011 | 04/20/2022 | External Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: LGIT - City of Rockville/Swim Center
Address: 355 Martins Ln - Rockville, MD 20850-1857
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 2958331
Phone:
NOB/SIC: Amusement and Recreation Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD167736H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000297632 | | LC | 2016 | 10/15/2022 | Recurring Cert | Active | NORTH POOL |
| MD167737H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000296987 | | LC | 2016 | 10/15/2022 | Recurring Cert | Active | NORTH POOL |
| MD167738H | left | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000107795 | | ALC GOYINI | 2019 | 10/15/2022 | Recurring Cert | Active | SOUTH POOL |
| MD167739H | MIDDLE | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000107794 | | ALC GOYINI | 2019 | 10/15/2022 | Recurring Cert | Active | SOUTH POOL |
| MD167740H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000104881 | | ALC GOYINI | 2019 | 10/15/2022 | Recurring Cert | Active | SOUTH POOL |
| MD167741H | | Water Heater (HLW) | H - Hot Water Heat (Water <= | 000326387 | | LC | 2018 | 10/15/2022 | Recurring Cert | Active | SOUTH POOL |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|

160 psig, 250 F)

Total Objects at this Location: 6

Location: LGIT - Gaithersburg City/Arts Barn **Location ID:** 711563
Address: 311 Kent Square Rd - Gaithersburg, MD 20878-5727 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Amusement and Recreation Services, NEC
Primary Contact: Ron Kaczmarek - Phone: 240-805-1262 - Cell: 240-876-7010 - Email: ron.kaczmarek@gaitthersburgmd.gov
Billing Contact: Ron Kaczmarek - 800 Rabbitt Rd Gaithersburg, MD 20878-1600 - Phone: 240-805-1262 - Cell: 240-876-7010 - Email: ron.kaczmarek@gaitthersburgmd.gov

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169385H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000107058 | | AIC GDYNIA | 2019 | 10/01/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: LGIT - Takoma Park City/Govt Bldg **Location ID:** 707243
Address: 7500 Maple Ave - Takoma Park, MD 20912-4998 **Phone:** 301-370-6133
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Finance, taxation, and monetary policy
Primary Contact: John Lupari - Phone: 301-891-7627 - Email: johnl@takomaparkmd.gov
Billing Contact: John Lupari - 31 Oswego Ave Silver Spring, MD 20910-5107 - Phone: 301-891-7627 - Email: johnl@takomaparkmd.gov

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------------|----------------|------------|------------|----------------|--------|-------------|
| MD141379H | 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 556279-200609 | KINGSLEY GROUP | 2007 | 01/14/2022 | External Cert | Active | Boiler Room |
| MD141388H | 2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 555384-200608 | KINGSLEY GROUP | 2006 | 01/14/2022 | External Cert | Active | Boiler Room |
| MD165879H | 3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 766069-201811 | BFC | 2019 | 01/14/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: LGIT - Takoma Park/Public Works Facility
Address: 31 Oswego Ave - Silver Spring, MD 20910-5107
County: Montgomery **FIPS:** 24031
Primary Contact: John Lupari - Phone: 301-891-7617 - Cell: 202-302-5766
Billing Contact: John Lupari - 31 Oswego Ave Silver Spring, MD 20910-5107 - Phone: 301-891-7617 - Cell: 202-302-5766

Location ID: 707241
Phone: 301-370-6133
NOB/SIC: Finance, taxation, and monetary policy

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|----------------|------------|------------|---------------|--------|---------------|
| MD141261H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000171312 | | Lochinvar | 2010 | 01/14/2022 | External Cert | Active | Boiler Rm |
| MD141262H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000086730 | | Bradford White | 2009 | 01/14/2022 | External Cert | Active | Admin Showers |
| MD141271V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000011041 | | Morganton | 2008 | 01/14/2022 | External Cert | Active | Garage |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Library
Address: 8901 Colesville Rd - Silver Spring, MD 20910-4339
County: Montgomery **FIPS:** 24031
Primary Contact: Library
Billing Contact:

Location ID: 725000
Phone:
NOB/SIC: Libraries

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD066039V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000070629 | | Brunner | 1987 | 11/02/2020 | Recurring Cert | Active | Boiler Room |
| MD148618H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000055560 | | Hydrotherm | 2003 | 11/02/2020 | Recurring Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Lindsay Ford Dealership
Address: 11250 Veirs Mill Rd - Wheaton, MD 20902-2525
County: Montgomery **FIPS:** 24031
Primary Contact: Donna Leapley - Cell: 703-926-6199 - Email: dleapley@simpsondev.com
Billing Contact: Simpson Properties, LTD. c/o - PO Box 430 Alexandria, VA 22313-0430

Location ID: 713746
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------------|
| MD106327V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000921688 | | Manchester | 1999 | 04/29/2023 | Recurring Cert | Active | Outside Service |
| MD106328V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000934345 | | Manchester | 1999 | 04/29/2023 | Recurring Cert | Active | Outside Service |
| MD122899V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000239350 | | Manchester | 2003 | 04/29/2023 | Recurring Cert | Active | Collision |
| MD123350V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000437974 | | Manchester | 1996 | 04/29/2023 | Recurring Cert | Active | Collision |
| MD150858V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000336057 | | Morganton | 2013 | 04/29/2023 | Recurring Cert | Active | Paint Shop |
| MD150859V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000336059 | | Morganton | 2013 | 04/29/2023 | Recurring Cert | Active | Paint Shop |
| MD150860V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000728022 | | Steel Fab | 2013 | 04/29/2023 | Recurring Cert | Active | Lower Shop |
| MD163447V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002076519 | | Manchester | 2019 | 03/21/2023 | Recurring Cert | Active | Used Cars Rear Shed |

Total Objects at this Location: 8

Location: Lofstrand Labs Limited
Address: 7961 Cessna Ave - Gaithersburg, MD 20879-4117
County: Montgomery **FIPS:** 24031
Primary Contact: Yuan-Tsang Ting - Phone: 301-330-0111 - Email: ting@lostrand.com
Billing Contact: Yuan-Tsang Ting - 7961 Cessna Ave Gaithersburg, MD 20879-4117 - Phone: 301-330-0111 - Email: ting@lostrand.com

Location ID: 716839
Phone: 301-330-0111
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|----------|-------------|--------------------|-------------------------------|-----------|--------|---------------|------------|------------|----------------|--------|----------|
| MD004175 | | Electric (NOT HLW) | S - Power-Electric Generation | 000017159 | | Electro-Steam | 1987 | 09/07/2021 | Recurring Cert | Active | Lab |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|--|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD090057V | | Autoclave | (Steam > 15 psig) V - Process-Sterilizing | 000229349 | | Amsco | 1956 | 09/07/2022 | Recurring Cert | Active | Lab |

Total Objects at this Location: 2

Location: Lotte International Food World **Location ID:** 2210795
Address: 1902 Veirs Mill Rd - Rockville, MD 20851-1821 **Phone:** 301-445-6190
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Grocery Stores
Primary Contact: Mr. Choi - Phone: 301-417-8678 - Cell: 703-501-7236 - Email: md700@lotteplaza.com
Billing Contact: - 1902 Veirs Mill Rd Rockville, MD 20851-1821

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD132951V | Rack A | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000287154 | | Standard | 1991 | 08/03/2021 | Recurring Cert | Active | Motor Room |
| MD132952V | Rack B | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000287152 | | Standard | 1991 | 08/03/2021 | Recurring Cert | Active | Motor Room |
| MD132953V | Rack C | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000287153 | | Standard | 1991 | 08/03/2021 | Recurring Cert | Active | Motor Room |

Total Objects at this Location: 3

Location: Macrogenics (Roberts) **Location ID:** 4061461
Address: 9704 Medical Center Dr - Rockville, MD 20850-3343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Macrogenics (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169810V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000307759 | | CHART | 2017 | 03/03/2023 | Recurring Cert | Active | Outside Cage |
| MD169811V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000307378 | | CHART | 2017 | 03/03/2023 | Recurring Cert | Active | Outside Cage |
| MD169812V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000286775 | | CHART | 2016 | 03/03/2023 | Recurring Cert | Active | Outside Cage |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169813V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000307404 | | CHART | 2017 | 03/03/2023 | Recurring Cert | Active | Outside Cage |
| MD169814V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000307403 | | CHART | 2017 | 03/03/2023 | Recurring Cert | Active | Outside Cage |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: MacroGenics Inc - Roberts **Location ID:** 3646052
Address: 15235 Shady Grove Rd - Rockville, MD 20850-3234 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Health and Allied Services, NEC
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD153951V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000272573 | | CHART | 2015 | 04/28/2022 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Madison Park Condominiums **Location ID:** 717155
Address: 5000 Battery Ln - Bethesda, MD 20814-2643 **Phone:** 301-907-6703
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Chuck Holden - Phone: 301-907-6703 - Email: madisonpark@verizon.net
Billing Contact: Chuck Holden - 5000 Battery Ln Bethesda, MD 20814-2643 - Phone: 301-907-6703 - Email: madisonpark@verizon.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD129715H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000016210 | | R B I | 2006 | 03/13/2023 | Recurring Cert | Active | Penthouse |
| MD157038H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000038895 | | R B I | 2015 | 02/18/2023 | Recurring Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: ManorCare Health Services-Chevy Chase #524 (MCHS)
Address: 8700 Jones Mill Rd - Chevy Chase, MD 20815-4729
County: Montgomery **FIPS:** 24031

Location ID: 717287
Phone: 301-657-8686
NOB/SIC: Health and Allied Services, NEC

Primary Contact: John Bangura - Phone: 301/657-8686

Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD003736H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | G106 | American | 1964 | 10/05/2022 | Recurring Cert | Active | BLRM #2 |
| MD074370H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005792 | | A O Smith | 1989 | 10/05/2022 | Recurring Cert | Active | BLRM #1 |
| MD074371H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005795 | | A O Smith | 1989 | 10/05/2022 | Recurring Cert | Active | BLRM #1 |
| MD074372H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000005796 | | A O Smith | 1989 | 10/05/2022 | Recurring Cert | Active | BLRM #1 |
| MD109700V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000017613 | | A O Smith | 1999 | 10/05/2022 | Recurring Cert | Active | BLRM #1 |
| MD109701V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000017622 | | A O Smith | 1999 | 10/05/2022 | Recurring Cert | Active | BLRM #1 |
| MD138675H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000C08070 | | A O Smith | 2005 | 10/05/2022 | Recurring Cert | Active | Boiler Room #2 |
| MD155889H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000C45750 | | A O Smith | 2015 | 10/05/2022 | Recurring Cert | Active | BLRM 2 |

Total Objects at this Location: 8

Location: ManorCare Health Services-Potomac #538 (MCHS)
Address: 10714 Potomac Tennis Ln - Potomac, MD 20854-4418
County: Montgomery **FIPS:** 24031
Primary Contact: Guy Smoot - Phone: 703-508-8809
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Location ID: 717278
Phone: 301-299-2273
NOB/SIC: Nursing and Personal Care Facilities, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD152114H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000139690 | | PVI Industries | 2015 | 06/28/2022 | Recurring Cert | Active | MN BLRM |
| MD155220H | right | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000213111 | | A O Smith | 2016 | 06/28/2022 | Recurring Cert | Active | WMNRG Blrm |
| MD155222H | left | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000213102 | | A O Smith | 2016 | 06/28/2022 | Recurring Cert | Active | WMNRG Blrm |
| MD169823H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000253239 | | A O Smith | 2019 | 08/14/2022 | Recurring Cert | Active | OUTDOOR BLRM |

Total Objects at this Location: 4

Location: ManorCare Health Services-Wheaton #501 (MCHS)
Address: 11901 Georgia Ave - Wheaton, MD 20902-2001
County: Montgomery **FIPS:** 24031
Primary Contact: Bruce M. Helberg - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Location ID: 717279
Phone: 301-942-2500
NOB/SIC: Nursing and Personal Care Facilities, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD093460H | | Other w/comment | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000044293 | | A O Smith | 1995 | 05/20/2022 | Recurring Cert | Active | BLRM 2 |
| MD108915V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000017937 | | A O Smith | 1999 | 05/20/2022 | Recurring Cert | Active | BLRM 2 |
| MD157910H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000111821 | | Jet Glass | 2015 | 05/20/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 3

Location: Marcellino Family LLC **Location ID:** 722702
Address: 8101 Schrider St - Silver Spring, MD 20910-4633 **Phone:** 301-565-0990
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Frank J. Marcellino - Phone: (301) 565-0990 - Email: marcellinoj@aol.com
Billing Contact: Frank J. Marcellino - 943 Bonifant St Silver Spring, MD 20910-4574 - Phone: (301) 565-0990 - Email: marcellinoj@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------|--------------|------------|------------|----------------|--------|-------------|
| MD048726H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | RD-1175 | Hydrotherm | 1979 | 02/12/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Marcellino Family LLC Apt **Location ID:** 2208035
Address: 943 Bonifant St - Silver Spring, MD 20910-4574 **Phone:** 301-565-0990
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Frank J. Marcellino - Phone: (301) 565-0990 - Email: marcellinoj@aol.com
Billing Contact: Frank J. Marcellino - 943 Bonifant St Silver Spring, MD 20910-4574 - Phone: (301) 565-0990 - Email: marcellinoj@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------|--------------|------------|------------|----------------|--------|----------|
| MD127807H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | RB-1343 | Hydrotherm | 1979 | 02/12/2023 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Marlene Apartments, LLC. **Location ID:** 717414
Address: 8608 Flower Ave - Takoma Park, MD 20912-6603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Shailendra Singh - Phone: 703-725-9152 - Email: ssingh4@verizon.net
Billing Contact: Shailendra Singh - PO Box 2467 Merrifield, VA 22116-2467 - Phone: 703-725-9152 - Email: ssingh4@verizon.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|----------|--------------|------------|------------|----------------|--------|-------------|
| MD115281H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 64419933 | Burnham | 2002 | 11/17/2022 | Recurring Cert | Active | BOILER ROOM |
| MD167798H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000258641 | | A O Smith | 2019 | 09/18/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Martins Auto Service Location ID: 717553
Address: 8100 Beechcraft Ave - Gaithersburg, MD 20879-1546 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: General Automotive Repair Shops
Primary Contact: Dan Martin - Phone: 301-926-8977
Billing Contact: Dan Martin - 8100 Beechcraft Ave Gaithersburg, MD 20879-1546 - Phone: 301-926-8977

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD114276V, 1, Vertical Unfired Pressure Vessel w/comment, V - Storage (NOT Cryogenic), 001058193, Manchester, 2000, 03/31/2023, Recurring Cert, Active, SHOP

Total Objects at this Location: 1

Location: Marv & Mike Transmission & Auto Repair Location ID: 2931091
Address: 11500 Schuykill Rd - Rockville, MD 20852-2428 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Neda Enterprises, LLC
Billing Contact: - 5320 Trailway Dr Rockville, MD 20853-1573

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD161815V, Horizontal Unfired Pressure Vessel w/comment, V - Storage (NOT Cryogenic), 000127329, WESSELS, 1972, 10/25/2022, Recurring Cert, Active, COMP. STORAGE RM

Total Objects at this Location: 1

Location: Maryland Central Seventh Day Adventist Korean Chur Location ID: 717604
Address: 20101 Woodfield Rd - Gaithersburg, MD 20882-1229 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Religious Organizations
Primary Contact: Nam Kim - Phone: 240-535-1823
Billing Contact: - 20101 Woodfield Rd Gaithersburg, MD 20882-1229 - Phone: 301-987-0366

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD108831H, Cast Iron, H - Hot Water Heat (Water <= 160 psig, 250 F), CI, Weil-McLain, 1980, 05/13/2023, Recurring Cert, Active, Boiler Rm

Total Objects at this Location: 1

Location: Matchbox (Arc3) **Location ID:** 3918922
Address: 1699 Rockville Pike - Rockville, MD 20852-1619 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Matchbox (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162932V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000011004 | | Taylor | 1992 | 12/13/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Maxim Biomedical Inc. **Location ID:** 705723
Address: 1500 E Gude Dr Fl 2 Ste A - Rockville, MD 20850-5381 **Phone:** 301-251-0800
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Medical Laboratories
Primary Contact: Jessica Maa - Phone: 443 884 9825 - Email: jessica.maa@maximbio.com
Billing Contact: Sophie Maa - 1500 E Gude Dr Ste A Rockville, MD 20850-5381 - Phone: 301-251-0800 x10627 - Email: sophie@maxumbio.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD121229V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000244256 | | Manchester | 2003 | 05/15/2023 | Recurring Cert | Active | room 223-B |
| MD150290 | | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000006823 | | Consolidated | 2014 | 03/30/2022 | Recurring Cert | Active | Sterilizer Rm |
| MD150291V | | Autoclave | V - Process-Sterilizing | 000006806 | | Consolidated | 2014 | 05/15/2023 | Recurring Cert | Active | Rm. 205 |

Total Objects at this Location: 3

Location: MC- Montgomery County F & R # 25 **Location ID:** 3188563
Address: 14401 Connecticut Ave - Silver Spring, MD 20906-2695 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Public Order and Safety, NEC
Primary Contact: Bill Krouse - Phone: 240-773-4725
Billing Contact: June Evans - 100 Edison Park Dr Fl 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|--------------------------------|-----------|--------|----------------|------------|------------|----------------|--------|-----------|
| MD169789H | | Water Heater (HLW) | H - Hot Water Supply (Water <= | 000150588 | | PVI Industries | 2020 | 12/07/2022 | Recurring Cert | Active | MECH MEZZ |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169790H | B-1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 210 F) | 000343149 | | AIC | 2018 | 12/07/2022 | Recurring Cert | Active | MECH/IT MEZZ |
| MD169791H | B-2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000343141 | | AIC | 2018 | 12/07/2022 | Recurring Cert | Active | MECH/IT MEZZ |
| MD169792H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000343055 | | AIC | 2018 | 12/07/2022 | Recurring Cert | Active | MECH/IT MEZZ |
| MD169793V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000790966 | | MORGANTON | 2019 | 12/07/2022 | Recurring Cert | Active | MECH/IT MEZZ |
| MD169794H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000098922 | | AIC | 2019 | 12/07/2022 | Recurring Cert | Active | MECH/IT MEZZ |

Total Objects at this Location: 6

Location: McDonald's #21089 **Location ID:** 3323039
Address: 11564 Rockville Pike - Rockville, MD 20852-2702 **Phone:** 301-230-9640
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Store Manager - Phone: 301-230-9640
Billing Contact: Store Manager - 11564 Rockville Pike Rockville, MD 20852-2702 - Phone: 301-230-9640

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169420V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000335515 | | CHART | 2020 | 04/19/2023 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: McDonald's #6120
Address: 15569 Old Columbia Pike - Burtonsville, MD 20866-1633
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-421-1598
Billing Contact:

Location ID: 3322809
Phone: 301-421-1598
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD149550V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000252900 | | Carbomax | 2014 | 06/04/2023 | Recurring Cert | Active | closet |

Total Objects at this Location: 1

Location: McDonald's #1093
Address: 504 E Randolph Rd - Silver Spring, MD 20904-3202
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-384-1400
Billing Contact:

Location ID: 3322552
Phone: 301-384-1400
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD152139V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000254024 | 31402006 | CHART | 2014 | 02/01/2023 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: MCG-Holiday Park Sr. Citizen Ctr.
Address: 3950 Ferrara Dr - Silver Spring, MD 20906-4708
County: Montgomery **FIPS:** 24031
Primary Contact: Alvin Crutcher - Phone: 240-777-5369 - Cell: 240-506-3412 - Email: Alvin.Crutcher@MontgomeryCountyMD.gov
Billing Contact: DFM- Dept. of Facility Maintenance - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-777-7777 - Email: fmos@montgomerycountymd.gov

Location ID: 713927
Phone: 301-962-0820
NOB/SIC: Finance, taxation, and monetary policy

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD167711H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000313714 | | Prestige | 2018 | 02/01/2022 | Recurring Cert | Active | Boiler Room 2 |

Total Objects at this Location: 1

Location: MCG/HOC-Holly Hall Apartments
Address: 10100 New Hampshire Ave - Silver Spring, MD 20903-1728
County: Montgomery **FIPS:** 24031
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-953-2366 - Email: tkennedy@res1.net

Location ID: 713964
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD094755H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851764 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094756H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851755 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094757H | BLR-3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851756 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094758H | BLR-4 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851748 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094759H | BLR-5 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851765 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD127128H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000070749 | | Jet Glass | 2005 | 10/10/2020 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: MCG/HOC-Holly Hall Apartments
Address: 10110 New Hampshire Ave - Silver Spring, MD 20903-1729
County: Montgomery **FIPS:** 24031
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-953-2366 - Email: tkennedy@res1.net

Location ID: 713965
Phone: 301-439-0900
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD094750H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851750 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094751H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851747 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094752H | BLR-3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851758 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|-----------|----------------|------------|------------|----------------|--------|-------------|
| MD094753H | BLR-4 | Cast Iron | 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2851757 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094754H | BLR-5 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2951749 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD124378H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000070733 | 85733 | Jet Glass | 2005 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD138600H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083952 | | Bradford White | 2008 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 7 | | | | | | | |

Location: MCG/HOC-Holly Hall Apartments **Location ID:** 713966
Address: 10120 New Hampshire Ave - Silver Spring, MD 20903-1730 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-953-2366 - Email: tkennedy@res1.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD094761H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2848266 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094762H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2848260 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094763H | BLR-3 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2848265 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094764H | BLR-4 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2848264 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD094765H | BLR-5 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2848261 | Weil-McLain | 1994 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD138601H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000063477 | | Jet Glass | 2004 | 10/10/2020 | Recurring Cert | Active | Boiler Room |
| MD138602H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000085605 | | Jet Glass | 2008 | 10/10/2020 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 7

Location: MCS1-Highland View E.S. #0784 Location ID: 713711
Address: 9010 Providence Ave - Silver Spring, MD 20901-4912 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Elementary and Secondary Schools
Primary Contact: Jeffrey L Fulford - Phone: 240-740-2522 - Cell: 202-480-0616 - Email: Jeffrey_L_Fulford@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of equipment data.

Total Objects at this Location: 2

Location: MCS2-Maryvale Elementary School #0210 Location ID: 717931
Address: 1000 1st St - Rockville, MD 20850-1450 Phone: 301-469-1133
County: Montgomery FIPS: 24031 NOB/SIC: Elementary and Secondary Schools
Primary Contact: Dale Kerns - Phone: 240-372-5160 - Cell: 301-343-7692 - Email: dale_r_kerns@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains one row of equipment data.

Total Objects at this Location: 1

Location: MCS2-Tilden Middle & Rock Terrace School Location ID: 3987701
Address: 6300 Tilden Ln - Rockville, MD 20852-3741 Phone:
County: Montgomery FIPS: 24031 NOB/SIC:
Primary Contact: Dale Kerns - Phone: 240-372-5160 - Cell: 301-343-7692 - Email: dale_r_kerns@mcpsmd.org
Billing Contact: - 10901 Westlake Dr Rockville, MD 20852-4554 - Phone: 240-740-6563

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains one row of equipment data.

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|----------------|--------------|------------|------------|----------------|--------|-----------------|
| MD166714H | B-1 | Horizontal Water Tube | 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007747 | 19-HE063281619 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166715H | B-1 | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007752 | 19-HE063331619 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166716H | B-1 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007749 | 19-HE063301619 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166717H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008953 | 19-HE075342419 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166718H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008952 | 19-HE075332419 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166719H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008960 | 19-HE075412419 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166720H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008957 | 19-HE075382419 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166721H | B-3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007793 | 19-HE063741719 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166722H | B-3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007794 | 19-HE063751719 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166723H | B-3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007776 | 19-HE063571719 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166724H | B-3 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007772 | 19-HE063531719 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166725H | B-4 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007312 | 19-HE058931319 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166726H | B-4 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007311 | 19-HE058921319 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166727H | B-4 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007314 | 19-HE058951319 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166728H | B-4 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007313 | 19-HE058941319 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166729H | B-5 | Horizontal Water Tube | H - Hot Water Heat (Water <= | 000008495 | 19-HE070762119 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|----------------|--------------|------------|------------|----------------|--------|-----------------|
| MD166730H | B-5 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008496 | 19-HE070772119 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166731H | B-5 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008497 | 19-HE070782119 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166732H | B-5 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000008480 | 19-HE070612119 | Reillo | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166733H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000256997 | 256997 | A O Smith | 2019 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |
| MD166734H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000229220 | 229220 | A O Smith | 2017 | 08/14/2022 | Recurring Cert | Active | Mechanical Room |

Total Objects at this Location: 22

Location: MCS3-Seneca Valley H.S. **Location ID:** 2940454
Address: 19401 Crystal Rock Drive - Germantown, MD 20874-1593 **Phone:** (301) 370-6521 x
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Craig Runyon - Phone: 240-740-4741 - Cell: 202-641-5019 - Email: Craig_f_Runyon@mspsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|---------------|--------------|------------|------------|----------------|--------|-------------|
| MD167209H | | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000004384 | 7513666800324 | Viessman | 2018 | 06/30/2022 | Recurring Cert | Active | Boiler Room |
| MD167210H | | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000004585 | 7513666800344 | Viessman | 2018 | 06/30/2022 | Recurring Cert | Active | Boiler Room |
| MD167211H | | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000004448 | 7513666800336 | Viessman | 2018 | 06/30/2022 | Recurring Cert | Active | Boiler Room |
| MD167212H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000148404 | F010109 | PVI | 2019 | 06/30/2022 | Recurring Cert | Active | Boiler Room |
| MD167213H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000148354 | F010108 | PVI | 2019 | 06/30/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 5

Location: Medimmune (Roberts Oxygen) **Location ID:** 3839667
Address: 1 Medimmune Way - Gaithersburg, MD 20878-2204 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD158588V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072246 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158589V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072214 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158590V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000077242 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158591V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000077243 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158592V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072251 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158593V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072259 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158594V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072241 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |
| MD158595V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072240 | | CHART | 2011 | 11/21/2023 | Recurring Cert | Active | Outside |

Total Objects at this Location: 8

Location: Medium Rare (Roberts) **Location ID:** 4078017
Address: 4904 Fairmont Ave - Bethesda, MD 20814-6002 **Phone:** 301-215-8379
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169780V | | Vertical Unfired Pressure Vessel | V - Storage (NOT Cryogenic) | 000331062 | | CHART | 2019 | 06/22/2023 | Recurring Cert | Active | Loading Dock |

| Juris # | Alt Juris # | Type w/comment | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Megamart Supermart **Location ID:** 2157736
Address: 1101 University Blvd E - Takoma Park, MD 20912-7444 **Phone:** 301-434-2777
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Grocery Stores
Primary Contact: Carlos Miranda - Phone: 301-445-0100
Billing Contact: Carlos Miranda - 1101 University Blvd E Takoma Park, MD 20912-7444 - Phone: 301-445-0100

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|-----------------|------------|------------|----------------|--------|------------|
| MD161146V | | Heat Exchanger - Other w/comment | V - Process-Heat Transfer-Other w/comment | 000007180 | | Westermeyer Ind | 2010 | 08/09/2022 | Recurring Cert | Active | motor room |
| MD161147V | | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000007179 | | Westermeyer Ind | 2010 | 08/09/2022 | Recurring Cert | Active | motor rm |
| MD161148V | | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000006854 | | Westermeyer Ind | 2010 | 08/09/2022 | Recurring Cert | Active | motor rom |
| MD161149V | 4 | Horizontal Unfired Pressure Vessel w/comment | V - Process-Heat Transfer-Other w/comment | 000013788 | | Westermeyer Ind | 2011 | 08/09/2022 | Recurring Cert | Active | motor rm |
| Total Objects at this Location: | | | | 4 | | | | | | | |

Location: Menhiem Auto **Location ID:** 788008
Address: 7920 Beechcraft Ave - Gaithersburg, MD 20879-1544 **Phone:** (240) 477-7682
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Max Ashtiani - Phone: 301-252-2520 - Email: maxashtani@gmail.com
Billing Contact: Max Ashtiani - 7920 Beechcraft Ave Gaithersburg, MD 20879-1544 - Phone: 301-252-2520 - Email: maxashtani@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD117478V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000694528 | | Manchester | 1998 | 04/17/2023 | Recurring Cert | Active | Comp Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Mercy Dry Cleaners **Location ID:** 718303
Address: 6852 New Hampshire Ave - Takoma Park, MD 20912-4817 **Phone:** 301-270-2264
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Personal services
Primary Contact: Eunice Soyinka - Phone: 301-270-2264
Billing Contact: Florence Nwaki - 6852 New Hampshire Ave Takoma Park, MD 20912-4817 - Phone: 301-270-2264

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169839 | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000125341 | | Fulton | 2020 | 04/29/2022 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Method Auto **Location ID:** 1724661
Address: 16069 Frederick Rd - Rockville, MD 20855-2217 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Mr. Yang
Billing Contact: Mr. Yang - 16069 Frederick Rd Rockville, MD 20855-2217

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD157250V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000638680 | | Morganton | 2017 | 06/20/2023 | Recurring Cert | Active | Shop Mezz. |

Total Objects at this Location: 1

Location: Metro Auto Services **Location ID:** 703377
Address: 8190 Beechcraft Ave - Gaithersburg, MD 20879-1586 **Phone:** 301-330-1500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Franklin Bienvides - Phone: 301-330-1168 - Email: fbenavides.mas@gmail.com
Billing Contact: Franklin Bienvides - 8190 Beechcraft Ave Gaithersburg, MD 20879-1586 - Phone: 301-330-1168 - Email: fbenavides.mas@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD105838V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000782095 | | Buckeye | 1987 | 03/23/2022 | Recurring Cert | Active | Outback |

Total Objects at this Location: 1

Location: Metro Executive Park I **Location ID:** 718394
Address: 15850 Crabbs Branch Way - Rockville, MD 20855-2622 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Offices of Holding Companies, NEC
Primary Contact: Ozzie Acosta - Phone: 703-621-2567 - Cell: 240-832-0319
Billing Contact: Ozzie Acosta - 15850 Crabbs Branch Way Rockville, MD 20855-2622 - Phone: 703-621-2567 - Cell: 240-832-0319

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|---------------|--------|-----------------|
| MD072722V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00082313E | | Brunner | 1988 | 10/18/2022 | External Cert | Active | Mechanical Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Mi Rancho (NuCo2) # 524451 **Location ID:** 3632321
Address: 1488 Rockville Pike - Rockville, MD 20852-1430 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|----------|--------------|------------|------------|----------------|--------|--------------|
| MD160870V | A813293 | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000254292 | 31402746 | CHART | 2014 | 03/19/2022 | Recurring Cert | Active | Back Kitchen |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Midas Auto Systems **Location ID:** 718500
Address: 11340 Amherst Ave - Wheaton, MD 20902-4608 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Terrence Boyce - Phone: 3019331200
Billing Contact: Terrence Boyce - 11340 Amherst Ave Wheaton, MD 20902-4608 - Phone: 3019331200

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD106326V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000940700 | | Manchester | 2000 | 12/22/2022 | Recurring Cert | Active | Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Midas Auto Systems
Address: 1460 Rockville Pike - Rockville, MD 20852-1414
County: Montgomery **FIPS:** 24031
Primary Contact: Russ Rotruck - Phone: 301-424-6114
Billing Contact: Russ Rotruck - 1460 Rockville Pike Rockville, MD 20852-1414 - Phone: 301-424-6114

Location ID: 3550759
Phone: 301-424-6114
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166688V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000786197 | | Morganton | 2019 | 06/30/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Midas Auto Systems
Address: 19550 Frederick Rd - Germantown, MD 20876-1356
County: Montgomery **FIPS:** 24031
Primary Contact: Midas Muffler Shop - Phone: 301-355-1200
Billing Contact: - 19550 Frederick Rd Germantown, MD 20876-1356 - Phone: 301-355-1200

Location ID: 718505
Phone:
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD071220V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000937232 | | Buckeye | 1989 | 02/12/2022 | Recurring Cert | Active | SHOP |
| MD071221V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000937237 | | Buckeye | 1989 | 02/12/2022 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 2

Location: Midas Auto Systems
Address: 204 N Frederick Ave - Gaithersburg, MD 20877-2409
County: Montgomery **FIPS:** 24031
Primary Contact: Midas Muffler Shop - Phone: 3019480804
Billing Contact: Mark Powell - 1618 Trawler Ln Annapolis, MD 21409-3718 - Cell: 443-412-4420

Location ID: 718506
Phone:
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD062692V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000681637 | | Woods | 1976 | 02/12/2022 | Recurring Cert | Active | SHOP |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD143360V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000154227 | ~ | Morganton | 2011 | 02/12/2022 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 2

Location: Midas Auto Systems **Location ID:** 718511
Address: 4725 Cheltenham Dr - Bethesda, MD 20814-3511 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Steve Hackett - Phone: 301-913-0228 - Email: bccmidas@verizon.net
Billing Contact: Steve Hackett - 4725 Cheltenham Dr Bethesda, MD 20814-3511 - Phone: 301-913-0228 - Email: bccmidas@verizon.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|----------|--------------|------------|------------|----------------|--------|--------------|
| MD074355V | 01 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000988875 | 01-0061E | Buckeye | 1991 | 09/07/2022 | Recurring Cert | Active | SHOP |
| MD122031V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000332605 | | Manchester | 2004 | 09/07/2022 | Recurring Cert | Active | STORAGE ROOM |

Total Objects at this Location: 2

Location: Miltenyi Biotec (Roberts) **Location ID:** 4061462
Address: 1201 Clopper Rd - Gaithersburg, MD 20878-4000 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Miltenyi Biotec (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD168916V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000336341 | | CHART | 2020 | 03/01/2023 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Mitch & Bill's Exxon
Address: 10127 River Rd - Potomac, MD 20854-4904
County: Montgomery **FIPS:** 24031
Primary Contact: Sean Ridge - Phone: 301-299-9228
Billing Contact: Sean Ridge - 10127 River Rd Potomac, MD 20854-4904 - Phone: 301-299-9228

Location ID: 730591
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD134073V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000389648 | | Steel Fab | 2005 | 01/05/2022 | Recurring Cert | Active | Storage Room |

Total Objects at this Location: 1

Location: MNPPC- Wisconsin Place Rec. Ctr.
Address: 5311 Friendship Blvd - Chevy Chase, MD 20815-7308
County: Montgomery **FIPS:** 24031
Primary Contact: Donald A Collins - Phone: 240-882-1826 - Email: don.collins@montgomerycountymd.gov
Billing Contact: Donald A Collins - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-882-1826 - Email: don.collins@montgomerycountymd.gov

Location ID: 3491063
Phone:
NOB/SIC: Membership Sports and Recreation Clubs

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------------|
| MD142987H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000105832 | BLR-1 | Fulton | 2008 | 08/09/2022 | Recurring Cert | Active | Penthouse Mech/Blr Rm |
| MD142988H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000105830 | BLR-2 | Fulton | 2008 | 08/09/2022 | Recurring Cert | Active | Penthouse Mech/Blr Rm |

Total Objects at this Location: 2

Location: Monami Cleaners
Address: 14444 Layhill Rd - Silver Spring, MD 20906-1911
County: Montgomery **FIPS:** 24031
Primary Contact: Mitchell - Phone: 301-974-4247
Billing Contact: Robert Kim - 14444 Layhill Rd Silver Spring, MD 20906-1911 - Phone: 240-274-3862 - Email: kim0927@gmail.com

Location ID: 726344
Phone: 301-598-7878
NOB/SIC: Garment Pressing, and Agents for Laundries and Drycleaners

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD111213V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 0877622 | | Manchester | 1999 | 07/30/2022 | Recurring Cert | Active | Boiler Rm |
| MD157297 | | Vertical Tubeless | S - Power-Ironing | 000122105 | | Fulton | 2016 | 07/28/2022 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|

(Steam > 15 psig)

Total Objects at this Location: 2

Location: Monterrey Apartments
Address: 7927 Chicago Ave - Silver Spring, MD 20910-5249
County: Montgomery **FIPS:** 24031
Primary Contact: Darryl Shrock - Phone: 202-315-1112 - Email: dshrock@livenovo.com
Billing Contact: Darryl Shrock - 519 11th St SE Washington, DC 20003-2831 - Phone: 202-315-1112 - Email: dshrock@livenovo.com

Location ID: 718831
Phone: 301-588-3413
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD145766H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000097201 | | Jet Glass | 2011 | 01/20/2023 | Recurring Cert | Active | Boiler Room |
| MD169858H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000121511 | | AIC | 2019 | 12/23/2022 | Recurring Cert | Active | Boiler Room |
| MD169859H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000117400 | | Weil-McLain | 2019 | 12/23/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: Montgomery Co. Fire Station #24
Address: 13216 New Hampshire Avenue - Silver Spring, MD 20904-3433
County: Montgomery **FIPS:** 24031
Primary Contact: Chase Fabrizio - Phone: 240 753 2068
Billing Contact: June Evans - 100 Edison Park Dr FI 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

Location ID: 3002668
Phone: 240-773-4724
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD170087V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001544979 | | Manchester | 2014 | 12/15/2022 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 1

Location: Montgomery Co/Fire/Rockville Volunteer Fire Co
Address: 121 Rollins Ave - Rockville, MD 20852-4046
County: Montgomery **FIPS:** 24031
Primary Contact: June Evans - Phone: 240-777-2459
Billing Contact: June Evans - 100 Edison Park Dr Fl 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

Location ID: 723170
Phone:
NOB/SIC: Public Order and Safety, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD078763V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000002852 | | A O Smith | 1989 | 08/13/2021 | Recurring Cert | Active | HTR RM |

Total Objects at this Location: 1

Location: Montgomery Co/Glen Echo Park
Address: 7300 MacArthur Blvd - Glen Echo, MD 20812-1200
County: Montgomery **FIPS:** 24031
Primary Contact: Emily Rodgers - Phone: 240-777-7777 - Cell: 301-634-2224
Billing Contact: DFM- Dept. of Facility Maintenance - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-777-7777 - Email: fmos@montgomerycountymd.gov

Location ID: 994133
Phone:
NOB/SIC: Amusement and Recreation Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD119765H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2003 | 01/18/2022 | Recurring Cert | Active | boiler room |
| MD119766H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2003 | 01/18/2022 | Recurring Cert | Active | boiler room |
| MD119767H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2003 | 01/18/2022 | Recurring Cert | Active | boiler room |
| MD119768H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2003 | 01/18/2022 | Recurring Cert | Active | boiler room |
| MD119769H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2003 | 01/18/2022 | Recurring Cert | Active | boiler room |

Total Objects at this Location: 5

Location: **Montgomery Country Club** **Location ID:** 718861
Address: 20808-20816 Fairway View Dr - Gaithersburg, MD 20882-1841 **Phone:** 301-948-5323
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Civic, Social, and Fraternal Associations
Primary Contact: Steve Newsome - Phone: 301-948-5323 - Email: snewsome@traditionaclubs.com
Billing Contact: Licensing Dept. - c/o Addison Law Firm 5400 Lbj Fwy Ste 1325 Dallas, TX 75240-1021 - Phone: 972-341-8138 - Email: licensing@addisonlaw.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------------|------------|------------|----------------|--------|------------------|
| MD143894V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001658176 | | Campbell Hausfield | 2010 | 02/09/2022 | Recurring Cert | Active | Maintenance Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: **Montgomery County Volunteer Fire Co #14** **Location ID:** 718880
Address: 19801 Beallsville Rd - Beallsville, MD 20839-3307 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Public Order and Safety, NEC
Primary Contact: June Evans - Phone: 240-777-2459
Billing Contact: June Evans - 100 Edison Park Dr Fl 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165846V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000633545 | | Morganton | 2017 | 01/28/2022 | Recurring Cert | Active | Garage |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: **Montgomery Gardens** **Location ID:** 702952
Address: 7517 Blair Rd - Silver Spring, MD 20912-4024 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Peter Dean - Phone: 301-434-8888
Billing Contact: Peter Dean - 8500 New Hampshire Ave Ofc Rental Silver Spring, MD 20903-3345 - Phone: 301-434-8888

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|------------|--------------|------------|------------|----------------|--------|-------------|
| MD066255H | 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1970 | 01/12/2022 | Recurring Cert | Active | Bldg 7517 |
| MD155277H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000113722 | MH36594784 | JETGLASS | 2015 | 07/05/2022 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD165876H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000130969 | | Bradford | 2019 | 01/09/2022 | Recurring Cert | Active | Boiler Room |
| MD165877H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000126622 | | Bradford | 2018 | 01/09/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 4

Location: Montgomery Mall **Location ID:** 718892
Address: 19110 Montgomery Village Ave Ste 300 - Gaithersburg, MD 20886- **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: Dyrs Vedadi - Phone: 301-792-0415 - Email: casper@caspermgm.com
Billing Contact: Dyrs Vedadi - 19110 Montgomery Village Ave Ste 300 Gaithersburg, MD 20886-3703 - Phone: 301-792-0415 - Email: casper@caspermgm.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD149577H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000065057 | | Prestige | 2012 | 06/25/2022 | Recurring Cert | Active | Penthouse |
| MD149578H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000065790 | | Prestige | 2012 | 06/25/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 2

Location: Montgomery Scrap Corporation **Location ID:** 718897
Address: 15000 Southlawn Ln - Rockville, MD 20850-1354 **Phone:** 301-424-3000
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Primary Metal Products, NEC
Primary Contact: Cristal Cole - Phone: 301-315-1528 - Email: ccole@scraparg.com
Billing Contact: Cristal Cole - 15000 Southlawn Ln Rockville, MD 20850-1354 - Phone: 301-315-1528 - Email: ccole@scraparg.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD144398V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000025430 | | Brunner | 1993 | 04/18/2022 | Recurring Cert | Active | shop comp room |

Total Objects at this Location: 1

Location: **Montgomery Shell**
Address: 455 N Frederick Ave - Gaithersburg, MD 20877-2415
County: Montgomery **FIPS:** 24031
Primary Contact: Khalid Shaw - Phone: 3016789800
Billing Contact: Khalid Shaw - 455 N Frederick Avneue Gaithersburg, MD 20877 - Phone: 3016789800

Location ID: 718898
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD092368V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000100795 | | Buckeye | 1991 | 12/05/2022 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 1

Location: **Montgomery Towers Apartments**
Address: 415 Silver Spring Ave - Silver Spring, MD 20910-4614
County: Montgomery **FIPS:** 24031
Primary Contact: Yaakov Benyowitz - Phone: 410-988-4440 - Email: yybenyowitz@gmail.com
Billing Contact: Yaakov Benyowitz - 6807 Park Heights Ave # 200 Baltimore, MD 21215-1645 - Phone: 410-988-4440 - Email: yybenyowitz@gmail.com

Location ID: 718902
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD074509V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000175986 | | Carrier | 1989 | 12/01/2022 | Recurring Cert | Active | Boiler Room |
| MD101137H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1996 | 12/01/2022 | Recurring Cert | Active | Boiler Room |
| MD155116H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106518 | | JETGLASS | 2014 | 12/01/2022 | Recurring Cert | Active | Boiler Room |
| MD167794H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000257570 | | A O Smith | 2019 | 01/15/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 4

Location: Montgomery Vault
Address: 14901 Old Dover Rd - Rockville, MD 20850-1256
County: Montgomery **FIPS:** 24031
Primary Contact: James Ward - Phone: 301-762-3988
Billing Contact: James Ward - 14901 Southlawn Ln PO Box 1707 Rockville, MD 20849-1707 - Phone: 301-762-3988

Location ID: 718903
Phone: 301-424-8534
NOB/SIC: Stone, clay, glass, and concrete products

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD170178V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000022135 | | INDUSTRIAL | 1986 | 03/15/2023 | Recurring Cert | Active | SHOP |

Total Objects at this Location: 1

Location: Montgomery Village BP
Address: 19304 Montgomery Village Ave - Gaithersburg, MD 20886-3027
County: Montgomery **FIPS:** 24031
Primary Contact: Montgomery Village Amoco - Phone: (301)869-1600
Billing Contact:

Location ID: 718907
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD109298V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000507679 | | Manchester | 1994 | 07/12/2022 | Recurring Cert | Active | Comp Room |

Total Objects at this Location: 1

Location: Montgomery Village Car Wash
Address: 19604 Club House Rd - Montgomery Village, MD 20886-3035
County: Montgomery **FIPS:** 24031
Primary Contact: Chang Ha - Phone: 301-519-2082 - Cell: 703-438-7171
Billing Contact:

Location ID: 2978137
Phone: 301-519-2082
NOB/SIC: Automotive Services, Except Repair and Carwashes

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD141050V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000845306 | | Kargard | 1977 | 08/26/2021 | Recurring Cert | Active | Mech Room |

Total Objects at this Location: 1

Location: **Montgomery Village Shell** **Location ID:** 718910
Address: 19300 Montgomery Village Ave - Gaithersburg, MD 20886-3027 **Phone:** 301-417-9220
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hovik Kavtavi - Phone: 301-417-9220 - Email: avante.mvs@gmail.com
Billing Contact: Charles Burge - 19300 Montgomery Village Ave Gaithersburg, MD 20886-3027 - Phone: 301-417-9220 - Email: avante.mvs@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD098620V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000058039 | | Dresser | 1982 | 04/27/2022 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 1

Location: **Montgomery White Oak Apartments** **Location ID:** 718938
Address: 11530 Lockwood Dr - Silver Spring, MD 20904-2420 **Phone:** (301)680-3162
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: The Donaladson Group - Phone: (301)680-0111 - Email: mwo@thedonaldsongroup.com
Billing Contact: The Donaladson Group - 11550 Stewart Ln Apt 109 Silver Spring, MD 20904-2245 - Phone: (301)680-0111 - Email: mwo@thedonaldsongroup.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD003461H | | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000008134 | BLR-2 | York Shipley | 1967 | 09/23/2021 | Recurring Cert | Active | Boiler Room |
| MD003482H | | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000008135 | BLR-1 | York Shipley | 1967 | 08/31/2021 | Recurring Cert | Active | Boiler Room |
| MD076494V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000000923 | | Weben-Jarco | 1983 | 08/31/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 3

Location: Mr Wash
Address: 3817 Dupont Ave Ste C - Kensington, MD 20895-2002
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Ventura - Phone: 301-933-4858
Billing Contact: Carlos Ventura - 3817 Dupont Ave Ste C Kensington, MD 20895-2002 - Phone: 301-933-4858

Location ID: 719183
Phone: 301-933-4858
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD067513V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000833419 | | Buckeye | 1988 | 06/03/2022 | Recurring Cert | Active | Chemical Room |
| MD133926V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000732270 | | Melben | 1998 | 06/03/2022 | Recurring Cert | Active | Chemical room |

Total Objects at this Location: 2

Location: Mrs K's Toll House
Address: 9201 Colesville Rd - Silver Spring, MD 20910-1657
County: Montgomery **FIPS:** 24031
Primary Contact: Spiro Gioldasis - Phone: 301-589-3500 - Cell: 240-515-7206
Billing Contact: Spiro Gioldasis - 9201 Colesville Rd Silver Spring, MD 20910-1657 - Phone: 301-589-3500 - Cell: 240-515-7206

Location ID: 719189
Phone:
NOB/SIC: Eating and drinking places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD149404H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000177492 | | A O Smith | 2013 | 07/14/2022 | Recurring Cert | Active | wine cellar |

Total Objects at this Location: 1

Location: MTI Global Stem
Address: 200 Perry Pkwy - Gaithersburg, MD 20877-2171
County: Montgomery **FIPS:** 24031
Primary Contact: Diane Galterio - Phone: 724-485-4871 - Cell: 412-916-4671 - Email: diane.galterio@am.jll.com
Billing Contact: Diane Galterio - 1000 Consol Energy Dr Canonsburg, PA 15317-6506 - Phone: 724-485-4871 - Cell: 412-916-4671 - Email: diane.galterio@am.jll.com

Location ID: 728124
Phone:
NOB/SIC: Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|------------------------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD117940H | | Water Tube Coiled (NOT Flueless Hi | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000163497 | | Lochinvar | 2004 | 01/29/2022 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-------------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | Efficiency) | | | | | | | | | |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Muddy Branch Laundromat **Location ID:** 715283
Address: 295 Muddy Branch Rd - Gaithersburg, MD 20878-3000 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Apparel and other textile products
Primary Contact: Jung Sock Chung - Phone: 301-468-9165
Billing Contact: Jung Sock Chung - 295 Muddy Branch Rd Gaithersburg, MD 20878-3000 - Phone: 301-468-9165

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|---|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169783H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000046081 | | MESTEK | 2019 | 10/05/2022 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Murphy Brothers Automotive **Location ID:** 719333
Address: 10517 Metropolitan Ave - Kensington, MD 20895-2607 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive Dealers, NEC
Primary Contact: Murphy Brothers Automotive - Phone: 3019493500
Billing Contact: - 10517 Metropolitan Ave Kensington, MD 20895-2607 - Phone: 3019493500

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD107398V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000853384 | | Manchester | 1999 | 12/05/2022 | Recurring Cert | Active | SHOP |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: N Bethesda Marriot (Arc3) **Location ID:** 3915201
Address: 5701 Marinelli Rd - Rockville, MD 20852-2785 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels and Motels
Primary Contact: N Bethesda Marriot (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD162583V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000149992 | | CHART | 2003 | 12/14/2022 | Recurring Cert | Active | Loading Dock |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Nando's (Arc3) **Location ID:** 3974766
Address: 922 Rose Ave - Rockville, MD 20852-8687 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165578V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000113541 | | MVE Inc | 1999 | 10/02/2021 | Recurring Cert | Active | KITCHEN |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Nando's of Bethesda (Arc3) **Location ID:** 3974088
Address: 4839 Bethesda Ave - Bethesda, MD 20814-5240 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165165V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000142624 | | CHART | 2002 | 10/02/2021 | Recurring Cert | Active | Outside Rear |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Nando's Peri Peri (Arc3)
Address: 224 Boardwalk PI - Gaithersburg, MD 20878-7343
County: Montgomery **FIPS:** 24031
Primary Contact: Nando's Peri Peri (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3918904
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD162901V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000094357 | | MVE | 1998 | 12/13/2022 | Recurring Cert | Active | Loading Dock |

Total Objects at this Location: 1

Location: Nando's Peri Peri (Arc3)
Address: 924 Ellsworth Dr - Silver Spring, MD 20910-4401
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3989307
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165594V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000184028 | | CHART | 2007 | 11/07/2021 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: National 4 H Council
Address: 7100 Connecticut Ave - Chevy Chase, MD 20815-4934
County: Montgomery **FIPS:** 24031
Primary Contact: National 4 H Council - Phone: 3019612801
Billing Contact: - 7100 Connecticut Ave Chevy Chase, MD 20815-4934 - Phone: 3019612801

Location ID: 719408
Phone:
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD164327H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000311895 | | LC | 2017 | 07/18/2023 | Recurring Cert | Active | B BLDG |

Total Objects at this Location: 1

Location: National Auto Body
Address: 12300 Parklawn Dr - Rockville, MD 20852-1726
County: Montgomery **FIPS:** 24031
Primary Contact: Terry Tossounian - Phone: (301) 881-8200
Billing Contact:

Location ID: 719415
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD123689V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001022445 | | Buckeye | 1991 | 02/26/2023 | Recurring Cert | Active | Outside Shed |
| MD142908V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000627300 | | Manchester | 2006 | 02/26/2023 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 2

Location: National Institute Of Health (JBG)
Address: 12441 Parklawn Dr - Rockville, MD 20852-1742
County: Montgomery **FIPS:** 24031
Primary Contact: Brad Wertz* - Phone: 301-468-0200 - Cell: 301-440-0969 - Email: bwertz@jbg.com
Billing Contact: Brad Wertz* - 5635 Fishers Ln Ste 200 Rockville, MD 20852-7700 - Phone: 301-468-0200 - Cell: 301-440-0969 - Email: bwertz@jbg.com

Location ID: 719446
Phone: 301-468-0200
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD108247V | 1 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000183660 | | Steel Products | 1998 | 09/15/2022 | Recurring Cert | Active | Mech Room 1 |
| MD108249H | 01 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000033481 | BLR-1 | Bryan | 1993 | 09/15/2021 | Recurring Cert | Active | Mech Room 2 |
| MD142901H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | BLR-2 | SMITH | 2008 | 09/15/2022 | Recurring Cert | Active | Mech Room 1 |
| MD142902H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | BLR-4 | SMITH | 2008 | 09/15/2022 | Recurring Cert | Active | Mech Room 1 |
| MD142903H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | BLR-5 | SMITH | 2008 | 09/15/2022 | Recurring Cert | Active | Mech Room 1 |
| MD150803V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000550882 | | Manchester | 1999 | 09/15/2022 | Recurring Cert | Active | Mech Room 1 |

Total Objects at this Location: 6

Location: National Ready-Mix Concrete Assoc.
Address: 721 Ellsworth Drive - Silver Spring, MD 20910-4435
County: Montgomery **FIPS:** 24031
Primary Contact: Patty O'Brien - Phone: 240-485-1133 - Email: PO'Brien@NRMCA.org
Billing Contact: Patty O'Brien - 900 Spring St Silver Spring, MD 20910-4015 - Phone: 2404851133

Location ID: 719409
Phone:
NOB/SIC: Concrete Block and Brick

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD081370H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Buder Us | 1987 | 02/02/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: National Ready-Mix Concrete Assoc.
Address: 900 Spring St - Silver Spring, MD 20910-4017
County: Montgomery **FIPS:** 24031
Primary Contact: Patty O'Brien - Phone: 240-485-1133 - Email: PO'Brien@NRMCA.org
Billing Contact: Patty O'Brien - 900 Spring St Silver Spring, MD 20910-4015 - Phone: 2404851133

Location ID: 719410
Phone:
NOB/SIC: Concrete Products, Except Block and Brick

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------|--------------|------------|------------|----------------|--------|-------------|
| MD006592H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 1704670 | Peerless | 1964 | 02/02/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Nationwide Tire and Auto (NTA) of Rockville Mobile
Address: 890 Rockville Pike - Rockville, MD 20852-1215
County: Montgomery **FIPS:** 24031
Primary Contact: Greg - Phone: 703-839-0938
Billing Contact: Greg - 4008 Genesee Pl Ste 101 Woodbridge, VA 22192-8306 - Phone: 703-839-0938

Location ID: 729331
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD153903V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001615321 | | Manchester | 2015 | 02/17/2022 | Recurring Cert | Active | OUTSIDE SHED |

Total Objects at this Location: 1

Location: Neet & Kleen Cleaners **Location ID:** 719513
Address: 10506 Connecticut Ave Ste B - Kensington, MD 20895-2438 **Phone:** 301-933-5776
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Personal services
Primary Contact: Mike Bright - Phone: 301-607-8127 - Cell: 240-216-4342 - Email: mcm.mbright@yahoo.com
Billing Contact: Charlie Pyon - 10506 Connecticut Ave Ste B Kensington, MD 20895-2438 - Phone: 301-933-5776

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169804 | | Vertical Fire Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000125094 | | Fulton | 2020 | 01/08/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: New Hampshire Ave. Gospel Chapel **Location ID:** 719568
Address: 12608 New Hampshire Ave - Silver Spring, MD 20904-3042 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership organizations
Primary Contact: Armentag Caroglanian - Phone: 301-622-3837
Billing Contact: Pheng T. Tan - 12608 New Hampshire Ave Silver Spring, MD 20904-3042 - Phone: 301-2992203

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|---------------|------------|------------|----------------|--------|-------------|
| MD048264H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | TA-36A | Crane Pacific | 1962 | 10/16/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: New Hampshire Car Wash **Location ID:** 719569
Address: 7551 New Hampshire Ave - Takoma Park, MD 20912-6969 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Manufacturing Industries, NEC
Primary Contact: Thai Nguyen - Phone: 301-434-1251
Billing Contact: Thai Nguyen - 7551 New Hampshire Ave Takoma Park, MD 20912-6969 - Phone: 301-434-1251

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD025737V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000431930 | | P.S.T. | 1958 | 07/17/2021 | Recurring Cert | Active | Machine Room |
| MD101555V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000621114 | 009132 | Melben | 1996 | 07/17/2021 | Recurring Cert | Active | Mach Rm |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD101556H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000069678 | G01172 | Rheem/Ruud | 1995 | 07/17/2021 | Recurring Cert | Active | Machine Rm |

Total Objects at this Location: 3

Location: North Bethesda Place I
Address: 11400 Rockville Pike - Rockville, MD 20852-3004
County: Montgomery **FIPS:** 24031
Location ID: 712175
Phone: 301-798-5662
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: Natacha Luster - Phone: 571-685-9491 - Cell: 202-255-1068 - Email: natachal@empireleasing.net
Billing Contact: Victoria Vander-Heiden - 1627 K St NW Washington, DC 20006-1702 - Phone: 571-218-8628 - Cell: 202-257-1175 - Email: victoriav@empireleasing.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|--------------|------------|------------|----------------|--------|-----------|
| MD032165H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 210-9555 | Peerless | 1971 | 03/28/2022 | Recurring Cert | Active | Penthouse |
| MD032166H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 210-9554 | Peerless | 1971 | 03/28/2022 | Recurring Cert | Active | Penthouse |
| MD072601V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000492429 | | John Wood | 1970 | 03/28/2022 | Recurring Cert | Active | Penthouse |
| MD099095V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000015068 | | Brunner | 1995 | 03/28/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 4

Location: North Bethesda Place II
Address: 5515 Security Lane - Rockville, MD 20852-5007
County: Montgomery **FIPS:** 24031
Location ID: 723171
Phone: 301-798-5562
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Natacha Luster - Phone: 571-685-9491 - Cell: 202-255-1068 - Email: natachal@empireleasing.net
Billing Contact: Victoria Vander-Heiden - 1627 K St NW Washington, DC 20006-1702 - Phone: 571-218-8628 - Cell: 202-257-1175 - Email: victoriav@empireleasing.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-----------|
| MD099096H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 28-11 | H B Smith | 1980 | 03/28/2022 | Recurring Cert | Active | Penthouse |
| MD099097H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 28-11 | H B Smith | 1980 | 03/28/2022 | Recurring Cert | Active | Penthouse |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD116909V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000072806 | | Brunner | 2002 | 03/28/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 3

Location: North Creek Place Condo **Location ID:** 719760
Address: 14427 Parkvale Rd - Rockville, MD 20853-2426 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Krystall Hudson - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net
Billing Contact: Krystall Hudson - 12011 Lee Jackson Memorial Hwy Ste 350 Fairfax, VA 22033-3323 - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD154989H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000095335 | THERMO | Bradford | 2011 | 12/08/2022 | Recurring Cert | Active | HW Heater Room |

Total Objects at this Location: 1

Location: North Creek Place Condo **Location ID:** 719757
Address: 14618 Bauer Dr - Rockville, MD 20853-2449 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Krystall Hudson - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net
Billing Contact: Krystall Hudson - 12011 Lee Jackson Memorial Hwy Ste 350 Fairfax, VA 22033-3323 - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD163147H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000125223 | | Jet Glass | 2017 | 03/01/2023 | Recurring Cert | Active | HW Heater Room |

Total Objects at this Location: 1

Location: North Creek Place Condo **Location ID:** 719758
Address: 2507 Baltimore Rd - Rockville, MD 20853-2407 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Krystall Hudson - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net
Billing Contact: Krystall Hudson - 12011 Lee Jackson Memorial Hwy Ste 350 Fairfax, VA 22033-3323 - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD155448H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106348 | | Jet Glass | 2013 | 12/08/2022 | Recurring Cert | Active | HW Heater Room |

Total Objects at this Location: 1

Location: North Creek Place Condo **Location ID:** 719762
Address: 2517 Baltimore Road - Rockville, MD 20853-2416 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Krystall Hudson - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net
Billing Contact: Krystall Hudson - 12011 Lee Jackson Memorial Hwy Ste 350 Fairfax, VA 22033-3323 - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD163116H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000122879 | COMB-R | Jet Glass | 2017 | 02/15/2023 | Recurring Cert | Active | HW Heater Room |

Total Objects at this Location: 1

Location: North Creek Place Condo **Location ID:** 719761
Address: 5576 Burnside Dr - Rockville, MD 20853-2462 **Phone:** 301-670-0220
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Krystall Hudson - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net
Billing Contact: Krystall Hudson - 12011 Lee Jackson Memorial Hwy Ste 350 Fairfax, VA 22033-3323 - Phone: 703-934-5200 ext 10 - Email: krystal@capitolmanagementcorp.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD163146H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000125232 | COMB-R | Bradford | 2017 | 02/15/2023 | Recurring Cert | Active | HW Heater Room |

Total Objects at this Location: 1

Location: Not Your Average Joes **Location ID:** 3632576
Address: 10400 Old Georgetown Rd - Bethesda, MD 20814-1914 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|-------------|--------------|------------|------------|----------------|--------|-----------------------|
| MD159867V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000270779 | SN-31512197 | CHART | 2015 | 10/25/2021 | Recurring Cert | Active | Outside near dumpster |

Total Objects at this Location: 1

Location: O'Donnells Restaurant **Location ID:** 719994
Address: 311 Kentlands Blvd - Gaithersburg, MD 20878-5447 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Kentlands 311, LLC.
Billing Contact: - 7501 Wisconsin Ave Ste 1500 Bethesda, MD 20814-6522

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD098740H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000051623 | | Lochinvar | 1995 | 08/11/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Oak Grove Center ("Shady Grove Corp Park") **Location ID:** 728192
Address: 15825 Shady Grove Rd - Rockville, MD 20850-4008 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: Yahya Moussaoui - Phone: 301-748-0810
Billing Contact: Yahya Moussaoui - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850 - Phone: 301-748-0810

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD061137H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000000317 | | A O Smith | 1986 | 04/29/2021 | Recurring Cert | Active | Penthouse |
| MD061138H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000000316 | | A O Smith | 1986 | 04/29/2021 | Recurring Cert | Active | Penthouse |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD061139H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000000318 | | A O Smith | 1986 | 04/29/2021 | Recurring Cert | Active | Penthouse |
| MD142298V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000052842 | | McQuay | 2011 | 04/29/2021 | Recurring Cert | Active | Penthouse |
| MD142569V | | Other w/comment | O - Other (PV Use) w/comment | 000051476 | | McQuay | 2010 | 04/29/2021 | Recurring Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Olney Sunoco
Address: 3100 Olney Sandy Spring Rd - Olney, MD 20832-1408
County: Montgomery **FIPS:** 24031
Primary Contact: Carey Brincefield - Phone: 301-785-4639
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3244676
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167186V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002221726 | | Manchester | 2020 | 08/25/2022 | Recurring Cert | Active | Car Wash |
| MD167187V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000021466 | | Taylor | 1995 | 10/01/2022 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: One Bethesda Center
Address: 4800 Hampden Ln - Bethesda, MD 20814-2930
County: Montgomery **FIPS:** 24031
Primary Contact: Ernest Venable - Phone: 301-656-0491 - Cell: 202-658-6921 - Email: ernest.venable@cis.cushwake.com
Billing Contact: Ernest Venable - 4800 Hampden Ln Bethesda, MD 20814-2930 - Phone: 301-656-0491 - Cell: 202-658-6921 - Email: ernest.venable@cis.cushwake.com

Location ID: 720267
Phone:
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|---------------|--------|-----------|
| MD024958V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000764190 | | Brunner | 1985 | 10/18/2022 | External Cert | Active | Penthouse |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: One Rockledge Center
Address: 6705 Rockledge Dr - Bethesda, MD 20817-1814
County: Montgomery **FIPS:** 24031
Primary Contact: One Rockledge Center
Billing Contact: - 14700 Ducktan Loop Gainesville, VA 20155-4832

Location ID: 720293
Phone: 301-897-9550
NOB/SIC: Department Stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD142502V | chiller #1 | Heat Exchanger - Shell and Tube | V - Storage (NOT Cryogenic) | 000199448 | 199448 | Trane | 2011 | 06/30/2022 | Recurring Cert | Active | Mech Rm 6705 |
| MD142503V | chiller #2 | Heat Exchanger - Shell and Tube | V - Storage (NOT Cryogenic) | 000199452 | 199448 | Trane | 2011 | 06/30/2022 | Recurring Cert | Active | Mech Rm 6705 |

Total Objects at this Location: 2

Location: Our Lady Of The Woods Academy
Address: 6801 Greentree Rd - Bethesda, MD 20817-2210
County: Montgomery **FIPS:** 24031
Primary Contact: Don Clubbs - Phone: 301-365-3080
Billing Contact: Don Clubbs - 6801 Greentree Rd Bethesda, MD 20817-2210 - Phone: 301-365-3080

Location ID: 720401
Phone:
NOB/SIC: Elementary and Secondary Schools

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD067840H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000000887 | BLR-1 | Federal | 1988 | 10/14/2022 | Recurring Cert | Active | BLRM |
| MD119790H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000000110 | BLR-2 | Hurst | 2002 | 10/14/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Oxford Square Apartments
Address: 11902 Parklawn Pl - Rockville, MD 20852-5206
County: Montgomery **FIPS:** 24031
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Location ID: 2252613
Phone: 301 770 5888
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD167787H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000130285 | | Jet Glass | 2019 | 01/12/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Oxford Square Apartments Location ID: 720502
Address: 11903 Parklawn Pl - Rockville, MD 20852-5212 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Oxford Square Apartments Location ID: 2252612
Address: 5102 Parklawn Ter - Rockville, MD 20852-5218 Phone: 301-770-5888
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Oxford Square Apartments
Address: 5112 Parklawn Ter - Rockville, MD 20852-5229
County: Montgomery **FIPS:** 24031
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Location ID: 720503
Phone: 301- 770- 5888
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD143523H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000089661 | | Jet Glass | 2009 | 12/02/2022 | Recurring Cert | Active | Boiler Room |
| MD162562H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000092764 | | Bradford White | 2010 | 11/30/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Parenteral Drug Assoc.
Address: 4350 E West Hwy Ste 600 - Bethesda, MD 20814-4495
County: Montgomery **FIPS:** 24031
Primary Contact: Parenteral Drug Assoc.
Billing Contact: - 4350 E West Hwy Ste 600 Bethesda, MD 20814-4495

Location ID: 3618588
Phone: 301-656-5900
NOB/SIC: Business Services, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD150442 | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000152160 | | SUSSMAN | 2014 | 07/27/2022 | Recurring Cert | Active | Blrm |
| MD150443V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000115925 | | MTE | 2005 | 03/27/2023 | Recurring Cert | Active | Blrm |
| MD150444V | | Autoclave | V - Process-Sterilizing | 000000321 | | Fedegari | 2007 | 03/27/2023 | Recurring Cert | Active | Autoclave Rm |

Total Objects at this Location: 3

Location: Park Montgomery Apartments **Location ID:** 720734
Address: 8860 Piney Branch Rd - Silver Spring, MD 20903-3547 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ashley Young - Phone: 301-439-4446 - Email: ayoung@rhomecommunities.com
Billing Contact: Ashley Young - 8860 Piney Branch Rd Silver Spring, MD 20903-3547 - Phone: 301-439-4446 - Email: ayoung@rhomecommunities.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD146302H | #1 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000166017 | 00000 | A.O. Smith | 2012 | 06/10/2023 | Recurring Cert | Active | Pent House |
| MD146303H | #2 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000171655 | 00000 | A.O. Smith | 2012 | 06/10/2023 | Recurring Cert | Active | Pent House |
| MD157268H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000217641 | | A O Smith | 2016 | 06/10/2023 | Recurring Cert | Active | penthouse |

Total Objects at this Location: 3

Location: Parklawn Liberty **Location ID:** 718951
Address: 5400 Randolph Rd - Rockville, MD 20852-2616 **Phone:** 301-770-4596
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Jay Collars - Phone: 301-602-7786/301-770-4595
Billing Contact: Jay Collars - 5400 Randolph Rd Rockville, MD 20852-2616 - Phone: 301-602-7786/301-770-4595

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD108222V | 1 | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000725732 | | Manchester | 1998 | 08/05/2022 | Recurring Cert | Active | Comp Room |

Total Objects at this Location: 1

Location: Passion Bakery Cafe **Location ID:** 718942
Address: 816 Olney Sandy Spring Rd - Sandy Spring, MD 20860-1015 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Fire Protection
Primary Contact: June Evans - Phone: 240-777-2459
Billing Contact: June Evans - 100 Edison Park Dr FI 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---------------|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD170083H | | Cast Iron | H - Hot Water | CI | | Weil-McLain | 2019 | 12/07/2022 | Recurring Cert | Active | BSMT |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|------|---------------------------------|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | | Heat (Water <= 160 psig, 250 F) | | | | | | | | |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Paul Seyfrit Engine (Model) **Location ID:** 786552
Address: 10121 Durango Dr - Damascus, MD 20872-2360 **Phone:** 301-253-6309
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Sports and Recreation Clubs
Primary Contact: Paul Seyfrit - Phone: 301-253-6309
Billing Contact: Paul Seyfrit - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------------|---------------------|-------|--------|------------------|------------|------------|----------------|--------|----------|
| MD152689 | | Other w/comment | M - Model w/comment | Model | 252 | Ridge Locomotive | 2015 | 04/05/2022 | Recurring Cert | Active | PORTABLE |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Pauls Automotive **Location ID:** 788005
Address: 54 Cessna Ct - Gaithersburg, MD 20879-4145 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Pauls Automotive
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD117475V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000081243 | | Melben | 1984 | 06/02/2022 | Recurring Cert | Active | Shop |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Peppertree Farm Apartments
Address: 3110 Whispering Pines Dr - Silver Spring, MD 20906-2439
County: Montgomery **FIPS:** 24031
Primary Contact: Peppertree Farm Apartments - Phone: 301-460-4020
Billing Contact: Property Manager - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-460-4020

Location ID: 988183
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169864H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000274120 | | A O Smith | 2020 | 02/16/2023 | Recurring Cert | Active | 3110 WHISPER |

Total Objects at this Location: 1

Location: Peppertree Farm Apartments
Address: 3115 Whispering Pines Ct. - Silver Spring, MD 20906-2442
County: Montgomery **FIPS:** 24031
Primary Contact: Estanislao Ochoa - Phone: 240 242 5969 - Email: eochoa@harborgroupmanagement.com
Billing Contact: Doreen Riales - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Location ID: 988196
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|------------|----------------|------------|------------|----------------|--------|--------------|
| MD170085H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000135841 | XB47364183 | Bradford White | 2020 | 05/31/2023 | Recurring Cert | Active | STORAGE ROOM |

Total Objects at this Location: 1

Location: Peppertree Farm Apartments
Address: 3212 Whispering Pines Dr - Silver Spring, MD 20906-2452
County: Montgomery **FIPS:** 24031
Primary Contact: Doreen Riales - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Billing Contact: Doreen Riales - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Location ID: 988178
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD170086H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000131223 | | Bradford White | 2019 | 02/16/2023 | Recurring Cert | Active | 3212 WHISPER |

Total Objects at this Location: 1

Location: Peppertree Farm Apartments
Address: 3213 Whispering Pines Dr - Silver Spring, MD 20906-2453
County: Montgomery **FIPS:** 24031
Primary Contact: Peppertree Farm Apartments - Phone: 301-460-4020
Billing Contact: Property Manager - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-460-4020

Location ID: 988197
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD169865H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000126625 | | Bradford White | 2018 | 02/16/2023 | Recurring Cert | Active | 3213 WHISPER |

Total Objects at this Location: 1

Location: Peppertree Farm Apartments
Address: 3500 Pear Tree Ct - Silver Spring, MD 20906-2555
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707156
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------------|
| MD165188H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000126990 | | Bradford White | 2018 | 08/05/2023 | Recurring Cert | Active | 3500 PEAR TREE |

Total Objects at this Location: 1

Location: PF Changs (NuCO2) # 323527
Address: 5406 Wisconsin Ave Ste B - Chevy Chase, MD 20815-3572
County: Montgomery **FIPS:** 24031
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3633077
Phone:
NOB/SIC: Industrial Gases

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|-------------|--------------|------------|------------|----------------|--------|----------------|
| MD160941V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000213644 | SN-31011116 | CHART | 2010 | 11/01/2021 | Recurring Cert | Active | Inside Kitchen |

Total Objects at this Location: 1

Location: Picca Chicken (Arc3) **Location ID:** 3993047
Address: 13000 Middlebrook Rd - Germantown, MD 20874-2617 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Picca Chicken (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165896V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000130783 | | CHART | 2001 | 11/19/2021 | Recurring Cert | Active | Outside rear |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Pkwy Custom Dry Cleaners **Location ID:** 4048998
Address: 5455 Randolph Rd - Rockville, MD 20852-2641 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: John Simon - Phone: 240 505 3377
Billing Contact: John Simon - 5455 Randolph Rd Rockville, MD 20852-2641 - Phone: 240 505 3377

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD085561V | 1 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001066017 | | Manchester | 1992 | 02/08/2022 | Recurring Cert | Active | BLRM |
| MD157479V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001956717 | | CAMPBELL | 2016 | 11/19/2022 | Recurring Cert | Active | BLRM |
| MD159620 | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000122722 | | Fulton | 2017 | 11/19/2021 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Planet Fitness
Address: 255 Muddy Branch Rd - Gaithersburg, MD 20878-3003
County: Montgomery **FIPS:** 24031
Primary Contact: Tyler Walker - Phone: 301-327-7701 - Email: tyler.walker@pfofmd.com
Billing Contact: - 212 W Padonia Rd Timonium, MD 21093-2107

Location ID: 2451356
Phone:
NOB/SIC: Variety Stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159932H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000049188 | | A O Smith | 2017 | 04/18/2022 | Recurring Cert | Active | blr. rm. |

Total Objects at this Location: 1

Location: Pleasant Construction Co.
Address: 24024 Frederick Rd - Clarksburg, MD 20871-9718
County: Montgomery **FIPS:** 24031
Primary Contact: Amy Newlin - Phone: 301-428-0800 x1091 - Cell: 301-252-6705 - Email: anewlin@pleasants.org
Billing Contact: Amy Newlin - 24024 Frederick Rd Clarksburg, MD 20871-9718 - Phone: 301-428-0800 x1091 - Cell: 301-252-6705 - Email: anewlin@pleasants.org

Location ID: 721525
Phone: 301-424-0822
NOB/SIC: Manufacturing Industries, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD154661V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000764865 | | Steel Fab | 2015 | 10/12/2022 | Recurring Cert | Active | Outside Shed |
| MD161789V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000004419 | | MI-T-M Corp | 2018 | 09/23/2022 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums
Address: 718 College Pkwy - Rockville, MD 20850-1929
County: Montgomery **FIPS:** 24031
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Location ID: 721551
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD145770H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000088075 | | Bradford White | 2009 | 09/22/2021 | Recurring Cert | Active | Bldg 718 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721550
Address: 728 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD149259H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000097549 | | Jet Glass | 2011 | 09/22/2021 | Recurring Cert | Active | Bldg 728 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721552
Address: 738 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD145771H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000091223 | | Bradford White | 2010 | 09/22/2021 | Recurring Cert | Active | Bldg 738 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721553
Address: 758 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159285H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000111098 | | Jet Glass | 2015 | 10/23/2021 | Recurring Cert | Active | 2015 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721554
Address: 762 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159287H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000116771 | | Jet Glass | 2016 | 10/02/2021 | Recurring Cert | Active | Bldg 762 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721548
Address: 770 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159288H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000113413 | | Jet Glass | 2015 | 10/02/2021 | Recurring Cert | Active | Bldg 770 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 3645977
Address: 798 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD155129H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000109626 | | Jet Glass | 2014 | 09/15/2021 | Recurring Cert | Active | Bldg 798 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721559
Address: 804 College Pkwy - Rockville, MD 20850-1931 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD145769H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000091079 | | Bradford White | 2010 | 09/22/2021 | Recurring Cert | Active | Bldg 804 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721560
Address: 806 College Pkwy - Rockville, MD 20850-1931 **Phone:** 301-924-4050
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD149260H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000103804 | | Jet Glass | 2013 | 09/15/2021 | Recurring Cert | Active | bldg 806 |

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721561
Address: 854 College Parkway - Rockville, MD 20850-1934 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD153953H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000111092 | | Jet Glass | 2015 | 09/15/2021 | Recurring Cert | Active | Bldg 854 |
| MD165186H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000127094 | | Bradford White | 2018 | 09/05/2021 | Recurring Cert | Active | Basement 854 |

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums Location ID: 721562
Address: 862 College Pkwy - Rockville, MD 20850-1938 Phone: 301-924-4050
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums Location ID: 721563
Address: 872 College Pkwy - Rockville, MD 20850-1943 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of water heater data.

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721564
Address: 882 College Parkway - Rockville, MD 20850-1948 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD149264H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000089835 | | Bradford White | 2010 | 09/23/2021 | Recurring Cert | Active | Bldg 882 |
| MD159289H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000121330 | | Jet Glass | 2017 | 10/23/2021 | Recurring Cert | Active | Blrm 882 |

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721565
Address: 888 College Parkway - Rockville, MD 20850-1931 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD165185H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000130850 | | Bradford White | 2019 | 09/05/2021 | Recurring Cert | Active | Bldg 888 |

Total Objects at this Location: 1

Location: PMS, Inc. **Location ID:** 720553
Address: 1107 Spring St - Silver Spring, MD 20910-4027 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Ron Johnson - Phone: 240-821-1969 - Cell: 301-357-0337 - Email: RJohnson@unither.com
Billing Contact: Tony Bryk - 1107 Spring St Silver Spring, MD 20910-4027 - Phone: 3015870800

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|------------------|
| MD072721H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Hydrotherm | 1984 | 05/14/2021 | Recurring Cert | Active | 1107 Boiler Room |

Total Objects at this Location: 1

Location: Popeyes(Arc3) Location ID: 4048336
Address: 3410 Olney Laytonsville Rd - Olney, MD 20832-1734 Phone:
County: Montgomery FIPS: 24031 NOB/SIC:
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD167742V, Vertical Unfired Pressure Vessel w/comment, V - Storage (Cryogenic), 000009540, Taylor, 1992, 11/24/2022, Recurring Cert, Active, Outside

Total Objects at this Location: 1

Location: Potomac BP Location ID: 730582
Address: 10140 River Rd - Potomac, MD 20854-4903 Phone: 301-299-8400
County: Montgomery FIPS: 24031 NOB/SIC: Gas and Other Services Combined
Primary Contact: Brian Hannam - Phone: 301-299-8400 - Email: potomacbp1@comcast.net
Billing Contact: Brian Hannam - 10140 River Rd Potomac, MD 20854-4903 - Phone: 301-299-8400 - Email: potomacbp1@comcast.net

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD114746V, Vertical Unfired Pressure Vessel w/comment, V - Storage (NOT Cryogenic), 001112947, Manchester, 1993, 03/24/2023, Recurring Cert, Active, Storage Room

Total Objects at this Location: 1

Location: Potomac Oaks Condominiums Location ID: 2520394
Address: 766 Quince Orchard Blvd - Gaithersburg, MD 20878-1506 Phone: 301-987-0071
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Michael Smith - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com
Billing Contact: Michael Smith - 766 Quince Orchard Blvd Rm Boiler Gaithersburg, MD 20878-1506 - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD002212H, Horizontal Fire Tube, H - Steam Heat (Steam <= 15 psig), 000040270, Cleaver Brooks, 1969, 11/05/2022, Recurring Cert, Active, Bldg 766-The Boiler Room. Row 2: MD040760V, Vertical Unfired Pressure Vessel, V - Storage (NOT Cryogenic), 000023364, A O Smith, 1988, 04/08/2023, Recurring Cert, Active, Building 700

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| | | w/comment | | | | | | | | | |
| MD165115H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000339660 | | Lochinvar | 2019 | 08/15/2023 | Recurring Cert | Active | Boiler Room |
| MD165116H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000338106 | | Lochinvar | 2019 | 08/15/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 4

Location: Potomac Oaks Condominiums **Location ID:** 721742
Address: 878 Quince Orchard Blvd - Gaithersburg, MD 20878-1707 **Phone:** 301-987-0073
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Michael Smith - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com
Billing Contact: Michael Smith - 780 Quince Orchard Blvd Rm Boiler Gaithersburg, MD 20878-1506 - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|-----------------------|------------|------------|----------------|--------|-----------------|
| MD002213H | | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000012114 | | Superior Boiler Works | 1970 | 04/08/2023 | Recurring Cert | Active | Boiler Room 878 |
| MD147645H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000032185 | | R B I | 2012 | 04/08/2021 | Recurring Cert | Active | Bldg 878 |
| MD147646H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000032186 | | R B I | 2012 | 04/08/2021 | Recurring Cert | Active | Bldg 878 |
| MD167219H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000050807 | | R B I | 2020 | 08/26/2022 | Recurring Cert | Active | Bldg 878 |
| MD167220H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000050806 | | R B I | 2020 | 08/26/2022 | Recurring Cert | Active | Bldg 878 |

Total Objects at this Location: 5

Location: Precision Auto Care
Address: 11921 Chapman Ave - Rockville, MD 20852-2684
County: Montgomery **FIPS:** 24031
Primary Contact: Joseph Rashti - Phone: 301-943-9999
Billing Contact: Joseph Rashti - 11921 Maple Ave Rockville, MD 20852-2670 - Phone: 301-943-9999

Location ID: 3332523
Phone: 301-770-4939
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD148282V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000230074 | 239487 | Morganton | 2012 | 02/17/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Preferred Automotive Group
Address: 12356 Wilkins Ave - Rockville, MD 20852-1828
County: Montgomery **FIPS:** 24031
Primary Contact: Michael McKee - Phone: 301-881-8530
Billing Contact: Michael McKee - 12356 Wilkins Ave Rockville, MD 20852-1828 - Phone: 301-881-8530

Location ID: 721822
Phone: 301-881-8530
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD128073V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000261841 | | Kargard | 1967 | 08/02/2022 | Recurring Cert | Active | Shop |
| MD155248V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001375224 | | Manchester | 2013 | 08/02/2022 | Recurring Cert | Active | Trailer |

Total Objects at this Location: 2

Location: Premier Auto Collision Center
Address: 12320 Wilkins Ave - Rockville, MD 20852-1828
County: Montgomery **FIPS:** 24031
Primary Contact: Juan Fuentes - Phone: 301-822-4730
Billing Contact: Gustavo Romano - 12320 Wilkins Ave Rockville, MD 20852-1828 - Phone: 301-822-4730 - Cell: 240-286-7543

Location ID: 1339955
Phone: 301-822-4730
NOB/SIC: Automotive Repair Shops, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|---------------------------|
| MD031822V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000139907 | | John Wood | 1953 | 07/17/2021 | Recurring Cert | Active | Rear Building Under Steps |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|----------------|------------|------------|----------------|--------|---------------------------|
| MD157279V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000350115 | | MAT Industries | 2015 | 07/17/2021 | Recurring Cert | Active | Rear Building Under Steps |

Total Objects at this Location: 2

Location: Prestige Auto Body **Location ID:** 1739483
Address: 928 Philadelphia Ave - Silver Spring, MD 20910-4912 **Phone:** 301-578-8779
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive Transmission Repair Shops
Primary Contact: Aldo Sotil-Berisso - Phone: 301-578-8779
Billing Contact: Aldo Sotil-Berisso - 928 Philadelphia Ave Silver Spring, MD 20910-4912 - Phone: 301-578-8779

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169787V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000023108 | | AIRCOM | 2016 | 02/05/2023 | Recurring Cert | Active | BAY 2 |

Total Objects at this Location: 1

Location: Prestige Cleaners **Location ID:** 709766
Address: 9420 Georgia Ave - Silver Spring, MD 20910-1434 **Phone:** 301-588-0333
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Power Laundries, Family and Commercial
Primary Contact: Mitchell Gordon - Phone: 301-588-0333
Billing Contact: Anthony Walker - 9420 Georgia Ave Silver Spring, MD 20910-1434 - Phone: 301-588-0333

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|----------|-------------|--------------------|-------------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167001 | | Vertical Fire Tube | S - Power-Ironing (Steam > 15 psig) | 000125086 | | Fulton | 2019 | 03/31/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Pro Auto Body
Address: 1621 E Gude Dr - Rockville, MD 20850-1348
County: Montgomery **FIPS:** 24031
Primary Contact: Liz Avile - Phone: 240-855-4435
Billing Contact: Liz Avile - 1621 E Gude Dr Rockville, MD 20850-1348 - Phone: 240-855-4435

Location ID: 996921
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD169796V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000235021 | | Morganton | 2012 | 03/30/2023 | Recurring Cert | Active | Shop - Rear |

Total Objects at this Location: 1

Location: ProMetric BioTherapeutics
Address: 1330 Piccard Dr Ste 201 - Rockville, MD 20850-4352
County: Montgomery **FIPS:** 24031
Primary Contact: Tom Jameson - Phone: 301-917-6333 - Email: T.Jameson@prometic.com
Billing Contact: Linda Clarke - 1330 Piccard Dr Ste 201 Rockville, MD 20850-4352 - Phone: 301-917-6340 - Email: L.Clarke@Prometic.com

Location ID: 3743416
Phone: 301-917-6320
NOB/SIC: Biological Products, Except Diagnostic Substances

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD148256V | | Autoclave | V - Process-Sterilizing | 000003223 | | Getinge | 2002 | 04/08/2022 | Recurring Cert | Active | Room 140 |

Total Objects at this Location: 1

Location: PS Business Park
Address: 9200 Corporate Blvd - Rockville, MD 20850-3229
County: Montgomery **FIPS:** 24031
Primary Contact: Guillermo Sanchez - Phone: 301-340-0901 - Cell: 3014073186 - Email: gsanchez@lpc.com
Billing Contact: Guillermo Sanchez - 9210 Corporate Blvd Ste 110 Rockville, MD 20850-6225 - Phone: 301-340-0901 - Cell: 3014073186 - Email: gsanchez@lpc.com

Location ID: 725439
Phone: C08556787-21
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|---|-----------|--------|--------------|------------|------------|---------------|--------|-----------|
| MD055090V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000177230 | | Trane | 1982 | 03/22/2022 | External Cert | Active | Penthouse |
| MD146035V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000054876 | | McQuay | 2012 | 03/22/2022 | External Cert | Active | Penthouse |

Total Objects at this Location: 2

Location: PS Business Parks
Address: 15400 Calhoun Dr - Rockville, MD 20855-2735
County: Montgomery **FIPS:** 24031
Primary Contact: Judith D Lun - Phone: 301-896-9098
Billing Contact: Judith D Lun - 7529 Standish PI Suite 350 Rockville, MD 20855 - Phone: 301-896-9098

Location ID: 2649671
Phone: C07675053-64
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|---------------|--------|----------------------|
| MD068459V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000131758 | | Manchester | 1986 | 08/13/2021 | External Cert | Active | 1st Floor Mechanical |

Total Objects at this Location: 1

Location: PS Business Parks
Address: 7361 Calhoun PI - Rockville, MD 20855-2765
County: Montgomery **FIPS:** 24031
Primary Contact: Tom Croker - Phone: (301) 340-0901 x0050 - Cell: 240-876-1203 - Email: tcroker@lpc.com
Billing Contact: Tom Croker - 7529 Standish PI Ste 115 Rockville, MD 20855-2733 - Phone: (301) 340-0901 x0050 - Cell: 240-876-1203 - Email: tcroker@lpc.com

Location ID: 727021
Phone: C07675053-60
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|------------|--------|--------------|------------|------------|---------------|--------|-----------|
| MD068458V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 0000430297 | | Manchester | 1986 | 08/13/2021 | External Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: Quality Tune Up
Address: 8537 Piney Branch Rd - Silver Spring, MD 20901-3920
County: Montgomery **FIPS:** 24031
Primary Contact: Raul Castro - Phone: 301-585-8887
Billing Contact:

Location ID: 722146
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD155145V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000593970 | | Morganton | 2016 | 12/01/2022 | Recurring Cert | Active | Storage Room |

Total Objects at this Location: 1

Location: Quebec Terrace Apts
Address: 1006 Quebec Ter - Silver Spring, MD 20903-3106
County: Montgomery **FIPS:** 24031
Primary Contact: Chris Willis - Phone: 202-337-5080
Billing Contact: Chinyere Opaigbeogu - 10890 Mariner Dr Ft Washington, MD 20744-5850 - Phone: 202-337-5080 - Cell: 240-838-6143 - Email: ouchechi@verizon.net

Location ID: 986930
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD118276H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2002 | 12/09/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Quick Lube
Address: 18824 Woodfield Rd Unit C - Gaithersburg, MD 20879-4715
County: Montgomery **FIPS:** 24031
Primary Contact: Sevan Gregorian - Phone: 301-254-0116 - Email: sevang@verizon.net
Billing Contact: Sevan Gregorian - 18824 Woodfield Rd Unit C Gaithersburg, MD 20879-4715 - Phone: 301-254-0116 - Email: sevang@verizon.net

Location ID: 702252
Phone: 301-254-0116
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD149311V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000275963 | | Mat Indust | 2012 | 05/12/2022 | Recurring Cert | Active | Storage rm |

Total Objects at this Location: 1

Location: Quincy Bar & Grill (Roberts)
Address: 616 Quince Orchard Rd - Gaithersburg, MD 20878-1410
County: Montgomery **FIPS:** 24031
Primary Contact: Quincy Bar & Grill (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 4002543
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165866V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000019902 | | Taylor | 1994 | 12/10/2021 | Recurring Cert | Active | Outside rear |

Total Objects at this Location: 1

Location: Radisson
Address: 3 Research Ct - Rockville, MD 20850-3211
County: Montgomery **FIPS:** 24031
Primary Contact: H. Negash - Phone: 301-840-0200
Billing Contact: H. Negash - 3 Research Ct Rockville, MD 20850-3211 - Phone: 301-840-0200

Location ID: 722137
Phone: 301-840-0200
NOB/SIC: Rooming and Boarding Houses

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD099929H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000083649 | | Lochinvar | 1998 | 03/18/2022 | Recurring Cert | Active | BLRM |
| MD099930H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000082585 | | Lochinvar | 1997 | 03/18/2022 | Recurring Cert | Active | BLRM |
| MD106804H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2000 | 03/18/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 3

Location: Rain Bow Laundromat
Address: 8735 Flower Ave - Silver Spring, MD 20901-4035
County: Montgomery **FIPS:** 24031
Primary Contact: Nok Kim - Cell: 703-624-1980
Billing Contact: Nok Kim - 8735 Flower Ave Silver Spring, MD 20901-4035 - Cell: 703-624-1980

Location ID: 725489
Phone:
NOB/SIC: Apparel and other textile products

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|----------|
| MD117557H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000006675 | 080229107 | R B I | 2002 | 10/31/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Regency Care of Silver Spring **Location ID:** 992869
Address: 9101 Second Ave - Silver Spring, MD 20910-2152 **Phone:** 301-588-5544
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Intermediate Care Facilities
Primary Contact: Bob Broadhurst - Phone: 301-588-5544 ext 9867
Billing Contact: Bob Broadhurst - 9101 Second Ave Silver Spring, MD 20910-2152 - Phone: 301-588-5544 ext 9867

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|---------|-----------|--------------|------------|------------|----------------|--------|----------|
| MD142143H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 0020323 | 120748269 | R B I | 2007 | 08/21/2021 | Recurring Cert | Active | blrm |
| MD142144H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 0020344 | | R B I | 2007 | 08/21/2021 | Recurring Cert | Active | blrm |

Total Objects at this Location: 2

Location: Regenx Bio **Location ID:** 4069621
Address: 9804 Medical Center Dr - Rockville, MD 20850 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Peter Milewski - Phone: 240 319 0315 - Email: pmilewski@proair-inc.com
Billing Contact: Randy Bradshaw - 9804 Medical Center Dr Rockville, MD 20850

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|----------|--------------|------------|------------|----------------|--------|-----------------------|
| MD169819H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007226 | EDR-2000 | Fulton | 2020 | 05/26/2023 | Recurring Cert | Active | Penthouse Mech Rm |
| MD169820H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007203 | EDR 2000 | Fulton | 2020 | 05/26/2023 | Recurring Cert | Active | Penthouse Mech Rm |
| MD169821H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000007225 | EDR-2000 | Fulton | 2020 | 05/26/2023 | Recurring Cert | Active | Penthouse Mech Rm |
| NEW | | Horizontal Fire Tube | S - Power-Sterilizing (Steam > 15 psig) | 000001382 | | Fulton | 2020 | 08/23/2022 | Recurring Cert | Active | Penthouse Boiler Room |
| NEW | | Horizontal Fire Tube | S - Power-Sterilizing (Steam > 15 psig) | 000001381 | | Fulton | 2020 | 09/02/2022 | Recurring Cert | Active | Penthouse Boiler Room |

Total Objects at this Location: 5

Location: Research Center Office **Location ID:** 719503
Address: 2301 Research Blvd - Rockville, MD 20850-3204 **Phone:** 301-407-1858
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Natalie McCullough - Phone: 301-407-1858 - Email: nmccullough@lpc.com
Billing Contact: - 15245 Shady Grove Rd Ste 385 Rockville, MD 20850-7207 - Phone: 301-407-1858 - Email: nmccullough@lpc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD047636H | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000096535 | | Electro pak | 1973 | 01/12/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Research West II **Location ID:** 706236
Address: 2400 Research Blvd - Rockville, MD 20850-3243 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Rene Contreras - Cell: 301-404-9462 - Email: rcontreras@lpc.com
Billing Contact: Myesha Thornton - 2440 Research Blvd Ste 320 Lincoln Property Rockville, MD 20850-3238 - Phone: 301-258-0050 - Email: mthorton@lpc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD133474V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000563594 | | Steel Fab | 2009 | 12/09/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 1

Location: RHD Gaithersburg, LLC DBA Rosenthal Acura **Location ID:** 723393
Address: 623 N Frederick Ave - Gaithersburg, MD 20879-3306 **Phone:** 301-840-9333
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive Dealers, NEC
Primary Contact: Fred Fees - Phone: 703-409-6199 - Email: ffees@rosenthalauto.com
Billing Contact: Ben Calvitti - 623 N Frederick Ave Gaithersburg, MD 20879-3306 - Phone: 301-840-9333

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD062719V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000879932 | | Wood | 1986 | 02/24/2022 | Recurring Cert | Active | PARTS STORAG |
| MD142802V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000006735 | | Air Comp | 2005 | 02/22/2022 | Recurring Cert | Active | PARTS STORAG |

Total Objects at this Location: 2

Location: Richman Design Inc
Address: 8905 Brookville Rd - Silver Spring, MD 20910-1806
County: Montgomery **FIPS:** 24031
Primary Contact: Richman Design Inc
Billing Contact:

Location ID: 3599843
Phone:
NOB/SIC: Nonclassifiable Establishments

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD142210V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000531194 | | Melben | 1995 | 05/28/2023 | Recurring Cert | Active | 8905 Shop |

Total Objects at this Location: 1

Location: Rio Grande Cafe
Address: 231 Rio Blvd - Gaithersburg, MD 20878-7312
County: Montgomery **FIPS:** 24031
Primary Contact: April West - Phone: 972-554-3624 - Email: permits@unclejulios.com
Billing Contact: Leslie Douglass - 1101 N Union Bower Rd Ste 160 Irving, TX 75061-5850 - Phone: 1-214-616-0668 - Email: Leslie.Douglass@unclejulios.com

Location ID: 722813
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------|
| MD162044H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000122399 | | Bradford White | 2017 | 10/01/2022 | Recurring Cert | Active | sprinkler rm |
| MD167732H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000132596 | | Bradford White | 2019 | 11/19/2022 | Recurring Cert | Active | Sprinkler rm |
| MD167733V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000164124 | | CHART | 2005 | 11/19/2022 | Recurring Cert | Active | Loading Dock |

Total Objects at this Location: 3

Location: Riviera Of Chevy Chase
Address: 4242 East West Highway - Bethesda, MD 20815-5934
County: Montgomery **FIPS:** 24031
Primary Contact: Fred Coley - Phone: 3016572211 - Cell: 3017172342
Billing Contact: Phillip Palmer - 4242 E West Hwy Bethesda, MD 20815-5934 - Phone: 301-657-2211

Location ID: 722985
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD092144H | 01 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000074118 | | Fulton | 1995 | 08/26/2021 | Recurring Cert | Active | Penthouse |
| MD092145H | 02 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000074297 | | Fulton | 1995 | 08/26/2023 | Recurring Cert | Active | Penthouse |
| MD092146H | 03 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000074340 | | Fulton | 1995 | 08/26/2023 | Recurring Cert | Active | Penthouse |
| MD092147H | 04 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000074292 | | Fulton | 1995 | 08/26/2023 | Recurring Cert | Active | Penthouse |
| MD092148V | | Heat Exchanger - Shell and Tube | V - Storage (Cryogenic) | 000035637 | | Trane | 1995 | 08/26/2021 | Recurring Cert | Active | Penthouse |
| MD170182H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000135819 | | AIC | 2020 | 05/25/2023 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 6

Location: Robern Automotive Service
Address: 6323 New Hampshire Ave - Takoma Park, MD 20912-4701
County: Montgomery **FIPS:** 24031
Primary Contact: Robern Automotive Service - Phone: 3012706444
Billing Contact: Roberto Mena - 6323 New Hampshire Ave Takoma Park, MD 20912-4701 - Phone: 3012706444

Location ID: 723009
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD104852V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000968956 | | Buckeye | 1990 | 04/20/2023 | Recurring Cert | Active | Comp Rm |

Total Objects at this Location: 1

Location: Rock Bottom Restaurant **Location ID:** 723076
Address: 7900 Norfolk Ave # C - Bethesda, MD 20814-2502 **Phone:** 301-652-1311
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and drinking places
Primary Contact: Jose Fernandez - Phone: 301-652-1311 - Email: jfernandez@rockbottom.com
Billing Contact: Jose Fernandez - 7900 Norfolk Ave # C Bethesda, MD 20814-2502 - Phone: 301-652-1311 - Email: jfernandez@rockbottom.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD135726H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000141456 | | A O Smith | 2009 | 01/08/2023 | Recurring Cert | Active | Basement |
| MD135727H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000135616 | | A O Smith | 2009 | 01/08/2023 | Recurring Cert | Active | Basement |

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments **Location ID:** 723086
Address: 12512 Veirs Mill Rd - Rockville, MD 20853-3517 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Gwendolyn Newberry, COS - Phone: 301-946-0363
Billing Contact: Gwendolyn Newberry, COS - 12512 Veirs Mill Rd Rockville, MD 20853-3517 - Phone: 301-946-0363

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|-----------------------|
| MD143520H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000147644 | | State Industries | 2010 | 07/16/2023 | External Cert | Active | 12512 Viers Mill Road |
| MD170211H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000132848 | | Bradford White | 2019 | 08/26/2023 | Recurring Cert | Active | 12512 Viers Mill Road |

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12524 Veirs Mill Rd - Rockville, MD 20853-3527
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 2157219
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD154853H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000107216 | 122216 | Jet glass | 2014 | 07/16/2023 | Recurring Cert | Active | Utility room |
| MD164311H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000032085 | 47085 | American | 1994 | 07/16/2023 | Recurring Cert | Active | Utility room |

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12602 Veirs Mill Rd - Rockville, MD 20853-3535
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723088
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|------------------|
| MD155126H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000107213 | 122213 | Bradford white | 2014 | 08/16/2023 | Recurring Cert | Active | 3 red floor mech |
| MD170212H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000132520 | | Bradford white | 2019 | 08/26/2023 | Recurring Cert | Active | 3 red floor mech |

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12612 Veirs Mill Rd - Rockville, MD 20853-3543
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723089
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD155577H | left | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106134 | 121134 | Jet glass | 2013 | 07/09/2023 | Recurring Cert | Active | 2nd Flr Rm |
| MD170213H | right | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000132524 | | Jet glass | 2019 | 08/27/2023 | Recurring Cert | Active | 2nd Flr Rm |

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12630 Veirs Mill Rd - Rockville, MD 20853-3566
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723090
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD001082H | | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000024558 | | Cleaver Brooks | 1971 | 08/26/2023 | Recurring Cert | Active | BOILER ROOM |
| MD001083H | | Horizontal Fire Tube | H - Steam Heat (Steam <= 15 psig) | 000023967 | | Cleaver Brooks | 1971 | 08/26/2023 | Recurring Cert | Active | Boiler Room |
| MD131902H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000066191 | 81191 | Bradford White | 2004 | 07/16/2023 | Recurring Cert | Active | Boiler Room |
| MD131903H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000071507 | 86507 | Bradford White | 2006 | 07/16/2023 | Recurring Cert | Active | Boiler Room |
| MD170209H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000131381 | | Bradford White | 2019 | 08/27/2023 | Recurring Cert | Active | Boiler Room |
| MD170210H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000133318 | | Bradford White | 2019 | 08/27/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 6

Location: Rockingham Construction
Address: 19200 Woodfield Rd - Gaithersburg, MD 20879-4721
County: Montgomery **FIPS:** 24031
Primary Contact: Rockingham Construction
Billing Contact: Matt Weaver - 19200 Woodfield Rd Gaithersburg, MD 20879-4721

Location ID: 3923386
Phone:
NOB/SIC: General Contractors-Industrial Buildings and Warehouses

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD163410V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002048445 | | Manchester | 2018 | 03/19/2021 | Recurring Cert | Active | Shop Mezz |

Total Objects at this Location: 1

Location: Rockledge Executive Center #1
Address: 6600 Rockledge Dr - Bethesda, MD 20817-1806
County: Montgomery **FIPS:** 24031
Primary Contact: John McKenzie - Cell: 703-584-3087 - Email: John.McKenzie@bdnreit.com
Billing Contact: John McKenzie - 3141 Fairview Park Dr. Falls Church, VA 22042 - Cell: 703-584-3087 - Email: John.McKenzie@bdnreit.com

Location ID: 723135
Phone: 240 404-0600
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------|
| MD039598V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000301448 | | Manchester | 1979 | 10/19/2022 | Recurring Cert | Active | Penthouse |
| MD088599H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP2723395 | Weil-McLain | 1997 | 10/19/2022 | Recurring Cert | Active | Penthouse |
| MD098713H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP3101406 | Weil-McLain | 1988 | 10/19/2022 | Recurring Cert | Active | Penthouse |
| MD142501V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000207315 | | CARRIER | 1996 | 10/19/2022 | Recurring Cert | Active | Penthouse |
| MD169347V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000065184 | | Daikin | 2020 | 11/02/2022 | Recurring Cert | Active | penthouse |

Total Objects at this Location: 5

Location: Rockville Auto Repair
Address: 649 Southlawn Ln Ste F-G - Rockville, MD 20850-1482
County: Montgomery **FIPS:** 24031
Primary Contact: Rockville Auto Repair - Phone: 301-294-6069
Billing Contact: - 649 Southlawn Ln Ste F-G Rockville, MD 20850-1482 - Phone: 301-294-6069

Location ID: 714088
Phone:
NOB/SIC: General Automotive Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD107716V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000424917 | | Manchester | 1996 | 11/30/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Rockville Exxon
Address: 11433 Rockville Pike - Rockville, MD 20852-3023
County: Montgomery **FIPS:** 24031
Primary Contact: Shoney Ponda - Phone: 301-230-5650
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 723145
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD113077V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000055838 | | Brunner | 1995 | 10/07/2021 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Rockville Fuel & Feed Co.
Address: 14915 Southlawn Ln - Rockville, MD 20850-1322
County: Montgomery **FIPS:** 24031
Primary Contact: Dennis Bogley - Phone: 301-762-3988/240-271-1090
Billing Contact: Dennis Bogley - 14901 Southlawn Lane PO Box 1707 Rockville, MD 20849 - Phone: 301-762-3988/240-271-1090

Location ID: 3638685
Phone:
NOB/SIC: Brick and Structural Clay Tile

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD170177H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2020 | 07/16/2023 | Recurring Cert | Active | PLANT |

Total Objects at this Location: 1

Location: Rockville Metals
Address: 801 E Gude Dr - Rockville, MD 20850-1331
County: Montgomery **FIPS:** 24031
Primary Contact: James R. Figliozi - Phone: 301-424-6577 - Email: Jimfig46@gmail.com
Billing Contact: James R. Figliozi - 801 E Gude Dr Rockville, MD 20850-1331 - Phone: 301-424-6577 - Email: Jimfig46@gmail.com

Location ID: 703345
Phone: 301-424-6577
NOB/SIC: Automotive Dealers, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|-----------------|------------|------------|----------------|--------|------------|
| MD161835V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002045498 | | Twin Lakes Tank | 2018 | 10/03/2022 | Recurring Cert | Active | Shop Floor |

Total Objects at this Location: 1

Location: Rockville Pike Shell - MD 719
Address: 1911 Rockville Pike - Rockville, MD 20852-1625
County: Montgomery **FIPS:** 24031
Primary Contact: Mike Khadivi - Phone: 301-881-6481
Billing Contact: Alonso Gonzalez - 14016 Sullyfield Cir. Ste E Chantilly, VA 20151 - Phone: 703-489-2291 - Email: retailaccounting@eandcma.com

Location ID: 723157
Phone: 301-881-6481
NOB/SIC: Automotive Repair Shops, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD133498V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000705345 | | Manchester | 2006 | 07/14/2021 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 1

Location: Rockville Printing and Graphics
Address: 736 Rockville Pike - Rockville, MD 20852-1133
County: Montgomery **FIPS:** 24031
Primary Contact: Bill French - Phone: 301-251-0001 - Email: bfrench@rockvilleprinting.com
Billing Contact: Bill French - 736 Rockville Pike Rockville, MD 20852-1133 - Phone: 301-251-0001 - Email: bfrench@rockvilleprinting.com

Location ID: 3268294
Phone:
NOB/SIC: Commercial Printing, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167793V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001214004 | | Manchester | 2001 | 08/17/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Rockville Tire & Auto
Address: 16077 Frederick Rd - Rockville, MD 20855-2217
County: Montgomery **FIPS:** 24031
Primary Contact: Rockville Tire & Auto
Billing Contact:

Location ID: 718502
Phone: 240-386-8617
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD071217V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000889237 | | Buckeye | 1989 | 05/31/2022 | Recurring Cert | Active | Shop |
| MD071218V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000884654 | | Buckeye | 1988 | 05/31/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 2

Location: Rose Condos of Bethesda
Address: 930 Rose Ave - Rockville, MD 20852-8713
County: Montgomery **FIPS:** 24031
Primary Contact: Joe Mosli - Phone: 301-770-3502 - Cell: 202-664-0535
Billing Contact: Joe Mosli - 930 Rose Ave North Bethesda, MD 20852-8713 - Phone: 301-770-3502 - Cell: 202-664-0535

Location ID: 3890916
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|---------------|------------------|------------|------------|----------------|--------|---------------|
| MD160182H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000226015 | 2809206233835 | State Industries | 2017 | 11/27/2021 | Recurring Cert | Active | Roof Mech. Rm |
| MD160183H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000224789 | 170510487987 | State Industries | 2017 | 11/27/2021 | Recurring Cert | Active | Roof Mech. Rm |

Total Objects at this Location: 2

Location: Rubin & Rubin, P.C. **Location ID:** 723506
Address: 8404 Georgia Ave - Silver Spring, MD 20910-4424 **Phone:** 301-585-3822
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Legal Services
Primary Contact: Lawrence Rubin - Phone: 301-585-3822 - Email: lawrence.rubin@rubinpc.com
Billing Contact: Lawrence Rubin - 8404 Georgia Ave Silver Spring, MD 20910-4424 - Phone: 301-585-3822 - Email: lawrence.rubin@rubinpc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|----|------------|-------------------|------------|------------|----------------|--------|-------------|
| MD141037H | | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | NA | 2310V01018 | ECR International | 2011 | 03/02/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Ruby Tuesday (NuCo2) # 225478 **Location ID:** 3453643
Address: 701 Russell Ave - Gaithersburg, MD 20877-2631 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|------------|--------------|------------|------------|----------------|--------|----------|
| MD154750V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000099765 | CCUD99B19C | MVE Inc | 1999 | 06/21/2022 | Recurring Cert | Active | NUCO2 |

Total Objects at this Location: 1

Location: Ruby Tuesday - 3644 **Location ID:** 723522
Address: 701 Russell Ave Ste D223 - Gaithersburg, MD 20877-2652 **Phone:** 301-216-2772
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and drinking places
Primary Contact: Ivana Bogejevic - Phone: 301-216-2772
Billing Contact: - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------|
| MD165117H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000129555 | | Bradford White | 2018 | 09/05/2021 | Recurring Cert | Active | Heater Room |

Total Objects at this Location: 1

Location: Rumba Y Carbon **Location ID:** 3633915
Address: 11222 Grandview Ave - Silver Spring, MD 20902-4602 **Phone:** (301) 962-6262
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|------------|--------------|------------|------------|----------------|--------|----------|
| MD161088V | A915452 | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000051758 | CCFC96F301 | MVE Inc | 1996 | 06/28/2023 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Saint Jane Frances De Chantal Church **Location ID:** 723842
Address: 9601 Old Georgetown Rd - Bethesda, MD 20814-1725 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Organizations, NEC
Primary Contact: Don Mays - Phone: 301-530-1550 - Cell: 240-994-2664 - Email: deacondcmmays@gmail.com
Billing Contact: Don Mays - 9701 Old Georgetown Rd Bethesda, MD 20814-1727 - Phone: 301-530-1550 - Cell: 240-994-2664 - Email: deacondcmmays@gmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD114566H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | H B Smith | 2001 | 03/29/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Saint Mary Magdalene Episcopal Church **Location ID:** 724029
Address: 3820 Aspen Hill Rd - Silver Spring, MD 20906-2904 **Phone:** 301-871-7660
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership organizations
Primary Contact: Saint Mary Magdalene Church - Phone: 3018717660
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD158750H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2001 | 07/17/2023 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 1

Location: Saint Patrick Parish **Location ID:** 724087
Address: 4101 Norbeck Rd - Rockville, MD 20853-1870 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Martin L'Etoile - Phone: 301-924-2284 - Cell: 301-509-0144 - Email: ParishOffice@StPatrickADW.org
Billing Contact: Philip Duck - PO Box 29260 Washington, DC 20017-0260 - Phone: 301-853-4500

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------------------|---|-----------|-----------|--------------|------------|------------|----------------|--------|--------------------|
| MD074643H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7099-0790 | Peerless | 1980 | 04/27/2022 | Recurring Cert | Active | Church Boiler Room |
| MD132996H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000167024 | | Lochinvar | 2004 | 04/27/2022 | Recurring Cert | Active | School Boiler Room |
| MD132997H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000167023 | | Lochinvar | 2004 | 04/27/2022 | Recurring Cert | Active | School Boiler Room |
| MD132998H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000167025 | | Lochinvar | 2004 | 04/27/2022 | Recurring Cert | Active | School Boiler Room |
| MD132999H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000167026 | | Lochinvar | 2004 | 04/27/2022 | Recurring Cert | Active | School Boiler Room |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Sakura Japanese Steak (Arc3) **Location ID:** 3993043
Address: 11502 Middlebrook Rd - Germantown, MD 20876-2709 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sakura Japanese Steak (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165897V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000106664 | | MVE | 1999 | 11/19/2021 | Recurring Cert | Active | Outside Cage |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Sam's Club - 6653 **Location ID:** 2976914
Address: 610 N Frederick Ave - Gaithersburg, MD 20877-2527 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Department Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD140829V | Rack B | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000042652 | | Standard | 2002 | 04/07/2023 | Recurring Cert | Active | Outside/Bldg |
| MD140831V | Rack A | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000042571 | | Standard | 2002 | 04/07/2023 | Recurring Cert | Active | Outside/Bldg |
| MD148377V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000710750 | | Steel Fab | 2012 | 04/07/2023 | Recurring Cert | Active | Tire Shop/Outside |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Sandy Spring Friends School **Location ID:** 724329
Address: 16923 Norwood Rd - Sandy Spring, MD 20860-1112 **Phone:** 301-774-7455
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Troy Harris - Phone: 301-774-7455 x154 - Email: troy.harris@ssfs.org
Billing Contact: Cathryn Carnevale - 16923 Norwood Rd Sandy Spring, MD 20860-1112 - Phone: 301-774-7455 x177 - Email: cathryn.carnevale@ssfs.org

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD086090H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1993 | 03/14/2022 | Recurring Cert | Active | MIANTENANCE |
| MD086092H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1970 | 03/14/2022 | Recurring Cert | Active | MOORE HALL |
| MD086093H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1993 | 03/14/2022 | Recurring Cert | Active | TANGLEWOOD |
| MD109490V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000391624 | | SMC | 1993 | 03/14/2022 | Recurring Cert | Active | SHED |
| MD143846H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2011 | 03/14/2022 | Recurring Cert | Active | HARTSHORNE |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|------------|--------------|------------|------------|----------------|--------|-------------|
| MD143847H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000071768 | | Weben-Jarco | 2005 | 03/14/2022 | Recurring Cert | Active | ATHETIC CTR |
| MD143848H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | | Weil-McLain | 2011 | 03/14/2022 | Recurring Cert | Active | SCOTT HOUSE |
| MD169824H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP7499 057 | Weil-McLain | 2020 | 06/02/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 8

Location: Sardi's Fusion (Arc3) **Location ID:** 4039167
Address: 3418 Olney Laytonsville Rd - Olney, MD 20832-1734 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sardi's Fusion (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167190V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000269865 | | CHART | 2015 | 08/25/2022 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Sardi's Pollo (Arc3) **Location ID:** 3993041
Address: 430 N Frederick Ave - Gaithersburg, MD 20877-2416 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sardi's Pollo (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166668V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000023563 | | Taylor | 1995 | 11/19/2021 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Sardi's Pollo A La Brasa (Arc3) **Location ID:** 3989297
Address: 1159 University Blvd E - Takoma Park, MD 20912-7444 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD166090V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000004264 | | Taylor-Wharton | 1990 | 11/07/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Saunders & Schmieler **Location ID:** 724368
Address: 8225 Georgia Ave - Silver Spring, MD 20910-5731 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Direct Selling Establishments
Primary Contact: Law Offices of Saunders c/o Jeffery R Schmieler, Rev. Trust - Phone: 301-588-7717
Billing Contact: - 5405 Twin Knolls Rd Ste 5 Columbia, MD 21045-3258

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD111028H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Burnham | 2001 | 04/19/2022 | Recurring Cert | Active | Bsmt |

Total Objects at this Location: 1

Location: Schuyler LLLP **Location ID:** 724436
Address: 100 Schuyler Rd - Silver Spring, MD 20901-4141 **Phone:** 301-315-0075
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Craig Lenkin - Phone: 301-460-6064/301-315-0075
Billing Contact: Craig Lenkin - PO Box 1948 Rockville, MD 20849-1948 - Phone: 301-460-6064/301-315-0075

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD169405H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000128993 | | Bradford White | 2018 | 03/03/2022 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Sears Store #1424 **Location ID:** 724536
Address: 7103 Democracy Boulevard - Bethesda, MD 20817-1007 **Phone:** 301-469-4000
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Department Stores
Primary Contact: Ronald King - Phone: 301-469-4147 - Email: esalin0@searshc.com
Billing Contact: Ronald King - 7103 Democracy Blvd Bethesda, MD 20817-1007 - Phone: 301-469-4147 - Email: esalin0@searshc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------------|------------|------------|---------------|--------|-------------|
| MD138604V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001569547 | | Campbell Hausfield | 2009 | 01/27/2022 | External Cert | Active | Boiler Room |
| MD149184H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 16-88 | Weil-McLain | 2013 | 01/27/2022 | External Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: SEC Properties, LLC. **Location ID:** 710129
Address: 8201 Schrider St - Silver Spring, MD 20910-4637 **Phone:** 571-233-2931
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jay Crowder - Phone: 703-720-2680 - Email: jaycrowder@cox.net
Billing Contact: Jay Crowder - 6720 Bunkers Ct Clifton, VA 20124-2556 - Phone: 703-720-2680 - Email: jaycrowder@cox.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD166681H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | SMITH | 2018 | 07/16/2023 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Seibel's Restaurant (Arc3) **Location ID:** 3964695
Address: 15540 Old Columbia Pike - Burtonsville, MD 20866-1634 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Seibel's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD164654V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000018067 | | Taylor | 1994 | 07/16/2023 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Selective Hauling LLC
Address: 8040 Queenair Dr - Gaithersburg, MD 20879-4104
County: Montgomery **FIPS:** 24031
Primary Contact: Selective Hauling, LLC.
Billing Contact: - 8040 Queenair Dr Gaithersburg, MD 20879-4104

Location ID: 713748
Phone:
NOB/SIC: Sawmills and Planing Mills, General

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD148954V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000099581 | | Manchester | 2005 | 06/04/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Semmes & Company
Address: 10220 River Rd - Potomac, MD 20854-4916
County: Montgomery **FIPS:** 24031
Primary Contact: Gene Carlin - Phone: 301-657-2800 - Cell: 240-372-2913 - Email: gcarlin@danac.com
Billing Contact: Gene Carlin - 5404 Wisconsin Ave Ste 301 Chevy Chase, MD 20815-3592 - Phone: 301-657-2800 - Cell: 240-372-2913 - Email: gcarlin@danac.com

Location ID: 724584
Phone:
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD043456H | | Electric (NOT HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000015414 | | CAM | 1978 | 07/01/2021 | Recurring Cert | Active | Bsmt Pump Room |

Total Objects at this Location: 1

Location: Seneca Village
Address: 704 Clopper Road - Gaithersburg, MD 20878-1348
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2154497
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD127801H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000090026 | | Rheem/Ruud | 2002 | 09/20/2022 | Recurring Cert | Active | 704 Clopper |
| MD127802H | | Water Heater (HLW) | H - Hot Water Supply (Water <= | 000091233 | | Rheem/Ruud | 2002 | 09/20/2022 | Recurring Cert | Active | 704 Clopper |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|

160 psig, 210 F)

Total Objects at this Location: 2

Location: Seneca Village **Location ID:** 2146220
Address: 706 Clopper Rd - Gaithersburg, MD 20878-1346 **Phone:** 301-948-9188
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD127803H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000058826 | | Jetglas | 2002 | 09/20/2022 | Recurring Cert | Active | 706 Clopper |
| MD145994H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000087763 | | Jet Glass | 2009 | 09/20/2022 | Recurring Cert | Active | bldg 706 |

Total Objects at this Location: 2

Location: Seneca Village **Location ID:** 2181886
Address: 712 Clopper Rd - Gaithersburg, MD 20878-1340 **Phone:** 301-948-9188
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD156094H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000041065 | | R B I | 2016 | 09/20/2022 | Recurring Cert | Active | BSMT 712 |
| MD156095H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000041067 | | R B I | 2016 | 09/21/2022 | Recurring Cert | Active | 160 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 722 Clopper Rd - Gaithersburg, MD 20878-1329
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: - 711 Gorman Ave Attn: Katie Blake Laurel, MD 20707-3905 - Phone: 301-776-9677

Location ID: 722242
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD153071H | 1 (right) | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000038170 | | R B I | 2015 | 12/07/2021 | Recurring Cert | Active | BASEMENT 722 |
| MD153072H | 2 (left) | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000038216 | | R B I | 2015 | 12/07/2021 | Recurring Cert | Active | BASEMENT 722 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 728 Clopper Rd - Gaithersburg, MD 20878-1324
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2146118
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD163114H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000042545 | | R B I | 2014 | 02/25/2023 | Recurring Cert | Active | 728 Clopper Rd |
| MD163115H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000040579 | | R B I | 2014 | 02/25/2023 | Recurring Cert | Active | 728 Clopper Rd |

Total Objects at this Location: 2

Location: Seneca Village
Address: 730 Clopper Rd - Gaithersburg, MD 20878-1322
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722223
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD145990H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000027408 | | R B I | 2012 | 02/27/2023 | Recurring Cert | Active | bldg 730 |
| MD145991H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000027409 | | R B I | 2009 | 02/27/2023 | Recurring Cert | Active | bldg 730 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 740 Clopper Rd - Gaithersburg, MD 20878-1312
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722224
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD156096H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000035036 | | R B I | 2014 | 09/21/2022 | Recurring Cert | Active | BSMT 740 |
| MD156097H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000035035 | | R B I | 2014 | 09/21/2022 | Recurring Cert | Active | BSMT 740 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 746 Clopper Rd - Gaithersburg, MD 20878-1306
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722225
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD145992H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000027746 | | R B I | 2010 | 08/23/2023 | Recurring Cert | Active | bldg 746 |
| MD145993H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000027744 | | R B I | 2010 | 08/23/2023 | Recurring Cert | Active | bldg 746 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 767 Quince Orchard Blvd - Gaithersburg, MD 20878-1669
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722226
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD161193H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000279357 | | Laars | 2018 | 07/26/2022 | Recurring Cert | Active | Bldg. 767 |
| MD161194H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000280941 | | Laars | 2018 | 07/26/2022 | Recurring Cert | Active | 767 building |

Total Objects at this Location: 2

Location: Seneca Village
Address: 771 Quince Orchard Blvd - Gaithersburg, MD 20878-1651
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722227
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD145997H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000029461 | | R B I | 2010 | 08/03/2023 | Recurring Cert | Active | building 771 |
| MD145998H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000027365 | | R B I | 2010 | 08/03/2023 | Recurring Cert | Active | building 771 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 775 Quince Orchard Blvd - Gaithersburg, MD 20878-1668
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722228
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|--------------------|
| MD131970H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000080324 | | Bradford White | 2008 | 02/28/2023 | Recurring Cert | Active | Bsmt of 775 Quince |
| MD145279H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000089665 | | Jet Glass | 2009 | 02/28/2023 | Recurring Cert | Active | bldg 775 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 783 Quince Orchard Blvd - Gaithersburg, MD 20878-1649
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722229
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD150874H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000033158 | | R B I | 2015 | 08/24/2023 | Recurring Cert | Active | basement |
| MD150875H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000037116 | 11569852 | R B I | 2015 | 08/24/2023 | Recurring Cert | Active | basement |

Total Objects at this Location: 2

Location: Seneca Village
Address: 787 Quince Orchard Blvd - Gaithersburg, MD 20878-1645
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722230
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD168862H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000299240 | | Laars | 2019 | 01/13/2023 | Recurring Cert | Active | BASEMENT 787 |
| MD168863H | | Vertical Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000299241 | | Laars | 2019 | 01/13/2023 | Recurring Cert | Active | BASEMENT 787 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 797 Quince Orchard Blvd - Gaithersburg, MD 20878-1635
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188 ext 601 - Email: glens@orlo.com
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188 ext 601 - Email: glens@orlo.com

Location ID: 722231
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------------|
| MD161126H | Boiler 1 | Horizontal Fire Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000288007 | | Laars | 2018 | 07/13/2022 | Recurring Cert | Active | Basement Boiler Rm |
| MD161127H | Boiler 2 | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000288006 | | Laars | 2018 | 07/13/2022 | Recurring Cert | Active | Basement Boiler Rm |

Total Objects at this Location: 2

Location: Seneca Village
Address: 803 Quince Orchard Blvd - Gaithersburg, MD 20878-1629
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722232
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-------------------|
| MD152107H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000037607 | 051570752 | R B I | 2015 | 08/13/2023 | Recurring Cert | Active | Boiler Room - 803 |
| MD152108H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000037886 | | R B I | 2015 | 08/03/2023 | Recurring Cert | Active | Boiler Room - 803 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 809 Quince Orchard Blvd - Gaithersburg, MD 20878-1622
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722233
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD163104H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000281004 | | Laars | 2018 | 02/25/2023 | Recurring Cert | Active | Basement |
| MD163107H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000288860 | | Laars | 2018 | 02/25/2023 | Recurring Cert | Active | Basement |

Total Objects at this Location: 2

Location: Seneca Village
Address: 811 Quince Orchard Blvd - Gaithersburg, MD 20878-1620
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2208038
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD143885H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000092696 | | B & W | 2010 | 02/28/2023 | Recurring Cert | Active | Basement |
| MD143886H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000086221 | | Jet Glass | 2009 | 02/28/2023 | Recurring Cert | Active | BASEMENT |

Total Objects at this Location: 2

Location: Seneca Village
Address: 817 Quince Orchard Blvd - Gaithersburg, MD 20878-1666
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722236
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|-----------------------|
| MD127806H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000068554 | | State Industries | 2000 | 09/21/2022 | Recurring Cert | Active | bsmt 746 Clopper Road |
| MD156098H | | Other w/comment | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000187019 | | A O Smith | 2013 | 09/21/2022 | Recurring Cert | Active | BSMT 817 |

Total Objects at this Location: 2

Location: Seneca Village
Address: 827 Quince Orchard Blvd - Gaithersburg, MD 20878-1605
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722237
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD155150H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000029460 | | R B I | 2008 | 12/22/2022 | Recurring Cert | Active | Blr rm |
| MD155151H | | Water Tube Coiled (Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000029694 | | R B I | 2008 | 12/22/2022 | Recurring Cert | Active | BLR rm |

Total Objects at this Location: 2

Location: SeraCare Life Sciences **Location ID:** 715793
Address: 910 Clopper Rd S Building Ste 105 - Gaithersburg, MD 20878-1361 **Phone:** 301-948-7755
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Debi Fitzwilliam - Phone: 301-591-8209 - Cell: 301-717-5338 - Email: dfitzwilliam@seracare.com
Billing Contact: Debi Fitzwilliam - 910 Clopper Rd Ste 105S Gaithersburg, MD 20878-1361 - Phone: 301-591-8209 - Cell: 301-717-5338 - Email: dfitzwilliam@seracare.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------------------|
| MD142777 | | Electric (NOT HLW) | S - Power-Electric Generation (Steam > 15 psig) | 000004678 | SEB50-188 | Consolidated | 2005 | 04/18/2022 | Recurring Cert | Active | Autoclave Rm II rm 70 |
| MD142783V | | Autoclave | V - Process-Sterilizing | 000004703 | 5901-93 | Consolidated | 2006 | 04/29/2023 | Recurring Cert | Active | Autoclave Rm II |
| MD142784V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000581643 | | Manchester | 2006 | 04/29/2023 | Recurring Cert | Active | Comp Rm |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: Shady Grove Center **Location ID:** 724732
Address: 9701 Medical Center Dr - Rockville, MD 20850-3326 **Phone:** 301-315-1993
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Skilled Nursing Care Facilities
Primary Contact: Javier Salvador - Phone: 301-315-1993 - Email: jsalvador@shadygrovehc.com
Billing Contact: Javier Salvador - 9701 Medical Center Dr Rockville, MD 20850-3326 - Phone: 301-315-1993 - Email: jsalvador@shadygrovehc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|-----------|----------------|------------|------------|----------------|--------|-------------|
| MD064861V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000870265 | | Wood | 1985 | 02/17/2022 | Recurring Cert | Active | Boiler Room |
| MD064862H | BLR-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7FDA-4870 | Peerless | 1985 | 02/17/2022 | Recurring Cert | Active | Boiler Room |
| MD064863H | BLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 7FDA-4869 | Peerless | 1985 | 02/17/2022 | Recurring Cert | Active | Boiler Room |
| MD157246H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000121822 | 136822 | Bradford white | 2017 | 02/17/2022 | Recurring Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 4 | | | | | | | |

Location: Shady Grove Corp Park
Address: 4 Choke Cherry Rd - Rockville, MD 20850-4024
County: Montgomery **FIPS:** 24031
Primary Contact: Chris Ogle - Phone: 240 205 6233
Billing Contact: Chris Ogle - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850-4056 - Phone: 240 205 6233

Location ID: 713668
Phone: 301-255-0856
NOB/SIC: Holding and other investment offices

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD004200H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | PO 175 | Kewanee | 1973 | 04/29/2021 | Recurring Cert | Active | BLRM |
| MD082588V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000367409 | | Melben | 1992 | 04/29/2021 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Shady Grove Corp. Park
Address: 2 Choke Cherry Rd - Rockville, MD 20850-4063
County: Montgomery **FIPS:** 24031
Primary Contact: Chris Ogle - Phone: 240 205 6233
Billing Contact: Chris Ogle - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850-4056 - Phone: 240 205 6233

Location ID: 713667
Phone:
NOB/SIC: Investors, NEC

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------------|------------|------------|----------------|--------|----------|
| MD060807V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000424877 | | Buckeye | 1983 | 04/29/2021 | Recurring Cert | Active | BLRM |
| MD077632H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000127759 | 127759 | Columbia Boiler Co | 1990 | 04/29/2021 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Shady Grove Exxon **Location ID:** 3656975
Address: 16705 Crabbs Branch Way - Derwood, MD 20855-2220 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Shady Grove Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD153845V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000119075 | | MVE | 2000 | 04/26/2022 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Shady Grove Professional Building **Location ID:** 724733
Address: 16220 Frederick Road - Gaithersburg, MD 20877-4039 **Phone:** 301-208-6700
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Kirk Alderdice - Phone: 301-208-6700 - Cell: 301-518-4102* - Email: kirk@promarkre.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD160174H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000381703 | BLR-1 | Raypak | 2016 | 02/09/2022 | Recurring Cert | Active | Penthouse |
| MD160175H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000381704 | BLR-2 | Raypak | 2016 | 02/09/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 2

Location: Shalom Strictly Kosher Meats, Inc. **Location ID:** 711954
Address: 1361 Lambertson Drive - Silver Spring, MD 20902-3415 **Phone:** 301-946-6500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Food stores
Primary Contact: Elissa Weisblatt - Phone: 301-946-6500 - Email: elissa@theshalomgroup.com
Billing Contact: Larry Dekelbaum - 1361 Lambertson Dr Wheaton, MD 20902-3415 - Phone: 301-946-6500 - Cell: 240-832-5079 - Email: larry@theshalomgroup.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------------------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD066536V | | Heat Exchanger - Other w/comment | V - Storage (Cryogenic) | 000245402 | | Standard | 1988 | 06/22/2022 | Recurring Cert | Active | Mech rm |
| MD066537V | | Heat Exchanger - Other w/comment | V - Storage (Cryogenic) | 000211208 | | Standard | 1985 | 06/22/2022 | Recurring Cert | Active | MECH RM |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|----------------------------------|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD066538V | | Heat Exchanger - Other w/comment | V - Storage (Cryogenic) | 000240629 | | Standard | 1987 | 06/22/2022 | Recurring Cert | Active | MECH ROOM |
| MD066539V | | Heat Exchanger - Other w/comment | V - Storage (Cryogenic) | 000240626 | | Standard | 1987 | 06/22/2022 | Recurring Cert | Active | MECH ROOM |
| MD074459V | | Heat Exchanger - Other w/comment | V - Storage (Cryogenic) | 000260001 | | Standard | 1989 | 06/22/2022 | Recurring Cert | Active | MECH ROOM |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: ShopRite #544 (Village) **Location ID:** 3052700
Address: 12028 Cherry Hill Rd - Silver Spring, MD 20904-1985 **Phone:** 301-572-2085
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Grocery Stores
Primary Contact: Neil Marra - Phone: 301-572-2085
Billing Contact: John J. Sumas - 733 Mountain Ave Springfield, NJ 07081-3223 - Phone: 973-467-2200 x260

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|----------|--------------|------------|------------|----------------|--------|------------------------|
| MD142983V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000012837 | RACK C/D | Standard | 1997 | 03/17/2022 | Recurring Cert | Active | Roof Top Mechanical Rm |
| MD142984V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000012852 | RACK A/B | Standard | 1997 | 03/17/2022 | Recurring Cert | Active | Roof Top Mechanic Rm |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Sidwell Friends School **Location ID:** 724948
Address: 5100 Edgemoor Ln - Bethesda, MD 20814-2306 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Fath Oudghiri - Phone: 574 245 0929 - Email: oudghirif@sidwell.edu
Billing Contact: Fath Oudghiri - 3825 Wisconsin Ave NW Washington, DC 20016-2907 - Phone: 574 245 0929 - Email: oudghirif@sidwell.edu

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD128524H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | | Weil-McLain | 2005 | 01/13/2023 | Recurring Cert | Active | Manor House |
| MD129315H | B-1 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000102764 | | Fulton | 2006 | 01/13/2023 | Recurring Cert | Active | Mech Rm PE Bldg |
| MD129316H | B-2 | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000102766 | | Fulton | 2006 | 01/13/2023 | Recurring Cert | Active | Mech Rm PE Blg |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|---------------|--------------|------------|------------|----------------|--------|-----------------|
| MD129317H | B-3 | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000102767 | | Fulton | 2006 | 01/13/2023 | Recurring Cert | Active | Mech Rm PE Bldg |
| MD163093H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 762864-201808 | Peerless | 2018 | 01/11/2023 | Recurring Cert | Active | Meeting House |

Total Objects at this Location: 5

Location: Siems Properties
Address: 1000 Quebec Ter - Silver Spring, MD 20903-3101
County: Montgomery **FIPS:** 24031
Primary Contact: Thelma Kennedy - Cell: 301-252-2240 - Email: tkennedy@res1.net
Billing Contact: Elcira Diaz - 1002 Quebec Ter Ofc 102 Silver Spring, MD 20903-3110

Location ID: 986928
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|-----------|--------------|------------|------------|----------------|--------|-------------|
| MD118275H | 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP4683949 | Weil-McLain | 2003 | 04/27/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Silver Branch Brewery
Address: 8401 Colesville Rd - Silver Spring, MD 20910-3312
County: Montgomery **FIPS:** 24031
Primary Contact: Christian Layke
Billing Contact: Christian Layke - 8401 Colesville Rd Silver Spring, MD 20910-3312

Location ID: 3922586
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|----------|-------------|-------------------|--|-----------|--------|-------------------|------------|------------|----------------|--------|----------|
| MD162373 | | Vertical Tubeless | H - Heating-Cooking (Steam <= 15 psig) | 000058028 | | Lattner Boiler Co | 2017 | 01/31/2023 | Recurring Cert | Active | Blrm |

Total Objects at this Location: 1

Location: Silver Branch Brewing Co (Arc3) **Location ID:** 3992599
Address: 8401 Colesville Rd Ste 150 - Silver Spring, MD 20910-3487 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD165818V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000323836 | | CHART | 2019 | 11/25/2021 | Recurring Cert | Active | Store Room |
| MD165819V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000294207 | | CHART | 2017 | 11/25/2021 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 2

Location: Silver Diner **Location ID:** 704326
Address: 12276 Rockville Pike - Rockville, MD 20852-1664 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and drinking places
Primary Contact: Bennigans - Phone: 3017762594
Billing Contact: - 12276 Rockville Pike Rockville, MD 20852-1664 - Phone: 3017762594

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD168889H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000263719 | | A O Smith | 2019 | 01/28/2023 | Recurring Cert | Active | WTR HTR RM |

Total Objects at this Location: 1

Location: Silver Diner (Roberts) **Location ID:** 4048918
Address: 9811 Washingtonian Blvd - Gaithersburg, MD 20878-7306 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Silver Diner (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD168864V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000320104 | | CHART | 2018 | 11/30/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Silver Spring Ophthalmology **Location ID:** 4030690
Address: 8630 Fenton St Ste 800 - Silver Spring, MD 20910-3821 **Phone:** 301-585-8880
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Ronee Farrell - Phone: 301-585-8880 - Email: rfarrell@silverspringsc.com
Billing Contact: Ronee Farrell - 8630 Fenton St Ste 800 Silver Spring, MD 20910-3821 - Phone: 301-585-8880 - Email: rfarrell@silverspringsc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|-------------------------|------------|------------|----------------|--------|----------------|
| MD169847 | | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | 000014257 | 23025 | Wiegand Industrial Div. | 1998 | 06/30/2022 | Recurring Cert | Active | Sub-Sterile I |
| MD169848V | | Autoclave | V - Process-Sterilizing | 000057441 | | Amsco | 1988 | 06/30/2022 | Recurring Cert | Active | Sub-Sterile I |
| MD169849V | | Autoclave | V - Process-Sterilizing | 000048669 | | Amsco | 1984 | 06/30/2022 | Recurring Cert | Active | Sub-Sterile II |
| MD169850 | | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | 000017265 | 25571 | Chromalox | 2001 | 06/30/2022 | Recurring Cert | Active | Sub-Sterile II |

Total Objects at this Location: 4

Location: Silvic Biologics **Location ID:** 4084852
Address: 200 Girard St Ste 200 - Gaithersburg, MD 20877-3490 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Micki Kuhlmann - Phone: 571-643-8737 - Email: mkuhlmann@silvec.com
Billing Contact: Micki Kuhlmann - 200 Girard St Ste 200 Gaithersburg, MD 20877-3490 - Phone: 571-643-8737 - Email: mkuhlmann@silvec.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| NEW | | Electric (NOT HLW) | S - Power-Sterilizing (Steam > 15 psig) | 000128587 | | Reimers | 2021 | 08/13/2022 | Recurring Cert | Active | Boiler Room |
| NEW | | Autoclave | V - Process-Sterilizing | 000045180 | | Amsco | 1983 | 08/13/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Slapfish Rockville (Arc3)
Address: 12033 Rockville Pike - Rockville, MD 20852-1603
County: Montgomery **FIPS:** 24031
Primary Contact: Slapfish Rockville (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Location ID: 3918924
Phone:
NOB/SIC: Eating and Drinking Places

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162944V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000080792 | | MVE | 1998 | 12/13/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Solaire Apartments
Address: 1150 Ripley St - Silver Spring, MD 20910-3475
County: Montgomery **FIPS:** 24031
Primary Contact: Solaire Apartments - Phone: 240 696 4612
Billing Contact:

Location ID: 4068323
Phone: 591-221-9867
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|--------------------|---|-----------|---------|----------------|------------|------------|----------------|--------|-----------------------|
| NEW | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000151931 | F015452 | PVI Industries | 2020 | 04/13/2021 | Recurring Cert | Active | Penthouse Boiler Room |
| NEW | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000151929 | F015951 | PVI Industries | 2020 | 04/13/2021 | Recurring Cert | Active | Penthouse Boiler Room |
| NEW | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000151620 | F105448 | PVI Industries | 2020 | 04/13/2021 | Recurring Cert | Active | Penthouse Boiler Room |
| NEW | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000151923 | F015447 | PVI Industries | 2020 | 04/13/2021 | Recurring Cert | Active | Penthouse Boiler Room |

Total Objects at this Location: 4

Location: SOM-UMD/Univ of MD-Shady Grove/ BSE Bldg. 4

Location ID: 3905054

Address: 9631 Gudelsky Dr - Rockville, MD 20850

Phone:

County: Montgomery

FIPS: 24031

NOB/SIC:

Primary Contact: Woody Mills - Phone: 301-738-6302 - Cell: 301-738-6355 - Email: wmills@umd.edu

Billing Contact: - 9636 Gudelsky Dr Rockville, MD 20850-3481 - Phone: 301-738-6302

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-------------------------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD166657V | #1 | Autoclave | V - Process-Sterilizing | 000021033 | | Steris Corp | 2019 | 01/23/2022 | Recurring Cert | Active | Room 2120 |
| MD166658 | #1 | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000020773 | | Steris Corp | 2019 | 01/23/2022 | Recurring Cert | Active | Room 2120 |
| MD166659V | #2 | Autoclave | V - Process-Sterilizing | 000021055 | | Steris Corp | 2019 | 01/23/2022 | Recurring Cert | Active | Room 2120 |
| MD166660 | #2 | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000020936 | | Steris Corp | 2019 | 01/23/2022 | Recurring Cert | Active | Room 2120 |
| MD166661V | #3 | Autoclave | V - Process-Sterilizing | 000021263 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |
| MD166662 | #3 | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000010349 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |
| MD166663V | #2 | Autoclave | V - Process-Sterilizing | 000021250 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |
| MD166664 | #1 | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000010298 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |
| MD166665V | #1 | Autoclave | V - Process-Sterilizing | 000021290 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |
| MD166666 | #1 | Miniature Boiler (NOT Fired Kettle) | S - Power-Sterilizing (Steam > 15 psig) | 000010337 | | Chromalox | 2019 | 01/23/2022 | Recurring Cert | Active | Room 4330 |

Total Objects at this Location: 10

Location: Southlawn Auto Recycling **Location ID:** 3301050
Address: 15101 Southlawn Ln - Rockville, MD 20850-1324 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Auto and Home Supply Stores
Primary Contact: Billy Shifflett - Phone: 301-340-8733 - Email: southlawnbilly@hotmail.com
Billing Contact: Billy Shifflett - 15101 Southlawn Ln Rockville, MD 20850-1324 - Phone: 301-340-8733 - Email: southlawnbilly@hotmail.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD156303V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000461276 | | Morganton | 2015 | 01/04/2023 | Recurring Cert | Active | Compressor Shed |

Total Objects at this Location: 1

Location: Spring Parc Apartments **Location ID:** 710327
Address: 1 Featherwood Ct - Silver Spring, MD 20904-7603 **Phone:** 301-622-2110
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169504H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000264074 | | A O Smith | 2020 | 01/25/2023 | Recurring Cert | Active | 1 FW CT |

Total Objects at this Location: 1

Location: Spring Parc Apartments **Location ID:** 710335
Address: 12312 Featherwood Dr - Silver Spring, MD 20904-7653 **Phone:** 301-622-2110
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD169505H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000251427 | | A O Smith | 2019 | 02/09/2023 | Recurring Cert | Active | 12312 FW DR |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 1905 Treetop Ln - Silver Spring, MD 20904-6620
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 991586
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169506H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000264080 | | A O Smith | 2020 | 01/25/2023 | Recurring Cert | Active | 1905 TT LN |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 2005 Treetop Ln - Silver Spring, MD 20904-7681
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 710340
Phone: 301-622-2110
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169507H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000272230 | | A O Smith | 2020 | 01/25/2023 | Recurring Cert | Active | 2005 TT LN |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 2009 Treetop Ln - Silver Spring, MD 20904-7685
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 710341
Phone: 301-622-2110
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169508H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000264059 | | A O Smith | 2020 | 01/25/2023 | Recurring Cert | Active | 2009 TT LN |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 2013 Treetop Ln - Silver Spring, MD 20904-7689
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 710342
Phone: 301-622-2110
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169509H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000257068 | | A O Smith | 2019 | 01/25/2023 | Recurring Cert | Active | 2013 TT LN |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 21 Featherwood Ct - Silver Spring, MD 20904-7619
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 710343
Phone: 301-622-2110
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169510H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000262577 | | A O Smith | 2019 | 01/25/2023 | Recurring Cert | Active | 21 FW CT |

Total Objects at this Location: 1

Location: Spring Parc Apartments
Address: 5 Featherwood Ct - Silver Spring, MD 20904-7611
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Parc Apartments - Office - Phone: 301-622-2110
Billing Contact: - 17 Featherwood Ct Silver Spring, MD 20904-7615 - Phone: 301-622-2110

Location ID: 710345
Phone: 301-622-2110
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD169511H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000264060 | | A O Smith | 2020 | 01/25/2023 | Recurring Cert | Active | 5 FW CT |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 374 N Summit Ave - Gaithersburg, MD 20877-3116
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725537
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD158623H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000111925 | | Jet Glass | 2015 | 11/16/2022 | Recurring Cert | Active | BLDG 374 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 376 N Summit Ave - Gaithersburg, MD 20877-3115
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725541
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD146670H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000096176 | | Bradford White | 2011 | 11/16/2022 | Recurring Cert | Active | BLDG 376 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 378 N Summit Ave - Gaithersburg, MD 20877-3114
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211062
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162300H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000241298 | | A O Smith | 2018 | 10/19/2022 | Recurring Cert | Active | BLDG 378 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 380 N Summit Ave - Gaithersburg, MD 20877-3113
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211052
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162528H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000125206 | | Jet Glass | 2014 | 12/03/2022 | Recurring Cert | Active | BLDG 380 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 382 N Summit Ave - Gaithersburg, MD 20877-3112
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725543
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162534H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000112891 | | State | 2015 | 10/19/2022 | Recurring Cert | Active | BLDG 382 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 384 N Summit Ave - Gaithersburg, MD 20877-3111
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211072
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD119366H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000075683 | | State Industries | 2002 | 11/16/2022 | Recurring Cert | Active | BLDG 384 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 386 N Summit Ave - Gaithersburg, MD 20877-3110
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 1866203
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD155161H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000214955 | | A O Smith | 2016 | 11/16/2022 | Recurring Cert | Active | BLDG 386 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 388 N Summit Ave - Gaithersburg, MD 20877-3109
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725544
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD168904H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000130849 | | Bradford White | 2019 | 10/26/2022 | Recurring Cert | Active | BLDG 388 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 390 N Summit Ave - Gaithersburg, MD 20877-3108
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 1865724
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162298H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000109640 | | Jet Glass | 2014 | 10/19/2022 | Recurring Cert | Active | BLDG 390 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments **Location ID:** 725545
Address: 392 N Summit Ave - Gaithersburg, MD 20877-3107 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD162533H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000121868 | | State | 2017 | 10/19/2022 | Recurring Cert | Active | BLDG 392 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments **Location ID:** 2547907
Address: 394 N Summit Ave - Gaithersburg, MD 20877-3106 **Phone:** 301-921-9100
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD155159H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000117407 | | Jet Glass | 2016 | 11/16/2022 | Recurring Cert | Active | BLDG 394 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments **Location ID:** 3211066
Address: 396 N Summit Ave - Gaithersburg, MD 20877-3105 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD119365H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000075602 | | State Industries | 2002 | 11/16/2022 | Recurring Cert | Active | BLDG 396 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 398 N Summit Ave - Gaithersburg, MD 20877-3104
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211057
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD155158H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000110620 | | Jet Glass | 2014 | 11/16/2022 | Recurring Cert | Active | BLDG 398 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 400 N Summit Ave - Gaithersburg, MD 20877-3227
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725546
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD138506H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000077967 | | Bradford | 2007 | 11/16/2022 | Recurring Cert | Active | BLDG 400 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 402 N Summit Ave - Gaithersburg, MD 20877-3226
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211064
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD119364H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000076639 | | State Industries | 2002 | 11/16/2022 | Recurring Cert | Active | BLDG 402 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments **Location ID:** 725538
Address: 404 N Summit Ave - Gaithersburg, MD 20877-3225 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD162535H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000119995 | | State Industries | 2016 | 10/19/2022 | Recurring Cert | Active | BLDG 404 |

Total Objects at this Location: 1

Location: Spring Ridge Apartments **Location ID:** 725539
Address: 406 N Summit Ave - Gaithersburg, MD 20877-3224 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------|
| MD146672H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000091937 | | Bradford White | 2010 | 11/16/2022 | Recurring Cert | Active | BLDG 406 |

Total Objects at this Location: 1

Location: Springvale Terrace Retirement Community **Location ID:** 725586
Address: 8505 Springvale Rd - Silver Spring, MD 20910-4344 **Phone:** 301-588-0190
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Intermediate Care Facilities
Primary Contact: Edgard Calegari - Phone: 301-587-0190 - Email: Ecalegari@seaburyresources.org
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|----|-----------|--------------|------------|------------|---------------|--------|-------------------|
| MD149682H | 2 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | CP6700377 | Weil-McLain | 2013 | 09/29/2022 | External Cert | Active | Annex Boiler Room |
| MD149689H | 1 | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | CA | CP6700381 | Weil-McLain | 2013 | 09/29/2022 | External Cert | Active | Annex Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD149691H | 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 988 | Weil-McLain | 2014 | 09/29/2022 | External Cert | Active | Main Boiler Room |
| MD149692H | 2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 988 | Weil-McLain | 2014 | 09/29/2022 | External Cert | Active | Main Boiler Room |
| MD149693H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000184759 | | A O Smith | 2013 | 09/29/2022 | External Cert | Active | Annex Boiler Room |
| MD149694H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000189944 | | A O Smith | 2014 | 09/29/2022 | External Cert | Active | Main Boiler Room |
| MD149695H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000189810 | | A O Smith | 2014 | 09/29/2022 | Recurring Cert | Active | Main Boiler Room |
| Total Objects at this Location: | | | | 7 | | | | | | | |

Location: Stratford Terrace Apartments
Address: 9061 Manchester Rd - Silver Spring, MD 20901-4132
County: Montgomery **FIPS:** 24031
Primary Contact: Robelio Salbedor - Phone: 202-423-7910
Billing Contact: Mike Hugill - 5950 Ager Rd Hyattsville, MD 20782-2663 - Phone: 3019495000

Location ID: 725832
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD154364H | | Vertical Fire Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000062110 | | PMU | 2012 | 12/03/2021 | Recurring Cert | Active | BLRM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Striner Building
Address: 9439 Georgia Ave - Silver Spring, MD 20910-1435
County: Montgomery **FIPS:** 24031
Primary Contact: Sid Menkis Menkis Real Estate - Phone: 3019464050 - Email: info@menkis.net
Billing Contact: Sid Menkis Menkis Real Estate - 15823 Crabbs Branch Way Rockville, MD 20855-6617 - Phone: 3019464050 - Email: info@menkis.net

Location ID: 725895
Phone:
NOB/SIC: Operators of Nonresidential Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|-------------------------------|--------|----------|
| MD048310H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000091661 | | A O Smith | 1979 | 07/08/2023 | External Cert, Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Suburban Towers **Location ID:** 725934
Address: 8600 16th St - Silver Spring, MD 20910-2259 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Suburban Towers
Billing Contact: Rick Miller - 4800 Montgomery Ln Fl 10 Bethesda, MD 20814-3472 - Email: rmiller@dreyfuss.net

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|---------|--------------|------------|------------|----------------|--------|-------------|
| MD120723H | 01 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 2003-30 | HB Smith | 2003 | 04/19/2022 | Recurring Cert | Active | BLRM |
| MD120724H | 02 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 2003-28 | HB Smith | 2003 | 04/19/2022 | Recurring Cert | Active | BLRM |
| MD120725H | 03 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | 2003-29 | H B Smith | 2003 | 04/19/2022 | Recurring Cert | Active | boiler room |

Total Objects at this Location: 3

Location: Subway (NuCo2) # 480929 **Location ID:** 3634784
Address: 18010 Mateny Rd - Germantown, MD 20874-2112 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|------------|----------------|------------|------------|----------------|--------|----------|
| MD160909V | A845934 | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000034459 | 444-049-N8 | Taylor-Wharton | 1997 | 04/07/2022 | Recurring Cert | Active | KITCHEN |

Total Objects at this Location: 1

Location: Summit Crest Apartments
Address: 24 N Summit Dr - Gaithersburg, MD 20877-3040
County: Montgomery **FIPS:** 24031
Primary Contact: Manager on Duty - Phone: 301-948-0774
Billing Contact: Manager on Duty - 38 N Summit Dr Gaithersburg, MD 20877-3009 - Phone: 301-948-0774

Location ID: 3660154
Phone: 301-948-0774
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD154641H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000269230 | | Laars | 2015 | 10/27/2022 | Recurring Cert | Active | Laundry |

Total Objects at this Location: 1

Location: Summit Hall
Address: 15A Water St - Gaithersburg, MD 20877-1938
County: Montgomery **FIPS:** 24031
Primary Contact: David Reyes - Phone: 301 674 0395
Billing Contact: David Reyes - 15A Water St Gaithersburg, MD 20877-1938 - Phone: 301 674 0395

Location ID: 725989
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|-----------|----------------------|-----------------|------------|------------|----------------|--------|-------------|
| MD161622H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000078162 | 106726002AT2 9090019 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg A |
| MD161623H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000077549 | 106726002AT2 3090171 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg A |
| MD161624H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000078156 | 06726002AT29 090013 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg A |

Total Objects at this Location: 3

Location: Summit Hall
Address: 15B Water St - Gaithersburg, MD 20877-1939
County: Montgomery **FIPS:** 24031
Primary Contact: David Reyes - Phone: 301 674 0395
Billing Contact: David Reyes - 15B Water St Gaithersburg, MD 20877-1939 - Phone: 301 674 0395

Location ID: 3094451
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------|---|-----------|----------------------|-----------------|------------|------------|----------------|--------|-------------|
| MD161625H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000078152 | 106726002AT2 9090009 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg B |
| MD161626H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000078155 | 106726002AT2 9070012 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg B |
| MD161627H | | Cast Aluminum | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000078157 | 106726002AT2 9090014 | Navien American | 2017 | 04/05/2022 | Recurring Cert | Active | Blrm Bldg B |

Total Objects at this Location: 3

Location: Sunbelt Rentals - 156
Address: 18900 Earhart Ct - Montgomry Vlg, MD 20879-5509
County: Montgomery **FIPS:** 24031
Primary Contact: Kim Cook - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Billing Contact: Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com

Location ID: 2910450
Phone: 301-948-8808
NOB/SIC: Construction Machinery and Equipment

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD143733V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000377752 | | Melben | 1992 | 03/12/2023 | Recurring Cert | Active | shop |

Total Objects at this Location: 1

Location: Sunoco #0716-8529 (Sunoco) **Location ID:** 3992231
Address: 971 Quince Orchard Rd - Gaithersburg, MD 20878-1906 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sunoco #0716-8529 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165821V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000969143 | | Buckeye | 1990 | 11/19/2021 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 1

Location: Sunoco - 0394-4857 **Location ID:** 4049131
Address: 4100 Aspen Hill Rd - Rockville, MD 20853-2802 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sunoco - 0394-4857
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD167754V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000656334 | | Steel Fab | 2011 | 11/30/2022 | Recurring Cert | Active | Outside Closet |
| MD167755V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001164736 | | Manchester | 2001 | 11/30/2022 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 2

Location: Sunoco - 4753 **Location ID:** 4044836
Address: 14031 Georgia Ave - Silver Spring, MD 20906-2929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD169335V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000030211 | | Brunner | 1987 | 10/13/2022 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 1

Location: Sunrise Montgomery Village (Sunrise Senior Living) Location ID: 726052
Address: 19310 Club House Rd - Montgomery Village, MD 20886-3029 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Mauricio Mena - Phone: 301-921-0455 - Cell: 301-204-0162 - Email: MonygomeryVillage.MC@sunriseseniorliving.com
Billing Contact: mauricio mena - 19310 Club House Rd Montgomery Village, MD 20886-3029 - Phone: 301-921-0455 - Cell: 301-204-0162 - Email: MonygomeryVillage.MC@sunriseseniorliving.com

Table with 12 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains two rows of boiler data.

Total Objects at this Location: 2

Location: SurgCenter of the Potomac Location ID: 704068
Address: 6500 Rock Spring Dr - Bethesda, MD 20817-1105 Phone: 240-483-0282
County: Montgomery FIPS: 24031 NOB/SIC: Holding and other investment offices
Primary Contact: Sidney Ray - Phone: 240-483-0282 - Email: cray@scpotomac.com
Billing Contact: Sidney Ray - 6500 Rock Spring Dr Bethesda, MD 20817-1105 - Phone: 240-483-0282 - Email: cray@scpotomac.com

Table with 12 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains four rows of autoclave and boiler data.

Total Objects at this Location: 4

Location: Taco Bell **Location ID:** 3635107
Address: 13830 Georgia Ave - Silver Spring, MD 20906-2924 **Phone:** 301-871-9286
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 301-871-9286
Billing Contact: Manager on Duty - 13830 Georgia Ave Silver Spring, MD 20906-2924 - Phone: 301-871-9286

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD163225V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000052877 | | MVE Inc | 1996 | 06/05/2023 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 1

Location: Taco Bell **Location ID:** 3635093
Address: 19923 Century Blvd - Germantown, MD 20874-7120 **Phone:** 301-528-4434
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 301-528-4434
Billing Contact: - 19923 Century Blvd Germantown, MD 20874-7120

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD163219V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000129978 | | CHART | 2001 | 06/04/2023 | Recurring Cert | Active | Storage |

Total Objects at this Location: 1

Location: Tacos Tortas & Tequila (Arc3) **Location ID:** 3989309
Address: 8407 Ramsey Ave - Silver Spring, MD 20910-3324 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD165593V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000122850 | | MVE Inc | 2000 | 11/07/2021 | Recurring Cert | Active | Store Room |

Total Objects at this Location: 1

Location: Takoma Academy Preparatory School
Address: 8300 Carroll Ave - Takoma Park, MD 20912-7344
County: Montgomery **FIPS:** 24031
Primary Contact: Tustian James - Phone: 301-422-3858
Billing Contact: Tustian James - 8300 Carroll Ave Takoma Park, MD 20912-7344 - Phone: 301-422-3858

Location ID: 725093
Phone: 301-434-1417
NOB/SIC: Elementary and Secondary Schools

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD118861V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 00022518M | | Brunner | 2000 | 08/31/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Taylor Denchfield Properties
Address: 905 Fairview Ave - Takoma Park, MD 20912-5963
County: Montgomery **FIPS:** 24031
Primary Contact: Taylor Denchfield - Phone: 301-559-7500 - Email: taylor@alanmanagement.com
Billing Contact: Taylor Denchfield - 5920 Ager Rd Hyattsville, MD 20782-2663 - Phone: 301-559-7500 - Email: taylor@alanmanagement.com

Location ID: 707919
Phone: 703-201-1095
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------------------|--------------|------------|------------|----------------|--------|--------------|
| MD153490H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000083689 | 7971-20150213-1048 | Navien | 2015 | 01/15/2022 | Recurring Cert | Active | Laundry Room |

Total Objects at this Location: 1

Location: Temple Emanuel
Address: 10101 Connecticut Ave - Kensington, MD 20895-3803
County: Montgomery **FIPS:** 24031
Primary Contact: Temple Emanuel - Phone: 3019422000
Billing Contact:

Location ID: 726417
Phone:
NOB/SIC: Membership organizations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165146H | left | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Dunkirk | 1995 | 08/30/2023 | Recurring Cert | Active | Equipment Rm |
| MD165147H | right | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Dunkirk | 1995 | 08/30/2023 | Recurring Cert | Active | Equipment Rm |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165148H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000065856 | | A O Smith | 2001 | 08/30/2023 | Recurring Cert | Active | Equipment Rm |
| Total Objects at this Location: | | | | 3 | | | | | | | |

Location: The Big Greek Cafe (Arc3) **Location ID:** 3974083
Address: 4806 Rugby Ave - Bethesda, MD 20814-3012 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD165192V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000130045 | | CHART | 2001 | 10/02/2021 | Recurring Cert | Active | Store Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: The Capital Grille **Location ID:** 3964325
Address: 5310 Western Ave - Chevy Chase, MD 20815-3775 **Phone:** 301-718-7812
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Manager on Duty - Phone: 301-718-7812
Billing Contact: Manager on Duty - 5310 Western Ave Chevy Chase, MD 20815-3775 - Phone: 301-718-7812

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD164648H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000251826 | | A O Smith | 2019 | 07/24/2021 | Recurring Cert | Active | Kitchen |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: The Clarksburg Tavern (NUCO2 #692581) **Location ID:** 3628947
Address: 23315 Frederick Rd - Clarksburg, MD 20871-9463 **Phone:** 301-540-1499
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Industrial Gases
Primary Contact: Manager on Duty - Phone: 301-540-1499
Billing Contact: Manager on Duty - 23315 Frederick Rd Clarksburg, MD 20871-9463 - Phone: 301-540-1499

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-------------------------|-----------|--------------|--------------|------------|------------|----------------|--------|----------------|
| MD161465V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000007340 | BC500-12-919 | BTIC | 2012 | 04/08/2022 | Recurring Cert | Active | Kitchen Closet |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: The Encore at Wheaton Station **Location ID:** 728943
Address: 10901 Amherst Ave - Wheaton, MD 20902-4367 **Phone:** 301-933-1130
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Rooming and Boarding Houses
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD141073H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000151369 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | Building 10901 |
| MD141074H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000150737 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | Building 10901 |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: The Encore at Wheaton Station **Location ID:** 728953
Address: 10902 Bucknell Dr - Silver Spring, MD 20902-4360 **Phone:** 301.933.1130
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD141406H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000150547 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | BLDG 10902 |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD141407H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000150095 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | BLDG 10902 |

Total Objects at this Location: 2

Location: The Encore at Wheaton Station **Location ID:** 728954
Address: 10906 Bucknell Dr - Silver Spring, MD 20902-4392 **Phone:** 301 933 1130
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD141070H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000150382 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | BLDG 10906 |
| MD141408H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000135893 | | A O Smith | 2009 | 06/08/2022 | Recurring Cert | Active | BLDG 10906 |
| MD141409H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000133380 | | A O Smith | 2008 | 06/08/2022 | Recurring Cert | Active | BLDG 10906 |

Total Objects at this Location: 3

Location: The Encore at Wheaton Station **Location ID:** 728949
Address: 10909 Amherst Ave - Wheaton, MD 20902-4371 **Phone:** 301-933-1130
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Rooming and Boarding Houses
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD141075H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000151366 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | Building 10909 |
| MD141076H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000151368 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | Building 10909 |
| MD141077H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000151386 | | A O Smith | 2010 | 06/08/2022 | Recurring Cert | Active | Building 10909 |

Total Objects at this Location: 3

Location: The Encore at Wheaton Station Location ID: 728951
Address: 10913 Amherst Ave - Wheaton, MD 20902-4373 Phone: 301-933-1130
County: Montgomery FIPS: 24031 NOB/SIC: Rooming and Boarding Houses
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains 2 rows of equipment data.

Total Objects at this Location: 2

Location: The Garden Apts Location ID: 702355
Address: 6904 Strathmore St - Chevy Chase, MD 20815-6255 Phone: 301-656-7626
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: David Greaves - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com
Billing Contact: David Greaves - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains 6 rows of equipment data.

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD162185H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000122687 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD162186H | | Vertical Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000129444 | | Viessman | 2018 | 10/02/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 8

Location: The Gateway
Address: 933 Clopper Rd - Gaithersburg, MD 20878-1228
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720323
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------------------------|
| MD145975H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000161788 | 161788 | A O Smith | 2011 | 07/29/2023 | Recurring Cert | Active | Storage/Water heater Rm |
| MD150878H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000107220 | | Bradford White | 2014 | 07/29/2023 | Recurring Cert | Active | Storage/Water Heater Rm 933 |

Total Objects at this Location: 2

Location: The Gateway
Address: 939 Clopper Rd - Gaithersburg, MD 20878-1225
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720324
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------------------------------|
| MD140823H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000091206 | 106206 | Bradford White | 2010 | 07/29/2023 | Recurring Cert | Active | Bldg 939 Storage/Water Heater Rm |

Total Objects at this Location: 1

Location: The Gateway
Address: 943 Clopper Road - Gaithersburg, MD 20878-1223
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720325
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|---------------------------------|
| MD139506H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000089651 | 104651 | Bradford White | 2009 | 07/29/2023 | Recurring Cert | Active | Bldg 943 Storage & Wtr Htr Room |
| MD157209H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000217852 | 217852 | Bradford | 2016 | 07/29/2023 | Recurring Cert | Active | Bldg 943 Storage/Wtr Htr Rm |

Total Objects at this Location: 2

Location: The Gateway
Address: 949 Clopper Rd - Gaithersburg, MD 20878-1220
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 2129689
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|------------------------------------|
| MD127841H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000065737 | 80737 | Bradford White | 2004 | 07/29/2023 | Recurring Cert | Active | Bldg 949 Storage/Wtr Htr Rm |
| MD152105H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106141 | 121141 | Bradford White | 2013 | 07/29/2023 | Recurring Cert | Active | Bldg 949 Storage/water heater room |

Total Objects at this Location: 2

Location: The Gateway
Address: 959 Clopper Road - Gaithersburg, MD 20878-1215
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720326
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------------------------|
| MD145976H | 2 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000165088 | 165088 | A O Smith | 2011 | 07/29/2023 | Recurring Cert | Active | Bldg 959 Storage/Wtr Htr Rm |
| MD156548H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000226906 | | A O Smith | 2017 | 07/29/2023 | Recurring Cert | Active | Bldg 959 Wtr Htr Room |

Total Objects at this Location: 2

Location: The Gateway
Address: 961 Clopper Rd - Gaithersburg, MD 20878-1214
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720327
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|----------------------------------|
| MD140825H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000092699 | 107699 | Bradford White | 2010 | 07/29/2023 | Recurring Cert | Active | Bldg 961 Storage/Wtr Htr Room |
| MD152104H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000103818 | 118818 | Bradford White | 2013 | 07/29/2023 | Recurring Cert | Active | Bldg 961 Storage/Water Heater rm |

Total Objects at this Location: 2

Location: The Gateway
Address: 971 Clopper Road - Gaithersburg, MD 20878-1209
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720328
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-----------------------------|
| MD145977H | 3 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000095466 | 110466 | Bradford White | 2011 | 07/29/2023 | Recurring Cert | Active | Bldg 971 Storage/Wtr Htr Rm |
| MD152103H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000106136 | 121136 | Bradford White | 2013 | 07/29/2023 | Recurring Cert | Active | Bldg 971 Storage/Wtr Htr Rm |

Total Objects at this Location: 2

Location: The Gateway
Address: 977 Clopper Rd - Gaithersburg, MD 20878-1206
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720329
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|---------|----------------|------------|------------|----------------|--------|-----------------------------|
| MD152102H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000103834 | 0118834 | Bradford White | 2013 | 07/29/2023 | Recurring Cert | Active | Bldg 977 Storage/Wtr Htr Rm |

Total Objects at this Location: 1

Location: The Gateway
Address: 983 Clopper Rd - Gaithersburg, MD 20878-1203
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720330
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------------|
| MD142773H | #1 | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000090729 | 105729 | Bradford White | 2010 | 07/29/2023 | Recurring Cert | Active | Bldg 983 Storage/Wtr Htr Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------|
| MD150879H | #2 | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000110642 | 125642 | Bradford White | 2015 | 07/29/2023 | Recurring Cert | Active | Storage/Water Heater Rm |

Total Objects at this Location: 2

Location: The George **Location ID:** 707744
Address: 11141 Georgia Ave - Wheaton, MD 20902-4637 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Harry Carter Jr - Phone: 703-272-2698 x1500 - Cell: 703-898-3959* - Email: HCarter@vanmetreco.com
Billing Contact: - 11141 Georgia Ave Wheaton, MD 20902-4637

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD153839H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000252726 | | Laars | 2013 | 12/06/2022 | Recurring Cert | Active | Blrm Penthouse |
| MD153840H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000252727 | | Laars | 2013 | 12/06/2022 | Recurring Cert | Active | Blrm Penthou |
| MD153841V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000099618 | | Niles | 2013 | 12/06/2022 | Recurring Cert | Active | Penthouse |
| MD153842V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000100017 | | Niles | 2014 | 12/06/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 4

Location: The Greens at Leisure World II **Location ID:** 712702
Address: 15100 Interlachen Dr - Silver Spring, MD 20906-5611 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Robert Brunelle - Phone: 301-598-1530 - Email: greenstwo@lwmc.com
Billing Contact: Robert Brunelle - 15100 Interlachen Dr Apt 106 Silver Spring, MD 20906-5602 - Phone: 301-598-1530 - Email: greenstwo@lwmc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD110325H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000061670 | | A O Smith | 2001 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD110326H | | Horizontal Water Tube | H - Hot Water Supply (Water <= | 000060177 | | A O Smith | 2000 | 10/02/2021 | Recurring Cert | Active | Boiler Room |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|
|---------|-------------|------|-----|----|--------|--------------|------------|----------|--------------|--------|----------|

160 psig, 210 F)

Total Objects at this Location: 2

Location: The Greens at Leisure World II **Location ID:** 716446
Address: 15115 Interlachen Dr - Silver Spring, MD 20906-5636 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Robert Brunelle - Phone: 301-598-1530 - Email: greenstwo@lwmc.com
Billing Contact: Robert Brunelle - 15100 Interlachen Dr Apt 106 Silver Spring, MD 20906-5602 - Phone: 301-598-1530 - Email: greenstwo@lwmc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------------|
| MD110329H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000061792 | | A O Smith | 2001 | 10/02/2021 | Recurring Cert | Active | Boiler Room |
| MD110330H | | Horizontal Water Tube | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000061782 | | A O Smith | 2001 | 10/02/2021 | Recurring Cert | Active | 15115 Boiler Room |

Total Objects at this Location: 2

Location: The Point at Silver Spring **Location ID:** 3491616
Address: 8715 1st Ave - Silver Spring, MD 20910-3556 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Anthony Quebral - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com
Billing Contact: Anthony Quebral - 8750 Georgia Ave Silver Spring, MD 20910-3603 - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|-----------------------|------------|------------|---------------|--------|----------------|
| MD001903H | 3 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000003580 | | Superior Boiler Works | 1966 | 03/01/2022 | External Cert | Active | Boiler Room CD |
| MD001904H | 4 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000003579 | | Superior Boiler Works | 1966 | 03/01/2022 | External Cert | Active | Boiler Room CD |

Total Objects at this Location: 2

Location: The Point at Silver Spring
Address: 8750 Georgia Ave - Silver Spring, MD 20910-3603
County: Montgomery **FIPS:** 24031
Location ID: 711892
Phone: 301-563-1010
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Anthony Quebral - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com
Billing Contact: Anthony Quebral - 8750 Georgia Ave Silver Spring, MD 20910-3603 - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|--------|-----------------------|------------|------------|---------------|--------|----------------|
| MD001901H | 1 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000003581 | | Superior Boiler Works | 1966 | 03/01/2022 | External Cert | Active | Boiler Room AB |
| MD001902H | 2 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000003582 | | Superior Boiler Works | 1966 | 03/01/2022 | External Cert | Active | Boiler Room AB |

Total Objects at this Location: 2

Location: The Point At Watkins Mill
Address: 113 Watkins Station Cir - Gaithersburg, MD 20879-3357
County: Montgomery **FIPS:** 24031
Location ID: 718889
Phone: 301-977-0007
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------|
| MD153780H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000110918 | 123918 | Bradford White | 2015 | 02/08/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: The Point At Watkins Mill
Address: 121 Watkins Station Cir - Gaithersburg, MD 20879-3353
County: Montgomery **FIPS:** 24031
Location ID: 3486590
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------------------|
| MD166735H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000235918 | 235918 | A O Smith | 2018 | 03/10/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: The Point At Watkins Mill **Location ID:** 3486591
Address: 133 Watkins Station Cir - Gaithersburg, MD 20879-3347 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------|
| MD153794H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000110307 | 125307 | Bradford White | 2014 | 02/08/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: The Point At Watkins Mill **Location ID:** 3486592
Address: 141 Watkins Station Cir - Gaithersburg, MD 20879-3343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------------------|
| MD153795H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000195136 | 195936 | A O Smith | 2014 | 02/08/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: The Point At Watkins Mill **Location ID:** 3210256
Address: 166 Watkins Station Circle - Gaithersburg, MD 20879-3331 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|----------------|------------|------------|----------------|--------|-------------------------|
| MD142131H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000088288 | 103288 | Bradford White | 2009 | 02/08/2022 | Recurring Cert | Active | Maintenance/Boiler Room |

Total Objects at this Location: 1

Location: The Victoria
Address: 10416 Fawcett St - Kensington, MD 20895-3338
County: Montgomery **FIPS:** 24031
Primary Contact: Matthwe Kirvan - Cell: 301-512-8928
Billing Contact: Matthwe Kirvan - PO Box 76 Kensington, MD 20895-0076 - Cell: 301-512-8928

Location ID: 726485
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|-----------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD155246H | | Other w/comment | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000327320 | | Lochinvar | 2014 | 01/12/2022 | Recurring Cert | Active | BOILER ROOM |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: The Warwick Apartments
Address: 1131 University Blvd W - Silver Spring, MD 20902-3357
County: Montgomery **FIPS:** 24031
Primary Contact: Chantise Batts - Phone: 301-649-3100 - Email: chantise@bdmere.com
Billing Contact: Jay Silver - 115 Sudbrook Ln Ste 200 Baltimore, MD 21208-3878 - Cell: 410-218-2266 - Email: Jay@BDMGRE.com

Location ID: 728375
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|---|-----------|--------|--------------|------------|------------|---------------|--------|-------------|
| MD148359H | Boiler 1 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000032935 | | R B I | 2013 | 04/18/2022 | External Cert | Active | Boiler Room |
| MD148360H | Boiler 2 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000032952 | | R B I | 2013 | 04/18/2022 | External Cert | Active | Boiler Room |
| MD148361H | Boiler 3 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000033094 | | R B I | 2013 | 04/18/2022 | External Cert | Active | Boiler Room |
| MD148362H | Boiler 4 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000033067 | | R B I | 2013 | 04/18/2022 | External Cert | Active | Boiler Room |
| MD148363H | Boiler #6 | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000033050 | | R B I | 2013 | 04/18/2022 | External Cert | Active | Boiler Room |
| Total Objects at this Location: | | | | 5 | | | | | | | |

Location: Three White Flint North
Address: 11601 Landsdown St - Rockville, MD 20852
County: Montgomery **FIPS:** 24031
Primary Contact: Jim Garris - Phone: 301-881-7239 - Cell: 571-447-8832 - Email: jgarris@lcor.com
Billing Contact: - PO Box 2481 Rockville, MD 20847-2481

Location ID: 3898735
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|---------------------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|---------------|
| MD161615H | | Cast Aluminum | H - Hot Water Supply (Water <= 160 psig, 210 F) | CA | | Aerco | 2010 | 08/13/2022 | Recurring Cert | Active | Central Plant |
| MD162023V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000052863 | | McQuay | 2011 | 10/09/2022 | Recurring Cert | Active | mec. Room |
| MD162024V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000052841 | | McQuay | 2011 | 10/09/2022 | Recurring Cert | Active | Mech. Room |
| MD162032V | | Heat Exchanger - Shell and Tube | V - Process-Heat Transfer-Other w/comment | 000052853 | | McQuay | 2011 | 10/09/2022 | Recurring Cert | Active | Mech. Room |

Total Objects at this Location: 4

Location: Tires Plus - 240633
Address: 861 Russell Ave - Gaithersburg, MD 20879-3505
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-637-8155
Billing Contact: Store Manager - 861 Russell Ave Gaithersburg, MD 20879-3505 - Phone: 301-637-8155

Location ID: 2974385
Phone:
NOB/SIC: Tire Retreading and Repair Shops

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD142136V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000256069 | | Manchester | 2003 | 04/24/2023 | Recurring Cert | Active | Storage |
| MD142137V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000268914 | | Manchester | 2004 | 04/24/2023 | Recurring Cert | Active | Storage |

Total Objects at this Location: 2

Location: Tires Plus - 240640
Address: 15412 Old Columbia Pike - Burtonsville, MD 20866-1632
County: Montgomery **FIPS:** 24031
Primary Contact: Gina - Phone: 301 384 4141
Billing Contact:

Location ID: 2974892
Phone:
NOB/SIC: Auto and Home Supply Stores

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------------|
| MD140578V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000616211 | | Steel Fab | 2010 | 04/24/2023 | Recurring Cert | Active | Storage last bay |
| MD140579V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000616525 | | Steel Fab | 2010 | 04/24/2023 | Recurring Cert | Active | Storage - Last Bay |

Total Objects at this Location: 2

Location: Tolker Auto Service
Address: 427 E Diamond Ave - Gaithersburg, MD 20877-3066
County: Montgomery **FIPS:** 24031
Primary Contact: Demitry Tepelboym - Phone: 301-869-9360
Billing Contact:

Location ID: 726708
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD009246V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000592525 | | Buckeye | 1985 | 05/28/2023 | Recurring Cert | Active | Top/Utility Rm |

Total Objects at this Location: 1

Location: Tony's Corvette Shop
Address: 19210 Woodfield Rd - Gaithersburg, MD 20879-4721
County: Montgomery **FIPS:** 24031
Primary Contact: Tony Avedisian - Phone: 301-987-0565
Billing Contact: Tony Avedisian - 7500 Rickenbacker Dr Gaithersburg, MD 20879-4730 - Phone: 301-987-0565

Location ID: 723580
Phone:
NOB/SIC: Automotive repair, services, and parking

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD133176V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000000155 | | Manchester | 2002 | 08/23/2022 | Recurring Cert | Active | Outdoor shed |

Total Objects at this Location: 1

Location: Topgolf **Location ID:** 4002538
Address: 20101 Century Blvd - Germantown, MD 20874-1107 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Public Golf Courses
Primary Contact: Topgolf
Billing Contact: Rocco Gravasc - 20101 Century Blvd Germantown, MD 20874-1107 - Phone: 240-644-6014

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD165841H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000229217 | | A O Smith | 2017 | 12/10/2021 | Recurring Cert | Active | Equipment Rm |
| MD165842H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000258084 | | A O Smith | 2017 | 12/10/2021 | Recurring Cert | Active | Equipment Rm |

Total Objects at this Location: 2

Location: Touchless Car Wash **Location ID:** 726764
Address: 104 N Frederick Ave - Gaithersburg, MD 20877-2411 **Phone:** 301-948-3346
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Services, NEC
Primary Contact: Tony Atalah - Phone: 301 948 3346
Billing Contact: Tony Atalah - 104 N Frederick Ave Gaithersburg, MD 20877-2411 - Phone: 301 948 3346

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD139507H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000087406 | | Rheem/Ruud | 2000 | 01/12/2022 | Recurring Cert | Active | MECH RM |
| MD139508V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000943244 | | Buckeye | 1990 | 01/12/2022 | Recurring Cert | Active | MECH RM |
| MD139509V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001196382 | | Manchester | 2001 | 01/12/2022 | Recurring Cert | Active | MECH RM |

Total Objects at this Location: 3

Location: Town Center Exxon - Sun Petro
Address: 200 N Washington St - Rockville, MD 20850-1701
County: Montgomery **FIPS:** 24031
Primary Contact: Town Center Exxon - Sun Petro
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 4038771
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166748V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001112562 | | Manchester | 2001 | 08/27/2022 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: Towne Place Suites
Address: 212A Perry Pkwy - Gaithersburg, MD 20877-2100
County: Montgomery **FIPS:** 24031
Primary Contact: Andrew Damoah - Phone: 301-590-2300 - Cell: 240-653-0906 - Email: andrew.damoah@bfsaul.com
Billing Contact: Andrew Damoah - 212A Perry Pkwy Gaithersburg, MD 20877-2100 - Phone: 301-590-2300 - Cell: 240-653-0906 - Email: andrew.damoah@bfsaul.com

Location ID: 3491618
Phone:
NOB/SIC: Hotels and Motels

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|---------------|--------|---------------|
| MD148127H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000098783 | | Lochinvar | 1999 | 03/24/2022 | External Cert | Active | Boiler Room A |
| MD148128H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000099037 | | Lochinvar | 1999 | 03/24/2022 | External Cert | Active | Boiler Room A |
| MD148129H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000098791 | | Lochinvar | 1999 | 03/24/2022 | External Cert | Active | Boiler Room B |
| MD160220H | | Water Tube Coiled (NOT Flueless Hi Efficiency) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000290493 | | Lochinvar | 2016 | 03/21/2022 | External Cert | Active | Boiler Room B |

Total Objects at this Location: 4

Location: TPC Avenel
Address: 10000 Oaklyn Dr - Potomac, MD 20854-5497
County: Montgomery **FIPS:** 24031
Primary Contact: TPC Avenel - Phone: 3014693700
Billing Contact: - 10000 Oaklyn Dr Potomac, MD 20854-5497 - Phone: 3014693700

Location ID: 721256
Phone:
NOB/SIC: Organization Hotels and Lodging Houses, on Membership Basis

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD145914H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 250 F) | 000175209 | | A O Smith | 2012 | 01/21/2023 | Recurring Cert | Active | Storage Room |
| MD145915V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000384974 | | Manchester | 2004 | 01/21/2023 | Recurring Cert | Active | Shop |

Total Objects at this Location: 2

Location: Tri State Stone & Building Supply
Address: 8200 Seven Locks Road - Bethesda, MD 20817
County: Montgomery **FIPS:** 24031
Primary Contact: Tri State Stone & Building Supply - Phone: 301-365-2100
Billing Contact: - PO Box 34300 Bethesda, MD 20827-0300 - Phone: 301-365-2100

Location ID: 2976859
Phone: 301-365-2100
NOB/SIC: Cut Stone and Stone Products

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD143462V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001697685 | | CAMPBELL | 2011 | 07/08/2023 | Recurring Cert | Active | Shop |

Total Objects at this Location: 1

Location: True Respite Brewing Company, LLC
Address: 7301 Calhoun PI Ste 400 - Derwood, MD 20855-2740
County: Montgomery **FIPS:** 24031
Primary Contact: Kenny Allen - Phone: 703-371-7924 - Email: brendan@truerespice.com
Billing Contact: Kenny Allen - 7301 Calhoun PI Ste 400 Derwood, MD 20855-2740 - Phone: 703-371-7924 - Email: brendan@truerespice.com

Location ID: 3868288
Phone:
NOB/SIC:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------|-----------------------------------|-----------|--------|------------------|------------|------------|----------------|--------|-------------|
| MD161493H | | Other w/comment | H - Steam Heat (Steam <= 15 psig) | 000018540 | 32768 | Rite Engineering | 2017 | 08/06/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Twinbrook I (JBG) Location ID: 727264
Address: 5640 Fishers Ln - Rockville, MD 20852-1737 Phone: 301-468-0200
County: Montgomery FIPS: 24031 NOB/SIC: Holding and other investment offices
Primary Contact: Brad Wertz* - Phone: 301-468-0200 - Cell: 301-440-0969 - Email: bwertz@jbg.com
Billing Contact: Brad Wertz* - 5635 Fishers Ln Ste 200 Rockville, MD 20852-7700 - Phone: 301-468-0200 - Cell: 301-440-0969 - Email: bwertz@jbg.com

Table with 12 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains 4 rows of equipment data.

Total Objects at this Location: 4

Location: Uncle Julio's Mexican Restaurant/Rio Grande Cafe Location ID: 1934519
Address: 4870 Bethesda Ave - Bethesda, MD 20814-5202 Phone: 301-656-2981
County: Montgomery FIPS: 24031 NOB/SIC: Eating and Drinking Places
Primary Contact: Rio Grande Cafe - Phone: 301-656-2981
Billing Contact: April West - 1101 N Union Bower Rd Ste 160 Irving, TX 75061-5850 - Phone: 972-554-3624 - Email: permits@unclejulios.com

Table with 12 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Contains 2 rows of equipment data.

Total Objects at this Location: 2

Location: Uniformed Services Univ-Health Sciences **Location ID:** 719926
Address: 4301 Jones Bridge Rd - Bethesda, MD 20814-4712 **Phone:** 301-295-0799
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Petroleum and coal products
Primary Contact: Kelvin McGill - Phone: 301-295-0799 - Email: kelvin.mcgill@usuhs.edu
Billing Contact: Corey Smalls - 4301 Jones Bridge Rd Bethesda, MD 20814-4712 - Phone: 301-295-3055 - Email: corey.smalls@usuhs.edu

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------------|----------------|------------|------------|----------------|--------|--------------------|
| MD143682V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000074581 | VT1500-C4291 | Taylor-Wharton | 2004 | 08/02/2022 | Recurring Cert | Active | Loading Dock |
| MD143683V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000070888 | 22250 | CHART | 2008 | 08/02/2022 | Recurring Cert | Active | AFFRI Loading Dock |

Total Objects at this Location: 2

Location: United Presbyterian Church **Location ID:** 727121
Address: 7009 Wilson Ln - Bethesda, MD 20817-4925 **Phone:** 240-751-0545
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Robert Taylor - Phone: 301-762-3363
Billing Contact: Robert Taylor - 7009 Wilson Ln Bethesda, MD 20817-4925 - Phone: 301-762-3363

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-----------|
| MD166703H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 2020 | 06/26/2022 | Recurring Cert | Active | Boiler Rm |

Total Objects at this Location: 1

Location: Urban Winery (Arc3) **Location ID:** 3989305
Address: 949 Bonifant St Ste A - Silver Spring, MD 20910-5754 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165576V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000280023 | | CHART | 2015 | 11/07/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: US Pharmacopeia (Roberts Oxygen) **Location ID:** 3839670
Address: 12601 Twinbrook Pkwy - Rockville, MD 20852-1717 **Phone:** 301-230-3364
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------------|
| MD160868V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000087353 | | Taylor | 2007 | 11/21/2021 | Recurring Cert | Active | Outside Gated Area |

Total Objects at this Location: 1

Location: Vasili's Kitchen (Arc3) **Location ID:** 3992531
Address: 705 Center Point Way - Gaithersburg, MD 20878-6462 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Vasili's Kitchen (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165822V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000109899 | | MVE | 1999 | 11/19/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 1

Location: Vehicle Emissions Inspection Program **Location ID:** 2922959
Address: 15910 Chieftain Ave - Derwood, MD 20855-2134 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Air and Water Resource and Solid Waste Management
Primary Contact: Cheryle Freeman - Phone: 410-737-2700 x3721 - Cell: 443-324-0372 - Email: cheryle.freeman@opusinspection.com
Billing Contact: Cheryle Freeman - 1740 Twin Springs Rd Ste K Baltimore, MD 21227-3549 - Phone: 410-737-2700 x3721 - Cell: 443-324-0372 - Email: cheryle.freeman@opusinspection.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD143429V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001090272 | | Manchester | 2009 | 03/10/2023 | Recurring Cert | Active | Inspection Bay |

Total Objects at this Location: 1

Location: Villa Cortese
Address: 14800 Pennfield Cir - Silver Spring, MD 20906-1575
County: Montgomery **FIPS:** 24031
Primary Contact: Wendy Bethke - Phone: 301-598-1335 - Email: wbethke@lwmc.com
Billing Contact: Wendy Bethke - 14809 Pennfield Cir Silver Spring, MD 20906 - Phone: 301-598-1335 - Email: wbethke@lwmc.com

Location ID: 728000
Phone:
NOB/SIC: Operators of Apartment Buildings

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-------------|
| MD155119H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000278273 | | Lochinvar | 2015 | 05/09/2022 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: VREC III-LO Colesville Medical MOB LLC
Address: 10720 Columbia Pike - Silver Spring, MD 20901-4437
County: Montgomery **FIPS:** 24031
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

Location ID: 722140
Phone: 301-592-0066
NOB/SIC: Rooming and Boarding Houses

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|-----------|
| MD137781H | | Horizontal Water Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000014556 | | R B I | 2004 | 04/18/2022 | Recurring Cert | Active | BSMT BLRM |

Total Objects at this Location: 1

Location: VREC III-LO Colesville Medical MOB LLC
Address: 10750 Columbia Pike - Silver Spring, MD 20901-4402
County: Montgomery **FIPS:** 24031
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

Location ID: 717272
Phone:
NOB/SIC: Offices of Bank Holding Companies

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|-----------|--------------|------------|------------|----------------|--------|-----------|
| MD134039V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000035657 | | Steel Fab | 1992 | 04/18/2022 | Recurring Cert | Active | Penthouse |
| MD142041H | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000026144 | 071056368 | R B I | 2010 | 04/18/2022 | Recurring Cert | Active | Penthouse |
| MD142042H | | Vertical Fire Tube | H - Hot Water | 000026156 | 071056386 | R B I | 2010 | 04/18/2022 | Recurring Cert | Active | Penthouse |

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|---------|-------------|------|---------------------------------|----|--------|--------------|------------|----------|--------------|--------|----------|
| | | | Heat (Water <= 160 psig, 250 F) | | | | | | | | |

Total Objects at this Location: 3

Location: VREC III-LO Colesville Medical MOB LLC **Location ID:** 717273
Address: 10770 Columbia Pike - Silver Spring, MD 20901-4402 **Phone:** 301-592-0066
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Real Estate Agents and Managers
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|-------------------------------|--------|-----------|
| MD064971V | 1 | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000638270 | 0 | Brunner | 1985 | 04/18/2022 | External Cert, Recurring Cert | Active | Penthouse |
| MD142043H | | Vertical Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000026143 | | R B I | 2010 | 04/18/2022 | Recurring Cert | Active | Penthouse |

Total Objects at this Location: 2

Location: Walnut Grove Condominiums **Location ID:** 728302
Address: 11919 Parklawn Dr - Rockville, MD 20852-2619 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Garay -Doc Goglio - Phone: 202-438-6005
Billing Contact: Doug Amstien - 8701 Georgia Ave Ste 300 Silver Spring, MD 20910-3727 - Phone: 301-495-6611

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD148636H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000092105 | | Jet Glass | 2010 | 09/15/2021 | Recurring Cert | Active | Laundry Room |

Total Objects at this Location: 1

Location: Walnut Hill Exxon - 5416 (Sunoco)
Address: 16425 S Frederick Ave - Gaithersburg, MD 20877-4101
County: Montgomery **FIPS:** 24031
Primary Contact: Walnut Hill Exxon - 5416 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656989
Phone:
NOB/SIC: Gasoline Service Stations

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD152145V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000003001 | | Brunner | 1994 | 11/20/2021 | Recurring Cert | Active | CAR WASH |
| MD158624V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000005920 | | Taylor | 1989 | 11/25/2021 | Recurring Cert | Active | Outside |

Total Objects at this Location: 2

Location: Walter Reed Army Inst Of Research
Address: 503 Robert Grant Ave - Silver Spring, MD 20910-7500
County: Montgomery **FIPS:** 24031
Primary Contact: Reginald Johnson - Phone: 301 319 9466
Billing Contact: Calvin Ashcraft - 503 Grant Street Room GW-21; Bldg 503 Silver Spring, MD 20910 - Phone: 301 319 9387

Location ID: 728327
Phone:
NOB/SIC: Health services

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|------------------|------------|------------|----------------|--------|----------|
| MD111863V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000057309 | | Minnesota Valley | 1998 | 10/19/2020 | Recurring Cert | Active | Bldg 503 |
| MD111864V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000057311 | | Minnesota Valley | 1998 | 10/19/2020 | Recurring Cert | Active | Bldg 503 |
| MD111865V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000057319 | | Minnesota Valley | 1998 | 10/19/2020 | Recurring Cert | Active | Bldg 503 |

Total Objects at this Location: 3

Location: Washington McLaughlin Christian School **Location ID:** 728444
Address: 6501 Poplar Ave - Takoma Park, MD 20912-4867 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Washington McLaughlin Christian School - Phone: 301-613-7793 - Email: wmadcc@aol.com
Billing Contact: - 6500 Poplar Ave Takoma Park, MD 20912-4858 - Phone: 301-613-7793 - Email: wmadcc@aol.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD041368V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000043792 | | Adamson | 1969 | 05/06/2020 | Recurring Cert | Active | BLRM |
| MD122015H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | HB Smith | 2004 | 05/06/2020 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Watkins Mill Liberty **Location ID:** 4068268
Address: 19205 Watkins Mill Rd - Montgomery Village, MD 20886-3901 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Watkins Mill Liberty
Billing Contact:

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD169840V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000419898 | | Steel Fab | 2008 | 03/16/2023 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 1

Location: Wendy's (Roberts Oxygen) **Location ID:** 3971710
Address: 14012 Connecticut Ave - Silver Spring, MD 20906-2922 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165163V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000039008 | | MVE Inc | 1990 | 09/11/2021 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Wendy's (Roberts Oxygen) **Location ID:** 3971708
Address: 17 Vital Way - Silver Spring, MD 20904-3447 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165187V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000325572 | | CHART | 2019 | 11/05/2023 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 4038773
Address: 12114 Darnestown Rd - Gaithersburg, MD 20878-2206 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167222V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000006919 | | Taylor | 1991 | 08/25/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 4010662
Address: 12988 Middlebrook Rd - Germantown, MD 20874-2616 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166704V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000023848 | | Taylor | 1995 | 02/21/2022 | Recurring Cert | Active | Kitchen |

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 3988639
Address: 18350 Contour Rd - Montgomery Village, MD 20877-2600 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD165555V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000009076 | | Taylor | 1991 | 10/17/2021 | Recurring Cert | Active | Kitchen |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wendy's - 5001 (Robert) **Location ID:** 4038763
Address: 5001 Nicholson Ln - Rockville, MD 20852-3101 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167197V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000009391 | | Taylor | 1992 | 08/25/2022 | Recurring Cert | Active | Outside |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wendy's - 6527 (Roberts) **Location ID:** 4038765
Address: 15807 Frederick Rd - Derwood, MD 20855-2219 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167724V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000003498 | | Taylor | 1990 | 08/25/2022 | Recurring Cert | Active | Kitchen |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wendy's - 6566 (Roberts) **Location ID:** 4038764
Address: 808 Rockville Pike - Rockville, MD 20852-1224 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|------------|
| MD167196V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000300027 | | CHART | 2017 | 08/25/2022 | Recurring Cert | Active | Store Room |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wendy's - 6585 (Roberts) **Location ID:** 4038766
Address: 18425 Woodfield Rd - Gaithersburg, MD 20879-4708 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD167198V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (Cryogenic) | 000026812 | | Taylor | 1996 | 08/25/2022 | Recurring Cert | Active | Kitchen |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Westbard Citgo **Location ID:** 728729
Address: 5335 Westbard Ave - Bethesda, MD 20816-1406 **Phone:** 301-656-0053
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Tim Bowds - Phone: 301-656-0053
Billing Contact: Tim Bowds - 5335 Westbard Ave Bethesda, MD 20816-1406 - Phone: 301-656-0053

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|--------------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------|
| MD132950V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000426692 | | Steel Fab | 2006 | 11/09/2022 | Recurring Cert | Active | Rear Open Shed |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wheaton 7th Day Adventist Church **Location ID:** 2977110
Address: 3132 Bel Pre Rd - Silver Spring, MD 20906-2420 **Phone:** 301-871-6110
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Steve Murphy - Phone: 301-526-0471
Billing Contact: Campbell Rogers - 3132 Bel Pre Rd Silver Spring, MD 20906-2420 - Cell: 301-318-0013 - Email: wctreasury@outlook.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD145913H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Peerless | 1964 | 10/19/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Wheaton Body Shop **Location ID:** 2913136
Address: 11308 Fern St - Silver Spring, MD 20902-4612 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Peter Kelymon - Phone: 301-933-4343
Billing Contact: Peter Kelymon - 11308 Fern St Silver Spring, MD 20902-4612 - Phone: 301-933-4343

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD136968V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000568866 | | Manchester | 1997 | 01/04/2023 | Recurring Cert | Active | Comp. rm. |
| MD136969V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000030175 | | Melben | 1981 | 01/04/2023 | Recurring Cert | Active | Compressor Room |

Total Objects at this Location: 2

Location: Wheaton Body Shop **Location ID:** 2913147
Address: 11320 Fern St - Silver Spring, MD 20902-4612 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Peter Kelymon - Phone: 301-933-4343
Billing Contact: Peter Kelymon - 11308 Fern St Silver Spring, MD 20902-4612 - Phone: 301-933-4343

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD136970V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000959357 | | Manchester | 2008 | 01/04/2023 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 1

Location: Wheaton Branch BOA **Location ID:** 988430
Address: 2601 University Blvd W - Wheaton, MD 20902-1926 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Business Services, NEC
Primary Contact: Steve Quach - Phone: 301-929-8818 - Email: syrquach@yahoo.com
Billing Contact: Steve Quach - 2646 University Blvd W Wheaton, MD 20902-1913 - Phone: 301-929-8818 - Email: syrquach@yahoo.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|----------|
| MD088040H | | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | Weil-McLain | 1994 | 02/23/2023 | Recurring Cert | Active | Basement |

Total Objects at this Location: 1

Location: Wheaton House **Location ID:** 705629
Address: 10817 Georgia Ave - Wheaton, MD 20902-4741 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jamie Gonzalez - Phone: 301-949-8658 - Email: jedmonds@borgerproperties.com
Billing Contact: Jamie Gonzalez - 10817 Georgia Ave Wheaton, MD 20902-4741 - Phone: 301-949-8658 - Email: jedmonds@borgerproperties.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|---|----|--------|--------------|------------|------------|----------------|--------|-------------|
| MD130520H | Boiler 1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | HB Smith | 2004 | 03/09/2021 | Recurring Cert | Active | Boiler Room |
| MD130521H | Boiler 2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | | HB Smith | 2004 | 03/09/2021 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 2

Location: Wheaton Service Center
Address: 11321 Fern St - Silver Spring, MD 20902-4611
County: Montgomery **FIPS:** 24031
Primary Contact: Tom Doyle - Phone: 301 949 3144
Billing Contact: Tom Doyle - 11321 Fern St Wheaton, MD 20902-4611 - Phone: 301 949 3144

Location ID: 1645028
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------------------|
| MD136966V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 001068269 | | Manchester | 2000 | 01/16/2023 | Recurring Cert | Active | Compressor Room Bldg.11321 |
| Total Objects at this Location: | | | | 1 | | | | | | | |

Location: Wheaton Speedy Car Wash
Address: 2404 Price Ave - Wheaton, MD 20902-4622
County: Montgomery **FIPS:** 24031
Primary Contact: Mechelle Kim - Phone: 301-332-6033(c)
Billing Contact: Mechelle Kim - 2404 Price Ave Wheaton, MD 20902-4622 - Phone: 301-332-6033(c)

Location ID: 728962
Phone:
NOB/SIC: Carwashes

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|--|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD081133V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000969603 | | Buckeye | 1990 | 12/05/2022 | Recurring Cert | Active | Mach Bay |
| MD134043V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000998058 | | Melben | 2001 | 12/05/2022 | Recurring Cert | Active | Mach Bay |
| Total Objects at this Location: | | | | 2 | | | | | | | |

Location: Wheaton Valet Cleaners
Address: 11447 Georgia Ave - Wheaton, MD 20902-1906
County: Montgomery **FIPS:** 24031
Primary Contact: Wheaton Valet Cleaners
Billing Contact:

Location ID: 728967
Phone:
NOB/SIC: Apparel and other textile products

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD159491V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000376332 | | Mat Ind | 2016 | 11/13/2021 | Recurring Cert | Active | BASEMENT |

Total Objects at this Location: 1

Location: White Flint Exxon **Location ID:** 729002
Address: 11430 Rockville Pike - Rockville, MD 20852-3001 **Phone:** 301-881-5689
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Transportation services
Primary Contact: Scott Bochnancyiak - Phone: 301-881-5689 - Email: wfexxon@verizon.net
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|--------------|
| MD167758V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000683228 | | Morganton | 2017 | 08/27/2022 | Recurring Cert | Active | Outside Shed |

Total Objects at this Location: 1

Location: White Oak Auto Service Inc **Location ID:** 1724643
Address: 11415 Lockwood Dr - Silver Spring, MD 20904-2610 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Rami Kounicar - Phone: 301-593-5622
Billing Contact: Rami Kounicar - 11415 Lockwood Dr Silver Spring, MD 20904-2610 - Phone: 301-593-5622

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|-----------------|
| MD147973V | | Horizontal Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000245100 | | Morganton | 2013 | 10/26/2021 | Recurring Cert | Active | Compressor Shed |

Total Objects at this Location: 1

Location: White Oak Cleaners **Location ID:** 729021
Address: 11209 New Hampshire Ave - Silver Spring, MD 20904-2631 **Phone:** 301-593-2283
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Personal services
Primary Contact: Shelia Collins - Phone: 301-986-6274/301-986-6200 - Email: shelia.collins@saulcenters.com
Billing Contact: Shelia Collins - 7501 Wisconsin Ave Ste 1500E Bethesda, MD 20814-6522 - Phone: 301-986-6274/301-986-6200 - Email: shelia.collins@saulcenters.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-------------------------------------|-----------|----------|--------------|------------|------------|----------------|--------|----------|
| MD005655 | | Vertical Fire Tube | S - Power-Ironing (Steam > 15 psig) | 000056679 | | Fulton | 1989 | 06/02/2020 | Recurring Cert | Active | BLRM |
| MD120600V | | Horizontal Unfired Pressure Vessel w/comment | O - Other (PV Use) w/comment | 000311104 | 40750069 | Manchester | 2004 | 06/02/2020 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 2

Location: Willoughby of Chevy Chase **Location ID:** 704611
Address: 4515 Willard Ave - Chevy Chase, MD 20815-3622 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Meny Mulugeta - Phone: 301-657-3030
Billing Contact: Meny Mulugeta - 4515 Willard Ave Chevy Chase, MD 20815-3622 - Phone: 301-657-3030

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|----------------------|---|-----------|-----------|----------------|------------|------------|----------------|--------|-------------|
| MD118985H | DHWBRL-1 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP4527337 | Weil-McLain | 2003 | 04/02/2023 | Recurring Cert | Active | Boiler Room |
| MD118986H | DHWBLR-2 | Cast Iron | H - Hot Water Heat (Water <= 160 psig, 250 F) | CI | CP4529360 | Weil-McLain | 2003 | 04/02/2023 | Recurring Cert | Active | Boiler Room |
| MD118987H | BLR-2 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000012824 | | Cleaver Brooks | 2003 | 04/02/2023 | Recurring Cert | Active | Boiler Room |
| MD118988H | BLR-1 | Horizontal Fire Tube | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000012823 | | Cleaver Brooks | 2003 | 04/02/2023 | Recurring Cert | Active | Boiler Room |

Total Objects at this Location: 4

Location: Winexburg Manor Apartments **Location ID:** 729305
Address: 12629 Layhill Rd - Silver Spring, MD 20906-3414 **Phone:** 301-933-4848
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ephraim Crocker - Phone: 757-995-9072
Billing Contact: Ephraim Crocker - 2301 Glenallan Ave Silver Spring, MD 20906-3525 - Phone: 757-995-9072

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD166711H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000267766 | | A O Smith | 2020 | 08/20/2022 | Recurring Cert | Active | 12629 |
| MD166712H | | Water Heater (HLW) | H - Hot Water Supply (Water <= 160 psig, 210 F) | 000267329 | | A O Smith | 2020 | 08/20/2022 | Recurring Cert | Active | 12629 |

Total Objects at this Location: 2

Location: Woodmont Country Club **Location ID:** 729447
Address: 1201 Rockville Pike - Rockville, MD 20852-1409 **Phone:** 301-424-7200
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Amusement and recreational services
Primary Contact: James Arney - Phone: 301-424-7200 - Cell: 240-832-7513 - Email: jamey@woodmontcc.com
Billing Contact: James Arney - 1201 Rockville Pike Rockville, MD 20852-1409 - Phone: 301-424-7200 - Cell: 240-832-7513 - Email: jamey@woodmontcc.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--------------------|---|-----------|--------|--------------|------------|------------|----------------|--------|----------|
| MD011616H | | Water Heater (HLW) | H - Hot Water Heat (Water <= 160 psig, 250 F) | 000001271 | | Cemline | 1949 | 02/26/2023 | Recurring Cert | Active | BLRM |

Total Objects at this Location: 1

Location: Woodmont Exxon **Location ID:** 704532
Address: 8240 Wisconsin Ave - Bethesda, MD 20814-3100 **Phone:** 301-656-6042
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Kwaneice Ricks - Phone: (703) 750-6810 ext. 177 - Cell: (571) 296-0074 - Email: kricks@capitolpetro.com
Billing Contact: Erika Dogan - 6820 Commercial Dr # B Springfield, VA 22151-4201 - Email: edogan@capitolpetro.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|--|-----------------------------|-----------|--------|--------------|------------|------------|----------------|--------|----------------------|
| MD143030V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 000292194 | | Manchester | 1995 | 06/06/2022 | Recurring Cert | Active | Store Room 2nd Floor |
| MD167729V | | Vertical Unfired Pressure Vessel w/comment | V - Storage (NOT Cryogenic) | 002282073 | | Manchester | 2020 | 11/13/2022 | Recurring Cert | Active | Car Wash |

Total Objects at this Location: 2

Location: Woodmoor Shopping Center **Location ID:** 729471
Address: 10117 Colesville Rd - Silver Spring, MD 20901-2426 **Phone:** C09138202-2
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Real Estate Agents and Managers
Primary Contact: Tom Howard - Phone: 703-442-4327 - Email: thomasHoward@regencyCenters.com
Billing Contact: Tom Howard - 1919 Gallows Rd Ste 1000 Vienna, VA 22182-4038 - Phone: 703-442-4327 - Email: thomasHoward@regencyCenters.com

| Juris # | Alt Juris # | Type | Use | NB | Serial | Manufacturer | Year Built | Due Date | Inspect Type | Status | Location |
|-----------|-------------|-----------|-----------------------------------|----|-------------|--------------|------------|------------|---------------|--------|-------------|
| MD153475H | | Cast Iron | H - Steam Heat (Steam <= 15 psig) | CI | 28HE-S/W-09 | SMITH | 2014 | 10/27/2021 | External Cert | Active | Boiler Room |

Total Objects at this Location: 1

Location: Woodside Deli (Roberts) Location ID: 4002542
Address: 13048 Middlebrook Rd - Germantown, MD 20874-2617 Phone:
County: Montgomery FIPS: 24031 NOB/SIC:
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD165834V, Vertical Unfired Pressure Vessel w/comment, V - Storage (Cryogenic), 000009908, Taylor, 1992, 12/10/2021, Recurring Cert, Active, Outside.

Total Objects at this Location: 1

Location: Woodside Village Condominiums Location ID: 729512
Address: 1901 Lyttonsville Rd - Silver Spring, MD 20910-2245 Phone:
County: Montgomery FIPS: 24031 NOB/SIC: Operators of Apartment Buildings
Primary Contact: Woodside Village Condominiums - Phone: 3014688819
Billing Contact: Gaye Bridges - PO Box 221350 Chantilly, VA 20153-1350 - Phone: 7036312003

Table with 11 columns: Juris #, Alt Juris #, Type, Use, NB, Serial, Manufacturer, Year Built, Due Date, Inspect Type, Status, Location. Row 1: MD149045H, Water Tube Coiled (NOT Flueless Hi Efficiency), H - Hot Water Heat (Water <= 160 psig, 250 F), 000029324, R B I, 2012, 06/09/2023, Recurring Cert, Active, BLRM. Row 2: MD155262H, Cast Iron, H - Hot Water Heat (Water <= 160 psig, 250 F), 000201193, A O Smith, 2015, 06/09/2023, Recurring Cert, Active, BLRM.

Total Objects at this Location: 2

Total Objects 1,377
Total Locations 691
Total Active Objects 1377