

Location Detail With Comments And Contacts

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address;

Location: 1101 Macade, LP.	Location ID: 2910276
Address: 761 E Wilson Blvd Hagerstown, MD 21740-7404	Phone: 610-721-7777
County: Washington	NOB/SIC:
Primary Contact: 802 Bethel Associates LP., Et Al	
Billing Contact: Joe Frio - PO Box 5233 Springfield, PA 19064-5233 - Phone: 610-721-7777	
Cert Contact: Joe Frio - PO Box 5233 Springfield, PA 19064-5233 - Phone: 610-721-7777	
Owner Contact: 802 Bethel Associates LP., Et Al - PO Box 5233 Springfield, PA 19064-5233	
Other Contact(s): 802 Bethel Associates LP., Et Al - PO Box 5233 Springfield, PA 19064-5233	
Joe Frio - PO Box 5233 Springfield, PA 19064-5233 - Phone: 610-721-7777	
Laura Tubbs, License Administrator - PO Box 1330 Salisbury, NC 28145-1330 - Phone: 704-310-3941 - Email: laura.tubbs@RetailBusinessServices.com	
Manager On Duty - 761 E Wilson Blvd Hagerstown, MD 21740-7404 - Phone: 301-791-0353	

My Company Comments: Close Citation 11/15/18 - was addressed to the location Shop N Save---Per S. Reynolds this location was closed, all Shop N Save locations were closed. The location has new owners and the inspections have been completed. Updating location name and contact info.
Shop N Save #2910276

MD137359V certificate issued
MD137360V certificate issued
MD137361V certificate issued
MD137362V certificate issued

Shop N Save is no longer at this location new landlord is :
1101 MacDade, LP
Attn. Joe Frio
PO Box 5233
Springfield, PA 19064 S. Reynolds 5/1/19
Shop N Save #2910276

Location closed and unoccupied a number to gain access was on door will call and schedule. Reynolds 4/23/2019

My Shared Comments: Was a Food Lion - 0626 change to Shop N save

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137359V	3010RC-B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254686		Standard	1998	09/15/2020	Recurring Cert	Active	Upper Motor Room

MD137360V	4010RC-A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254679	Standard	1998	09/15/2020	Recurring Cert	Active	Upper Motor Room
MD137361V	6910RL-C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000253851	Standard	1998	09/15/2020	Recurring Cert	Active	Upper Motor Room
MD137362V	TD400-041PL3NHZFD	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064684	Standard	2006	09/15/2021	Recurring Cert	Active	Lower Motor Room

Total Objects at this location 4

Location: 18 E Franklin Street
Address: 18 E Franklin St Hagerstown, MD 21740-4915
County: Washington
Primary Contact: JGMR LLC
Billing Contact:
Cert Contact: JGMR LLC - 18 E Franklin St Hagerstown, MD 21740-4915
Owner Contact: JGMR LLC - 18 E Franklin St Hagerstown, MD 21740-4915
Other Contact(s): JGMR LLC - 18 E Franklin St Hagerstown, MD 21740-4915
Mark - 20 E Franklin St Hagerstown, MD 21740-4915 - Phone: 301 733 0744

Location ID: 719688
Phone:
NOB/SIC:

My Company Comments: Address was 20 E Franklin St. but should have been 18 E Franklin St.
Changed location name from Applied Force Performance to 18 E Franklin Street
I was able to get a contact for this location. Fred Gardinier 301-739-5097. 13403 Paramount Terrace, Hagerstown, MD 21742. The location does have the compressor but it is disconnected. We agreed to have Inspector Reynolds go to the location to verify this. He will get in touch with Inspector Reynold to set up an appointment because no one goes to the location.
MacDonald = 11/5/19 - 18 E Franklin - 18 E. Franklin St, Hagerstown (location 719688) - 1 CED followed up. Greg and I were unable to gain access to this location for the overdue air compressor. We walked around the entire building and knocked on the doors to gain access. There was no phone number on the building or in JO, and the website on the front door of the building is not functional.
Reynolds 9/19/2019 - 18 E. Franklin #719688. no access
Sent email -
Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>
9:46 AM (0 minutes ago)
to appliedforceperformance_101

The Pressure Vessel's MD079207V (compressor) certificate at this location expired 10/27/2016.

The State of Maryland no longer does periodical inspections.

If not inspected you could receive a fine up to \$5,000.00.

If this unit is still connected it needs to be inspected. Please contact me and I will have a State Inspector scheduled to come and inspect.

If objects are no longer there or completely disconnected (from all entities) please let me know. We can send an inspector to verify the objects are inactive. This is extremely important to have this done as soon as possible to work on possibilities of considering the Citation to be waived or reduced. Please Contact me with any questions or concerns.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD079207V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000291091		Iamco	1991	01/03/2022	Recurring Cert	Active	Rear Room
Total Objects at this location					1						

Location: 215 W Main St
Address: 215 W Main St Hancock, MD 21750-1320
County: Washington
Primary Contact: Anthony McCusker - Phone: 301-573-4321
Billing Contact: Anthony McCusker - 139 Washington St Hancock, MD 21750-1140 - Phone: 301-573-4321
Cert Contact: Anthony McCusker - 139 Washington St Hancock, MD 21750-1140 - Phone: 301-573-4321
Owner Contact: Anthony McCusker - 139 Washington St Hancock, MD 21750-1140 - Phone: 301-573-4321
Other Contact(s): Anthony McCusker - 1 Cleveland Dr Hancock, MD 21750-1305
 Anthony McCusker - 139 Washington St Hancock, MD 21750-1140 - Phone: 301-573-4321
 Shaw Motor Co - 215 W Main St Hancock, MD 21750-1320 - Phone: 301-678-6270
 Shaw Motor Co. - PO Box 200 Hancock, MD 21750-0200

Location ID: 724775
Phone:
NOB/SIC:

My Company Comments: Citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov) 11:30 AM (0 minutes ago) to Jodi

LOC 724775
 Good morning,

Thank you for responding to the citation at 215 W Main St, Hancock. I understand that the assets may have been sold but it has not been recorded in the system. When a boiler is disconnected/moved/sold an inspection should be completed to ensure the safety or correct ownership. Once there is an inspection

report in the system, the citation can be reviewed. Would you be able to access the location to coordinate an inspection?

If you have any further questions, do not hesitate to contact us.

Case 12856

Inbox

x

Citation/Waiting on Inspection/ Paperwork

x

Jodi Fischer <fischers1@frontiernet.net>

Tue, Sep 3, 1:33 PM (21 hours ago)

to me

Re: Shaw Motor Co Hancock MD ceased operating in 2017. The owner died and assets were sold. Not sure what you need. I was given this from the POBox in Hancock by the owners wife.

Jodi Fischer

Citation returned with a forwarding address. Updated.

The business is closed and property sold. New owners in SDAT Anthony McCusker 1 CLEVELAND DR

HANCOCK MD 21750-0000

My Shared Comments:

John from American Boiler said he is scheduled for 11/20. The owner is concerned about the penalty but that's the soonest he can make it out.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094125V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000292152		Manchester	1995	11/21/2020	Recurring Cert	Active	Garage Area
Total Objects at this location					1						

Location: AC & T Car Wash
Address: 301 N Burhans Blvd Hagerstown, MD 21740-3759
County: Washington
Primary Contact: Larry Barnes, Manager - Phone: 301-582-2700
Billing Contact: Larry Barnes - 301 N Burhans Blvd Hagerstown, MD 21740-3759 - Phone: 301-582-2700
Cert Contact: Larry Barnes, Manager - 301 N Burhans Blvd Hagerstown, MD 21740-3759 - Phone: 301-582-2700
Owner Contact: Larry Barnes, Manager - 301 N Burhans Blvd Hagerstown, MD 21740-3759 - Phone: 301-582-2700
Other Contact(s): AC & T Carwash - 301 N Burhans Blvd Hagerstown, MD 21740-3759
 Larry Barnes, Manager - 301 N Burhans Blvd Hagerstown, MD 21740-3759 - Phone: 301-582-2700

Location ID: 705493
Phone: 301-582-2700
NOB/SIC:

My Company Cert returned, insufficient address.

Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142672V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000317504		Steel Fab	2008	05/04/2022	Recurring Cert	Active	Mech Mezz
MD154407H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138753		AIC Tuchom	2014	05/04/2022	Recurring Cert	Active	Mech Rm
MD154408H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000139970		AIC Tuchom	2014	05/04/2022	Recurring Cert	Active	MECH ROOM
Total Objects at this location					3						

Location: AC & T Co. **Location ID:** 701914
Address: 11535 Hopewell Rd Hagerstown, MD 21740-2109 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: AC & T Co.
Billing Contact: Christie Palmer - PO Box 4217 11535 Hopewell Rd Hagerstown, MD 21741-4217 - Phone: 301-582-2702
Cert Contact: Christie Palmer - PO Box 4217 11535 Hopewell Rd Hagerstown, MD 21741-4217 - Phone: 301-582-2702
Owner Contact: Christie Palmer - PO Box 4217 11535 Hopewell Rd Hagerstown, MD 21741-4217 - Phone: 301-582-2702
Other Contact(s): Christie Palmer - PO Box 4217 11535 Hopewell Rd Hagerstown, MD 21741-4217 - Phone: 301-582-2702
My Company Comments: AC&T #701914 Building to remodeled in the fall some equipment may be made inactive, S. Reynolds. 4/8/2019.
My Shared Comments: Per Vickie (phone call), Site and mailing address incorrect. Corrected 11/08/05; RHD 11/08/05

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163710H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Utica	2004	04/08/2021	Recurring Cert	Active	Truck Wash
Total Objects at this location					1						

Location: Allied Waste Services
Address: 11710 Greencastle Pike Hagerstown, MD 21740-1947
County: Washington

Location ID: 705321
Phone: 301-223-7272
NOB/SIC:

Primary Contact: Diane Spielman - Phone: 301-223-4621
Billing Contact: Diane Spielman - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 301-223-4621
Cert Contact: Diane Spielman - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 301-223-4621
Owner Contact: Diane Spielman - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 301-223-4621
Other Contact(s): Debra Buccckles, Safety Manager - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 301-324-3090
 Diane Spielman - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 301-223-4621
 Mark Hostler, Maintenance Manager - 11710 Greencastle Pike Hagerstown, MD 21740-1947 - Phone: 540-974-3020/301-223-7272 - Email: mhostler@republicservices.com

My Company Comments: American Boiler to inspect per Mark hostler.

My Shared Comments: Per Sharon of BFI Waste Services, LLC - change billing address to location; RHD 12/18/03

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047413V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000344382	0	Buckeye	1981	03/11/2021	Recurring Cert	Active	Weld Shop/Rear Shed
MD099017V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000346377	0	Melben	1992	03/11/2021	Recurring Cert	Active	Outside Shed

Total Objects at this location 2

Location: Apparatus Repair & Engineering, Inc.
Address: 17500 York Rd Hagerstown, MD 21740-7599
County: Washington

Location ID: 708595
Phone: 301-739-8285
NOB/SIC:

Primary Contact: David Hose, Shop Engineer - Phone: 301-739-8285 - Email: DHose@are-inc.com
Billing Contact: Cindy Dunahugh - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: CDunahugh@are-inc.com
Cert Contact: David Hose, Shop Engineer - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: DHose@are-inc.com
Owner Contact: Kevin Miller, President - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: KJMiller@are-inc.com
Other Contact(s): Cindy Dunahugh, Office Mgr. - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: CDunahugh@are-inc.com
 David Hose, Shop Engineer - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: DHose@are-inc.com
 Kevin Miller, President - 17500 York Rd Hagerstown, MD 21740-7599 - Phone: 301-739-8285 - Email: KJMiller@are-inc.com

My Company Comments: Apparatus Repair moved from location 702966.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167596V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023187		CPC	1997	09/24/2022	Recurring Cert	Active	Comp Area
Total Objects at this location					1						

Location: Asbury United Methodist Church **Location ID:** 703176
Address: 153 N Jonathan St Hagerstown, MD 21740-4811 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Rev. Sharon Gibson, Pastor - Phone: 301-663-0174 - Cell: 301-305-1993
Billing Contact: Rev. Sharon Gibson - 155 Jonathan St Hagerstown, MD 21740-4811 - Phone: 301-663-0174 - Cell: 301-305-1993
Cert Contact: Rev. Sharon Gibson, Pastor - 155 Jonathan St Hagerstown, MD 21740-4811 - Phone: 301-663-0174 - Cell: 301-305-1993
Owner Contact: Rev. Sharon Gibson, Pastor - 155 Jonathan St Hagerstown, MD 21740-4811 - Phone: 301-663-0174 - Cell: 301-305-1993
Other Contact(s): Asbury United Methodist Church - 153 Jonathan St Hagerstown, MD 21740-4811 - Phone: 301-791-0498 - Cell: 301-791-0495
 Rev. Sharon Gibson, Pastor - 155 Jonathan St Hagerstown, MD 21740-4811 - Phone: 301-663-0174 - Cell: 301-305-1993

My Company Comments: Gregory Smith 8-26-0 Asbury United Methodist Church #703176--MD118226H, left message for appt., no one showed up
 Walter Hollis stated
 HSB will inspect on 7/20/16

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118226H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64591942	Burnham	2003	07/20/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Bast Of Boonsboro **Location ID:** 703947
Address: 109 N Main St Boonsboro, MD 21713-1007 **Phone:** 301-432-6969
County: Washington **NOB/SIC:**
Primary Contact: Douglas G. Bast, Owner - Phone: 301-432-6969

Billing Contact: Douglas G. Bast - 109 N Main St Boonsboro, MD 21713-1007 - Phone: 301-432-6969
Cert Contact: Bast Of Boonsboro - 109 N Main St Boonsboro, MD 21713-1007 - Phone: 301-432-6969
Owner Contact: Douglas G. Bast, Owner - 109 N Main St Boonsboro, MD 21713-1007 - Phone: 301-432-6969
Other Contact(s): Bast Of Boonsboro - 109 N Main St Boonsboro, MD 21713-1007 - Phone: 301-432-6969
 Douglas G. Bast, Owner - 109 N Main St Boonsboro, MD 21713-1007 - Phone: 301-432-6969

My Company Comments: Doug Voss contacted our officer regarding the inspection at this site. He stated he has closed the furniture business but maintains his private collection at the site. He allows people to come in to see. I explained his options and gave him the number for MAC inspection to schedule the upcoming inspection. Gregory Smith 9-17-20 Bast of Boonsboro #703947--MD134711H- No access, Closed sign on the front door and contact number is a constant busy tone. Will try again another day.
 Mr. Bast has turned the business into a museum, and thought he didn't need an inspection. During that time he became ill, and the cert was about to expire. MAC Inspections has been to inspect on 5/24/16 and found violations. He was calling for an extension, due to the violations, he thought there would be a charge from the State because the cert expires 6/9/16. I told him to contact MAC Inspections when the violations were completed, and to see if there is any additional charge for the reinspection for MAC.
 Spoke with Deb at Bast of Boonsboro location. Advised them to call MAC Inspection. Deb call MAC Inspections and the appt. is scheduled for Tues. 7-17 between 8-10am
 Spoke with Mr. Bast's caretaker. MAC Inspections scheduled there June 8, 2018 10am
 The above object boiler inspection has been completed with no violations. We will submit the report accordingly.

Best regards
 Mike Coleman 7/17/18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD134711H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	N/A	Weil-McLain	2008	07/17/2022	Recurring Cert	Active	BASEMENT	
Total Objects at this location					1							

Location: Bethel Gardens **Location ID:** 1846012
Address: 314 Henry Ave Hagerstown, MD 21740-3827 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Dotson - 315 Jonathan St Hagerstown, MD 21740-3774 - Phone: 301-733-3350
 Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company Comments: Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148980H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000002255	062222557746 01053A9	WUXI XIZ HOU MACHINERY	2012	06/03/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Bethel Gardens **Location ID:** 1846001
Address: 315 Jonathan St Hagerstown, MD 21740-3774 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Dotson - 315 Jonathan St Hagerstown, MD 21740-3774 - Phone: 301-733-3350
 Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company Comments: 9-28-18 Good morning Elizabeth, I'm contacting you on behalf of Bethel Gardens, specifically LOC #1846001, 1846009 and 1845976. We are working with the customer(cc'd in this email) to get the violations cleared. As soon as this is taken care of we will submit their re-inspection reports.

Best regards,

Deborah Coleman, Contract Specialist
 MAC Inspection & Welding Agency, LLC
 dba MIWA
 office: (410) 676-9962 fax: (410) 676-9963
 www.macinspection.com

email 10-19-18 - The work that needed completed for the boilers listed below has been done. If you have any questions/concerns please contact me at 301-733-3350. Thank you Cathy Cathy Santiago Property Manager BP 301-733-3350 Cell 240-520-4610

Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963

Green Card Rec'd 10-3-18

The inspection date was 10/01/18. The non-cert reports have been entered into JO. MAC Inspection & Welding Agency

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

10/14/2020 10:33:17 AM
 000.10830

MD148981H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000046861	T00423265EB1 1340013	Kyung Dong	2011	06/03/2022	Recurring Cert	Active	Boiler Room
MD148982H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000046885	T00423265EB1 1340037	Kyung Dong	2011	06/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: Bethel Gardens **Location ID:** 1845973
Address: 318 Jonathan St Hagerstown, MD 21740-3711 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Dotson - 315 Jonathan St Hagerstown, MD 21740-3774 - Phone: 301-733-3350
Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148979H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000993	112409937746 01053A9	WUX XIZ HOU MACHINERY CO.	2010	06/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Bethel Gardens **Location ID:** 1846010
Address: 321 Henry Ave Hagerstown, MD 21740-3827 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963
Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143408H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2011	06/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Bethel Gardens **Location ID:** 1845980
Address: 330 Henry Ave Hagerstown, MD 21740-3827 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148978H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N/A	Weil-McLain	2013	06/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Bethel Gardens **Location ID:** 1846009
Address: 344 Henry Ave Hagerstown, MD 21740-3879 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
The Bethel Corporation - 351 Henry Avenue Hagerstown, MD 21740

My Company email 10-19-18 - The work that needed completed for the boilers listed below has been done. If you have any questions/concerns please contact me at 301-

Comments: 733-3350. Thank you Cathy Cathy Santiago Property Manager BP 301-733-3350 Cell 240-520-4610 email 9-28-18 - Good morning Elizabeth, I'm contacting you on behalf of Bethel Gardens, specifically LOC #1846001, 1846009 and 1845976. We are working with the customer(cc'd in this email) to get the violations cleared. As soon as this is taken care of we will submit their re-inspection reports. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963 www.macinspection.com

Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963

Green Card Rec'd 10-3-18

The inspection date was 10/01/18. The non-cert reports have been entered into JO. MAC Inspection & Welding Agency. Objects are now in compliance.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD134724H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6074395	Weil-McLain	2009	06/03/2022	Recurring Cert	Active	Boiler Room	
Total Objects at this location					1							

Location: Bethel Gardens **Location ID:** 1845961
Address: 351 Henry Ave Hagerstown, MD 21740-3879 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

My Company Comments: Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143407H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N/A	Weil-McLain	2011	06/03/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Bethel Gardens
Address: 49 Murph Ave Hagerstown, MD 21740-3835
County: Washington

Location ID: 1846005
Phone:
NOB/SIC:

Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
The Bethel Corporation - 351 Henry Avenue Hagerstown, MD 21740

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143411H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	040612487746 01053A9	WUXI XIZHOU MACHINERY CO.	2011	06/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Bethel Gardens
Address: 61 Murph Ave Hagerstown, MD 21740-3835
County: Washington

Location ID: 1845968
Phone:
NOB/SIC:

Primary Contact: Cathy Santiago, Property Manager - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Billing Contact: Cathy Santiago - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Cert Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Owner Contact: Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com
Other Contact(s): Cathy Santiago, Property Manager - 356 Henry Ave Hagerstown, MD 21740-3879 - Phone: 301-733-3350 - Email: BethelGarden@aol.com

**My Company
Comments:** Good afternoon All, We are scheduled to inspect the boilers(12 total) at the Bethel Gardens Apartments in Hagerstown tomorrow(cc'd in this email). The inspections are past due so I will enter the reports as soon as possible. Best regards, Deborah Coleman, Contract Specialist MAC Inspection & Welding Agency, LLC dba MIWA office: (410) 676-9962 fax: (410) 676-9963

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143410H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2010	06/03/2022	Recurring Cert	Active	Boiler Room

Location: Bob Evans - 0504 (AGNC) **Location ID:** 3915205
Address: 190 Railroad Lane Hagerstown, MD 21740 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Bob Evans - 0504 (AGNC)
Billing Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBBoilerInspections@Airgas.com
Cert Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBBoilerInspections@Airgas.com
Owner Contact: Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBBoilerInspections@Airgas.com
Other Contact(s): Billing Department - 3101 Stafford Dr Charlotte, NC 28208-3572 - Phone: 704-930-2174 - Email: ANCBBoilerInspections@Airgas.com
My Company Comments: Cert returned, "not deliverable" from 3101 Stafford Dr. address.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162100V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000154041		CHART	2004	12/15/2020	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: Buffalo Wild Wings - 3252 (Arc3) **Location ID:** 3915203
Address: 230 Railroad way Hagerstown, MD 21740 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Buffalo Wild Wings - 3252 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162124V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000017140 5		CHART	2004	12/14/2020	Recurring Cert	Active	Kitchen

Location: Burger King #11450 **Location ID:** 3629605
Address: 18234 Maugans Ave Hagerstown, MD 21740-1665 **Phone:** 301-298-8397
County: Washington **NOB/SIC:**
Primary Contact: Julie Henshaw, Director of Legal - Phone: 770-738-7151 - Email: Julie.Henshaw@gpshospitality.com
Billing Contact: Licensing Dept. - 2100 Riveredge Pkwy Ste 850 Atlanta, GA 30328-4656 - Phone: 770-933-5023 - Email: licenses@gpshospitality.com
Cert Contact: Julie Henshaw, Director of Legal - 2100 Riveredge Pkwy Ste 850 Atlanta, GA 30328-4656 - Phone: 770-738-7151 - Email: Julie.Henshaw@gpshospitality.com
Owner Contact: Licensing Dept. - 2100 Riveredge Pkwy Ste 850 Atlanta, GA 30328-4656 - Phone: 770-933-5023 - Email: licenses@gpshospitality.com
Other Contact(s): Julie Henshaw, Director of Legal - 2100 Riveredge Pkwy Ste 850 Atlanta, GA 30328-4656 - Phone: 770-738-7151 - Email: Julie.Henshaw@gpshospitality.com
 Licensing Dept. - 2100 Riveredge Pkwy Ste 850 Atlanta, GA 30328-4656 - Phone: 770-933-5023 - Email: licenses@gpshospitality.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

My Company Burger King-3629605

Comments:

Performed an external certificate inspection on a CO2 tank. NO issues were encountered. The manager said they are in a dipute with NUCO2 about the citation. I told them to continue to contact the office. snyder-3/21/19
 citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
 2:53 PM (7 minutes ago)
 to Rob, Chuck

Thank you for responding to the citation notice. The original certificate inspection was done on 11/02/2016 and lasts 24 months. The certificate on object MD156962V expired on 11/02/2018. Notices were sent in September, October and December prior to the citation or invoice was generated. Please have the object inspected and pay the invoice as soon as possible to avoid further assessments.

Recommend to close Citation and invoice. This went to the location. This is NUCO2 owned object.
 Rob Miller <rob.miller@gpshospitality.com>
 Tue, Mar 12, 11:04 AM (2 days ago)
 to me, Chuck

Good morning.

It was brought to my attention that a recent inspection our CO2 tank at Burger King on Maugans Ave in Hagerstown resulted a in citation of \$750. After further investigation on this matter I discovered that the tank was last inspected in Jan of 2017 but the sticker was never updated. The compliance inspection was preformed by NuCO2 and the case # is 4659235. So at the time of the inspection on 1/08/2109, the tank was in compliance. We have since reached out to NuCO2 to ensure the compliance inspection is completed in a timely manner and that further inspections will be updated to ensure there is no miscommunication as to when the tank was last inspected.

I am hoping that the citation will be withdrawn.

Thank you for your time.

**My Shared
Comments:**

cust owned equip location

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156962V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000080100	SNCCSA98C106	MVE Inc	1998	11/02/2020	Recurring Cert	Active	Inside store room

Total Objects at this location 1

Location: Cancun Cantina West (NuCo2) # 435453 **Location ID:** 3629684
Address: 901 Dual Hwy Hagerstown, MD 21740-5950 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
 William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

**My Company
Comments:** Business not open on Tuesdays
Tenative inspection date set with Jusinda (Director Of Operations) 304 279 3113

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158872V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000238285	SN31300980	CHART	2013	11/08/2020	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Chevron Phillips Performance Pipe
Address: 11711 Hopewell Rd Hagerstown, MD 21740-2184
County: Washington

Location ID: 706908
Phone: 301-582-6609
NOB/SIC:

Primary Contact: Jody Chaney, Safety Rep. - Phone: 301-582-6609 - Email: chasejs@cpchem.com
Billing Contact: Jody Chaney - 11711 Hopewell Rd Hagerstown, MD 21740-2184 - Phone: 301-582-6609 - Email: chasejs@cpchem.com
Cert Contact: Jody Chaney, Safety Rep. - 11711 Hopewell Rd Hagerstown, MD 21740-2184 - Phone: 301-582-6609 - Email: chasejs@cpchem.com
Owner Contact: Jody Chaney, Safety Rep. - 11711 Hopewell Rd Hagerstown, MD 21740-2184 - Phone: 301-582-6609 - Email: chasejs@cpchem.com
Other Contact(s): Jody Chaney, Safety Rep. - 11711 Hopewell Rd Hagerstown, MD 21740-2184 - Phone: 301-582-6609 - Email: chasejs@cpchem.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094333V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000216550		Silvan	1996	07/23/2021	Recurring Cert	Active	Mechanical Room
MD094338V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254125		La Grange Products	1996	07/23/2021	Recurring Cert	Active	Mechanical Room
MD117849V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001014440		Buckeye	1991	07/23/2021	Recurring Cert	Active	Line 88
MD146853V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004400		Steel Fab	2010	07/23/2021	Recurring Cert	Active	Re-grind Room
MD161599V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000002926	41304462	JIAXING Pressure Vessel Factory	2013	10/31/2020	Recurring Cert	Active	Mechanical Room
MD162075V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000003210	A1304551	JIAXING P V Factory	2013	10/31/2020	Recurring Cert	Active	Mechanical Room
MD162685V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001912071		Manchester	2018	01/29/2021	Recurring Cert	Active	Line 1 Auto Coiler

Total Objects at this location 7

Location: Chic's Seafood (Arc3) **Location ID:** 3934342
Address: 300 Summit Ave Hagerstown, MD 21740-6042 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Chic's Seafood (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164083V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000171866		CHART	2006	04/03/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: Christ Reformed UCC **Location ID:** 707029
Address: 22514 Cavetown Church Road Cavetown, MD 21720-0100 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Thomas Downey - Phone: 301-988-7444
Billing Contact: Thomas Downey - PO Box 100 Cavetown, MD 21720-0100 - Phone: 301-988-7444
Cert Contact: Thomas Downey - PO Box 100 Cavetown, MD 21720-0100 - Phone: 301-988-7444
Owner Contact: Thomas Downey - PO Box 100 Cavetown, MD 21720-0100 - Phone: 301-988-7444
Other Contact(s): Charles E. Blake Sr. - PO Box 100 Cavetown, MD 21720-0100 - Phone: 301-991-3847
Thomas Downey - PO Box 100 Cavetown, MD 21720-0100 - Phone: 301-988-7444

My Company Contact update.
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD112606H Cast Iron H - Steam Heat CI 64156536 Burnham 1999 03/18/2022 Recurring Cert Active Boiler Rm
 (Steam <= 15
 psig)

Total Objects at this location 1

Location: **Christian Science Society** **Location ID:** 2284108
Address: 235 N Potomac St Hagerstown, MD 21740-3812 **Phone:** 301-797-1556
County: Washington **NOB/SIC:**
Primary Contact: Georgina Gann - Phone: 301 797-1556
Billing Contact: Georgina Gann - 235 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301 797-1556
Cert Contact: Georgina Gann - 235 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301 797-1556
Owner Contact:
Other Contact(s): Georgina Gann - 235 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301 797-1556

My Company 2284108 Christian Science Society MD133327H HSB Policy cancelled, property sold 07/19 per SDAT - Barbara Grant.
Comments: Gregory Smith 3/11/2020 Christian Science Society #2284108--no access
 MacDonald = 11/5/19 Christian Science Society -235 N Potomac (Location 2284108) - 1 CED followed up

We were unable to gain access to this location. The contact for this location, Georgina Gann, has a phone number which is no longer active. I was unable to leave a voicemail at all.
 Reynolds 1/3/2020 Christian Science Society #2284108
 Building is empty, No access

My Shared
Comments: We have been attempting to gain access since 11/15/2019. The location appears vacant.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133327H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2007	09/04/2019	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Cici's Pizza** **Location ID:** 3630119
Address: 1580 Wesel Blvd Hagerstown, MD 21740-2503 **Phone:** 301-791-0911
County: Washington **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 301-791-0911
Billing Contact: Cici's Pizza - 1580 Wesel Blvd Hagerstown, MD 21740-2503 - Phone: 301-791-0911
Cert Contact: Manager on Duty - 1580 Wesel Blvd Hagerstown, MD 21740-2503 - Phone: 301-791-0911
Owner Contact: Manager on Duty - 1580 Wesel Blvd Hagerstown, MD 21740-2503 - Phone: 301-791-0911
Other Contact(s): Cici's Pizza - 1580 Wesel Blvd Hagerstown, MD 21740-2503 - Phone: 301-791-0911
 Manager on Duty - 1580 Wesel Blvd Hagerstown, MD 21740-2503 - Phone: 301-791-0911

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166642V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027411		Minnesota Valley	1989	03/05/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Clear Spring Volunteer Fire Department

Address: PO Box 400 30 Mulberry Street Clear Spring, MD 21722-0400

County: Washington

Primary Contact: James Miller, Chairman B.O.D - Phone: 301-842-3775

Billing Contact: Charles Monday - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

Cert Contact: James Miller, Chairman B.O.D - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

Owner Contact: Clear Spring Volunteer Fire Department - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

Other Contact(s): Charles Monday, Treasurer - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

Clear Spring Volunteer Fire Department - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

James Miller, Chairman B.O.D - PO Box 400 Clear Spring, MD 21722-0400 - Phone: 301-842-3775

Location ID: 707369

Phone: 301-842-3775

NOB/SIC:

My Company Contact update.

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156988H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105675		Prestige	2013	04/08/2022	Recurring Cert	Active	boiler room
MD167055V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000601949		Morganton	2016	06/02/2022	Recurring Cert	Active	Garage

Total Objects at this location 2

Location: Close Properties, LLC.
Address: 418 N Potomac St Hagerstown, MD 21740-3829
County: Washington
Primary Contact: Jack B. Welch - Phone: 301-790-3535
Billing Contact: Jack B. Welch - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301-790-3535
Cert Contact: Jack B. Welch - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301-790-3535
Owner Contact: Jack B. Welch - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301-790-3535
Other Contact(s): Brad Close - 418 N Potomac St Hagerstown, MD 21740-3829

Location ID: 714823
Phone: 301-790-3535
NOB/SIC:

Cynthia Harbaugh, President - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301 790 3535 - Email: CHarbaugh@accountingassoc.net
 Jack B. Welch - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301-790-3535
 Matt Close, Member - 418 N Potomac St Hagerstown, MD 21740-3829 - Phone: 301-790-3535 - Email: matthew@closepa.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134713H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2008	04/27/2022	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Complete Car Care
Address: 19914 Leitersburg Pike Hagerstown, MD 21742-1446
County: Washington
Primary Contact: Christian S. Martin, Owner - Phone: 301-733-8753 - Cell: 240-388-4777
Billing Contact: Christian S. Martin - 19914 Leitersburg Pike Hagerstown, MD 21742-1446 - Phone: 301-733-8753 - Cell: 240-388-4777
Cert Contact: Christian S. Martin, Owner - 19914 Leitersburg Pike Hagerstown, MD 21742-1446 - Phone: 301-733-8753 - Cell: 240-388-4777
Owner Contact: Christian S. Martin, Owner - 19914 Leitersburg Pike Hagerstown, MD 21742-1446 - Phone: 301-733-8753 - Cell: 240-388-4777
Other Contact(s): Christian S. Martin, Owner - 19914 Leitersburg Pike Hagerstown, MD 21742-1446 - Phone: 301-733-8753 - Cell: 240-388-4777
 Precision Cars Inc - 19914 Lietersburg Pk Hagerstown, MD 21740 - Phone: 3017970410

Location ID: 721800
Phone:
NOB/SIC:

My Company Comments: Mr. Martin sent information in that he was inspected by Insparisk. I spoke with him today to contact Insparisk and ask why the inspection has not been entered.
 Spoke with Insparisk customer service today. They state the location did not pay the bill.
 I call the location and spoke with Mrs. Martin. explained there must be a mix-up. I gave her Insparisk's customer service number to contact them. Told Mrs. Martin that Insparisk can still release this report once paid.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134719V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031794		Manchester	2000	02/05/2022	Recurring Cert	Active	Shed
Total Objects at this location					1						

Location: Congregation B'Nai Abraham **Location ID:** 707799
Address: 53 E Baltimore St Hagerstown, MD 21740-6101 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Donny *Wingfield, Buildings & Grounds - Phone: 301-797-1636
Billing Contact: Church Office - 49 E Baltimore St Hagerstown, MD 21740-6101 - Phone: 301-733-5039
Cert Contact: Church Office - 49 E Baltimore St Hagerstown, MD 21740-6101 - Phone: 301-733-5039
Owner Contact: Church Office - 49 E Baltimore St Hagerstown, MD 21740-6101 - Phone: 301-733-5039
Other Contact(s): Benjamin Chlebnikow, Retired-Chairperson Building & Grounds - 49 E Baltimore St Hagerstown, MD 21740-6101 - Cell: 301-791-6590 - Email: bchleb77@aol.com
 Church Office - 49 E Baltimore St Hagerstown, MD 21740-6101 - Phone: 301-733-5039
 Donny *Wingfield, Buildings & Grounds - 53 E Baltimore St Hagerstown, MD 21740-6101 - Phone: 301-797-1636
 Michael Armel, Chairperson Building & Grounds - 49 E Baltimore St Hagerstown, MD 21740-6101 - Cell: 240-675-7186

My Company Comments: Primary update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136350H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	63042122-01-8115-0138	Buderus	2008	08/03/2021	Recurring Cert	Active	Sunday School Boiler Rm
MD136352H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	63042122-01-8112-0133	Buderus	2008	08/03/2021	Recurring Cert	Active	Sanctuary Boiler Rm
Total Objects at this location					2						

Location: Conservit Inc.
Address: 18656 Leslie Dr Hagerstown, MD 21740
County: Washington

Location ID: 707829
Phone: 301-791-0100
NOB/SIC:

Primary Contact: Jack Metzner - Phone: 301-791-0100 - Email: jmetzner@conservit.biz
Billing Contact: Jack Metzner - 9615 Sharpsburg Pike Hagerstown, MD 21740-1312 - Phone: 301-791-0100 - Email: jmetzner@conservit.biz
Cert Contact: Jack Metzner - PO Box 1517 Hagerstown, MD 21741-1517 - Phone: 301-791-0100 - Email: jmetzner@conservit.biz
Owner Contact: Jack Metzner - 9615 Sharpsburg Pike Hagerstown, MD 21740-1312 - Phone: 301-791-0100 - Email: jmetzner@conservit.biz
Other Contact(s): Bryan Miller - PO Box 1517 Hagerstown, MD 21741-1517 - Phone: 301 791 0100
 Jack Metzner - 9615 Sharpsburg Pike Hagerstown, MD 21740-1312 - Phone: 301-791-0100 - Email: jmetzner@conservit.biz
 Jack Metzner - PO Box 1517 Hagerstown, MD 21741-1517 - Phone: 301-791-0100 - Email: jmetzner@conservit.biz

My Company Comments:

My Shared Comments: Address and contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081103V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000639880		Buckeye	1989	09/20/2022	Recurring Cert	Active	WRHSE
MD121302V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000043107		Manchester	2003	09/20/2022	Recurring Cert	Active	MAINT
MD134747V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000435619		Steel Fab	2006	09/20/2022	Recurring Cert	Active	NON FERROUS
MD144065V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016375		AIR COM	2007	09/20/2022	Recurring Cert	Active	SHREDDER
MD149844V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000725360		Steel Fab	2013	09/20/2022	Recurring Cert	Active	NON FERROUS
MD149845V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000725361		Steel Fab	2013	09/20/2022	Recurring Cert	Active	NON FERROUS
MD149846V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000287289		Morganton	2013	09/20/2022	Recurring Cert	Active	NON FERROUS

	w/comment									
MD149847V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000287290	Morganton	2013	09/20/2022	Recurring Cert	Active	NON FERROUS	
MD149848V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000725359	Steel Fab	2013	09/20/2022	Recurring Cert	Active	NON FERROUS	
MD149849V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000722904	Steel Fab	2013	09/20/2022	Recurring Cert	Active	NON FERROUS	
MD149850V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000287280	Morganton	2013	09/20/2022	Recurring Cert	Active	NON FERROUS	
MD149851V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	200087286	Morganton	2013	09/20/2022	Recurring Cert	Active	NON FERROUS	

Total Objects at this location 12

Location: Cracker Barrel
Address: 18214 Col Henry K Douglas Dr Hagerstown, MD 21740-1562
County: Washington
Primary Contact: Cracker Barrel

Location ID: 3630333
Phone:
NOB/SIC:

Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Holly Clemmons - 305 Hartman Dr Lebanon, TN 37087-2519 - Phone: (615) 235-4082 - Email: holly.clemmons@crackerbarrel.com
Jim Taylor, Property AE - 1001 Summit Blvd Atlanta, GA 30319-6408 - Phone: 931-526-1618 - Cell: 931-239-7286 - Email: jim.taylor@zurichna.com
Niki Bornot - 305 Hartman Dr Lebanon, TN 37087-2519 - Phone: 615-235-4681 - Email: niki.bornot@crackerbarrel.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Rhett Shealy, Market Facing Underwriter - 1001 Summit Blvd Atlanta, GA 30319-6408 - Phone: 404-851-3465 - Cell: 770-241-0649 - Email: rhett.shealy@zurichna.com
Robert Behnke, Director of Risk Management - 305 Hartman Dr Lebanon, TN 37087-2519 - Phone: 888-856-1853 ext4096 - Cell: 615-235-4096 - Email: Robert.behnke@crackerbarrel.com
Sean Clemson, Risk Engineering Consultant - 1299 Zurich Way Schaumburg, IL 60196-5870 - Cell: 615-925-0125 - Email: sean.clemson@zurichna.com

My Company Comments: Cert MD156971V returned, undeliverable, unable to forward.
MD156971V is scheduled for inspection on 11/13 by OneCIS

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156971V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000101964	SNCCUD99C182	MVE Inc	1999	11/02/2020	Recurring Cert	Active	Inside store room

Total Objects at this location 1

Location: Crown Hotel **Location ID:** 708538
Address: 50 Summit Ave Hagerstown, MD 21740-5507 **Phone:** 301-733-4363
County: Washington **NOB/SIC:**
Primary Contact: Brad Nelson, GM - Phone: 301-733-4363
Billing Contact: Mahesh Kumar - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 - Email: mkumar786@aol.com
Cert Contact: Mahesh Kumar, Owner - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 - Email: mkumar786@aol.com
Owner Contact: Mahesh Kumar, Owner - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 - Email: mkumar786@aol.com
Other Contact(s): Brad Nelson - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363
Brad Nelson, GM - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363
DAGMAR, LLC - 50 SUMMIT AVENUE Hagerstown, MD 21740 - Phone: 301-733-4363
Mahesh Kumar, Manager - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 x119
Mahesh Kumar, Owner - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 - Email: mkumar786@aol.com
Richard Holmes - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: 301-733-4363 - Email: susanleavelle@yahoo.com
SUIENDER RAHEJA , OWNER - 916 W Broad St Falls Church, VA 22046 - Phone: 703-243-1546 - Cell: 301--73-3-4363
Susan Leavelle, Manager - 50 Summit Ave Hagerstown, MD 21740-5507 - Phone: (301) 733-4363 x119 - Email: susanleavelle@yahoo.com

My Company Comments: Contact update.
Location name and Contact update.

My Shared Comments: HSB appt.12-19-12

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062902H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000045344	0786403446	Rheem	1986	01/16/2021	Recurring Cert	Active	BASEMENT
MD062903H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000045343	0786403445	Rheem	1986	01/16/2021	Recurring Cert	Active	BASEMENT

Total Objects at this location 2

Location: D & G Tire Auto Repair
Address: 850 Pennsylvania Ave Hagerstown, MD 21742-3104
County: Washington

Location ID: 715070
Phone: 240-625-9467
NOB/SIC:

Primary Contact: Emanuel Garcia - Phone: 703-586-7872 - Email: eg81894@gmail.com
Billing Contact: Emanuel Garcia - 850 Pennsylvania Ave Hagerstown, MD 21742-3104 - Phone: 703-586-7872 - Email: eg81894@gmail.com
Cert Contact: Emanuel Garcia - 850 Pennsylvania Ave Hagerstown, MD 21742-3104 - Phone: 703-586-7872 - Email: eg81894@gmail.com
Owner Contact: Emanuel Garcia - 850 Pennsylvania Ave Hagerstown, MD 21742-3104 - Phone: 703-586-7872 - Email: eg81894@gmail.com
Other Contact(s): Emanuel Garcia - 850 Pennsylvania Ave Hagerstown, MD 21742-3104 - Phone: 703-586-7872 - Email: eg81894@gmail.com
Jeremy Heffner, Owner - 850 Pennsylvania Ave Hagerstown, MD 21742-3104 - Phone: 240-625-9467

My Company Comments: Absolute Auto Werks-715070

I performed an external certificate inspection on an air tank. No issues were encountered.
This location is under new ownership. Info below:

D&G Tire and Auto Repair
Emanuel Garcia
703-586-7872
eg81894@gmail.com
Absolute Auto Werks-715070

I performed an external certificate inspection on an air tank. No issues were encountered.
This location is under new ownership. Info below:

D&G Tire and Auto Repair
Emanuel Garcia
703-586-7872
eg81894@gmail.com snyder-3/21/19
Citation returned, not deliverable as addressed, unable to forward.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075126V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426209		Manchester	2005	03/06/2021	Recurring Cert	Active	Bay
Total Objects at this location					1						

Location: Dennys Restaurant #9580
Address: 1630 Dual Hwy Hagerstown, MD 21740-6546
County: Washington

Location ID: 708816
Phone:
NOB/SIC:

Primary Contact: Skip Nalley, Dir. of Operations - Phone: 727-902-9680 - Email: skip.malley@ourdennys.com
Billing Contact: Liisa Perez - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 510-792-3393 - Email: liisa.perez@vanil.net
Cert Contact: Liisa Perez, Admin./AP - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 510-792-3393 - Email: liisa.perez@vanil.net
Owner Contact: Anil Yadav, Owner - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 510-792-3393 - Email: anil@yadavgroup.net
Other Contact(s): Allen Buckalew, Owner/Manager - 1630 Dual Hwy Hagerstown, MD 21740-6546 - Phone: 301-797-3700
Anil Yadav, Owner - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 510-792-3393 - Email: anil@yadavgroup.net
Dennys Restaurant - 1630 Dual Hwy Hagerstown, MD 21740-6546
Liisa Perez, Admin./AP - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 510-792-3393 - Email: liisa.perez@vanil.net
NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Skip Nalley, Dir. of Operations - 3550 Mowry Ave Ste 301 Fremont, CA 94538-1461 - Phone: 727-902-9680 - Email: skip.malley@ourdennys.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments: Contact update.

My Shared Comments: Contact changed to site, Vitak Ent. has not owned this property for 10 years per John Vitak fax letter 7/30/04 (301-689-2091); RHD 7/30/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167590V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000324460		CHART	2019	09/08/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Design Method Group
Address: 101 Summit Ave Hagerstown, MD 21740-5508
County: Washington

Location ID: 728649
Phone:
NOB/SIC:

Primary Contact: Aaron Peteranecz, Founder/President - Phone: 240-343-5014 - Cell: 301-524-1068 - Email: aaron@designmethodgroup.com
Billing Contact: Aaron Peteranecz - 22 N Mulberry St Hagerstown, MD 21740-4870 - Phone: 240-343-5014 - Cell: 301-524-1068 - Email: aaron@designmethodgroup.com
Cert Contact: Aaron Peteranecz, Founder/President - 22 N Mulberry St Hagerstown, MD 21740-4870 - Phone: 240-343-5014 - Cell: 301-524-1068 - Email: aaron@designmethodgroup.com
Owner Contact: Aaron Peteranecz, Founder/President - 22 N Mulberry St Hagerstown, MD 21740-4870 - Phone: 240-343-5014 - Cell: 301-524-1068 - Email: aaron@designmethodgroup.com
Other Contact(s): Aaron Peteranecz, Founder/President - 22 N Mulberry St Hagerstown, MD 21740-4870 - Phone: 240-343-5014 - Cell: 301-524-1068 - Email: aaron@designmethodgroup.com
Ed , Maintenance - 101 Summit Ave Hagerstown, MD 21740-5508 - Phone: 301-748-7576

Mike Spickler - 101 Summit Ave Hagerstown, MD 21740-5508 - Phone: 301 797-4161

Miranda Newman, Office Director - 22 N Mulberry St Hagerstown, MD 21740-4870

Peggy Martin, Acting CEO - 101 Summit Ave Hagerstown, MD 21740-5508 - Phone: 301-797-4161 - Email: pmartin@wccac.org

**My Company
Comments:**

citation returned- unclaimed- unable to forward

Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>

10:56 AM (6 minutes ago)

to Miranda, boilers

Thank you for contacting Safety Inspections with this information. Please advise what inspection company you will be contracting with and the inspection date they will be using.

The current boiler on our list is MD056054H. The inspection company would need to be advised that this unit is disconnected or removed so they can submit a report.

101 Summit Ave. Hagerstown, MD 21740

Boilers@dllr

x

Miranda Newman mandy@designmethodgroup.com via maryland.gov

9:21 AM (1 hour ago)

to boilers

Good morning,

We have a commercial property located @ 101 Summit Ave in Hagerstown, MD. We received a citation warning in the mail recently and I wanted to make you aware that we are currently in contact with the inspection company and an inspection is to occur sometime next week. Also, the boiler is brand new and was inspected by the City of Hagerstown. At the moment we can provide a copy of that inspection, if you'd like.

Let me know if you have any questions.

Thanks,

Mandy

Design Method Group # 728649--MD165327H, MD165328H- No access again, I call and leave messages and no one returns my calls or shows up. Has violations since 11/05/2019.

G. Smith 9/22/20

Design Method Group #728649--MD165327H, MD165328H-- No access, tenants have let me access the basement in the past. Owner has put a new lock on door. Owner does not answer his phone or return my calls. Has violations on both boilers since November 2019. G. Smith 8/17/20

Gregory Smith 3/11/2020 Design Method Group #728649-- still has violations from 11/2019.

Gregory Smith 8-26-20 Design Method Group #728649--MD165327H, MD165328H, no access, never returns my phone messages

Gregory Smith 9-29-20 Design Method Group #728649--MD165327H & MD165328H- No access. This guy has had violations since 11/2019, he never returns messages and never shows up.

MacDonald = 11/5/19 101 Summit (Location 728649) - 1 CED, 2 NEW

We were able to gain access into this site. The old boiler which was overdue (MD056054H), was no longer on site. It has been replaced with two new smaller steam boilers. We were able to number, register, and inspect the two smaller boilers, as well as get more updated contact numbers for the property manager

and maintenance personnel for the building.

MacDonald = 11/5/19 101 Summit (Location 728649) - 1 CED, 2 NEW We were able to gain access into this site. The old boiler which was overdue (MD056054H), was no longer on site. It has been replaced with two new smaller steam boilers. We were able to number, register, and inspect the two smaller boilers, as well as get more updated contact numbers for the property manager and maintenance personnel for the building. Landlord: Aaron P. 301-524-1068 Maintenance: Ed 301-748-7576 New owner, contact update.

My Shared Comments:

Contact update.
These violations have been pending since 11/5/2019. We have been back several times. Owner shows no intention of complying.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165327H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	2541209	Slant Fin	2018	11/05/2021	Recurring Cert	Active	Basement
MD165328H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	2541208	Slant Fin	2018	11/05/2021	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: Dewey Avenue Apartments

Address: 866 Dewey Ave Hagerstown, MD 21742-3964

County: Washington

Primary Contact: Freedom Equity c/o Synergy Management - Phone: 301-671-7368 - Email: synergymgmt@comcast.net

Billing Contact: Freedom Equity c/o Synergy Management - 33 W Franklin St Ste 100A Hagerstown, MD 21740-4826 - Phone: 301-671-7368 - Email: synergymgmt@comcast.net

Cert Contact: Freedom Equity c/o Synergy Management - 33 W Franklin St Ste 100A Hagerstown, MD 21740-4826 - Phone: 301-671-7368 - Email: synergymgmt@comcast.net

Owner Contact: Freedom Equity c/o Synergy Management - 33 W Franklin St Ste 100A Hagerstown, MD 21740-4826 - Phone: 301-671-7368 - Email: synergymgmt@comcast.net

Other Contact(s): Cheryl - 49R E Franklin St Hagerstown, MD 21740-4914 - Phone: 301-671-7368 - Email: synergymgmt@comcast.com

Freedom Equity c/o Synergy Management - 33 W Franklin St Ste 100A Hagerstown, MD 21740-4826 - Phone: 301-671-7368 - Email: synergymgmt@comcast.net

Ronald Antill, Owner - 1036 The Ter Hagerstown, MD 21742-3228

Zeller Apartments Llc. - 866 Dewey Ave Hagerstown, MD 21742-3964

Location ID: 985457

Phone:

NOB/SIC:

My Company

Comments:

My Shared

Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136371H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2007	04/30/2022	Recurring Cert	Active	BASEMNT

Total Objects at this location 1

Location: Dietrichs Auto Body Shop
Address: 423 W Antietam St Hagerstown, MD 21740-5324
County: Washington

Location ID: 708948
Phone:
NOB/SIC:

Primary Contact: Carolyn Ann Dietrich - Phone: 301-739-9315/301-797-8716
Billing Contact: Carolyn Ann Dietrich - 423 W Antietam St Hagerstown, MD 21740-5324 - Phone: 301-739-9315/301-797-8716
Cert Contact: Carolyn Ann Dietrich - 423 W Antietam St Hagerstown, MD 21740-5324 - Phone: 301-739-9315/301-797-8716
Owner Contact: Carolyn Ann Dietrich - 423 W Antietam St Hagerstown, MD 21740-5324 - Phone: 301-739-9315/301-797-8716
Other Contact(s): Carolyn Ann Dietrich - 423 W Antietam St Hagerstown, MD 21740-5324 - Phone: 301-739-9315/301-797-8716
 Larry Dietrichs, owner - 423 W Antietam St Hagerstown, MD 21740-5324 - Phone: 3017978716

My Company Comments: All 3 of the pressure vessel inspections have been completed with no violations. We will upload the reports accordingly.
 Best regards,
 Mike Coleman 7/17/18

My Shared Comments: Per BPV form Insparisk inspected 6/19/14.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078888V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000625710	N/A	Wood	1974	05/24/2022	Recurring Cert	Active	Compressor Room
MD078889V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000784916	N/A	Buckeye	1987	05/24/2022	Recurring Cert	Active	Compressor Room
MD078890V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000243386	N/A	Pressed Steel Company	1948	05/24/2022	Recurring Cert	Active	Compressor Room
Total Objects at this location				3							

Location: Douglas Motors Inc.
Address: 109 W Main St Hancock, MD 21750-1416
County: Washington

Location ID: 709169
Phone: 301-678-6880
NOB/SIC:

Primary Contact: Lynn Shirley, Body Shop Mgr. - Phone: 301-678-6880 - Email: lynn@douglasmotors.net
Billing Contact: H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net
Cert Contact: H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net

Owner Contact: H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net
Other Contact(s): Ervin Steele, Manager - 131 W Main St Hancock, MD 21750-1431 - Phone: (301) 678-6880
 H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net
 Lynn Shirley, Body Shop Mgr. - 109 W Main St Hancock, MD 21750-1416 - Phone: 301-678-6880 - Email: lynn@douglasmotors.net

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD018685V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000782342		P S T	1955	09/28/2022	Recurring Cert	Active	Garage Shop
Total Objects at this location					1						

Location: Douglas Motors Inc. **Location ID:** 709170
Address: 295 Resley St Hancock, MD 21750-1056 **Phone:** 301-678-6163
County: Washington **NOB/SIC:**
Primary Contact: Christopher Shoemaker, Service Mgr. - Phone: 301-678-6163 - Email: chris@douglasmotors.net
Billing Contact: H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net
Cert Contact: Christopher Shoemaker, Service Mgr. - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: chris@douglasmotors.net
Owner Contact: H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net
Other Contact(s): Christopher Shoemaker, Service Mgr. - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: chris@douglasmotors.net
 Curtis Spade - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163
 H. Stephen Douglas - 295 Resley St Hancock, MD 21750-1056 - Phone: 301-678-6163 - Email: steve@douglasmotors.net

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164015V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000849738		Steel Fab	2017	10/01/2022	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: Easter Seals Adult Day Services
Address: 101 E Baltimore St Hagerstown, MD 21740-6103
County: Washington

Location ID: 3599649
Phone:
NOB/SIC:

Primary Contact: Soeung Lucktinny & Soeung Teang , Owner
Billing Contact: Soeung Lucktinny & Soeung Teang - 13348 John Martin Dr Williamsport, MD 21795-1606
Cert Contact: Soeung Lucktinny & Soeung Teang , Owner - 13348 John Martin Dr Williamsport, MD 21795-1606
Owner Contact: Soeung Lucktinny & Soeung Teang , Owner - 13348 John Martin Dr Williamsport, MD 21795-1606
Other Contact(s): Soeung Lucktinny & Soeung Teang , Owner - 13348 John Martin Dr Williamsport, MD 21795-1606
Steve McDonald, (No longer Manages) - 101 E Baltimore St Hagerstown, MD 21740-6103 - Phone: 412 264 7424

My Company Comments: Citation returned, "return to sender, attempted not known, unable to forward". 7/9/19
Updated owner from SDAT.
Location 3599649 was closed for the day needs to be rescheduled .
No access, no reply from contact. Kevin Rice 5-10-18
SDAT: Lucktinny Soeung & Teang Soeung, 13348 John Martin Dr. Williamsport, MD 21795

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151147H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2014	07/18/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Eastern Lift Truck Co. Inc.
Address: 18122 A Oak Ridge Dr Hagerstown, MD 21740-1909
County: Washington

Location ID: 702414
Phone: 240-420-8060
NOB/SIC:

Primary Contact: Bryan Hockenberry, Parts Manager* - Phone: 240-420-8060
Billing Contact: Bryan Hockenberry - 18122 Oak Ridge Dr # A Hagerstown, MD 21740-1909 - Phone: 240-420-8060
Cert Contact: Eastern Lift Truck Co. Inc. - 18122 Oak Ridge Dr # A Hagerstown, MD 21740-1909 - Phone: 240 420 8060
Owner Contact: Eastern Lift Truck Co. Inc. - 18122 Oak Ridge Dr # A Hagerstown, MD 21740-1909 - Phone: 240 420 8060
Other Contact(s): Bryan Hockenberry, Parts Manager* - 18122 Oak Ridge Dr # A Hagerstown, MD 21740-1909 - Phone: 240-420-8060
David Tirdel, Sentry Select Ins. - 159 Mesa Dr Freeport, PA 16229-2405 - Phone: 412-585-0455
Eastern Lift Truck Co. Inc. - 18122 Oak Ridge Dr # A Hagerstown, MD 21740-1909 - Phone: 240 420 8060
Jeff Beard, Parts Manager - 11820 Clearview Rd Hagerstown, MD 21742-4307 - Phone: 240 420 8060

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164495V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000762928		Morganton	2018	06/20/2021	Recurring Cert	Active	Shop
MD164496H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI		Utica	2018	06/20/2021	Recurring Cert	Active	Shop /Mezz
Total Objects at this location					2						

Location: Eddies Tire Service
Address: 1126 Diamond Drive Hagerstown, MD 21740-5058
County: Washington
Primary Contact: Stanley Shoemaker - Phone: 301-797-7003/304-258-1368 - Email: djmshm@aol.com
Billing Contact: Deborah Dhayer - 3077 Valley Rd Berkeley Springs, WV 25411-9203 - Phone: 301-797-7003/304-258-1368 - Email: debbiedhayer@gmail.com
Cert Contact: Eddies Tire Service - 1126 Diamond Dr Hagerstown, MD 21740-5058 - Phone: 304-258-1368 - Email: djmshm@aol.com
Owner Contact: Deborah Dhayer, Corp. VP - 3077 Valley Rd Berkeley Springs, WV 25411-9203 - Phone: 301-797-7003/304-258-1368 - Email: debbiedhayer@gmail.com
Other Contact(s): Deborah Dhayer, Corp. VP - 3077 Valley Rd Berkeley Springs, WV 25411-9203 - Phone: 301-797-7003/304-258-1368 - Email: debbiedhayer@gmail.com
Doris Mowery - 3077 Valley Rd - PO BOX 158 Berkeley Springs, WV 25411-9203 - Phone: 304-258-1368
Eddies Tire Service - 1126 Diamond Dr Hagerstown, MD 21740-5058 - Phone: 304-258-1368 - Email: djmshm@aol.com
Stanley Shoemaker - 1126 Diamond Dr Hagerstown, MD 21740-5058 - Phone: 301-797-7003/304-258-1368 - Email: djmshm@aol.com

Location ID: 709690
Phone: 301-797-7003
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092754V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000517982		Manchester	1995	04/29/2022	Recurring Cert	Active	STORE ROOM
Total Objects at this location					1						

Location: El Palenque
Address: 200 E Franklin St Hagerstown, MD 21740-4922
County: Washington
Primary Contact: El Palenque
Billing Contact: Jose Arias - 7624 Laytonia Dr Gaithersburg, MD 20877-3857 - Phone: 240-381-7557
Cert Contact: Jose Arias - 7624 Laytonia Dr Gaithersburg, MD 20877-3857 - Phone: 240-381-7557
Owner Contact: Jose Arias - 7624 Laytonia Dr Gaithersburg, MD 20877-3857 - Phone: 240-381-7557
Other Contact(s): El Palenque - 200 E Franklin St Hagerstown, MD 21740-4922
 Jose Arias - 7624 Laytonia Dr Gaithersburg, MD 20877-3857 - Phone: 240-381-7557

Location ID: 726241
Phone:
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134742H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2006	12/05/2020	Recurring Cert	Active	BASEMENT
Total Objects at this location					1						

Location: Electromet Corporation
Address: 871 Commonwealth Ave Hagerstown, MD 21740-6801
County: Washington
Primary Contact: Richard Ebaugh, Process Improvement Engineer - Phone: 301-797-5900 - Email: rebaugh@electromet.com
Billing Contact: Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
Cert Contact: Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com
Owner Contact: Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
Other Contact(s): Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com
 Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
 Steve Bard, Supervisor - 871 Commonwealth Ave Hagerstown, MD 21740-6801 - Phone: 3017975900

Location ID: 709825
Phone:
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD098505V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000096020	Steel Fab	1994	09/27/2022	External Cert	Active	Plant
MD098506V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000146433	Steel Fab	1996	09/27/2022	External Cert	Active	Plant

Total Objects at this location 2

Location: Electromet Corporation **Location ID:** 709824
Address: 879 Commonwealth Ave Hagerstown, MD 21740-6873 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Richard Ebaugh, Process Improvement Engineer - Phone: 301-797-5900 - Email: rebaugh@electromet.com
Billing Contact: Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
Cert Contact: Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com
Owner Contact:
Other Contact(s): Electromet Corp/Kudzu International - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 3017979647
Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com
Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
Steve Bard, Supervisor - 871 Commonwealth Ave Hagerstown, MD 21740-6801 - Phone: 3017975900

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164996V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000907605	A10055	SAMUAL	2019	09/27/2022	Recurring Cert	Active	FLOOR

Total Objects at this location 1

Location: Electromet Corporation **Location ID:** 709823
Address: 919 Eldridge Dr Hagerstown, MD 21740-6843 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Todd Estep, Manager - Phone: 301-797-5900
Billing Contact: Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com
Cert Contact: Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com

Owner Contact: Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com

Other Contact(s): Electromet Corp/Kudzu International - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 3017979647

Richard Ebaugh, Process Improvement Engineer - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: rebaugh@electromet.com

Shelley Main - 879 Commonwealth Ave Hagerstown, MD 21740-6873 - Phone: 301-797-5900 - Email: smain@electromet.com

Todd Estep, Manager - 919 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 301-797-5900

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155406V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000534503		Morganton	2015	09/27/2022	External Cert	Active	Plant
MD155407V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000805945		Steel Fab	2016	09/27/2022	External Cert	Active	Plant
MD155408V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000829450		Steel Fab	2016	09/27/2022	External Cert	Active	Shop
MD164997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000036148	ITU258088	Air Com	2019	09/27/2022	Recurring Cert	Active	FLOOR

Total Objects at this location 4

Location: Emerald Pointe Retirement Community
Address: 13335 Emerald Pointe Drive Hagerstown, MD 21742
County: Washington

Location ID: 3913923
Phone:
NOB/SIC:

Primary Contact: Paul Crumpton Jr., President - Phone: 301-790-0101
Billing Contact: Paul Crumpton Jr. - 222 E Oak Ridge Dr Ste 100 Hagerstown, MD 21740-7861 - Phone: 301-790-0101
Cert Contact: Paul Crumpton Jr., President - 222 E Oak Ridge Dr Ste 100 Hagerstown, MD 21740-7861 - Phone: 301-790-0101
Owner Contact: Paul Crumpton Jr., President - 222 E Oak Ridge Dr Ste 100 Hagerstown, MD 21740-7861 - Phone: 301-790-0101
Other Contact(s): Paul Crumpton Jr., President - 222 E Oak Ridge Dr Ste 100 Hagerstown, MD 21740-7861 - Phone: 301-790-0101
Tina Davis - 222 E Oak Ridge Dr Hagerstown, MD 21740-7858 - Phone: 301-790-0101 x108

My Company No access. S. Renolds 6/18/19
Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164548H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000029438		PENTAIR	2018	02/21/2021	Recurring Cert	Active	Community Center Pool Rm
Total Objects at this location					1						

Location: **Emergency Vehicle Specialists** **Location ID:** 3885571
Address: 16121 Business Pkwy Hagerstown, MD 21740-4201 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jodee Cabbage - Phone: 301-739-7973 - Email: kimble.trucking@myactv.net
Billing Contact: Jodee Cabbage - 16121 Business Pkwy Hagerstown, MD 21740-4201 - Phone: 301-739-7973 - Email: kimble.trucking@myactv.net
Cert Contact: Jodee Cabbage - 16121 Business Pkwy Hagerstown, MD 21740-4201 - Phone: 301-739-7973 - Email: kimble.trucking@myactv.net
Owner Contact:
Other Contact(s): Jodee Cabbage - 16121 Business Pkwy Hagerstown, MD 21740-4201 - Phone: 301-739-7973 - Email: kimble.trucking@myactv.net

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164075V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001111618		Manchester	1983	03/11/2021	Recurring Cert	Active	SOUTH GARAGE
Total Objects at this location					1						

Location: **Executone Building/Comlink** **Location ID:** 710217
Address: 20021 Leitersburg Pike Hagerstown, MD 21742-1448 **Phone:** 301-733-6000
County: Washington **NOB/SIC:**
Primary Contact: Frederick Vollmer IV, President - Phone: 301-733-6000 x102 - Email: fvollmer@commlinksystem.com
Billing Contact: Executone Building/Comlink - PO Box 3799 Hagerstown, MD 21742-3799
Cert Contact: Executone Building/Comlink - PO Box 3799 Hagerstown, MD 21742-3799
Owner Contact: Executone Building/Comlink - PO Box 3799 Hagerstown, MD 21742-3799
Other Contact(s): Executone Building/Comlink - PO Box 3799 Hagerstown, MD 21742-3799
 Frederick Vollmer IV, President - PO Box 2035 Hagerstown, MD 21742-2035 - Phone: 301-733-6000 x102 - Email: fvollmer@commlinksystem.com

Paula Vick, Administrative Assistant/Collections - 20021 Leitersburg Pike Hagerstown, MD 21742-1448 - Phone: 301-733-6000 ext. 120 - Email: pjvick@commlinksystems.com

Tom Martin - PO Box 2035 Hagerstown, MD 21742-2035 - Phone: 301-733-6000 x106 - Email: tmartin@commlinksystems.com

My Company Comments:

20021 Leitersburg Pike, Hagerstown, MD, 21742

Elizabeth Samm -DLLR- <elizabeth.samm@maryland.gov>
12:58 PM (0 minutes ago)
to randywagner

Can you let me know if this property has been sold? Or who currently owns this property.

The boiler in this location had its certificate expired and needs an inspection.
MacDonald - 11/6/19 Executone/Commlink - 20021 Leitersberg Pike (Location 710217) = 1 CED

No access. Greg Smith and I arrived at this location for an overdue boiler/ The site is closed down and had a realty sign up. I called and was able to leave a voicemail for the location and would wait for a return call. I received a return call around 2 pm from Frannie Parks (301-667*5556). She told me there is a lockbox on the door, and gave me a combination so that Greg and I could return to the building in order to inspect the overdue boiler. I made her aware that we would be returning the morning of 11/7/19 to complete the inspection
Returned mail, handwritten Comlink PO Bx 3799 Hagerstown, 21742.

My Shared Comments:

Premises are vacant. I will contact realtor and schedule access.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD044413H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	None Found	HSB 4189	Fitzgibbon	1973	11/07/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Fire House Rentals LLC
Address: 105 N Potomac St Hagerstown, MD 21740-4809
County: Washington
Primary Contact: William Carroll, Owner - Phone: 240 217 2796
Billing Contact: William Carroll - 417 N Potomac St Hagerstown, MD 21740-3821 - Phone: 240 217 2796
Cert Contact: William Carroll, Owner - 417 N Potomac St Hagerstown, MD 21740-3821 - Phone: 240 217 2796
Owner Contact: William Carroll, Owner - 417 N Potomac St Hagerstown, MD 21740-3821 - Phone: 240 217 2796
Other Contact(s): Kurt Cushwa - 105 N Potomac St Hagerstown, MD 21740-4809 - Phone: 3017333335
 William Carroll, Owner - 417 N Potomac St Hagerstown, MD 21740-3821 - Phone: 240 217 2796

Location ID: 715917
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

letters going to location or old owner, I changed mail contacts to go to new owner. Spoke with new owner William Carroll to Call Sue about citation

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047321H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	7581519	Burnham	1985	06/12/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Firestone - 0474
Address: 17620 Valley Mall Rd Hagerstown, MD 21740-6995
County: Washington
Primary Contact: Firestone - 0474
Billing Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Cert Contact:
Owner Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Other Contact(s): Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280

Location ID: 710712
Phone:
NOB/SIC:

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128644V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000773932		Manchester	2007	01/02/2021	Recurring Cert	Active	Tire Storage
MD128645V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000753715		Manchester	2006	01/02/2021	Recurring Cert	Active	Tire Storage

Total Objects at this location 2

Location: Fitzgerald Chevrolet
Address: 101 S Edgewood Dr Hagerstown, MD 21740-6617
County: Washington
Primary Contact: Greg King, Service Director - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Billing Contact: Greg King - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Cert Contact: Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Owner Contact: Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Other Contact(s): Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com

Location ID: 714391
Phone: 301-733-5000
NOB/SIC:

My Company Comments:

Received fax advising that Hoffman Chevrolet is no longer in business and now its Fitzgerald.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133281V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000824451		Manchester	2007	10/07/2021	Recurring Cert	Active	Outside Shed
MD133282V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000972190		Buckeye	1990	10/07/2021	Recurring Cert	Active	Outside Shed
MD165329V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000916614		Samuel Pressure Vessel Group	2019	11/06/2021	Recurring Cert	Active	Outside Shed
Total Objects at this location					3						

Location: Fitzgerald Chrysler
Address: 171 S Edgewood Dr Hagerstown, MD 21740-6617
County: Washington
Primary Contact: Greg King, Service Director - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Billing Contact: Greg King - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Cert Contact: Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Owner Contact: Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com
Other Contact(s): Greg King, Service Director - 101 S Edgewood Dr Hagerstown, MD 21740-6617 - Phone: 301-733-5000 ext 1007 - Email: gking@hoffmanautomotive.com

Location ID: 2607922
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088220V	Air Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000070609		Steel Fab	1993	10/07/2021	Recurring Cert	Active	Compressor Room

Location: Garden Plaza Hotel **Location ID:** 707281
Address: 901 Dual Hwy Hagerstown, MD 21740-5950 **Phone:** 301-733-5100
County: Washington **NOB/SIC:**
Primary Contact: Tony Toskov - Phone: (443) 463-7542 - Email: tonytoskov@gmail.com
Billing Contact: Raj - 931 Dual Hwy Hagerstown, MD 21740-5912 - Phone: 301-991-9931
Cert Contact: Raj - 931 Dual Hwy Hagerstown, MD 21740-5912 - Phone: 301-991-9931
Owner Contact: Raj - 931 Dual Hwy Hagerstown, MD 21740-5912 - Phone: 301-991-9931
Other Contact(s): John Uka - 901 Dual Hwy Hagerstown, MD 21740-5912 - Phone: 301-733-5100 - Email: johnuka@clarionhagerstown.com
 John Uka, General Manager - 901 Dual Hwy Hagerstown, MD 21740 - Phone: 301-733-5100
 Karen Kanzler - 901 Dual Hwy Hagerstown, MD 21740-5950 - Phone: 301-733-5100
 Lata Milner - 901 Dual Hwy Hagerstown, MD 21740-5950 - Phone: (301) 733-5100
 Raj - 931 Dual Hwy Hagerstown, MD 21740-5912 - Phone: 301-991-9931
 Tony Toskov - 901 Dual Hwy Hagerstown, MD 21740-5950 - Phone: (443) 463-7542 - Email: tonytoskov@gmail.com

My Company Comments: Karen 301 733 5100 called and stated American Boiler Inspection will inspect on 7/31/17
 Location name update per John Marino 8/3/17. Updating to the Garden Plaza Hotel, Karen Kanzler.
 Owner update.

My Shared Comments: NEW object scheduled for 5/18/15 is actually located at the Rodeway Inn, located next door same address. Object moved 5/19/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133251H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005632		NORITZ	2007	05/07/2021	Recurring Cert	Active	POOL MECH
MD133252H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005708		NORITZ	2007	05/07/2021	Recurring Cert	Active	POOL MECH
MD133253H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005622		NORITZ	2007	05/07/2021	Recurring Cert	Active	POOL MECH
MD133254H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005711		NORITZ	2007	05/07/2021	Recurring Cert	Active	2ND FLR MECH
MD133255H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005720		NORITZ	2007	05/07/2021	Recurring Cert	Active	2ND FLR MECH

Mary M. Torres
 CEO/Broker of Record/Property Manager
 Atlas Commerical Real Estate Co.
 117 W. Patrick Street, Suite 200A
 Frederick, MD 21701
 Office: 301-694-8444 x 209
 Mary@AtlasRealEstateCo.com

 Kyle Rice
 1:56 PM (3 hours ago)
 to Mary, boilers@dllr.state.md.us-----

Mary,

We have until October 7th to complete so we should be OK.

Thanks

Kyle

My Shared Comments: Property sold and owned by Governor Lane LLC.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102771V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000192484		Steel Products	1998	10/07/2020	Recurring Cert	Active	Plant Area
Total Objects at this location					1						

Location: Hagerstown Day Nursery
Address: 102 E Washington St Hagerstown, MD 21740-5608
County: Washington
Primary Contact: Trina Johnson - Phone: 301 739 5339
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Trina Johnson - 102 E Washington St Hagerstown, MD 21740-5608 - Phone: 301 739 5339

Location ID: 713015
Phone:
NOB/SIC:

My Company Comments: MacDonald - 11/6/19 Hagerstown Day Nursery - 102 E Washington St (Location 713015) -1 CED

We went to this location because there were outstanding violations on an object that has been without certificate for more than 30 days. Upon arrival we were told by one of the women running the day care, that the parts to make the necessary repairs had been ordered, and that the repairs would be made next week. The violations remain open for this location.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD079541H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	22155503	Burnham	1991	11/09/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Hagerstown Laundromat & Check Cashing
Address: 521 W Washington St Hagerstown, MD 21740-5018
County: Washington
Primary Contact: Hagerstown Laundromat & Check Cashing
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Manish Mehta - 521 W Washington St Hagerstown, MD 21740-5018 - Phone: 301 733 4478
Nitu Chawla - 521 W Washington St Hagerstown, MD 21740-5018 - Phone: 301-733-4478

Location ID: 1249656
Phone: 301-733-4478
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD119595H Water Heater (HLW) H - Hot Water Supply (Water <= 160 psig, 210 F) 000064579 Hamilton Eng 2004 05/19/2022 Recurring Cert Active Mech Room

Total Objects at this location 1

Location: Hagerstown Surgery Center **Location ID:** 3477243
Address: 11236 Robinwood Dr Ste 201 Hagerstown, MD 21742-6802 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jennifer Barley, RN, Administrator - Phone: 240-347-4836 - Email: jbarley@hagerstownsc.com
Billing Contact: Jennifer Barley - 11236 Robinwood Dr Ste 201 Hagerstown, MD 21742-6802 - Phone: 240-347-4836 - Email: jbarley@hagerstownsc.com
Cert Contact: Jennifer Barley, RN, Administrator - 11236 Robinwood Dr Ste 201 Hagerstown, MD 21742-6802 - Phone: 240-347-4836 - Email: jbarley@hagerstownsc.com
Owner Contact:
Other Contact(s): Jennifer Barley, RN, Administrator - 11236 Robinwood Dr Ste 201 Hagerstown, MD 21742-6802 - Phone: 240-347-4836 - Email: jbarley@hagerstownsc.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155967		Miniature Boiler (NOT Fired Kettle)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000102797	0216-102797	TDC Manufacturing Co	2015	06/13/2021	Recurring Cert	Active	Clean Work Rm
MD155968V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000065012	1091010	Amsco	1991	06/13/2021	Recurring Cert	Active	Clean work Rm
MD164982V		Autoclave	V - Process-Sterilizing	000047105		Amsco	1894	06/13/2021	Recurring Cert	Active	Clean Work Rm
MD164983		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000118792		Electro-Steam	2019	06/13/2021	Recurring Cert	Active	Clean Work Rm

Total Objects at this location 4

Location: Hammonds Auto Exchange **Location ID:** 787167
Address: 16143 Falling Waters Rd Williamsport, MD 21795-2104 **Phone:** 301-223-7125
County: Washington **NOB/SIC:**
Primary Contact: Hammonds Auto Exchange - Phone: 301-223-7125

Billing Contact: Hammonds Auto Exchange - 16143 Falling Waters Rd Williamsport, MD 21795-2104 - Phone: 301-223-7125
Cert Contact: Hammonds Auto Exchange - 16143 Falling Waters Rd Williamsport, MD 21795-2104 - Phone: 301-223-7125
Owner Contact: Hammonds Auto Exchange - 16143 Falling Waters Rd Williamsport, MD 21795-2104 - Phone: 301-223-7125
Other Contact(s): Hammonds Auto Exchange - 16143 Falling Waters Rd Williamsport, MD 21795-2104 - Phone: 301-223-7125

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116233V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000231538		Kargard	1966	03/09/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: Hangar 65
Address: 18339 Air Park Rd Hagerstown, MD 21742-1375
County: Washington

Location ID: 3492682
Phone: 301-665-1294
NOB/SIC:

Primary Contact: Dave Gochenaur - Phone: 301-514-8758

Billing Contact: Dave Gochenaur - 18339 Air Park Rd Hagerstown, MD 21742-1375 - Phone: 301-514-8758

Cert Contact: Dave Gochenaur - 18339 Air Park Rd Hagerstown, MD 21742-1375 - Phone: 301-514-8758

Owner Contact: Dave Gochenaur - 18339 Air Park Rd Hagerstown, MD 21742-1375 - Phone: 301-514-8758

Other Contact(s): Dave Gochenaur - 18339 Air Park Rd Hagerstown, MD 21742-1375 - Phone: 301-514-8758

Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
 Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
 Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com
 SIERRA NEVADA CORPORATION - 18635 JARKEY DRIVE Hagerstown, MD 21742 - Phone: 301-665-1294

My Company

Comments:

The physical location should be Hangar 65 LLC, Sierra Nevada Corp. is no longer associated with this property. Thanks. G. Smith 8 13 20

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142608V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000479116		Steel Fab	2007	07/20/2022	Recurring Cert	Active	Hangar 65

MD167075H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000342907	Weil-McLain	2018	07/20/2022	Recurring Cert	Active	Hangar 65
MD167526H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000342906	Weil-McLain	2018	07/20/2022	Recurring Cert	Active	Hangar 65
MD167527H	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000342889	Weil-McLain	2018	07/20/2022	Recurring Cert	Active	Hangar 65

Total Objects at this location 4

Location: **Hempen Hill BBA (Arc3)** **Location ID:** 3934344
Address: 13208 Fountain Head Plz Hagerstown, MD 21742-2678 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Hempen Hill BBA (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164085V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000126316		CHART	2006	04/03/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Hillcrest Apartments** **Location ID:** 786144
Address: 934 Hamilton Blvd Hagerstown, MD 21742-3385 **Phone:** 301-733-4694
County: Washington **NOB/SIC:**
Primary Contact: Affordable Rental Property Mgmt. - Phone: 301-790-1700 - Cell: 301- 988-8695
Billing Contact: Affordable Rental Property Mgmt. - PO Box 4827 Hagerstown, MD 21742-0827 - Phone: 301-790-1700 - Cell: 301- 988-8695
Cert Contact: Affordable Rental Property Mgmt. - PO Box 4827 Hagerstown, MD 21742-0827 - Phone: 301-790-1700 - Cell: 301- 988-8695
Owner Contact: Affordable Rental Property Mgmt. - PO Box 4827 Hagerstown, MD 21742-0827 - Phone: 301-790-1700 - Cell: 301- 988-8695

Other Contact(s): Affordable Rental Property Mgmt. - PO Box 4827 Hagerstown, MD 21742-0827 - Phone: 301-790-1700 - Cell: 301- 988-8695
William & Lois Justice - 19114 Cherry Tree Dr Hagerstown, MD 21742-2829 - Phone: 301-733-4694

My Company

Comments: citations bpv -DLLR-
10:28 AM (0 minutes ago)
to Ryhan

MD152556H at 318 N Potomac St. still has a violation outstanding from 7-24-2017 inspection. Water inlet line is leaking.

MD138519H at 934 Hamilton Blvd still has a violation outstanding from 1-22-2018 inspection. Water Level Indicator Glass is dirty, Low Water Cutoff is not able to be tested and Pressure Indicator is inoperable.

I explained in the emails since these were not verified corrected that I could not waive the citation.

Citation response - Pamela Kirschner (Affordable Rental Properties) 240-329-5050, violations were corrected but says her paperwork for the inspection has "no" checked for reinspection. She is contacting MAC Inspections and will address the citation email.

green card rec'd 9-12-18

I do see the email but The violations at

318 N Potomac St. (Violation opened 1-22-18: Water inlet line is leaking) and

934 Hamilton Blvd (Violations opened 1-22-18: Water inlet line is leaking, Low Water Cutoff is not able to be tested & Pressure Indicator is inoperable) are still open.

I can only make a recommendation, so do to the violation not being corrected the citation or penalty could not be closed. ?Elizabeth Samm

Location 786144 needs to be rescheduled, no one onsite and no answer from contact, left written note on site

Location 786144 will need to be rescheduled, I did not have time to do the inspection due to other added work. All other inspections done with no reschedule required.

Ryhan Weaver <affordablerentalpm@gmail.com>

Attachments

Nov 19, 2018, 12:40 PM (20 hours ago)

to me

----- Forwarded message -----

From: <scanner@machomes.com>

Date: Mon, Nov 19, 2018 at 11:05 AM

Subject: CITATIONS ON BOILER INSPECTIONS

To: <affordablerentalpm@gmail.com>

Hello Ms Samm,

I have sent you all this information beginning in September and on October 4th I received an email saying "Citation has been closed" (attachment). Both of these boilers at 934 Hamilton and 318 S Potomac have been inspected, 07/24/2017 and 01/22/2018, (attached) and the repairs were made (attached). On both of the certificates it has "No" circled that they do not have to be reinspected, so I am at a lost as to what we're getting these citations for continuously. How often are they suppose to be inspected? Did we miss something there? We really want to get this resolved, and we thought we had, but the owners are

still getting the citations and are getting more and more upset with us. Please get back to me and let me know what we did wrong. I would appreciate it so, so much.

Thank you,
Pam

We have scheduled H-Town Properties, LLC 934 Hamilton Blvd. Hagerstown, MD 21742 for Monday, January 22, 2018.

Best regards

Best regards,

Michael Coleman
President/CEO
MAC Inspection & Welding Agency, LLC
dba MIWA
office: (410) 676-9962
cell: (443) 617-3681

My Shared Comments: Debbie (Affordable Rental Property Mgmt.301-790-1700) called to say she received the certificates, and all mailings should now com to Affordable.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138519H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-8-1-100103	HB Smith	2010	11/23/2021	Recurring Cert	Active	BASEMENT
Total Objects at this location					1						

Location: Hillside Mennonite School
Address: 11610 Greencastle Pike Hagerstown, MD 21740-1946
County: Washington
Primary Contact: Marvin Diller - Phone: 301-491-7747
Location ID: 713805
Billing Contact: Marvin Diller - 11610 Greencastle Pike Hagerstown, MD 21740-1946 - Phone: 301-491-7747
Phone: 301-491-7747
Cert Contact: Marvin Diller - 11610 Greencastle Pike Hagerstown, MD 21740-1946 - Phone: 301-491-7747
NOB/SIC:
Owner Contact: Marvin Diller - 11610 Greencastle Pike Hagerstown, MD 21740-1946 - Phone: 301-491-7747
Other Contact(s): Marvin Diller - 11610 Greencastle Pike Hagerstown, MD 21740-1946 - Phone: 301-491-7747
Robert Martin - 11610 Greencastle Pike Hagerstown, MD 21740-1946 - Phone: 301-791-1431 - Cell: 240-675-7892

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD080881H Cast Iron H - Hot Water CI 7266 Burnham 1989 10/12/2022 Recurring Cert Active Basement
 Heat (Water <= 160 psig, 250 F)

Total Objects at this location 1

Location: **Home Center**
Address: 285 W Main St Hancock, MD 21750-1333
County: Washington

Location ID: 714063
Phone: 301-678-6188
NOB/SIC:

Primary Contact: Scott B. Creek - Phone: 301-678-3188
Billing Contact: Home Center, Inc. - 285 W Main St Hancock, MD 21750-1333 - Phone: (301) 678-6188
Cert Contact: Scott B. Creek - 285 W Main St Hancock, MD 21750-1333 - Phone: 301-678-3188
Owner Contact: Scott B. Creek - 285 W Main St Hancock, MD 21750-1333 - Phone: 301-678-3188
Other Contact(s): Home Center, Inc. - 285 W Main St Hancock, MD 21750-1333 - Phone: (301) 678-6188
 Scott B. Creek - 285 W Main St Hancock, MD 21750-1333 - Phone: 301-678-3188

My Company Comments: Insparisk inspected.
 ON SEPTEMBER 7, 2018, INSPARISK CAME TO DO INSPECTIONS ON OUR BOILERS LISTED AS:
 SCOTT B CREEK
 HOME CENTER, INC.
 285 W MAIN ST
 HANCOCK, MD 21750

THEY INSPECTED THE FOLLOWING UNITS:
 LOW-PRESSURE BOILER MD34104H-WHICH IS NO LONGER IN USE AND WE PAID A DEACTIVATION FEE OF \$125
 LOW-PRESSURE BOILER MD034105H-WHICH PASSED INSPECTION
 LOW-PRESSURE BOILER MD055793H-WHICH PASSED INSPECTION
 LOW-PRESSURE BOILER MD047389H-FAILED, DUR TO MINOR INFRACTION, REPAIR WAS MADE BY A PLUMBER.
 ON OCTOBER 22, 2018 WE CALLED INSPARISK, SPOKE WITH ROBERT OGNJENOVIC, WHO TOLD US EARLIEST RE-INSPECTION
 WOULD BE ON NOVEMBER 1, 2018, WHICH WE AGREED TO. HE ALSO SAID THAT HE WOULD EMAIL STATE OF MD AND CC US.
 AS OF RIGHT NOW, HE HAS NOT. I HAVE FAITH THAT THEY WILL SHOW UP ON NOVEMBER 1, EVEN THOUGH, HE DID NOT EMAIL YOU.
 SO, IN CONCLUSION,I, SCOTT SPOKE WITH YOU TODAY AND YOU INSTRUCTED ME TO EMAIL YOU IMMEDIATELY.
 NOVEMBER 1, 2018, WE SHOULD BE COMPLIANT.

THANK YOU
 SCOTT B CREEK
 THE HOME CENTER, INC.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034105H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A17	American Standard	1972	08/17/2022	Recurring Cert	Active	1st Floor

MD047389H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7532398	Burnham	1981	08/17/2022	Recurring Cert	Active	Shop Area
MD055793H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A-35-P	American Standard	1972	11/09/2022	Recurring Cert	Active	Basement Area

Total Objects at this location 3

Location: Home Depot Y.O.W
Address: 16500 Hunters Green Pkwy Hagerstown, MD 21740-2116
County: Washington
Primary Contact: Curt Blinkenstaff, Facilities/Safety Coordinator - Phone: 301-582-3980 Ext.425 - Email: Curt_Blickenstaff@homedepot.com
Billing Contact: Curt Blinkenstaff - 16500 Hunters Green Pkwy Hagerstown, MD 21740-2116 - Phone: 301-582-3980 Ext.425 - Email: Curt_Blickenstaff@homedepot.com
Cert Contact: Curt Blinkenstaff, Facilities/Safety Coordinator - 16500 Hunters Green Pkwy Hagerstown, MD 21740-2116 - Phone: 301-582-3980 Ext.425 - Email: Curt_Blickenstaff@homedepot.com
Owner Contact: Curt Blinkenstaff, Facilities/Safety Coordinator - 16500 Hunters Green Pkwy Hagerstown, MD 21740-2116 - Phone: 301-582-3980 Ext.425 - Email: Curt_Blickenstaff@homedepot.com
Other Contact(s): Al Anqustiniak - 60 State Street Boston, MA 02109-1800 - Phone: 617-828-3752
Curt Blinkenstaff, Facilities/Safety Coordinator - 16500 Hunters Green Pkwy Hagerstown, MD 21740-2116 - Phone: 301-582-3980 Ext.425 - Email: Curt_Blickenstaff@homedepot.com
Jerome L Rappapor, Pres - 60 State St Ste 15 Boston, MA 02109-1800 - Phone: 617-723-7760
Octavis Henderson - PO Box 105799 Atlanta, GA 30348-5799 - Phone: 770-433-8211 ext. 19293

My Company Comments: Kelly Piper (mgr) called and stated she will be scheduled as soon as possible

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101613V	#1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000273892	00000	Silvan	1998	10/31/2020	Recurring Cert	Active	Shipping Dept

Total Objects at this location 1

Location: Hunter Hill Apartments
Address: 13300 Hunter Hill Dr Hagerstown, MD 21742-2581
County: Washington
Primary Contact: Cheryl Nicley, Leasing Manager - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Billing Contact: Cheryl Nicley - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Cert Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com

Owner Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Other Contact(s): Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
 Janice , Manager - 100 W Antietam St Hagerstown, MD 21740-5403 - Phone: (301) 739-9447

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149804H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105505		Bradford White	2013	05/26/2022	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Hunter Hill Apartments **Location ID:** 1848792
Address: 13303 Hunter Hill Dr Hagerstown, MD 21742-2584 **Phone:** 301.739.9447
County: Washington **NOB/SIC:**
Primary Contact: Cheryl Nicley, Leasing Manager - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Billing Contact: Cheryl Nicley - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Cert Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Owner Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Other Contact(s): Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
 Hunter Hill Apts - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301.739.9447
 Janice , Manager - 100 W Antietam St Hagerstown, MD 21740-5403 - Phone: (301) 739-9447

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134722H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000073763		Bradford White	2006	05/26/2022	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Hunter Hill Apartments
Address: 13311 Hunter Hill Dr Hagerstown, MD 21742-2597
County: Washington

Location ID: 1848754
Phone:
NOB/SIC:

Primary Contact: Cheryl Nicley, Leasing Manager - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Billing Contact: Cheryl Nicley - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Cert Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Owner Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Other Contact(s): Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
 Hunter Hill Apts - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589
 Janice , Manager - 100 W Antietam St Hagerstown, MD 21740-5403 - Phone: (301) 739-9447

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134723H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000079636		Bradford White	2007	05/26/2022	Recurring Cert	Active	BASEMENT
Total Objects at this location					1						

Location: Hunter Hill Apartments
Address: 13312 Hunter Hill Dr Hagerstown, MD 21742-2586
County: Washington

Location ID: 1848751
Phone: 301-739-9447
NOB/SIC:

Primary Contact: Cheryl Nicley, Leasing Manager - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Billing Contact: Cheryl Nicley - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Cert Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Owner Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Other Contact(s): Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
 Janice , Manager - 100 W Antietam St Hagerstown, MD 21740-5403 - Phone: (301) 739-9447

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD116548H Water Heater (HLW) H - Hot Water Supply (Water <= 160 psig, 210 F) 000074040 State Industries 2002 05/26/2022 Recurring Cert Active 13312

Total Objects at this location 1

Location: **Hunter Hill Apartments** **Location ID:** 788079
Address: 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 **Phone:** 301-739-9447
County: Washington **NOB/SIC:**
Primary Contact: Cheryl Nicley, Leasing Manager - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Billing Contact: Cheryl Nicley - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Cert Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Owner Contact: Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
Other Contact(s): Cheryl Nicley, Leasing Manager - 13322 Hunter Hill Dr Hagerstown, MD 21742-2589 - Phone: 301-739-9447 - Email: hunterhill@marylandmgmt.com
 Janice , Manager - 100 W Antietam St Hagerstown, MD 21740-5403 - Phone: (301) 739-9447

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143382H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092123		Bradford White	2010	05/26/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Hurricane Dockside Grill(NuCO2) #637903** **Location ID:** 3962152
Address: 1703 Massey Blvd Hagerstown, MD 21740-6962 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Hurricane Dockside Grill(NuCO2) #637903
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

My Company Hurricane #3962152
Comments: New could not get access to device due to the new manager not having key to storage closet.
 S. Reynolds 10/1/19

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165408V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000079914		Minnesota Valley Engineering	1998	08/27/2021	Recurring Cert	Active	back room (locked)

Total Objects at this location 1

Location: Huyett Mennonite School
Address: 16404 National Pike Hagerstown, MD 21740-2153
County: Washington
Primary Contact: Linda Hurst, Administrator - Phone: 301-790-2252
Billing Contact: Linda Hurst - 16404 National Pike Hagerstown, MD 21740-2153 - Phone: 301-790-2252
Cert Contact: Linda Hurst, Administrator - 16404 National Pike Hagerstown, MD 21740-2153 - Phone: 301-790-2252
Owner Contact: Linda Hurst, Administrator - 16404 National Pike Hagerstown, MD 21740-2153 - Phone: 301-790-2252
Other Contact(s): Linda Hurst, Administrator - 16404 National Pike Hagerstown, MD 21740-2153 - Phone: 301-790-2252
 Mary - 16404 National Pike Hagerstown, MD 21740-2153 - Phone: 301 790 2252

Location ID: 714358
Phone: 301-790-2252
NOB/SIC:

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106931H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64144715	Burnham	2000	03/11/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: IBU, LLC.
Address: 12408 Learning Ln Hagerstown, MD 21740-2125
County: Washington
Primary Contact: IBU, LLC.
Billing Contact:
Cert Contact:
Owner Contact: IBU, LLC. - 6120 Baltimore National Pike Ste 200C Catonsville, MD 21228-2930
Other Contact(s): Andrea Knode, Administrative Assistant - 10435 Downsview Pike Hagerstown, MD 21740-1732 - Phone: 301-766-2881 - Cell: 301-730-2411 - Email: KnodeAnd@wcps.k12.md.us

Location ID: 707821
Phone:
NOB/SIC:

Dave Campbell, Foreman - 10435 Downsville Pike Hagerstown, MD 21740-1732 - Phone: 301-766-2883 - Cell: 301-331-9791 - Email: campbdav@wcps.k12.md.us
 Fred Yeargan, Plumber - 10435 Downsville Pike Hagerstown, MD 21740-6816 - Cell: 301-730-2147
 IBU, LLC. - 6120 Baltimore National Pike Ste 200C Catonsville, MD 21228-2930
 Janet Rizzo, AVP, Equipment Breakdown Specialist , Commercial - 3000 Bayport Dr Tampa, FL 33607-8402 - Phone: 813-281-7494 - Cell: 813-344-7483 - Email: janet.rizzo@chubb.com
 Jeff Eichelberger, Plumber - 10435 Downsville Pike Hagerstown, MD 21740-1732 - Cell: 301-331-9176
 Mark Mills, Director of Maintenance & Operations - 10435 Downsville Pike Hagerstown, MD 21740-1732 - Phone: 301-766-2978 - Cell: 301-730-2389 - Email: millsmar@wcps.k12.md.us
 Roy Green, HVAC Technician - 10435 Downsville Pike Hagerstown, MD 21740-1732 - Cell: 240-313-0495
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net

My Company Comments:

Gregory Smith 3/11/2020 IBU, LLC #707821-- no access
 Reynolds 1/3/2020 IBU # 707821
 Building is empty. No access
 This location was turned over to the Washington Co. Government in 2016 per Andrea Knode (8/17/17 forwarded email). I verified this with Tracy McCammon today. Updated the suite number to 2300.
 Tracy McCammon emailed today to say this property was sold, the settlement date was 1/31/18. In her email, she had the printout of the SDAT information. Updating the owner info.

My Shared Comments:

No access, building appears to be empty. sreynolds
 We have been trying to gain access since 5/15/2020. Not sure what can be done. there seems to be no signs off occupancy or intent to occupy. Property was formerly a public school perhaps that is an avenue to be pursued.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132178H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28A-1	H.B. Smith	2008	06/28/2018	External Cert	Active	Boiler Room
MD132179H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28A-2	H.B. Smith	2008	06/28/2018	External Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Inn Boonsboro **Location ID:** 2441159
Address: 1 N Main St Boonsboro, MD 21713-1016 **Phone:** 301-432-1188
County: Washington **NOB/SIC:**
Primary Contact: Suzanne McErlin, Innkeeper - Phone: 301-432-1188 - Cell: 215-260-9585 - Email: info@innboonsboro.com
Billing Contact: Bruce Wilder - 1 N Main St Boonsboro, MD 21713-1016 - Phone: 301-432-7727 - Email: info@innboonsboro.com
Cert Contact: Bruce Wilder - 1 N Main St Boonsboro, MD 21713-1016 - Phone: 301-432-7727 - Email: info@innboonsboro.com
Owner Contact: Bruce Wilder - 1 N Main St Boonsboro, MD 21713-1016 - Phone: 301-432-7727 - Email: info@innboonsboro.com
Other Contact(s): Bruce and Nora Wilder, Owners - 19239 Burnside Bridge Rd Keedysville, MD 21756-1603 - Phone: 301-432-7727 - Cell: 301-991-6143 - Email: Wilderphoto@myactv.net
 Bruce Wilder - 1 N Main St Boonsboro, MD 21713-1016 - Phone: 301-432-7727 - Email: info@innboonsboro.com
 Ellen Tholen - 1 N Main St Boonsboro, MD 21713-1016 - Phone: 301-432-1188 - Email: info@innboonsboro.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132162H	BLR-1	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000006164		AIC SA	2007	03/11/2021	External Cert, Recurring Cert	Active	Basement
MD132163H	BLR-2	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000006149		AIC SA	2007	03/11/2021	External Cert, Recurring Cert	Active	Basement
MD132164H	BLR-3	Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000015116		AIC SA	2007	03/11/2021	External Cert, Recurring Cert	Active	Basement
Total Objects at this location					3						

Location: International House Of Pancakes

Address: 17820 Garland Groh Blvd Hagerstown, MD 21740-1992

County: Washington

Primary Contact: Josh Nish, General Manager - Phone: 301 791 5855 - Email: ihopmanager1@aol.com

Billing Contact: International House Of Pancakes - 17820 Garland Groh Blvd Hagerstown, MD 21740-1992

Cert Contact: International House Of Pancakes - 17820 Garland Groh Blvd Hagerstown, MD 21740-1992

Owner Contact: International House Of Pancakes - 17820 Garland Groh Blvd Hagerstown, MD 21740-1992

Other Contact(s): International House Of Pancakes - 17820 Garland Groh Blvd Hagerstown, MD 21740-1992
 Josh Nish, General Manager - 17820 Garland Groh Blvd Hagerstown, MD 21740-1992 - Phone: 301 791 5855 - Email: ihopmanager1@aol.com

Location ID: 714582

Phone:

NOB/SIC:

My Company citation recommended closed, report entered after citation was generated.

Comments: I received a call from Steven, 717-372-6602, he received a citation and the inspection was performed by Insparisk on 1/14/19, but not entered until today 5/31/19 when he made a call to them. I told him to also respond to the citation email. The CED for MD132150H was 3/13/19.

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132150H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000005756		State	2004	03/13/2021	Recurring Cert	Active	Mech Rm

Location: Jimmy Johns (Roberts) **Location ID:** 4009851
Address: 18340 Spark Dr Unit 101 Hagerstown, MD 21740-2079 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166613V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000319941		CHART	2018	02/24/2022	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: JLH Industries **Location ID:** 717972
Address: 241 Prospect Ave Hagerstown, MD 21742-3204 **Phone:** 301-745-4773
County: Washington **NOB/SIC:**
Primary Contact: Michael Kipe - Phone: 301-745-4773 - Email: mwkipe@comcast.net
Billing Contact: Michael Kipe - 241 Prospect Ave Hagerstown, MD 21742-3204 - Phone: 301-745-4773 - Email: mwkipe@comcast.net
Cert Contact: Michael Kipe - 241 Prospect Ave Hagerstown, MD 21742-3204 - Phone: 301-745-4773 - Email: mwkipe@comcast.net
Owner Contact: Michael Kipe - 241 Prospect Ave Hagerstown, MD 21742-3204 - Phone: 301-745-4773 - Email: mwkipe@comcast.net
Other Contact(s): Eben Conner - 10937 Big Pool Rd Big Pool, MD 21711-1203 - Phone: 3017972466
 Michael Kipe - 241 Prospect Ave Hagerstown, MD 21742-3204 - Phone: 301-745-4773 - Email: mwkipe@comcast.net
 Rex Allen - 249 Prospect Ave Hagerstown, MD 21742-3204 - Phone: (301) 662-5387

My Company Comments:

My Shared Comments: Contact info updated 7/24/06; RHD Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD117839V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000119460	Stoystown	2001	06/21/2022	Recurring Cert	Active	Storage Area
MD123768V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000107345	Stoystown	1999	06/21/2022	Recurring Cert	Active	Rear Shop
MD123769V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000099179	Stoystown	1997	06/21/2022	Recurring Cert	Active	Rear Shop

Total Objects at this location 3

Location: Karu Peru (NuCO2) # 554397 **Location ID:** 3631712
Address: 1423 Dual Hwy Hagerstown, MD 21740-6515 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Cert Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Owner Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157444V	A962136	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000117195	CCIV00C230	CHART	2000	05/10/2021	Recurring Cert	Active	Outside Rear

Total Objects at this location 1

Location: Keefauver Dry Cleaners
Address: 1096 S Potomac St Hagerstown, MD 21740-7321
County: Washington
Primary Contact: Keefauver Dry Cleaners - Phone: 3017390040
Billing Contact: Keefauver Dry Cleaners - 1096 S Potomac St Hagerstown, MD 21740-7321 - Phone: 3017390040
Cert Contact: Jeff or Linda Grimm - 1096 S Potomac St Hagerstown, MD 21740-7321 - Phone: 301-739-0040
Owner Contact: Jeff or Linda Grimm - 1096 S Potomac St Hagerstown, MD 21740-7321 - Phone: 301-739-0040
Other Contact(s): Jeff or Linda Grimm - 1096 S Potomac St Hagerstown, MD 21740-7321 - Phone: 301-739-0040
 Keefauver Dry Cleaners - 1096 S Potomac St Hagerstown, MD 21740-7321 - Phone: 3017390040

Location ID: 715457
Phone: 301-739-0040
NOB/SIC:

My Company

Comments:

My Shared

Comments: Insparisk to inspect 6/29/14, BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158431		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000021970		Hurst	2017	08/21/2021	Recurring Cert	Active	GARAGE

Total Objects at this location 1

Location: Kevin Rice (Antique)/Smithsburg
Address: 14435 Pen Mar High Rock Rd Cascade, MD 21719-1702
County: Washington
Primary Contact: Kevin Rice, Owner - Phone: 301-241-4712
Billing Contact: Kevin Rice - 14435 Pen Mar High Rock Rd Cascade, MD 21719-1702 - Phone: 301-241-4712
Cert Contact: Kevin Rice, Owner - 14435 Pen Mar High Rock Rd Cascade, MD 21719-1702 - Phone: 301-241-4712
Owner Contact:
Other Contact(s): Kevin Rice, Owner - 14435 Pen Mar High Rock Rd Cascade, MD 21719-1702 - Phone: 301-241-4712

Location ID: 715673
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004292		Horizontal Fire Tube	A - Antique w/comment	000000515	32348	Case	1915	09/20/2020	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: Klines Auto Body
Address: 801 Florida Ave Hagerstown, MD 21740-3618
County: Washington
Primary Contact: Doris Kline - Phone: 301-791-1390
Billing Contact: Doris Kline - 801 Florida Ave Hagerstown, MD 21740-3618 - Phone: 301-791-1390
Cert Contact: Doris Kline - 801 Florida Ave Hagerstown, MD 21740-3618 - Phone: 301-791-1390
Owner Contact: Doris Kline - 801 Florida Ave Hagerstown, MD 21740-3618 - Phone: 301-791-1390
Other Contact(s): Bill - 801 Florida Ave Hagerstown, MD 21740-3618 - Phone: 301 791 1390
Doris Kline - 801 Florida Ave Hagerstown, MD 21740-3618 - Phone: 301-791-1390

Location ID: 715821
Phone: 301-791-1390
NOB/SIC:

My Company Comments: Doris Kline called and ask about scheduling the routine inspection. I gave her the phone number for MAC inspection and advised her to contact MAC inspection to schedule the needed inspection.

My Shared Comments: Spoke with Doris Kline 7/12/12, her inspection was done by Deloso Plumbing. She was calling to see why she hadn't received her certificates. I advised her that she needs an authorized agency to perform the inspection, and to check with her insurance company first before calling an inspection company. R. Mason

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151081V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000265277	262669	Morganton	2013	05/04/2021	Recurring Cert	Active	Outside Rear Bldg.
Total Objects at this location					1						

Location: LGIT - Ft. Ritchie Redevelopment
Address: 25009 Lake Wastler Dr PO Box 397 Cascade, MD 21719-0397
County: Washington
Primary Contact: LGIT - Ft. Ritchie Redevelopment
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 1993700
Phone: 240-313-4941
NOB/SIC:

My Company Comments:

My Shared Comments: Called business location contact & recording instructed me to dial ext 103 to speak with Director of Facilities. Got his voicemail, left message. Got a call from Mike Voss, Facilities Manager. He says objects are ready for re-inspection but scheduling has been an issue. He expects to have a date this week and inform the State as soon as he has one, standardized 1/4/07/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127726V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	00507013		Manchester	1994	05/12/2021	Recurring Cert	Active	BLDG 519
MD127730H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1993	05/12/2021	Recurring Cert	Active	BLDG 518
MD127732H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	999997	HB Smith	1990	05/12/2021	Recurring Cert	Active	BLDG 607 lake royer dr
MD127739H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1995	05/12/2021	Recurring Cert	Active	BLDG 607
MD145539H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000092563		Giannoni	2009	05/12/2021	Recurring Cert	Active	bldg 11 bsmt 14324 lake royer dr
MD145540H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000092591		Giannoni	2009	05/12/2021	Recurring Cert	Active	Bldg 11 bsmt 14324 lake royer dr
Total Objects at this location					6						

Location: LGIT - Hagerstown City/City Hall

Address: 1 E Franklin St Hagerstown, MD 21740-4859

County: Washington

Primary Contact: Erik Kline, Bldg. Mnt. Supervisor - Phone: 301-739-8577x177

Billing Contact: Erik Kline - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-739-8577x177

Cert Contact: Erik Kline, Bldg. Mnt. Supervisor - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-739-8577x177

Owner Contact: Erik Kline, Bldg. Mnt. Supervisor - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-739-8577x177

Other Contact(s): Caroline Tuigg - 51 West Memorial Blvd Hagerstown, MD 21740 - Phone: 301-790-3200

Department of Public Works - 51 W Memorial Blvd Hagerstown, MD 21740-6291 - Phone: 301-739-8577 ext 176

Eric B Deike, Director of Public Works - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-739-8577 ext 680 - Cell: 301-739-8577 ext 178

Erik Kline, Bldg. Mnt. Supervisor - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-739-8577x177

KEVIN DEHAVEN - 1 E FRANKLIN ST HAGERSTOWN, MD 21740 - Phone: 301-766-4092

Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

10/14/2020 10:33:17 AM

000.10830

JURISDICTION ONLINE

Copyright © 2020 CentralSquare

Page 62 of 132

MD079208H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7592869	Burnham	1992	01/23/2022	Recurring Cert	Active	Boiler Room
MD154531H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	V1109H	Burnham	2015	01/23/2022	Recurring Cert	Active	Bsmt Blr Rm

Total Objects at this location 2

Location: LGIT - Hagerstown City/Fairgrounds Park **Location ID:** 3639706
Address: 351 N. Cleveland Avenue Hagerstown, MD 21740 **Phone:** (301) 573-5044 x
County: Washington **NOB/SIC:**
Primary Contact: Cathy Beach, Office Manager - Phone: 301-739-8577 x169 - Email: CBeach@hagerstownmd.org
Billing Contact: Cathy Beach - 351 N Cleveland Ave Hagerstown, MD 21740-4155 - Phone: 301-739-8577 x169 - Email: CBeach@hagerstownmd.org
Cert Contact: Cathy Beach, Office Manager - 351 N Cleveland Ave Hagerstown, MD 21740-4155 - Phone: 301-739-8577 x169 - Email: CBeach@hagerstownmd.org
Owner Contact: Cathy Beach, Office Manager - 351 N Cleveland Ave Hagerstown, MD 21740-4155 - Phone: 301-739-8577 x169 - Email: CBeach@hagerstownmd.org
Other Contact(s): Cathy Beach, Office Manager - 351 N Cleveland Ave Hagerstown, MD 21740-4155 - Phone: 301-739-8577 x169 - Email: CBeach@hagerstownmd.org

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155405V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001489732		Campbell Hausfield	2008	07/31/2021	Recurring Cert	Active	Garage Under Stairs

Total Objects at this location 1

Location: LGIT - Hagerstown City/Hagerstown Pioneer Hook & L **Location ID:** 721471
Address: 21 W Franklin St Hagerstown, MD 21740-4835 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Kevin Dehaven, Safety Manager - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org
Billing Contact: Kevin Dehaven - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org
Cert Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org
Owner Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org
Other Contact(s): Caroline Tuigg - 51 West Memorial Blvd Hagerstown, MD 21740 - Phone: 301-790-3200
KEVIN DEHAVEN - 21 WEST FRANKLIN ST HAGERSTOWN, MD 21740 - Phone: 301-766-4092
Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132548H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	650744564	Burnham	2008	09/13/2020	Recurring Cert	Active	BSMT
Total Objects at this location					1						

Location: LGIT - Hagerstown City/Maintenance Bldg

Address: 51 Memorial Blvd W Hagerstown, MD 21740-6211

County: Washington

Primary Contact: Erik Kline, Supervisor - Phone: 301 739 8577 x177 - Cell: 240 675 3748 - Email: ekline@hagerstownmd.org

Billing Contact: Erik Kline - 51 Memorial Blvd W Hagerstown, MD 21740-6211 - Phone: 301 739 8577 x177 - Cell: 240 675 3748 - Email: ekline@hagerstownmd.org

Cert Contact: Erik Kline, Supervisor - 51 Memorial Blvd W Hagerstown, MD 21740-6211 - Phone: 301 739 8577 x177 - Cell: 240 675 3748 - Email: ekline@hagerstownmd.org

Owner Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Other Contact(s): Erik Kline, Supervisor - 51 Memorial Blvd W Hagerstown, MD 21740-6211 - Phone: 301 739 8577 x177 - Cell: 240 675 3748 - Email: ekline@hagerstownmd.org

Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Location ID: 707216

Phone:

NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100024H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron	64040047	Burnham	1998	09/13/2020	Recurring Cert	Active	Boiler Rm
Total Objects at this location					1						

Location: LGIT - Hagerstown City/Parks Dept/Mansion House

Address: 501 Highland Way Hagerstown, MD 21740-6235

County: Washington

Primary Contact: Mark Haddock, Parks & Rec's Manager - Phone: 240-675-3746 - Email: mhaddock@hagerstownmd.org

Billing Contact: Kevin Dehaven - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Cert Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Owner Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Other Contact(s): Caroline Tuigg - 51 West Memorial Blvd Hagerstown, MD 21740 - Phone: 301-790-3200

Location ID: 717298

Phone:

NOB/SIC:

Hagerstown City/Parks Dept/Mansion House - 351 N Cleveland Avenue Hagerstown, MD 21740-6248 - Phone: 240-675-3746
 Junior Mason - 501 Virginia Ave Hagerstown, MD 21740-6248 - Phone: 301-790-3200 - Email: jmason@hagerstownmd.org
 Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org
 Mark Haddock, Parks & Rec's Manager - 501 Highland Way Hagerstown, MD 21740-6235 - Phone: 240-675-3746 - Email: mhaddock@hagerstownmd.org

**My Company
Comments:**

**My Shared
Comments:**

Location name and contact updated per HSB electronic file information to attempt second delivery of certificate / dc 6/22/05

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155300H	V903	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	65478239	Burnham	2015	12/02/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: LGIT - Hagerstown City/Parks Dept/Steel Building

Location ID: 720802

Address: 501 Virginia Ave Hagerstown, MD 21740-6248

Phone:

County: Washington

NOB/SIC:

Primary Contact: Kevin Dehaven, Safety Manager - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Billing Contact: Kevin Dehaven - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Cert Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Owner Contact: Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

Other Contact(s): Kevin Dehaven, Safety Manager - 1 E Franklin St Hagerstown, MD 21740-4859 - Phone: 301-790-3200 - Cell: 240-675-3747 - Email: k.dehaven@hagerstownmd.org

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115007V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015075		Manchester	2000	09/13/2020	Recurring Cert	Active	Steel Bldg/Shop Area
Total Objects at this location					1						

Location: LGIT - Keedysville Town Hall
Address: 19 S Main St Keedysville, MD 21756-1354
County: Washington

Location ID: 3595966
Phone:
NOB/SIC:

Primary Contact: Rick Bishop, Administrator - Phone: 301-432-5795 - Email: townhall@keedysvillemd.com
Billing Contact: Rick Bishop - 19 S Main St Keedysville, MD 21756-1354 - Phone: 301-432-5795 - Email: townhall@keedysvillemd.com
Cert Contact: Rick Bishop, Administrator - 19 S Main St Keedysville, MD 21756-1354 - Phone: 301-432-5795 - Email: townhall@keedysvillemd.com
Owner Contact: Rick Bishop, Administrator - 19 S Main St Keedysville, MD 21756-1354 - Phone: 301-432-5795 - Email: townhall@keedysvillemd.com
Other Contact(s): Rick Bishop, Administrator - 19 S Main St Keedysville, MD 21756-1354 - Phone: 301-432-5795 - Email: townhall@keedysvillemd.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151333H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64744758	Burnham	2004	12/30/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: LGIT - Washington Co/Agriculture and Education Ctr
Address: 7303 Sharpsburg Pike Boonsboro, MD 21713-2431
County: Washington

Location ID: 729890
Phone:
NOB/SIC:

Primary Contact: Tracy McCammon - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Cert Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Owner Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Other Contact(s): Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Warren Jamison, Maintenance Superintendent - 100 W Washington St Ste 202 Hagerstown, MD 21740-4735 - Phone: 240-313-2352 - Cell: 301-331-6719

My Company
Comments:
My Shared
Comments:

Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

standardized 12/13/06/ds
Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114777H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	478-2	Weil-McLain	2001	02/24/2021	External Cert	Active	Mechanical Room
MD114778H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	478-1	Weil-McLain	2001	02/24/2021	External Cert	Active	Mechanical Room

Total Objects at this location 2

Location: LGIT - Washington Co/Central Library **Location ID:** 728411
Address: 100 S Potomac St Hagerstown, MD 21740-5504 **Phone:** C05402165-1479
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Charlotte Seibert - 100 S Potomac St Hagerstown, MD 21740-5504 - Phone: 301-739-3250 X
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Washington Co/Library/Potomac St - 100 S Potomac St Hagerstown, MD 21740-5504

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145525H	B-1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110866		Fulton	2010	04/01/2021	External Cert	Active	Boiler Room
MD145526H	B-2	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110578		Fulton	2010	04/01/2021	External Cert	Active	Boiler Room
MD145527V	C-1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000054472		McQuay	2012	04/01/2021	External Cert	Active	Chiller Room
MD145528V	C-1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000054469		McQuay	2012	04/01/2021	External Cert	Active	Chiller Room

Total Objects at this location 4

Location: LGIT - Washington Co/Courthouse **Location ID:** 708128
Address: 95 W Washington St Hagerstown, MD 21740-4831 **Phone:** 240-313-2352
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Gene Wolfe, Lead Mechanic - 33 W Washington St Hagerstown, MD 21740-4834 - Phone: 240-313-2290 - Cell: 301-331-5072
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129604V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000534410		Manchester	2005	12/07/2021	External Cert	Active	Basement Mechanical Rm
MD149888H	#1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000035965	081468544	R B I	2014	12/07/2021	Recurring Cert	Active	Basement Boiler Room
MD149893H	#2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000035966	081468545	R B I	2014	12/07/2021	Recurring Cert	Active	Basement Boiler Room
Total Objects at this location					3						

Location: LGIT - Washington Co/Detention Center **Location ID:** 728410
Address: 500 Western Maryland Pkwy Hagerstown, MD 21740-5125 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Terry Hill, Senior Systems Mechanic - Phone: 240-313-2142 - Cell: 301-331-6711 - Email: thill@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Terry Hill, Senior Systems Mechanic - 500 Western Maryland Pkwy Hagerstown, MD 21740-5125 - Phone: 240-313-2142 - Cell: 301-331-6711 - Email: thill@washco-md.net
Other Contact(s): Terry Hill, Senior Systems Mechanic - 500 Western Maryland Pkwy Hagerstown, MD 21740-5125 - Phone: 240-313-2142 - Cell: 301-331-6711 - Email: thill@washco-md.net

My Company

Comments:

My Shared

Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD076757H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1983	01/11/2022	External Cert	Active	Detention Mechanical
MD076758H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1983	01/11/2022	External Cert	Active	Detention Mechanical
MD083809V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000416869		Buckeye	1983	01/11/2022	External Cert	Active	Auto Shop
MD130011H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000146078		Lochinvar	2002	01/11/2022	External Cert	Active	WR MECH
MD130012H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000146079		Lochinvar	2002	01/11/2022	Recurring Cert	Active	WR MECH
MD140036H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000223100		Lochinvar	2009	01/11/2022	External Cert	Active	Detention Mechanical
MD142354H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000220455		Lochinvar	2009	01/11/2022	External Cert	Active	Detention Mechanical
MD157833V		Unfired Kettle	V - Process-Cooking	000065850		Crown	2015	01/11/2022	Recurring Cert	Active	Kitchen
MD165339H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB	65653554	Burnham	2019	11/25/2021	Recurring Cert	Active	WR LWR MECH

Total Objects at this location 9

Location: LGIT - Washington Co/Dwyer Center
Address: 112 W Baltimore St Hagerstown, MD 21740-6104
County: Washington

Location ID: 709392
Phone: C5402165-650
NOB/SIC:

Primary Contact: Tracy McCammon - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Cert Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Owner Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Other Contact(s): Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Warren Jamison, Maintenance Superintendent - 100 W Washington St Ste 202 Hagerstown, MD 21740-4735 - Phone: 240-313-2352 - Cell: 301-331-6719

My Company

Comments:

My Shared

Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06
Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007720H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	682	Weil-McLain	1976	02/24/2021	External Cert	Active	Boiler Room
Total Objects at this location					1						

Location: LGIT - Washington Co/Govt/Admin Bldg I
Address: 100 W Washington St Hagerstown, MD 21740-4727
County: Washington

Location ID: 728407
Phone:
NOB/SIC:

Primary Contact: Warren Jamison, Maintenance Superintendent - Phone: 240-313-2352 - Cell: 301-331-6719
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Risk Manager - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 314-214-2700
Other Contact(s): Danny Hixon, Field Operations Supervisor - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 301-331-5070 - Email: dhixon@washco.md.net
Gene Wolfe, Lead Mechanic - 33 W Washington St Hagerstown, MD 21740-4834 - Phone: 240-313-2290 - Cell: 301-331-5072
Risk Manager - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 314-214-2700
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Warren Jamison, Maintenance Superintendent - 100 W Washington St Ste 202 Hagerstown, MD 21740-4735 - Phone: 240-313-2352 - Cell: 301-331-6719

My Company

Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106938V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000119046		Manchester	1999	12/07/2020	Recurring Cert	Active	Boiler Room
MD116203H	1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	64412037	Burnham	2002	12/07/2020	Recurring Cert	Active	Boiler Room
MD149870H	#2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2014	12/07/2020	Recurring Cert	Active	Boiler Room
Total Objects at this location					3						

Location: LGIT - Washington Co/Govt/Admin Bldg II
Address: 120-128 W Washington St Hagerstown, MD 21740-4769
County: Washington
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Jim Sterling, Director of Parks & Facilities - 100 W Washington St Suite 251 Hagerstown, MD 21740-4753 - Phone: 301-331-5071
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
 Washington County/Administration II - 120-128 W Washington St - P O Box 1179 Hagerstown, MD 21740

Location ID: 714065
Phone: C05402165-1058
NOB/SIC:

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD045765H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7584937	Burnham	1984	02/24/2021	External Cert	Active	Boiler Room
Total Objects at this location					1						

Location: LGIT - Washington Co/Govt/Office Bldg **Location ID:** 708098
Address: 33 W Washington St Hagerstown, MD 21740-4834 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Gene Wolfe, Lead Mechanic - 33 W Washington St Hagerstown, MD 21740-4834 - Phone: 240-313-2290 - Cell: 301-331-5072
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034177V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000206726		Manchester	1975	01/11/2021	External Cert	Active	Boiler Room
MD111458H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	788	Weil-McLain	2001	01/11/2021	External Cert	Active	Boiler Room
Total Objects at this location					2						

Location: LGIT - Washington Co/Highways Dept. **Location ID:** 722993
Address: 601 Northern Ave Hagerstown, MD 21742-2721 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Jack Reynard, Maintenance Supervisor - 601 Northern Ave Hagerstown, MD 21742-2721 - Phone: 240-313-2722
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059736H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	211-9525-1184	Peerless	1984	01/11/2022	External Cert	Active	Bldg 1 - Shop
MD073927V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0932170		Buckeye	1989	01/11/2022	External Cert	Active	Bldg 1 - Compressor Area
MD088510H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	1994	01/11/2022	External Cert	Active	Bldg 2 - Welding Shop
MD100360V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060175		Manchester	1997	01/11/2022	External Cert	Active	Bldg 2 - Welding Shop

Total Objects at this location 4

Location: **LGIT - Washington Co/Library/Boonsboro** **Location ID:** 2452543
Address: 401 Potomac St Boonsboro, MD 21713-1201 **Phone:** C05402165-984
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Cert Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Owner Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Other Contact(s): Bob Graff/Jim Sterling Responsible for boiler & pv, Dir Parks and Grounds - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 240-313-2702/2704 - Email: jsterling@washco-md.net
 Charlotte Seibert - 100 S Potomac St Hagerstown, MD 21740-5504 - Phone: 301-739-3250 X
 Kathy Beard, Custodian - 401 Potomac St Boonsboro, MD 21713-1201
 Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD145045H Cast Iron H - Hot Water CI 680 Weil-McLain 2007 02/25/2021 External Cert Active Mechanical Room
 Heat (Water <= 160 psig, 250 F)

Total Objects at this location 1

Location: **LGIT - Washington Co/Library/Clear Spring** **Location ID:** 716481
Address: 12624 Broadfording Rd Clear Spring, MD 21722-1361 **Phone:** C05402165-982
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Joe Kelso, Maintenance - 12624 Broadfording Rd Clear Spring, MD 21722-1361 - Phone: 301-992-3593
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments: Location closed on Mondays. GSL 4/13
 Previously Leonard P Snyder Memorial Branch

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108995H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64257024	Burnham	2000	04/20/2021	External Cert	Active	Boiler Room

Total Objects at this location 1

Location: **LGIT - Washington Co/Library/Smithsburg** **Location ID:** 2452542
Address: 66 W Water St Smithsburg, MD 21783-1643 **Phone:** C05402165-983
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Cert Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Owner Contact: Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
Other Contact(s): Bob Graff/Jim Sterling Responsible for boiler & pv, Dir Parks and Grounds - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 240-313-2702/2704 - Email: jsterling@washco-md.net
 Charlotte Seibert - 100 S Potomac St Hagerstown, MD 21740-5504 - Phone: 301-739-3250 X
 Tracy McCammon - 100 W Washington St Ste 251 Hagerstown, MD 21740-4753 - Phone: 240-313-2352 - Email: tmccammon@washco-md.net
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137902H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	W60-9	Weil-McLain	2006	02/24/2021	External Cert	Active	Mechanical Room

Total Objects at this location 1

Location: LGIT - Washington Co/Martin Luther King Jr Ctr
Address: 131 W North Ave Hagerstown, MD 21740-3737
County: Washington
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Gene Wolfe, Lead Mechanic - 33 W Washington St Hagerstown, MD 21740-4834 - Phone: 240-313-2290 - Cell: 301-331-5072
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

Location ID: 717535
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments: Not a MABE location
Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013466H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	2500	HB Smith	1974	01/11/2021	External Cert	Active	Boiler Room
MD060948V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000350459		Manchester	1981	01/11/2021	External Cert	Active	Boiler Room
MD069541H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000039097		A O Smith	1983	01/11/2021	External Cert	Active	Boiler Room

Total Objects at this location 3

Location: LGIT - Washington Co/Regional Airport
Address: 18434 Showalter Rd Hagerstown, MD 21742-1381
County: Washington

Location ID: 728421
Phone:
NOB/SIC:

Primary Contact: Eric Powell, Maintenance - Cell: 301-573-1463
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Eric Powell, Maintenance - 18434 Showalter Rd Hagerstown, MD 21742-1381 - Cell: 301-573-1463
Other Contact(s): Eric Powell, Maintenance - 18434 Showalter Rd Hagerstown, MD 21742-1381 - Cell: 301-573-1463
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096396V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000243575		John Wood	1964	01/19/2022	External Cert	Active	Plane Care - Outside Shed
MD103991V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000052068		Brunner	1999	01/19/2022	External Cert	Active	Snow Removal Bldg
MD141847V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000581939		Steel Fab	2009	01/19/2022	External Cert	Active	AFFF Building #35

Total Objects at this location 3

Location: LGIT - Washington Co/Roads Dept
Address: 6223 Coffman Farm Rd Keedysville, MD 21756-1309
County: Washington

Location ID: 728425
Phone:
NOB/SIC:

Primary Contact: Homer Spradlin, Supervisor - Phone: 301-432-4039
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Homer Spradlin, Supervisor - 6223 Coffman Farm Rd Keedysville, MD 21756-1309 - Phone: 301-432-4039
Other Contact(s): Homer Spradlin, Supervisor - 6223 Coffman Farm Rd Keedysville, MD 21756-1309 - Phone: 301-432-4039

My Company Comments:

My Shared Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083697H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7596561	Burnham	1990	01/19/2022	External Cert	Active	Boiler Room
MD105892V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000227154		Steel Fab	1999	01/19/2022	External Cert	Active	Shop
Total Objects at this location					2						

Location: LGIT - Washington Co/Roads Dept/Eastern Section
Address: 13230 Greensburg Rd Smithsburg, MD 21783-1420
County: Washington
Primary Contact: Ricky Derr, Supervisor - Cell: 240-675-6009
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Ricky Derr, Supervisor - 13230 Greensburg Rd Smithsburg, MD 21783-1420 - Cell: 240-675-6009
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

Location ID: 709561
Phone:
NOB/SIC:

My Company Comments: Reynolds 8/16/2019 Washington Co. #709561 no access

My Shared Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164995V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002059969		Manchester	2019	08/01/2021	Recurring Cert	Active	Compressor Room
Total Objects at this location					1						

Location: LGIT - Washington Co/Transportation Garage **Location ID:** 728428
Address: 1000 W Washington St Hagerstown, MD 21740-5212 **Phone:** 240-313-2352
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Shawn Harbaugh, Fleet Maintenance Manager - 1000 W Washington St Hagerstown, MD 21740-5212 - Phone: 240-313-2750 - Cell: 240-675-7123 - Email: sharbaugh@washco-md.net
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company Comments:

My Shared Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091911V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000088136		Manchester	1996	01/11/2021	External Cert	Active	Shop
MD095802H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	7599822	Burnham	1996	01/11/2021	External Cert	Active	Boiler Room
Total Objects at this location					2						

Location: LGIT - Washington Co/Waste Water Treatment **Location ID:** 729303
Address: 25040 Pen Mar Rd Cascade, MD 21719-1732 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Tracy McCammon, Risk Management Administrator - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Keith Small - 25040 Pen Mar Rd Cascade, MD 21719-1732
Mike Rohrer, Chief Operator - 25040 Pen Mar Rd Cascade, MD 21719-1732
Tom Barnhart, Facilities - 25040 Pen Mar Rd Cascade, MD 21719-1732 - Phone: 301-992-8083 - Email: tbarnhart@washco-md.net
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130749H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	8-W-4-052471	HB Smith	2005	03/14/2022	External Cert	Active	Boiler Room
MD160519V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000790786		Steel Fab	2015	03/14/2022	Recurring Cert	Active	Blower Mechincal

Total Objects at this location 2

Location: LGIT - Washington Co/Waste Water Treatment **Location ID:** 702929
Address: 4435 Harpers Ferry Rd Sharpsburg, MD 21782-1826 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Dwayne Bussard, Supervisor - Cell: 240-313-2678
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Other Contact(s): Dwayne Bussard, Supervisor - 4435 Harpers Ferry Rd Sharpsburg, MD 21782-1826 - Cell: 240-313-2678
Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089930H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	D89-1888D	H B Smith	1989	09/29/2021	External Cert	Active	Boiler Room

Total Objects at this location 1

Location: LGIT - Washington Co/Waste Water Treatment/Smithsb **Location ID:** 725136
Address: 22523 Leitesburg - Smithsburg Road Smithsburg, MD 21783-1339 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Bradley Dick, Supervisor - Phone: 240-313-2676

Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Bradley Dick, Supervisor - 22523 Leitersburg Smithsburg Rd Smithsburg, MD 21783-1339 - Phone: 240-313-2676
Other Contact(s): Bradley Dick, Supervisor - 22523 Leitersburg Smithsburg Rd Smithsburg, MD 21783-1339 - Phone: 240-313-2676
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments: Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089931V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000080884		Steel Fab	1994	01/19/2022	External Cert	Active	Lab Mechanical Rm
MD157855V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000752010		Silvan	2013	01/19/2022	Recurring Cert	Active	Bio Mag Bldg

Total Objects at this location 2

Location: **LGIT - Washington Co/WasteWaterTreatmentPlt WWTP** **Location ID:** 707822
Address: 16232 Elliott Pkwy Williamsport, MD 21795-4083 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Tom Barnhart, Facilities - Phone: 301-992-8083 - Email: tbarnhart@washco-md.net
Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net
Owner Contact: Tom Barnhart, Facilities - 25040 Pen Mar Rd Cascade, MD 21719-1732 - Phone: 301-992-8083 - Email: tbarnhart@washco-md.net
Other Contact(s): Denny Engle, Maintenance Superintendent - 16232 Elliott Pkwy Williamsport, MD 21795-4083 - Phone: 240-313-2613
 Tom Barnhart, Facilities - 25040 Pen Mar Rd Cascade, MD 21719-1732 - Phone: 301-992-8083 - Email: tbarnhart@washco-md.net
 Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

My Company

Comments:

My Shared

Comments: Called Ms. Maginnis this morning to alert her to Kevin's scheduled arrival & investigate multiple locations in JO. She said all objects are regularly inspected by Chubb, most recently Gordon Lane was there this past week. The object listed as "Contractor/Washington County" (loc # 2864429) is managed by Sprint Services in a part of the facility Washington County no longer uses. Ms. Maginnis states that this object was inspected by Chubb but it was Mr. Lane of Chubb who made it MD Uninsured on 10/29/13 when it was due to be inspected by 11/21/13. Ms. Maginnis did say she'd recently received a Citation Warning about

this object & had contacted Chubb about it. No word on a response. I am about to write Chubb directly to see if I can determine the status of this object. I have already contacted Kevin (scheduled there today) to alert him that the object has apparently already been inspected.

Got information from Ms. McGinnis of Washington County Waste WTP that this object is managed by Sprint Services. I called their 800 number (the local number was a fast busy) & left a message. I just got a call from Mr. Darryl Bumbaugh who admitted he had forgotten to call & schedule with "his contractor." I advised him of the AIA requirement & emailed him the AIA list. He will try to schedule an inspection this week & call/email to let me know when one is scheduled.

Heard from Mr. Bumbaugh a few minutes ago. He says HSB is scheduled to inspect the object on 2/3/14

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078544V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00082168	F	Brunner	1990	01/19/2022	External Cert	Active	Solids Area
MD078545V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000981192		Buckeye	1990	01/19/2022	External Cert	Active	Automotive Shop Outside
MD113777V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000851172		Manchester	1999	01/19/2022	External Cert	Active	Welding Shop
MD132235V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060467		Manchester	2004	01/19/2022	External Cert	Active	Maintenance Shop
MD137952H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000279604		Ruud	2009	01/19/2022	External Cert	Active	Outside 911 Call Center
Total Objects at this location					5						

Location: LGIT - Washington Co/Williamsport Memorial Library

Address: 104 E Potomac St Williamsport, MD 21795-1108

County: Washington

Primary Contact: Steve Danfort, Public works - Cell: 301-573-3495

Billing Contact: Donnie Stotelmyer - 2 N Conococheague St Williamsport, MD 21795-1048 - Phone: 301-223-7711 x212 - Cell: 301-491-6700 - Email: dlstotelmyer@williamsportmd.org

Cert Contact: Donnie Stotelmyer, Town Clerk - 2 N Conococheague St Williamsport, MD 21795-1048 - Phone: 301-223-7711 x212 - Cell: 301-491-6700 - Email: dlstotelmyer@williamsportmd.org

Owner Contact: Donnie Stotelmyer, Town Clerk - 2 N Conococheague St Williamsport, MD 21795-1048 - Phone: 301-223-7711 x212 - Cell: 301-491-6700 - Email: dlstotelmyer@williamsportmd.org

Other Contact(s): Bob Graff/Jim Sterling Responsible for boiler & pv, Dir Parks and Grounds - 100 W Washington St Hagerstown, MD 21740-4727 - Phone: 240-313-2702/2704 - Email: jsterling@washco-md.net

Bobby Talhelm, Public Works - 2 N Conococheague St Williamsport, MD 21795-1048 - Cell: 301-331-0114

Charlotte Seibert - 100 S Potomac St Hagerstown, MD 21740-5504 - Phone: 301-739-3250 X

Donnie Stotelmyer, Town Clerk - 2 N Conococheague St Williamsport, MD 21795-1048 - Phone: 301-223-7711 x212 - Cell: 301-491-6700 - Email: dlstotelmyer@williamsportmd.org

Les Guessford, Public Works - 104 E Potomac St Williamsport, MD 21795-1108 - Cell: 301-331-2024

Steve Danfort, Public works - 2 N Conococheague St Williamsport, MD 21795-1048 - Cell: 301-573-3495

Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

**My Company
Comments:**

**My Shared
Comments:**

Updated contact, reprinted BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132549H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65026338	Burnham	2007	02/24/2021	External Cert	Active	Boiler Room
Total Objects at this location					1						

Location: LGIT - Washington County/Western Shop
Address: 9659 National Pike Big Pool, MD 21711-1117
County: Washington

Location ID: 714506
Phone:
NOB/SIC:

Primary Contact: Ricky Martz, Supervisor - Phone: 301-842-2368

Billing Contact: Tracy McCammon - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

Cert Contact: Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

Owner Contact: Ricky Martz, Supervisor - 9659 National Pike Big Pool, MD 21711-1117 - Phone: 301-842-2368

Other Contact(s): Ricky Martz, Supervisor - 9659 National Pike Big Pool, MD 21711-1117 - Phone: 301-842-2368

Tracy McCammon, Risk Management Administrator - 100 W Washington St Ste 2300 Hagerstown, MD 21740-4792 - Phone: 240-313-2352 - Email: tmccammon@washco-MD.net

**My Company
Comments:**

**My Shared
Comments:**

Becky Maginnis is the new contact as of 3/13/06 and requested all certificates and invoices be mailed in her to The Washington County Commissioners office /dc 3/13/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105871V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000227168		Steel Fab	1999	07/12/2022	External Cert	Active	Shop
Total Objects at this location					1						

Location: Loves Travel Stop - 682
Address: 14188 Perini Dr Hagerstown, MD 21742-3327
County: Washington
Primary Contact: Loves Travel Stop - 682
Billing Contact: Dane - 14188 Perini Dr Hagerstown, MD 21742-3327 - Phone: 301-991-8046
Cert Contact: Dane - 14188 Perini Dr Hagerstown, MD 21742-3327 - Phone: 301-991-8046
Owner Contact: Dane - 14188 Perini Dr Hagerstown, MD 21742-3327 - Phone: 301-991-8046
Other Contact(s): Dane - 14188 Perini Dr Hagerstown, MD 21742-3327 - Phone: 301-991-8046

Location ID: 3933498
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164087V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000610211		Morganton	2016	04/03/2021	Recurring Cert	Active	Store Equip Rm
MD164088V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000609886		Morganton	2016	04/03/2021	Recurring Cert	Active	Tire Shop

Total Objects at this location 2

Location: Loves Travel Stops & Country Stores
Address: 14188 Perini Dr Hagerstown, MD 21742-3327
County: Washington
Primary Contact: Love's Travel Stop & Country Stores, Inc. - Phone: 405-847-5422 - Email: storelicensing@loves.com
Billing Contact: Love's Travel Stop & Country Stores, Inc. - PO Box 26210 Oklahoma City, OK 73126-0210 - Phone: 405-847-5422 - Email: storelicensing@loves.com
Cert Contact: Love's Travel Stop & Country Stores, Inc. - PO Box 26210 Oklahoma City, OK 73126-0210 - Phone: 405-847-5422 - Email: storelicensing@loves.com
Owner Contact: Love's Travel Stop & Country Stores, Inc. - PO Box 26210 Oklahoma City, OK 73126-0210 - Phone: 405-847-5422 - Email: storelicensing@loves.com
Other Contact(s): Ian Harper - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 3199 - Email: regulatoryportal@nuco2.com
 Love's Travel Stop & Country Stores, Inc. - PO Box 26210 Oklahoma City, OK 73126-0210 - Phone: 405-847-5422 - Email: storelicensing@loves.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3757531
Phone: 301 393 3740
NOB/SIC:

My Company

Comments: Contact update.
This is a NUCO2 location.

My Shared

Comments: cust equip owned location
Not owned by NuCO2

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157803V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000293761	31629083	CHART	2016	02/06/2021	Recurring Cert	Active	Inside Store Room

Total Objects at this location 1

Location: M A A C O
Address: 1101 Conrad Ct Hagerstown, MD 21740-5935
County: Washington
Primary Contact: Kyle Kandrick - Phone: 240 420 0090
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Kyle Kandrick - 1101 Conrad Ct Hagerstown, MD 21740-5935 - Phone: 240 420 0090

Location ID: 717079
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105882V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000128475		Manchester	2000	12/07/2020	Recurring Cert	Active	COMP RM
MD105883V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000128476		Manchester	2000	12/07/2020	Recurring Cert	Active	COMP AREA

Total Objects at this location 2

Location: Mace Auto Body Shop Inc
Address: 12908 Bikle Rd Smithsburg, MD 21783-1424
County: Washington
Primary Contact: Aaron Mace - Phone: 301 739 0222
Billing Contact:

Location ID: 717129
Phone:
NOB/SIC:

Billing Contact:

Cert Contact:

Owner Contact:

Other Contact(s): Aaron Mace - 12908 Bikle Rd Smithsburg, MD 21783-1424 - Phone: 301 739 0222

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093437V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000059024		CP Industries	1996	10/26/2020	Recurring Cert	Active	Outside Shed
MD161598V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000703509		Morganton	2018	11/05/2020	Recurring Cert	Active	Outside Shed

Total Objects at this location 2

Location: Martin's Garage
Address: 18149 Maugans Ave Hagerstown, MD 21740-1664

Location ID: 717560
Phone: 301-733-4218
NOB/SIC:

County: Washington
Primary Contact: Martin's Garage

Billing Contact: Martin's Garage - PO Box 281 Maugansville, MD 21767-0281

Cert Contact: Martin's Garage - PO Box 281 Maugansville, MD 21767-0281

Owner Contact: Martin's Garage - PO Box 281 Maugansville, MD 21767-0281

Other Contact(s): Martin's Garage - PO Box 281 Maugansville, MD 21767-0281
Martins Garage - 18149 Maugans Ave Maugansville, MD 21767 - Phone: 301-733-4218
Michael L. Martin - PO Box 254 Maugansville, MD 21767-0254 - Phone: 301-733-4218 - Cell: Hm# 301-797-5839

My Company Contact address update.
Comments:

My Shared
Comments: Hartford inspected 2/26/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD079213V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000323616		PST	1950	02/24/2021	Recurring Cert	Active	STORE RM

MD091910V	Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000063265	Steel Fab	1993	02/24/2021	Recurring Cert	Active	STORE RM
-----------	--	------------------------------	-----------	-----------	------	------------	----------------	--------	----------

Total Objects at this location 2

Location: Martins Elevator **Location ID:** 717549
Address: 13219 Maugansville Rd Hagerstown, MD 21740-2404 **Phone:** 301-733-2553
County: Washington **NOB/SIC:**
Primary Contact: Myron Martin, Manager - Phone: 301-733-2553 - Email: myron@martinselevator.com
Billing Contact: Myron Martin - 13219 Maugansville Rd Hagerstown, MD 21740-2404 - Phone: 301-733-2553 - Email: myron@martinselevator.com
Cert Contact: Myron Martin, Manager - 13219 Maugansville Rd Hagerstown, MD 21740-2404 - Phone: 301-733-2553 - Email: myron@martinselevator.com
Owner Contact: Myron Martin, Manager - 13219 Maugansville Rd Hagerstown, MD 21740-2404 - Phone: 301-733-2553 - Email: myron@martinselevator.com
Other Contact(s): Martins Elevator - 13219 Maugansville Rd - Rt 6 Box 348 Hagerstown, MD 21740-2404 - Phone: 3017332553
Myron L Martin, Secretary - 13219 Maugansville Rd Hagerstown, MD 21740 - Phone: 301-733-2553
Myron Martin, Manager - 13219 Maugansville Rd Hagerstown, MD 21740-2404 - Phone: 301-733-2553 - Email: myron@martinselevator.com

My Company Comments: Green Card Rec'd 10-3-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001691		Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000005658	9320	BE&S Co	1963	06/21/2021	Recurring Cert	Active	Boiler Room
MD004499		Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000005025	96-2606-2	Continental	1981	06/21/2021	Recurring Cert	Active	Boiler Room
MD010324		Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000011014	7100-3236	Continental	1972	06/21/2021	Recurring Cert	Active	Boiler Room
MD071057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000265		N Y C I W	1949	06/21/2022	Recurring Cert	Active	Boiler Room
MD098519V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000151151		Brunner	1979	06/21/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 5

Location: Masonic Temple
Address: 54 S Potomac St Hagerstown, MD 21740-5513
County: Washington

Location ID: 717948
Phone:
NOB/SIC:

Primary Contact: Bowman 2000 LLC
Billing Contact: Bowman 2000 LLC - 10228 Governor Lane Blvd Williamsport, MD 21795-4033
Cert Contact: Bowman 2000 LLC - 10228 Governor Lane Blvd Williamsport, MD 21795-4033
Owner Contact: Bowman 2000 LLC - 10228 Governor Lane Blvd Williamsport, MD 21795-4033
Other Contact(s): Bob Rauth, Trustee - 54 S Potomac St Hagerstown, MD 21740-5513 - Phone: 301 797 1535 - Cell: 240-818-4348
Bowman 2000 LLC - 10228 Governor Lane Blvd Williamsport, MD 21795-4033
Noel Brady, Trustee - 54 S Potomac St Hagerstown, MD 21740-5513 - Cell: 301-739-1444
R Noel Brady, President/Temple Association - 54 S Potomac St Hagerstown, MD 21740 - Phone: 301-739-1535

My Company Comments: Blair Rishell <brishell@dmbowman.com>
Tue, Nov 26, 3:47 PM (18 hours ago)
to boilers@dllr.state.md.us

I have scheduled the inspection with America Boiler inspections.
Boiler Inspection
Boilers@dllr
x

Blair Rishell <brishell@dmbowman.com>
Tue, Nov 26, 3:33 PM (19 hours ago)
to boilers@dllr.state.md.us

We received notice that 54 S Potomac St, Hagerstown, MD, is past due for inspection for boiler. We are scheduling the inspection and hope to have fixed soon.

Blair Rishell
Bowman Development
Contact updated. Location sold to Bowman 2000 LLC
MacDonald = 11/5/19 - Masonic Temple - 54 S. Potomac Street (Location 717948) - 2 CED followed up

We were again unable to gain access to this location. There was no number listed in JO, and the building seems to be currently unoccupied.
Reynolds 8/16/2019 Masonic #717948
no access

My Shared Comments: return mail building have for lease sign

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090820H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7729617	Burnham	1995	12/09/2021	Recurring Cert	Active	Basement

MD145030H	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	4873338	Burnham	2010	12/09/2021	Recurring Cert	Active	Basement
-----------	-----------	---	----	---------	---------	------	------------	----------------	--------	----------

Total Objects at this location 2

Location: Merkle Response Mgmt Group **Location ID:** 714093
Address: 100 Jamison Ct Hagerstown, MD 21740-5185 **Phone:** 301-790-3100
County: Washington **NOB/SIC:**
Primary Contact: Jim Stouffer, VP of Technology - Phone: 301-790-3100 - Email: jstouffer@merkleinc.com
Billing Contact: Accounts Payable - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301-790-3100 - Email: rmgap@merkleinc.com
Cert Contact: Jim Stouffer, VP of Technology - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301-790-3100 - Email: jstouffer@merkleinc.com
Owner Contact: Jim Stouffer, VP of Technology - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301-790-3100 - Email: jstouffer@merkleinc.com
Other Contact(s): Accounts Payable - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301-790-3100 - Email: rmgap@merkleinc.com
Greg Woodring, Chief Engineer - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: (301) 745-7130 - Cell: 240-527-9642
Jim Stouffer, VP of Technology - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301-790-3100 - Email: jstouffer@merkleinc.com
Larry Sheffield, facility Manager - 100 Jamison Ct Hagerstown, MD 21740-5185 - Phone: 301 790-3100 - Cell: 301-797-6130 - Email: lsheffield@merkleing.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088205H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000000599	L-88125	Cleaver Brooks	1990	05/01/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Michael Rohrer (Antique)/Smithsburg **Location ID:** 1931058
Address: 12025 Steven Ave Smithsburg, MD 21783-1553 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Michael Rohrer, Antique Owner - Phone: 301-824-3593 - Cell: 240 291 1414 - Email: wmrohrer@myactv.net
Billing Contact: Michael Rohrer - 12025 Steven Ave Smithsburg, MD 21783-1553 - Phone: 301-824-3593 - Cell: 240 291 1414 - Email: wmrohrer@myactv.net
Cert Contact: Michael Rohrer, Antique Owner - 12025 Steven Ave Smithsburg, MD 21783-1553 - Phone: 301-824-3593 - Cell: 240 291 1414 - Email: wmrohrer@myactv.net
Owner Contact: Michael Rohrer, Antique Owner - 12025 Steven Ave Smithsburg, MD 21783-1553 - Phone: 301-824-3593 - Cell: 240 291 1414 - Email: wmrohrer@myactv.net
Other Contact(s): Michael Rohrer, Antique Owner - 12025 Steven Ave Smithsburg, MD 21783-1553 - Phone: 301-824-3593 - Cell: 240 291 1414 - Email: wmrohrer@myactv.net

**My Company
Comments:** Citation - Error in the inspection type for the 5/12/18 inspection. Corrections made, close the citation.
Citation response MD124567

September 20, 2018

To whom it may concern,

I received a certified letter today in the mail saying that I have a antique boiler MD ID number MD 12456 that is in violation of my inspection. I also see that I can be fined \$750.00, which I would not like at all!

I would like to request a conference to discuss this matter farther, but in the interim I have had this mater taken care of.

I call the Boiler inspector Kevin Rice ID# 1223 and asked about why I was getting this because my antique boiler was inspected on 4/12/2018 but I needed a hydo test before I was issued may certificate of inspection number B 806461 which I received on 6/7/2018. I also never received any bill or letter of my inspection which I received in about 2 weeks

Mr. Rice then call Chief Boiler inspector Carl Craft and explained what had happen and after a long discussion they resolved this issue. I received a call back from Mr. Rice telling me that all is well with my boiler.

I you have any other questions about this matter please call Mr. Craft or Mr. Rice.

Thank You

Michael Rohrer
12025 Steven Ave
Smithsburg, MD 21783

Green Card Rec'd 9-24-18

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124567		Horizontal Fire Tube	A - Antique w/comment	Antique		Geiser	1912	04/12/2021	Recurring Cert	Active	Portable
Total Objects at this location					1						

Location: Milex Complete Auto Care **Location ID:** 726445
Address: 801 N Main St Boonsboro, MD 21713-1053 **Phone:** 301-432-2701
County: Washington **NOB/SIC:**
Primary Contact: Milex Complete Auto Care
Billing Contact: Turning Wrenches LLC - 11019 Country Club Rd New Market, MD 21774-6708
Cert Contact:
Owner Contact: Turning Wrenches LLC - 11019 Country Club Rd New Market, MD 21774-6708
Other Contact(s): Milex Complete Auto Care - 801 N Main St Boonsboro, MD 21713-1053 - Phone: 301-660-4324
Terry Smith - 801 N Main St Boonsboro, MD 21713-1053 - Phone: 301-432-2701 - Email: tac@mtactv.net
Turning Wrenches LLC - 11019 Country Club Rd New Market, MD 21774-6708

My Company Comments: New Owner: Milex Complete Auto Care. 301-660-4324. Hours 8am-6pm. Spoke with DJ, Mgr. he is going to talk to owner about this. I told him I would like to schedule a State Inspector since this expired in 2016. He is calling me back.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD079997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000226502		Pressed Steel	1942	06/04/2022	Recurring Cert	Active	Shop Storage Room
MD079998V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000390078		Buckeye	1982	06/04/2022	Recurring Cert	Active	Shop Storage Room
Total Objects at this location					2						

Location: Monkey Joes (NuCo2) # 322704 **Location ID:** 3632382
Address: 1113 Maryland Ave Hagerstown, MD 21740-7203 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
 William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162099V	A1015209	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000057722	750-008-U8	Taylor	2002	12/07/2020	Recurring Cert	Active	Inside Store Room
Total Objects at this location					1						

Location: Mt Pleasant Church of God
Address: 24107 Foxville Rd Smithsburg, MD 21783-1919
County: Washington
Primary Contact: Mt Pleasant Church of God
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s):

Location ID: 3987697
Phone: 301-824-6293
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167065H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2019	07/07/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: NB3 Packaging Corp.
Address: 929 Eldridge Dr Hagerstown, MD 21740-6843
County: Washington
Primary Contact: Lambert Miller - Phone: 252-256-0878 - Email: lmiller@nb3packaging.com
Billing Contact: Lambert Miller - 929 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 252-256-0878 - Email: lmiller@nb3packaging.com
Cert Contact: Lambert Miller - 929 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 252-256-0878 - Email: lmiller@nb3packaging.com
Owner Contact: Lambert Miller - 929 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 252-256-0878 - Email: lmiller@nb3packaging.com
Other Contact(s): AeroSys Inc. - 929 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 301.620.0002
 Lambert Miller - 929 Eldridge Dr Hagerstown, MD 21740-6843 - Phone: 252-256-0878 - Email: lmiller@nb3packaging.com

Location ID: 716200
Phone: 301.620.0002
NOB/SIC:

My Company Comments: Citation warning returned- unable to forward location closed.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084967V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000741836		Buckeye	1986	11/07/2021	Recurring Cert	Active	Main Warehouse

w/comment

MD140033V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000296330	Steel Fab	2002	11/07/2021	Recurring Cert	Active	Main Warehouse
-----------	--	--------------------------------	-----------	-----------	------	------------	----------------	--------	----------------

Total Objects at this location 2

Location: Nile on Broadway **Location ID:** 787758
Address: 57 Broadway Hagerstown, MD 21740-4098 **Phone:** 301-696-8852
County: Washington **NOB/SIC:**
Primary Contact: East Coast Real Estate Group
Billing Contact: Nile on Broadway LLC - 10319 Westlake Dr # 172 Bethesda, MD 20817-6403 - Phone: 202-341-2930
Cert Contact: Nile on Broadway c/o East Coast RealEstate Group - 5 Public Sq Ste 403 Hagerstown, MD 21740-5528 - Phone: 240-397-5686 - Email: support@ecreg.com
Owner Contact: East Coast Real Estate Group - 5 Public Sq Ste 403 Hagerstown, MD 21740-5528
Other Contact(s): Alliance Property Management - 7004 Rock Creek Dr Frederick, MD 21702-3676
East Coast Real Estate Group - 5 Public Sq Ste 403 Hagerstown, MD 21740-5528
G. Richard, Joyce E., Pamela D. & Richard L. Grove - 57 Broadway # 59 Hagerstown, MD 21740-4098
Nile on Broadway c/o East Coast RealEstate Group - 5 Public Sq Ste 403 Hagerstown, MD 21740-5528 - Phone: 240-397-5686 - Email: support@ecreg.com
Nile on Broadway LLC - 10319 Westlake Dr # 172 Bethesda, MD 20817-6403 - Phone: 202-341-2930

My Company Comments: 5-17-19 email - 57 Broadway Hagerstown MD Inbox x Megan Sarber meg@ecreg.com via helpscout.net Attachments Fri, May 17, 8:57 AM (5 days ago) to me
Good Morning, We received notification from the owner of this noted above property concerning a boiler issue, I have attached the notice that we have received with this email. We just need to get the clarification, we are sure this has been completed, but we were not aware of the next steps. Please advise.
Alliance #787758
no access Reynolds 7/31/2019
BPV form returned with updated address on label.

Fax received 12/3/18, Alliance Property Management no longer manages this property. It was sold 1/30/17. Duane Browning 301-639-1656
No listing for this address in SDAT.

Re: Forms attached for 57 Broadway, Hagerstown, MD
Inbox
x

Support ECREG via helpscout.net
1:26 PM (1 hour ago)
to me

Good Afternoon Elizabeth,
I wanted to touch base with you to let you know that the company called me today to schedule an appointment for tomorrow to go check the boiler.

Thank you,

East Coast Real Estate Group LLC
 Phone: 240.397.5686
 Website: http://www.ecreg.com
 Sent AIA list and registration form to support@ecreg.com

My Shared

Comments: 9-24-12 spoke with Duane Browning, emailed AIA. states he will call asap to get inspected

American Boiler 10-10-12
 Location name and contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165321H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65631484	Burnham	2017	09/06/2021	Recurring Cert	Active	BASEMENT
Total Objects at this location					1						

Location: Oak Ridge Apartments
Address: 10834 Downsview Pike Hagerstown, MD 21740-7919
County: Washington
Primary Contact: Mike Brooks, Maintenance - Phone: 301-791-5300 - Email: hagorg@aol.com
Billing Contact: Vicki Frick - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: HAGORP@aol.com
Cert Contact: Vicki Frick - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: HAGORP@aol.com
Owner Contact: Vicki Frick - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: HAGORP@aol.com
Other Contact(s): Gregg Snyder, Maintenance - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: HAGORP@aol.com
 Johnnie Davis, Maintenance - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: hagorg@aol.org
 Mike Brooks, Maintenance - 10834 Downsview Pike Hagerstown, MD 21740-7919 - Phone: 301-791-5300 - Email: hagorg@aol.com
 Vicki Frick - 17940 Garden Ln Hagerstown, MD 21740-7908 - Phone: 301-791-5300 - Email: HAGORP@aol.com

Location ID: 2440838
Phone:
NOB/SIC:

My Company Comments: Primary and cert contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130998H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080818		A O Smith	2003	02/26/2021	Recurring Cert	Active	APT 10834
MD130999H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000101089		A O Smith	2005	02/26/2021	Recurring Cert	Active	APT 10834

Total Objects at this location 2

Location: Paradise Mennonite School **Location ID:** 720653
Address: 19308 Air View Rd Hagerstown, MD 21742-1357 **Phone:** 301-733-1368
County: Washington **NOB/SIC:**
Primary Contact: Paradise Mennonite School - Phone: 301-733-1368
Billing Contact: Paradise Mennonite School - 19308 Air View Rd Hagerstown, MD 21742-1357 - Phone: 301-733-1368
Cert Contact: Paradise Mennonite School - 19308 Air View Rd Hagerstown, MD 21742-1357 - Phone: 301-733-1368
Owner Contact: Paradise Mennonite School - 19308 Air View Rd Hagerstown, MD 21742-1357 - Phone: 301-733-1368
Other Contact(s): Paradise Mennonite School - 19308 Air View Rd Hagerstown, MD 21742-1357 - Phone: 301-733-1368

My Company**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142300H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	5086704	Buderus	2011	06/02/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Penske Corporation "502510" **Location ID:** 721092
Address: 18308 Peak Cir Hagerstown, MD 21742-2370 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Mike Kilgore, Customer Service Coordinator*
Billing Contact: Penske Truck Leasing - 18308 Peak Cir Hagerstown, MD 21742-2370 - Phone: 301-766-4000
Cert Contact: Penske Truck Leasing - 18308 Peak Cir Hagerstown, MD 21742-2370 - Phone: 301-766-4000
Owner Contact: Penske Truck Leasing - 18308 Peak Cir Hagerstown, MD 21742-2370 - Phone: 301-766-4000
Other Contact(s): Earl Baker, Branch Service Manager - 18308 Peak Cir Hagerstown, MD 21742-2370 - Phone: 301-791-9091
Mike Kilgore, Customer Service Coordinator* - 18308 Peak Cir Hagerstown, MD 21742-2370
Penske Truck Leasing - 18308 Peak Cir Hagerstown, MD 21742-2370 - Phone: 301-766-4000

My Company Primary and owner update.**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

10/14/2020 10:33:17 AM

000.10830

JURISDICTION ONLINE

Copyright © 2020 CentralSquare

Page 94 of 132

MD167063V Vertical Unfired V - Storage 000065063 BWB 2018 07/06/2022 Recurring Cert Active Mexxanine
 Pressure (NOT Cryogenic)
 Vessel
 w/comment

Total Objects at this location 1

Location: Pepsi Beverage Company **Location ID:** 1134074
Address: 10417 Ferguson Ln Williamsport, MD 21795-3220 **Phone:** 410-582-5100
County: Washington **NOB/SIC:**
Primary Contact: Mark Smith - Phone: 301-582-5150 - Email: mark.smith2@pepsico.com
Billing Contact: Mark Smith - 10417 Fergusson Ln Williamsport, MD 21795-3220 - Phone: 301-582-5150 - Email: mark.smith2@pepsico.com
Cert Contact: Mark Smith - 10417 Fergusson Ln Williamsport, MD 21795-3220 - Phone: 301-582-5150 - Email: mark.smith2@pepsico.com
Owner Contact: Mark Smith - 10417 Fergusson Ln Williamsport, MD 21795-3220 - Phone: 301-582-5150 - Email: mark.smith2@pepsico.com
Other Contact(s): Mark Smith - 10417 Fergusson Ln Williamsport, MD 21795-3220 - Phone: 301-582-5150 - Email: mark.smith2@pepsico.com
 Mike Van Hook - 10417 Fergusson Ln Williamsport, MD 21795-3220 - Phone: 301-582-4442 - Cell: 310-582-5105 - Email: mike.vanhook@pepsico.com
 Sheryl Loy - 10417 Ferguson Ln Williamsport, MD 21795-3172 - Phone: 301-582-4422

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148988V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000347603		Morganton	2013	06/07/2022	Recurring Cert	Active	Garage
MD148989V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	007538222		Steel Fab	2013	06/07/2022	Recurring Cert	Active	Garage
MD148990V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000308790		Morganton	2013	06/07/2022	Recurring Cert	Active	Garage
MD149292V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000753210		Steel Fab	2014	06/07/2022	Recurring Cert	Active	Garage

Total Objects at this location 4

Location: Plaza Office Building
Address: 1710 Underpass Way Hagerstown, MD 21740-6924
County: Washington

Location ID: 703279
Phone: 301-797-8700
NOB/SIC:

Primary Contact: Maria Fano, Property Manager - Phone: 240-533-8633
Billing Contact: Robert Blaker - 1201 Seven Locks Rd Ste 350 Potomac, MD 20854-6901 - Phone: 301-571-2001
Cert Contact: Robert Blaker - 1201 Seven Locks Rd Ste 350 Potomac, MD 20854-6901 - Phone: 301-571-2001
Owner Contact: Robert Blaker - 1201 Seven Locks Rd Ste 350 Potomac, MD 20854-6901 - Phone: 301-571-2001
Other Contact(s): Maria Fano, Property Manager - 1201 Seven Locks Rd Ste 350 Potomac, MD 20854-6901 - Phone: 240-533-8633
 Robert Blaker - 1201 Seven Locks Rd Ste 350 Potomac, MD 20854-6901 - Phone: 301-571-2001

My Company Comments:

Dear DLLR:
 Please see the attached Safety Inspection due notice we received. This building was sold January 28, 2015 to:

Robert Blaker
 Realty Capital Investment, Inc.
 1201 Seven Locks Road
 Suite 350
 Potomac, MD 20854

Please send a notice to Realty Capital Investment.
 Thank you - Bonnie

BONNIE J. JENKINS
 Executive Assistant to Kathleen Perini
 301-992-4959
 bjenkins@perini.net

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043518H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1979	02/04/2021	Recurring Cert	Active	MECH RM
MD043520V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000143186		Trane	1979	02/04/2021	Recurring Cert	Active	mech rm
MD136363H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	2008	02/04/2021	Recurring Cert	Active	MECH RM

Total Objects at this location 3

Location: Pope Tire & Service Center
Address: 261 Frederick St Hagerstown, MD 21740-6174
County: Washington
Primary Contact: Pope Tire & Service Center - Phone: 301-790-3904
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Pope Tire & Service Center - 261 Frederick St Hagerstown, MD 21740-6107 - Phone: 301-790-3904

Location ID: 721658
Phone:
NOB/SIC:

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110437V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000824197		Buckeye	1988	10/10/2020	Recurring Cert	Active	SHOP
MD137408V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000832747		BUCKEYE	1988	10/10/2020	Recurring Cert	Active	SHOP

Total Objects at this location 2

Location: Potomac Bead Company
Address: 240 N Prospect St Hagerstown, MD 21740-3725
County: Washington
Primary Contact: Mandi Kocher - Email: mandipotomacbeads.com
Billing Contact: Mandi Kocher - 240 N Prospect St Hagerstown, MD 21740-3725 - Email: mandipotomacbeads.com
Cert Contact: Mandi Kocher - 240 N Prospect St Hagerstown, MD 21740-3725 - Email: mandipotomacbeads.com
Owner Contact: Mandi Kocher - 240 N Prospect St Hagerstown, MD 21740-3725 - Email: mandipotomacbeads.com
Other Contact(s): Advanced Casework Inc Bob's Cust - 240 N Prospect St Hagerstown, MD 21740-3725
 Cherylle Krasny, Ops. Mgr. - 227 N Prospect St Hagerstown, MD 21740-3724 - Phone: 301-733-1910 - Email: cherylleek@beachley.com
 FCB Hagerstown, LLC. - PO Box 1100 Frederick, MD 21702-0100
 Frankie Corsi, Chairman - 227 N Prospect St Hagerstown, MD 21740-3724 - Phone: 301-733-1910 - Email: frankiec@beachley.com
 GID Properties, Inc. - 382 S Cleveland Ave Apt 1 Hagerstown, MD 21740-5769
 Mandi Kocher - 240 N Prospect St Hagerstown, MD 21740-3725 - Email: mandipotomacbeads.com

Location ID: 730251
Phone:
NOB/SIC:

My Company Comments: Ownership change, document attached. Reprinting BPV form.

My Shared Comments: Updated new owner contact info.

Was due for state inspection 11/30/12.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167567V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000885196		Morgantown	2020	09/08/2022	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: Potomac Living Center
Address: 1310 Potomac Ave Hagerstown, MD 21742-3319
County: Washington
Primary Contact: James Ringley - Phone: 301-960-4881
Billing Contact: Mike Fitzgerald - 382 S Cleveland Ave Hagerstown, MD 21740-5769 - Phone: 301-960-4881
Cert Contact: James Ringley - 1310 Potomac Ave Hagerstown, MD 21742-3365 - Phone: 301-960-4881
Owner Contact: Mike Fitzgerald - 382 S Cleveland Ave Hagerstown, MD 21740-5769 - Phone: 301-960-4881
Other Contact(s): Bruce Shatzer, Partner/Owner - 1045 Virginia Ave Hagerstown, MD 21740-7239 - Phone: 301-739-6111 - Cell: 301-491-4380
 James Ringley - 1310 Potomac Ave Hagerstown, MD 21742-3365 - Phone: 301-960-4881
 Mike Fitzgerald - 382 S Cleveland Ave Hagerstown, MD 21740-5769 - Phone: 301-960-4881
 S & S Ventures - 2 W Potomac Pkwy Williamsport, MD 21795-1500
 Tracy McCleary-Schindel - 1310 Potomac Ave Hagerstown, MD 21742-3365 - Phone: (301) 739-7200

Location ID: 1607615
Phone: 301-960-4881
NOB/SIC:

My Company Comments: Certs returned, "unable to forward".

My Shared Comments: Bruce Shatzer contacting HSB for inspection. Thought State inspector put a cert inspection in. Only number put on unit Called Mr. Shatzer to schedule, left a message. He called back today annoyed as he thought all was sorted out last year. As we went through objects at his site it turns out NEW object is a water heater he thought was exempt. He is willing to let the State inspect at our convenience. Given weather, he says give Kevin his cell & if Kevin can make it (on schedule for tomorrow) he will meet him there. HSB inspected 11-9-2010 report never entered. HSB reinspected 11-6-12 all inspections being entered Location name and contact update. Sylvia Ruiz (301-960-4881) said that Insparisk is inspecting 12/30/14 at 11 am.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134477H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1987	12/12/2020	Recurring Cert	Active	Boiler Room

MD134478H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	Weil-McLain	1987	12/12/2020	Recurring Cert	Active	Boiler Room
-----------	-------	-----------	---	----	-------------	------	------------	----------------	--------	-------------

Total Objects at this location 2

Location: Ramada Plaza Hotel **Location ID:** 721517
Address: 1718 Underpass Way Hagerstown, MD 21740-6961 **Phone:** 301-797-2500
County: Washington **NOB/SIC:**
Primary Contact: Bowman Hospitality and Convience - Phone: 301-582-1555 - Email: cjoiner@dmbowman.com
Billing Contact: Bowman Hospitality and Convience - 10228 Governor Lane Blvd Williamsport, MD 21795-4033 - Phone: 301-582-1555 - Email: cjoiner@dmbowman.com
Cert Contact: Jeannie Ridenour, Property Manager - 1718 Underpass Way Hagerstown, MD 21740-6961 - Phone: 301-797-2500
Owner Contact: Bowman Hospitality and Convience - 10228 Governor Lane Blvd Williamsport, MD 21795-4033 - Phone: 301-582-1555 - Email: cjoiner@dmbowman.com
Other Contact(s): Bowman Hospitality and Convience - 10228 Governor Lane Blvd Williamsport, MD 21795-4033 - Phone: 301-223-1050 - Cell: 301-797-2600
Bowman Hospitality and Convience - 10228 Governor Lane Blvd Williamsport, MD 21795-4033 - Phone: 301-582-1555 - Email: cjoiner@dmbowman.com
Falling Spring Corporation - 1718 Underpass Way Hagerstown, MD 21740-6961
Jeannie Ridenour, Property Manager - 1718 Underpass Way Hagerstown, MD 21740-6961 - Phone: 301-797-2500
Ramada Plaza Hotel - 1718 Underpass Way Hagerstown, MD 21740-6961 - Phone: 301-797-2500 - Cell: 717-263-7010 - Email: plazahtlmd@myactv.net
Thomas Domorski, General Manager - 955 Leshner Rd Chambersburg, PA 17202-2989 - Phone: 717-263-6010 - Cell: 301-797-2500

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159523H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000209198		A O Smith	2015	02/09/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Rehoboth United Methodist Church **Location ID:** 722549
Address: 30 E Salisbury St Williamsport, MD 21795-1112 **Phone:** 301-223-9554
County: Washington **NOB/SIC:**
Primary Contact: Kim Kennedy - Phone: 301-223-9554
Billing Contact: Kim Kennedy - 30 E Salisbury St Williamsport, MD 21795-1112 - Phone: 301-223-9554
Cert Contact: Kim Kennedy - 30 E Salisbury St Williamsport, MD 21795-1112 - Phone: 301-223-9554
Owner Contact: Kim Kennedy - 30 E Salisbury St Williamsport, MD 21795-1112 - Phone: 301-223-9554
Other Contact(s): Bitner-Henry Insurance Agy Inc - 401 E Antietam, Ste B Hagerstown, MD 21740 - Phone: (800)231-9963
Jim Swecker, Pastor - 30 E Salisbury St Williamsport, MD 21795-1112 - Phone: 301-223-9554 - Email: jimswecker@myactv.NET

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144231H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6644116	Weil-McLain	2012	01/05/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this location 1

Location: Resley Tire Co., Inc. **Location ID:** 722659
Address: 16611 National Pike Hagerstown, MD 21740-2158 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Anthony Akers, President - Phone: 301-790-3941 - Cell: 301-573-4194 - Email: tony@resleytire.com
Billing Contact: Anthony Akers - 16611 National Pike Hagerstown, MD 21740-2158 - Phone: 301-790-3941 - Cell: 301-573-4194 - Email: tony@resleytire.com
Cert Contact: Anthony Akers, President - 16611 National Pike Hagerstown, MD 21740-2158 - Phone: 301-790-3941 - Cell: 301-573-4194 - Email: tony@resleytire.com
Owner Contact: Anthony Akers, President - 16611 National Pike Hagerstown, MD 21740-2158 - Phone: 301-790-3941 - Cell: 301-573-4194 - Email: tony@resleytire.com
Other Contact(s): Anthony Akers, President - 16611 National Pike Hagerstown, MD 21740-2158 - Phone: 301-790-3941 - Cell: 301-573-4194 - Email: tony@resleytire.com

**My Company
Comments:** HSB to inspected 9-3-20

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD031214V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000670580		Kargard	1973	08/30/2020	Recurring Cert	Active	LOFT AREA

Total Objects at this location 1

Location: Richards-Wilbert Inc **Location ID:** 722720
Address: 16107 National Pike Hagerstown, MD 21740 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: David L Sprankle, Plant Manager - Phone: 301-582-1123 - Cell: 301-582-0128

Billing Contact: Richards-Wilbert Inc - 16107 National Pike P O Box 226 Hagerstown, MD 21740-0226 - Phone: 301-582-1122
Cert Contact: Richards-Wilbert Inc - 16107 National Pike P O Box 226 Hagerstown, MD 21740-0226 - Phone: 301-582-1122
Owner Contact: Richards-Wilbert Inc - 16107 National Pike P O Box 226 Hagerstown, MD 21740-0226 - Phone: 301-582-1122
Other Contact(s): David L Sprankle, Plant Manager - 16107 National Pike Hagerstown, MD 21740 - Phone: 301-582-1123 - Cell: 301-582-0128
 Richards-Wilbert Inc - 16107 National Pike - P O Box 226 Hagerstown, MD 21740-0226 - Phone: 301-582-1122

My Company Comments:

My Shared Comments: standardized 11/8/06/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137365H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64720042	Burnham	2004	10/25/2020	Recurring Cert	Active	Boiler Room
MD137366V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000952003		Buckeye	1991	10/25/2020	Recurring Cert	Active	COMP. ROOM
Total Objects at this location					2						

Location: Ringer's Laundry
Address: 737 Chestnut St Hagerstown, MD 21740-6302
County: Washington
Primary Contact: Cosey - Phone: 301 733 5256
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Cosey - 737 Chestnut St Hagerstown, MD 21740-6302 - Phone: 301 733 5256
 Ringer's Laundry - 737 Chestnut St Hagerstown, MD 21740-6302 - Phone: 3017335256

Location ID: 722811
Phone: 301-733-5256
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004183		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000072567		Fulton	1995	04/29/2021	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Robert Cochran Insurance
Address: 449 N Potomac St Hagerstown, MD 21740-3821
County: Washington

Location ID: 723020
Phone: 301-739-7000
NOB/SIC:

Primary Contact: Kendra Miller - Phone: 301-739-7000x 202or203 - Email: RobertC@RCinvest.net
Billing Contact: Robert Cochran - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301 739 7000 x203 - Email: robertc@rcinvest.net
Cert Contact: Kendra Miller - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301-739-7000x 202or203 - Email: RobertC@RCinvest.net
Owner Contact: R & S, Inc. - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301-739-7000x203 - Email: robertc@rcinvest.net
Other Contact(s): Kendra Miller - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301-739-7000x 202or203 - Email: RobertC@RCinvest.net
R & S, Inc. - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301-739-7000x203 - Email: robertc@rcinvest.net
Robert Cochran - 449 N Potomac St Hagerstown, MD 21740-3821 - Phone: 301 739 7000 x203 - Email: robertc@rcinvest.net

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132607H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 250 F)	CI	64292446	Burnham	2006	08/31/2020	Recurring Cert	Active	basement
Total Objects at this location					1						

Location: Roy's Quality Car Care
Address: 8 E Oak Ridge Dr Hagerstown, MD 21740-7482
County: Washington

Location ID: 2129279
Phone:
NOB/SIC:

Primary Contact: Roy Jones, Owner - Phone: (301) 733-1771
Billing Contact: Roy Jones - 8 E Oak Ridge Dr Hagerstown, MD 21740-7482 - Phone: (301) 733-1771
Cert Contact: Roy Jones, Owner - 8 E Oak Ridge Dr Hagerstown, MD 21740-7482 - Phone: (301) 733-1771
Owner Contact:
Other Contact(s): Roy Jones, Owner - 8 E Oak Ridge Dr Hagerstown, MD 21740-7482 - Phone: (301) 733-1771

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167977V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000020067		Morgantown	2017	09/29/2022	Recurring Cert	Active	Outside shed

Vessel
w/comment

Total Objects at this location 1

Location: Safelite Auto Glass **Location ID:** 1526793
Address: 13130 Pennsylvania Ave Hagerstown, MD 21742-2741 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Safelite Auto Glass - Phone: 301-739-7193 - Cell: 301-573-2385 - Email: david.eyler@safelite.com
Billing Contact: Safelite Auto Glass - 13130 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-739-7193 - Cell: 301-573-2385 - Email: david.eyler@safelite.com
Cert Contact: Safelite Auto Glass - 13130 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-739-7193 - Cell: 301-573-2385 - Email: david.eyler@safelite.com
Owner Contact: Safelite Auto Glass - 13130 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-739-7193 - Cell: 301-573-2385 - Email: david.eyler@safelite.com
Other Contact(s): Safelite Auto Glass - 13130 Pennsylvania Ave Hagerstown, MD 21742-2741
Safelite Auto Glass - 13130 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-739-7193 - Cell: 301-573-2385 - Email: david.eyler@safelite.com

My Company Comments: Contacted today by new manager. Just received all the mail.
Scheduled Appt. with American Boiler Inspection Service October 20th

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122208V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000573864		CPC	1996	08/12/2022	Recurring Cert	Active	shop

Total Objects at this location 1

Location: Saint Pauls Church **Location ID:** 724138
Address: 14106 National Pike Clear Spring, MD 21722 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Allen Reed, Pastor - Phone: 301-842-3491 - Cell: 301-331-6368 - Email: pastorallenreed@myactv.net
Billing Contact: Nicholas Hill - 11955 Big Spring Rd Clear Spring, MD 21722-1926 - Phone: 248-528-3471
Cert Contact: Allen Reed, Pastor - 14531 National Pike Clear Spring, MD 21722-1734 - Phone: 301-842-3491 - Cell: 301-331-6368 - Email: pastorallenreed@myactv.net
Owner Contact: Allen Reed, Pastor - 14531 National Pike Clear Spring, MD 21722-1734 - Phone: 301-842-3491 - Cell: 301-331-6368 - Email: pastorallenreed@myactv.net
Other Contact(s): Allen Reed, Pastor - 14531 National Pike Clear Spring, MD 21722-1734 - Phone: 301-842-3491 - Cell: 301-331-6368 - Email: pastorallenreed@myactv.net
Nicholas Hill, Treasurer - 11955 Big Spring Rd Clear Spring, MD 21722-1926 - Phone: 248-528-3471
Saint Pauls Church - 14106 National Pike Clear Spring, MD 21722 - Phone: 240-520-3471
St. Pauls United Lutheran & - Evangelic Reformed Church - c/o St. Pauls Church - 14234 National Pike Clear Spring, MD 21722-1727

My Company Comments:

My Shared**Comments:** Per Mike Hull, address changes to: site - 14106 National Pike, billing 13254 Gruber Rd; RHD 1/9/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138482H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65213862	Burnham	2010	08/12/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Salvation Army** **Location ID:** 724273
Address: 534 W Franklin St Hagerstown, MD 21740-4604 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Daryl Rowe, Maintenance Man - Phone: 301 733 2440
Billing Contact: Daryl Rowe - 525 George St Hagerstown, MD 21740-4609 - Phone: 301 733 2440
Cert Contact: Daryl Rowe, Maintenance Man - 525 George St Hagerstown, MD 21740-4609 - Phone: 301 733 2440
Owner Contact: Daryl Rowe, Maintenance Man - 525 George St Hagerstown, MD 21740-4609 - Phone: 301 733 2440
Other Contact(s): Daryl Rowe, Maintenance Man - 525 George St Hagerstown, MD 21740-4609 - Phone: 301 733 2440
James Arowood - 238 1/2 W. 5TH ST. FREDERICK, MD 21701 - Phone: 410-783-2920
John Kinley, Supervisor of Maintenance - 814 Light St Baltimore, MD 21230-3972 - Phone: 410-783-2920/410-347-9944-ext-116

My Company**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD040854H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1982	03/04/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: **Sam's Club - 8193** **Location ID:** 2975271
Address: 1700 Wesel Blvd Hagerstown, MD 21740-5389 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140894V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000618658		Manchester	2010	03/11/2021	Recurring Cert	Active	Tire Shop
MD140895V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000036651		Standard	2001	03/11/2021	Recurring Cert	Active	Motor Room
MD140896V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000036694		Standard	2001	03/11/2021	Recurring Cert	Active	Motor Room

Total Objects at this location 3

Location: **Sams Club (NuCO2) # 114214**
Address: 1700 Wesel Blvd Hagerstown, MD 21740-5389
County: Washington

Location ID: 724303
Phone: 301-714-0096
NOB/SIC:

Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
 NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 NuCO2 Supply, LLC (Sam's) - 2800 SE Market PI Stuart, FL 34997-4965
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com

My Company
Comments:**My Shared**
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150478V		Vertical Unfired Pressure	V - Storage (NOT Cryogenic)	000196566		CHART	2008	04/10/2021	Recurring Cert	Active	Outside - Rear

Vessel
w/comment

Total Objects at this location 1

Location: Sardi's Chicken (Arc3) **Location ID:** 3915204
Address: 100 Railway Ln Hagerstown, MD 21740-6912 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Sardi's Chicken (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162106V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000310737		CHART	2018	12/14/2020	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: SDK Holdings, LLC **Location ID:** 709203
Address: 314 N Potomac St Hagerstown, MD 21740-3895 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Dr. Gary Palank - Phone: 301-739-0100
Billing Contact: Dr. Gary Palank - 314 N Potomac St Hagerstown, MD 21740-3895 - Phone: 301-739-0100
Cert Contact: Dr. Gary Palank - 314 N Potomac St Hagerstown, MD 21740-3895 - Phone: 301-739-0100
Owner Contact: Dr. Gary Palank - 314 N Potomac St Hagerstown, MD 21740-3895 - Phone: 301-739-0100
Other Contact(s): Dr. Gary Palank - 314 N Potomac St Hagerstown, MD 21740-3895 - Phone: 301-739-0100

**My Company
Comments:** Gregory Smith 9-16-20 Dr Gary Palank #709203--MD069710H, Vacant- Dr Palank is retired. MD real property search shows new owner as SDK Holdings, LLC.
Received a call from Dr. Palank,301-739-0100. location was inspected by Insparisk8/9/16, report never entered. He's calling them to enter the report. I let him know that he is covered by Hartford.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD069710H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1982	08/09/2020	Recurring Cert	Active	BASEMENT
Total Objects at this location					1						

Location: Seven Ten (Arc3) **Location ID:** 3934345
Address: 13330 Leitersburg Pike Hagerstown, MD 21740 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Seven Ten (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments: Address for this location is actually 19330 Leitersburg Pike not 13330 Leitersburg Pike

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164086V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004785		Taylor	1989	04/03/2021	Recurring Cert	Active	Lounge Storage Area
Total Objects at this location					1						

Location: Sheetz (NuCO2) # 433871 **Location ID:** 3362671
Address: 20723 National Pike Boonsboro, MD 21713-1624 **Phone:** 301-797-5535
County: Washington **NOB/SIC:**
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Cert Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Owner Contact: NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Other Contact(s): Bill Ruggles - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1615
Hank Moeller, Regulatory Compliance Manager - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 x3315 - Cell: 772-283-3110 - Email: hmoeller@nuco2.com
NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
Sharon Bush, Store Support - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1436, 814-239-1615 - Email: sbush@sheetz.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164731V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000318084		CHART	2018	06/20/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Sheetz - 464** **Location ID:** 3362677
Address: 191 Eastern Blvd N Hagerstown, MD 21740-5978 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Bill Ruggles - Phone: 814-239-1615
Billing Contact: Sharon Bush - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1436, 814-239-1615 - Email: sbush@sheetz.com
Cert Contact: Sharon Bush, Store Support - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1436, 814-239-1615 - Email: sbush@sheetz.com
Owner Contact: Bill Ruggles - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1615
Other Contact(s): Bill Ruggles - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1615
 Sharon Bush, Store Support - 242 Sheetz Way Claysburg, PA 16625-8345 - Phone: 814-239-1436, 814-239-1615 - Email: sbush@sheetz.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154485V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000075259		Taylor	2004	04/04/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: **Side Pockets Tavern** **Location ID:** 725265
Address: 807 S Potomac St Hagerstown, MD 21740-6400 **Phone:** 301-800-6777
County: Washington **NOB/SIC:**
Primary Contact: Candy Hatfield, Bar Mgr. - Phone: 301-800-6777

Billing Contact: Candy Hatfield - 807 S Potomac St Hagerstown, MD 21740-6400 - Phone: 301-800-6777
Cert Contact: Candy Hatfield, Bar Mgr. - 807 S Potomac St Hagerstown, MD 21740-6400 - Phone: 301-800-6777
Owner Contact: Candy Hatfield, Bar Mgr. - 807 S Potomac St Hagerstown, MD 21740-6400 - Phone: 301-800-6777
Other Contact(s): Candy Hatfield, Bar Mgr. - 807 S Potomac St Hagerstown, MD 21740-6400 - Phone: 301-800-6777
 Deb Crowl, Owner - 807 S Potomac St Hagerstown, MD 21740-6400 - Phone: 301-730-2741 - Email: taco4choco@aol.com
 Mark Droneburg - 246 Canfield Ter Frederick, MD 21702-8713 - Phone: 301-788-6925 - Cell: 301-624-1067
 Phylis Baker - 124 N Edgewood Dr Hagerstown, MD 21740-6504
 Rebecca Brophy, Bar Manager - 419 Gandy Dancer Ct Hagerstown, MD 21740-5395 - Phone: 301-991-3531

My Company Comments: Contact update.
 This location has a new owner, Candy Hatfield 301-800-6777. She has been trying to set up the inspection. Scott Reynolds is scheduled 7/18/19.

My Shared Comments: Invoices 107789 and 107899 and certs were returned undeliverable. Changed address on 107789, but 107899 zeroed out cuz the 6/22/15 inspection was entered incorrectly. Emailed Praeses to fix.
 MD # was not in system but was in book. HSB sending report
 Owner/contact changed per letter from Ms Baker, Mr Droneburg is now owner of bldg; RHD 12/07/04
 Updating owner info from SDAT, sold in 2012 by M. Droneburg.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134738H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ECR International	2009	07/18/2021	Recurring Cert	Active	Stock Room
Total Objects at this location					1						

Location: Sierra Nevada Corporation **Location ID:** 3209082
Address: 18625 Jarkey Dr Hagerstown, MD 21742-1356 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jason Owens, HVAC Technician - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
Billing Contact: Eric Bageant - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Cert Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Owner Contact:
Other Contact(s): Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
 Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
 Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD142604V Vertical Unfired V - Storage 001037251 Melben 2002 05/17/2022 Recurring Cert Active Hangar 15
 Pressure (NOT Cryogenic)
 Vessel
 w/comment

Total Objects at this location 1

Location: Sierra Nevada Corporation **Location ID:** 3209080
Address: 18627 Jarkey Dr Hagerstown, MD 21742-1356 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jason Owens, HVAC Technician - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
Billing Contact: Eric Bageant - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Cert Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Owner Contact:
Other Contact(s): Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
 Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
 Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142603V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000125504		Manchester	2000	05/17/2022	Recurring Cert	Active	Hangar 16 Comp Shed

Total Objects at this location 1

Location: Sierra Nevada Corporation **Location ID:** 3209079
Address: 18631 Jarkey Dr Hagerstown, MD 21742-1356 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jason Owens, HVAC Technician - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
Billing Contact: Eric Bageant - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Cert Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Owner Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Other Contact(s): Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
 Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
 Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142601V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000513393		Steel Fab	2008	05/17/2022	Recurring Cert	Active	Hangar 17 Shop
MD160532V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000866688		Steel Fab	2018	05/14/2022	Recurring Cert	Active	Hangar 17 Mechanical
MD167073V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000477614		Steel Fab	2007	05/14/2022	Recurring Cert	Active	Hangar 17a
Total Objects at this location					3						

Location: Sierra Nevada Corporation

Address: 18635 Jarkey Dr Hagerstown, MD 21742-1356

County: Washington

Primary Contact: Jason Owens, HVAC Technician - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com

Billing Contact: Eric Bageant - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com

Cert Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com

Owner Contact:

Other Contact(s): Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com

Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com

Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com

Location ID: 3500296

Phone:

NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142399V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000408448		Steel Fab	2005	05/17/2022	Recurring Cert	Active	Hangar 18
MD142600V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000458288		Steel Fab	2006	05/17/2022	Recurring Cert	Active	Hangar 18

Total Objects at this location 2

Location: Sierra Nevada Corporation **Location ID:** 3208971
Address: 18641 Jarkey Dr Hagerstown, MD 21742-1356 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Jason Owens, HVAC Technician - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
Billing Contact: Eric Bageant - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Cert Contact: Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
Owner Contact:
Other Contact(s): Eric Bageant, Facilities Manager - 18635 Jarkey Dr Hagerstown, MD 21742-1356 - Phone: 301-665-1294 - Email: eric.bageant@sncorp.com
 Jason Owens, HVAC Technician - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 - Cell: 240-527-5721 - Email: Jason.Owens@sncorp.com
 Penny Eichelberger, Facilities Administrator - 18632 Jarkey Dr Hagerstown, MD 21742-1352 - Phone: 301-665-1294 x121468 - Email: penny.eichelberger@sncorp.com

My Company**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004083		Steel Fab	2010	05/17/2022	Recurring Cert	Active	Hangar 66
MD142397H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000036389		Viessman	2011	05/17/2022	Recurring Cert	Active	Hangar 66
MD167074H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000083505		Viessman	2014	07/20/2022	Recurring Cert	Active	Hangar 66

Total Objects at this location 3

Location: Signature Collision **Location ID:** 722419
Address: 100 W Church St Hagerstown, MD 21740-4715 **Phone:** 304-676-8608
County: Washington **NOB/SIC:**
Primary Contact: Harold & Orville Adkins - Phone: 304-676-8608
Billing Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
Cert Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608

Owner Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
Other Contact(s): Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
 Mark Phillips, Owner - 120 W Church St Hagerstown, MD 21740-4715 - Phone: 301-739-8161
 Rapid Lube - 100 W Church St Hagerstown, MD 21740-4715 - Phone: 3017396830

My Company Comments:

My Shared Comments:

Phone call from previous owner gave me new contact info. Reprinting reg form and sending to Harold & Orville Adkins.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088514V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000098385		Steel Fab	1994	11/01/2020	External Cert, Recurring Cert	Active	Storage Area
MD155423V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000425137		Morganton	2015	11/01/2020	Recurring Cert	Active	Storage Area

Total Objects at this location 2

Location: Signature Collision
Address: 120 W Church St Hagerstown, MD 21740-4715
County: Washington
Primary Contact: Harold & Orville Adkins - Phone: 304-676-8608
Billing Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
Cert Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
Owner Contact: Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
Other Contact(s): Harold & Orville Adkins - 348 Clifford Dr Martinsburg, WV 25404-0679 - Phone: 304-676-8608
 Mark Phillips, Owner - 120 W Church St Hagerstown, MD 21740-4715 - Phone: 301-739-8161

Location ID: 995590
Phone:
NOB/SIC:

My Company Comments:

My Shared Comments:

Phone call from previous owner gave me new contact info. Reprinting reg form and mailing to Harold & Orville Adkins.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113968V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000295308		Steel Fab	2002	11/01/2020	External Cert, Recurring Cert	Active	Basement

Location: Specialty Granules, Inc. **Location ID:** 714598
Address: 34 Charles St Hagerstown, MD 21740-3818 **Phone:** 301-797-7795
County: Washington **NOB/SIC:**
Primary Contact: Daniel Rardon, Director R & D - Phone: 301-797-7086 Direct - Cell: 240-310-2780 - Email: daniel.rardon@specialtygranules.com
Billing Contact: Daniel Rardon - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-797-7086 Direct - Cell: 240-310-2780 - Email: daniel.rardon@specialtygranules.com
Cert Contact: Daniel Rardon, Director R & D - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-797-7086 Direct - Cell: 240-310-2780 - Email: daniel.rardon@specialtygranules.com
Owner Contact: Daniel Rardon, Director R & D - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-797-7086 Direct - Cell: 240-310-2780 - Email: daniel.rardon@specialtygranules.com
Other Contact(s): Daniel Rardon, Director R & D - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-797-7086 Direct - Cell: 240-310-2780 - Email: daniel.rardon@specialtygranules.com
 Douglas Cechobic Derek Small - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-733-4000
 Ingo Koedecke - 34 Charles St Hagerstown, MD 21740-3818 - Phone: 301-714-1418
 Jerry Karmus - 34 Charles St Hagerstown, MD 21740-3818 - Phone: (301)393-8853 - Cell: 301-730-3037

My Company Comments: Contact update.
 Deleted inspection from MD099007V. Inspection was for a NEW unit
 Inspection Scheduled for Specialty Granules - LOC 714598
 Boilers@dllr
 x

MAC Inspection & Welding Agency
 10:02 AM (2 hours ago)
 to MD, derek.small

Good morning, I was contacted by Derek Small of Specialty Granules(cc'd in this email), to schedule the inspection of their boiler, which is due by 10/27/19. We have scheduled the inspection for Thursday, 10/31/19. He tried to get scheduled before the due date but unfortunately we were not able to get to them before then. We will input their report as soon as possible.

My Shared Comments: Emailed Mr. Kodecke that citation warnings are automatically generated. When the inspection is scheduled he can call with the date. Ingo Kodecke called to say that his company is in the process of determining whether or not to upgrade or repair the units. He has called RMF to set up an appointment. The process may take longer than the CED, 5/31/13. He will call with the updates of the schedule, if they take longer.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151343H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65412927	Burnham	2013	08/01/2022	Recurring Cert	Active	Furnace Room
MD158873V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000853476		Steel Fab	2017	10/27/2021	Recurring Cert	Active	Boiler Room
MD165322V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000046688		Morganton	2018	10/31/2021	Recurring Cert	Active	Pilot Facility Garage

	w/comment									
MD167587V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940267	Samuel	2020	09/16/2022	Recurring Cert	Active	Garage	
MD167588V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940264	Samuel	2020	09/16/2022	Recurring Cert	Active	Garage	
Total Objects at this location			5							

Location: Subway (NuCO2) # 442650 **Location ID:** 3634726
Address: 11 N Main St Boonsboro, MD 21713-1016 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market Pl Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162113V	A973628	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068402	CCIA67G225	MVE Inc	1997	12/03/2020	Recurring Cert	Active	Outside
Total Objects at this location			1								

Location: Sunnycrest Farm Store **Location ID:** 702923
Address: 21821 Jefferson Blvd Smithsburg, MD 21783-1741 **Phone:** 240-520-7954
County: Washington **NOB/SIC:**
Primary Contact: Byron Martin, Owner - Phone: 240-520-7954 - Cell: 301-491-6070 - Email: byron@sunnycrestfhc.com
Billing Contact: Byron Martin - 12035 Mapleville Rd Smithsburg, MD 21783-1641 - Phone: 240-520-7954 - Cell: 301-491-6070 - Email: byron@sunnycrestfhc.com
Cert Contact: Byron Martin, Owner - 12035 Mapleville Rd Smithsburg, MD 21783-1641 - Phone: 240-520-7954 - Cell: 301-491-6070 - Email: byron@sunnycrestfhc.com

Owner Contact: Byron Martin, Owner - 12035 Mapleville Rd Smithsburg, MD 21783-1641 - Phone: 240-520-7954 - Cell: 301-491-6070 - Email: byron@sunnycrestfhc.com

Other Contact(s): Byron Martin, Owner - 12035 Mapleville Rd Smithsburg, MD 21783-1641 - Phone: 240-520-7954 - Cell: 301-491-6070 - Email: byron@sunnycrestfhc.com
Danny - 21821 Jefferson Blvd Smithsburg, MD 21783-1741 - Phone: 301 739 9450

My Company Comments: Barbara Grant -DLLR-
Attachments
12:04 PM (0 minutes ago)
to Karl, Scott, Boiler, Elizabeth, byron

Good morning,

The penalty has been reviewed for the citation at Sunnycrest Farm Store. The penalty for the MD090808V has been reduced to zero since the object has been verified to be inactive. The penalty for MD078539H is recommended to be reduced to \$250 in good faith. Attached you can find the lowered invoice, which contains remittance instructions.

Thank you for your attention to this matter.

Barb Grant
On Mon, Feb 18, 2019 at 4:40 PM Byron Martin <byron@sunnycrestfhc.com> wrote://
I have received the notice for an inspection as well as the citation notice. My question is, Do I still need an inspection if we no longer have public using the building. We have closed the business at that location and at this point the office is empty and the shop is used for agriculture purposes?//

Thanks,/
Byron Martin??//

Sunnycrest Farm & Home Center//
21821 Jefferson Blvd.//
Smithsburg, MD 21783//
mailto:byron@sunnycrestfhc.com//
Cell - 301-491-6070////

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078539H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	22132947	Burnham	1990	06/21/2021	Recurring Cert	Active	Office
MD164089V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001029928		Manchester	2014	06/21/2021	Recurring Cert	Active	Shed

Total Objects at this location 2

Location: Texas Roadhouse (Franchise)
Address: 120 S Edgewood Dr Hagerstown, MD 21740-6605
County: Washington
Primary Contact: Ed Summers, Manager - Phone: (301) 739-2200
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Ed Summers, Manager - 120 S Edgewood Dr Hagerstown, MD 21740-6605 - Phone: (301) 739-2200

Location ID: 726461
Phone: 301-739-2200
NOB/SIC:

My Company Comments: Reynolds 11/19/2019 Texas Roadhouse #726461
 MD158894H violation
 I am returning to this location to assure that they have corrected the CO2 situation. If they haven't I will be contacting the office to perhaps redtag the device.
 Reynolds 11/20/2019 Texas Roadhouse #726461
 MD158984H violations pending
 CO levels registered normal today. I told the owner's representative to have the combustion air system checked.

My Shared Comments: location faxed over Insparisk inspected 8-12-14

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158894H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000044938		A O Smith	2016	10/13/2021	Recurring Cert	Active	PUMP ROOM
Total Objects at this location					1						

Location: The Laundry Room
Address: 13628 Pennsylvania Ave Hagerstown, MD 21742-2307
County: Washington
Primary Contact: Robert/Jennifer Hagelberg
Billing Contact: Robert/Jennifer Hagelberg - 13628 Pennsylvania Ave Hagerstown, MD 21742-2307
Cert Contact: Robert/Jennifer Hagelberg - 13628 Pennsylvania Ave Hagerstown, MD 21742-2307
Owner Contact: Robert/Jennifer Hagelberg - 13628 Pennsylvania Ave Hagerstown, MD 21742-2307
Other Contact(s): David C. Lyles - 12916 Conamar Dr Ste 201 Hagerstown, MD 21742-2773 - Phone: 301-730-4107 - Email: dlyles@lylesventures.com

Location ID: 721078
Phone:
NOB/SIC:

Pennsylvania Avenue Laundry & Apartments - 13628 Pennsylvania Ave Hagerstown, MD 21742-2307 - Phone: 301-733-3453
 Robert/Jennifer Hagelberg - 13628 Pennsylvania Ave Hagerstown, MD 21742-2307
 Robert/Margret Hagelberg, Owner(s) - 12960 Little Hayden Cir Hagerstown, MD 21742-2558

My Company Comments: The Laundry Room-721078
 This location is a 24 hour laundry mat. The business is still open but no one was on site when i was there. I called the number but it wasn't in service. I left my card and the AIA list so they can get the inspection done Rob Snyder 4-10-19

My Shared**Comments:** Owner phone # 301-791-5359

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089595H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000052484		Lochinvar	1995	01/11/2021	Recurring Cert	Active	Work Shop
MD115077H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP3126682	Weil-McLain	2000	01/11/2021	Recurring Cert	Active	Basement
Total Objects at this location					2						

Location: Tires Plus - 337934**Address:** 1622 Dual Hwy Hagerstown, MD 21740-6546**County:** Washington**Primary Contact:** Elianne Kempself, Risk Management - Phone: 1-800-269-4424/703-481-2299**Billing Contact:****Cert Contact:****Owner Contact:****Other Contact(s):** Elianne Kempself, Risk Management - 2021 Sunnydale Blvd Clearwater, FL 33765-1202 - Phone: 1-800-269-4424/703-481-2299**My Company****Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142668V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000629613		Steel Fab	2010	04/24/2021	Recurring Cert	Active	Storage
MD142669V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000629612		Steel Fab	2010	04/24/2021	Recurring Cert	Active	Storage
Total Objects at this location					2						

Location: U Carwash
Address: 313 E Franklin St Hagerstown, MD 21740-4923
County: Washington

Location ID: 3186833
Phone:
NOB/SIC:

Primary Contact: Tam Luong, Member - Phone: 571-232-1878 - Email: ucarwashllc@gmail.com
Billing Contact: Tam Luong - 313 E Franklin St Hagerstown, MD 21740-4923 - Phone: 571-232-1878 - Email: ucarwashllc@gmail.com
Cert Contact: Tam Luong, Member - 313 E Franklin St Hagerstown, MD 21740-4923 - Phone: 571-232-1878 - Email: ucarwashllc@gmail.com
Owner Contact: Tam Luong, Member - 313 E Franklin St Hagerstown, MD 21740-4923 - Phone: 571-232-1878 - Email: ucarwashllc@gmail.com
Other Contact(s): Acewash LLC Carwash LLC - 1380 W Patrick St Frederick, MD 21703-3850
Ray Emam, Owner - 44 Thomas Johnson Dr Frederick, MD 21702-4501 - Phone: 301-662-7304 - Cell: 202-744-9235 - Email: rezaemam1@yahoo.com
Tam Luong, Member - 313 E Franklin St Hagerstown, MD 21740-4923 - Phone: 571-232-1878 - Email: ucarwashllc@gmail.com

My Company Comments: New owner update.
registration form rec'd
U-carwash 13044
Inbox
x
Citation/Waiting on Inspection/ Paperwork
x

U Carwash <ucarwashllc@gmail.com>
Sun, Oct 6, 11:27 AM (20 hours ago)
to me

To whom it may concern,

My name is Tam Luong from U-carwash at 313 E Franklin St, Hagerstown, MD 21740.

I just found a missed citation letter from Ddlr which was failed under and behind my desk. My apology for not responding the letter earlier.

This is my first time doing car wash business and knowing about Boiler and pressure vessel regulations .

We bought this car wash last year and the boiler is never working. We never use the boiler neither.

We received a letter 1 month ago from previous owner. The letter was to ask us to do the boiler inspection. Then we just had a boiler inspection last week and ask us if we don't use it then we have to disconnect it..We are hiring a technician to do the disconnection for us some time next week

I don't know what should I do next. Please let me know

My apology. I thought if we don't use the boiler then we don't have to do anything.
Please advise me what to do next step .

Thank you
Tam Luong

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165415V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002024125		Twin Lakes Tanks	2017	09/27/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this location 1

Location: US Fitness
Address: 17301 Valley Mall Rd Hagerstown, MD 21740-6966
County: Washington
Primary Contact: US Fitness
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): TIM VARNER - 17301 Valley Mall Rd Hagerstown, MD 21740-6966 - Phone: 540-742-9707

Location ID: 3954749
Phone: 540-742-9707
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164541H	#1	Vertical Water Tube	O - Other (Blr Use) w/comment	000473345		Raypak	2019	03/15/2021	Recurring Cert	Active	POOL UTILITY ROOM
MD164542H	#2	Vertical Water Tube	O - Other (Blr Use) w/comment	000474695		Raypak	2019	03/15/2021	Recurring Cert	Active	POOL UTILITY ROOM

Total Objects at this location 2

Location: Valley Meadows Townhomes
Address: 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564
County: Washington
Primary Contact: Eric Meese, Director of Maintenance - Cell: 570-840-0298 - Email: emeese@rpmgt.com
Billing Contact: Eric Meese - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Cell: 570-840-0298 - Email: emeese@rpmgt.com
Cert Contact: Eric Meese, Director of Maintenance - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Cell: 570-840-0298 - Email: emeese@rpmgt.com
Owner Contact: Eric Meese, Director of Maintenance - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Cell: 570-840-0298 - Email: emeese@rpmgt.com
Other Contact(s): Annette Inactive-Hilton - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Phone: 301-582-4490
 Christian Boyce, North East Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 201-259-0555 - Email: christian.boyce@onecis.com

Location ID: 713070
Phone:
NOB/SIC:

Eric Meese, Director of Maintenance - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Cell: 570-840-0298 - Email: emeese@rpmgt.com
 John Wich - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Email: john.wich@cna.com
 Karrie Hawbaker, Property Manager - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Phone: 301-582-4490
 Michele gone - Smith, MB Monoline Underwriter - 1001 Summit Blvd Atlanta, GA 30319-6408 - Cell: 404-851-3451 - Email: pauline.smith@zurichna.com
 Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com
 Rodger Adams, Southeast Regional Manager - 1299 Zurich Way Schaumburg, IL 60196-5870 - Phone: 704-786-9922 - Cell: 704-258-8073 - Email: rodger.adams@zurichna.com
 Sherry Sixeas, Property Manager - 11201 Scarlet Oak Dr Hagerstown, MD 21740-7564 - Phone: (301)582-4490 - Email: valleymeadowmgr@triumphmgt.com

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105667H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000084211	119G01208	Ruud	1999	07/15/2022	Recurring Cert	Active	Maintenance Shop
Total Objects at this location					1						

Location: Virginia Avenue Baptist Church **Location ID:** 728116
Address: 17426 Virginia Ave Hagerstown, MD 21740-7747 **Phone:** 301-739-1848
County: Washington **NOB/SIC:**
Primary Contact: Larry E. Hose - Phone: 301-733-0326 - Email: barbhose@myactv.net
Billing Contact: Virginia Avenue Baptist Church - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 3015822726
Cert Contact: Virginia Avenue Baptist Church - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 3015822726
Owner Contact: Virginia Avenue Baptist Church - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 3015822726
Other Contact(s): Barb Hose, Church Clerk - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 301-582-2726 - Cell: 301-582-4484
 Bitner-Henry Insurance Agy Inc - 401 E Antietam, Ste B Hagerstown, MD 21740 - Phone: (800)231-9963
 Larry E. Hose - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 301-733-0326 - Email: barbhose@myactv.net
 Virginia Avenue Baptist Church - 17426 Virginia Ave Hagerstown, MD 21740-7747 - Phone: 3015822726

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119572H		Cast Iron	H - Hot Water Heat (Water <=	CI	64436172	Burnham	2002	11/01/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Virginia Avenue Shell
Address: 17722 Virginia Ave Hagerstown, MD 21740-7084
County: Washington
Primary Contact: Virginia Avenue Shell - Phone: 3017338265

Location ID: 728119
Phone:
NOB/SIC:

Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Danny Sullivan, Owner - 17722 Virginia Ave Hagerstown, MD 21740-7084 - Phone: 301-991-3604
 Virginia Avenue Shell - 17722 Virginia Ave Hagerstown, MD 21740-7084 - Phone: 3017338265

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103993V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000109576		Manchester	1998	05/28/2021	Recurring Cert	Active	Storage Rm
Total Objects at this location					1						

Location: Wal-Mart DC - 6046
Address: 11121 Elliott Pl Williamsport, MD 21795-4087
County: Washington
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Location ID: 711439
Phone:
NOB/SIC:

Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD102525V Vertical Unfired V - Storage 000099905 Brunner 1997 04/04/2022 Recurring Cert Active Warehouse
 Pressure (NOT Cryogenic)
 Vessel
 w/comment

Total Objects at this location 1

Location: Wal-Mart Store - 2790 **Location ID:** 3851083
Address: 10420 Walmart Dr Hagerstown, MD 21740-5790 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Wal-Mart Store - 2790
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159521V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000053898		Westermeyer	2016	02/11/2022	Recurring Cert	Active	Roof
MD159522V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000053901		Westermeyer	2016	02/11/2022	Recurring Cert	Active	Roof

Total Objects at this location 2

Location: Wal-Mart Store 1674 **Location ID:** 728295
Address: 17850 Garland Groh Blvd Hagerstown, MD 21740-1944 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

My Company**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137414V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000026449		Standard	1999	06/21/2022	Recurring Cert	Active	motor room
MD137415V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025670		Standard	1999	06/21/2022	Recurring Cert	Active	Motor Room
MD137416V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000026443		Standard	1999	06/21/2022	Recurring Cert	Active	Motor Room
MD137417V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000026092		Standard	1999	06/21/2022	Recurring Cert	Active	Motor Room
MD144064V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000654849		Manchester	2011	06/21/2022	Recurring Cert	Active	Tire Shop

Total Objects at this location 5**Location:** Wendy's (Roberts)**Address:** 10502 Sharpsburg Pike Hagerstown, MD 21740-1414**County:** Washington**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com**Billing Contact:** Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com**Cert Contact:** Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com**Owner Contact:** Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com**Other Contact(s):** Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com**My Company****Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166612V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023856		Taylor-Wharton	1995	02/24/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Wendy's - 0320 (Roberts) **Location ID:** 4038762
Address: 18289 Showalter Rd Hagerstown, MD 21742-1346 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Contact update.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167568V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000294467		CHART	2017	08/24/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: Wendy's - 6567 (Roberts) **Location ID:** 4038760
Address: 1570 Wesel Blvd Hagerstown, MD 21740-5386 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Contact update.

Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167570V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004157		Taylor	1990	08/24/2022	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: Wendy's - 6614 (Roberts)

Address: 17786 Garland Groh Blvd Hagerstown, MD 21740-2016

County: Washington

Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Contact update.

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167569V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000017472		Taylor	1994	08/24/2022	Recurring Cert	Active	Outside Closet

Total Objects at this location 1

Location: West Manufacturing Co

Address: 910 Eldridge Dr Hagerstown, MD 21740-6840

County: Washington

Primary Contact: West Manufacturing Co - Phone: 301-797-4479

Billing Contact: Lauren Melody - 910 Eldridge Dr Hagerstown, MD 21740-6840 - Phone: 301 797 4479 - Email: westmfg@aol.com

Cert Contact: Lauren Melody, Office Manager - 910 Eldridge Dr Hagerstown, MD 21740-6840 - Phone: 301 797 4479 - Email: westmfg@aol.com

Owner Contact: West Manufacturing Co - 910 Eldridge Dr Hagerstown, MD 21740-6840 - Phone: 301-797-4479

Other Contact(s): Lauren Melody, Office Manager - 910 Eldridge Dr Hagerstown, MD 21740-6840 - Phone: 301 797 4479 - Email: westmfg@aol.com

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110417V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000215983		Steel Fab	1999	05/06/2021	Recurring Cert	Active	OTSD COMP
Total Objects at this location					1						

Location: Wholesale Tire Outlet **Location ID:** 718818
Address: 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Kevin Bohret - Phone: 301-465-0325 - Email: kevin@wholesaltireoutlet.com
Billing Contact: Kevin Bohret - 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-465-0325 - Email: kevin@wholesaltireoutlet.com
Cert Contact: Kevin Bohret - 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-465-0325 - Email: kevin@wholesaltireoutlet.com
Owner Contact: Kevin Bohret - 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-465-0325 - Email: kevin@wholesaltireoutlet.com
Other Contact(s): Ken Ray - 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: (301)7396690
 Kevin Bohret - 13102 Pennsylvania Ave Hagerstown, MD 21742-2741 - Phone: 301-465-0325 - Email: kevin@wholesaltireoutlet.com

**My Company
Comments:** Mr. Tire Store 172-718818

I performed external certificate inspections on 2 air tanks. No issues were encountered.
 This location is under new ownership. Info below:

Wholesale Tire Outlet
 Kevin Bohrer
 301-465-0325
 kevin@wholesaltireoutlet.com snyder-3/21/19

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074841V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0991403		Buckeye	1991	03/21/2021	Recurring Cert	Active	Storage Area

MD140038V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000569358	Steel Fab	2009	03/21/2021	Recurring Cert	Active	Shop
-----------	--	-----------------------------	-----------	-----------	------	------------	----------------	--------	------

Total Objects at this location 2

Location: Windsor Wire, LLC. **Location ID:** 3323750
Address: 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 **Phone:** 301-223-1500
County: Washington **NOB/SIC:**
Primary Contact: Mike Still, GM - Phone: 301-223-1500 - Email: mstill@windsorwire.com
Billing Contact: Debi Riedel - 8300 Dow Cir Ste 600 Strongsville, OH 44136-6607 - Phone: 440-891-3200 - Email: driedel@slyinc.com
Cert Contact: Scott Waterman, Logistics Coordinator - 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 - Phone: 301-223-1500 - Email: swaterman@windsorwire.com
Owner Contact: Dick Holy, Controller - 8300 Dow Cir Ste 600 Strongsville, OH 44136-6607 - Phone: 440-891-3200 - Email: dholy@slyinc.com
Other Contact(s): Debi Riedel, Acctg. Asst. - 8300 Dow Cir Ste 600 Strongsville, OH 44136-6607 - Phone: 440-891-3200 - Email: driedel@slyinc.com
Dick Holy, Controller - 8300 Dow Cir Ste 600 Strongsville, OH 44136-6607 - Phone: 440-891-3200 - Email: dholy@slyinc.com
Mark Davis, Global Manager - EHS Systems Compliance and Enviro - 1200 E Market St Ste 650 Akron, OH 44305-4067 - Phone: (561) 309-0910 - Email: madavis2@babcock.com
Michael Still - 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 - Phone: 301-223-1500 x1 - Email: mastill@babcock.com
Mike Still, GM - 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 - Phone: 301-223-1500 - Email: mstill@windsorwire.com
Scott Waterman, Logistics Coordinator - 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 - Phone: 301-223-1500 - Email: swaterman@windsorwire.com
Scott Waterman, Manager - 10522 Governor Lane Blvd # B Williamsport, MD 21795-3118 - Phone: 301-223-1500 x3 - Email: stwaterman@babcock.com

My Company Comments: Change of ownership.

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145064V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000091500		Steel Fab	1994	04/27/2021	Recurring Cert	Active	Comp. Area in Shop

Total Objects at this location 1

Location: Wye Oaks Healthcare at Hagerstown (Roberts Gases) **Location ID:** 3775348
Address: 14014 Marsh Pike Hagerstown, MD 21742-1638 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Other Contact(s): John Miller - 14014 Marsh Pike Hagerstown, MD 21742-1638 - Phone: 301-733-8700 - Email: johnmiller@cadiahealth.com
 Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
 Ryan Bougher, Property Operations - 14014 Marsh Pike Hagerstown, MD 21742-1638 - Phone: 301-733-8700 - Email: ryan.bougher@nixgroup.com
 Stephen Silver, Managing Member - 4922 Lasalle Rd Hyattsville, MD 20782-3302 - Phone: 301-864-2333

My Company Comments: Email received 4/19/18 from Ryan Bougher via dldlisafety, to update the location name and contacts.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157801V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000048002		MVE	1993	05/01/2021	Recurring Cert	Active	Outside Cage
MD157802V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000056604		MVE	1993	05/01/2021	Recurring Cert	Active	Outside Cage

Total Objects at this location 2

Location: YMCA of Hagerstown M.D/Richard A Henson **Location ID:** 722698
Address: 1100 N Eastern Blvd Hagerstown, MD 21742-3494 **Phone:**
County: Washington **NOB/SIC:**
Primary Contact: Karen Kennedy/ Jerry Ore , Maint Supv - Phone: 301-739-3990 x4232 - Email: kennedy@ymcahagerstown.org
Billing Contact: Karen Kennedy/ Jerry Ore - PO Box 1857 Hagerstown, MD 21742-1857 - Phone: 301-739-3990 x4232 - Email: kennedy@ymcahagerstown.org
Cert Contact: Karen Kennedy/ Jerry Ore , Maint Supv - PO Box 1857 Hagerstown, MD 21742-1857 - Phone: 301-739-3990 x4232 - Email: kennedy@ymcahagerstown.org
Owner Contact: Michael Flicek - 1100 N Eastern Blvd Hagerstown, MD 21742 - Phone: 301-739-3990 - Email: mikef@ymcahagerstown.org
Other Contact(s): Karen Kennedy/ Jerry Ore , Maint Supv - PO Box 1857 Hagerstown, MD 21742-1857 - Phone: 301-739-3990 x4232 - Email: kennedy@ymcahagerstown.org
 Michael Flicek - 1100 N Eastern Blvd Hagerstown, MD 21742 - Phone: 301-739-3990 - Email: mikef@ymcahagerstown.org
 YMCA/Richard A Henson - 1100 N Eastern Blvd Hagerstown, MD 21742

My Company Comments: Company Name: YMCA OF HAGERSTOWN M D & TRUSTEES
 Location Name: YMCA OF HAGERSTOWN M D & TRUST
 Location Address: 1100 EASTERN BLVD N, HAGERSTOWN, MD, 21742-3494
 Confirmed appointment: 1/24/2019 at 8:30AM
 Loss Control Inspector: ROBERT (FD) TOMS, HSB
 MD134734H

Inbox
x

Teddy Newman <teddyn@ymcahagerstown.org>
Jan 4, 2019, 3:10 PM (4 days ago)
to Citations.bpv@maryland.gov

Hi

I wanted to speak to someone about a mix up on our pressure vessel. I have contacted Hartford Steam Boiler and they will be out asap to inspect the vessel in question. They was previously contacted and we was told we would not need this one done till 2019. If you could contact me at 3042799372 that would be great or emailing me would be fine also.

1290888 is the case number at Hartford Steam Boiler

Thank you

Teddy Newman

Facility Director

YMCA of Hagerstown

1100 Eastern Blvd N

Hagerstown, MD 21740

P 301-739-3990 ext.4232

F 301-739-3992

TeddyN@ymcahagerstown.org
Waiting on HSB report.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

10/14/2020 10:33:18 AM
000.10830

MD134733V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000051808	Cemline	2001	07/20/2022	Recurring Cert	Active	LL MECH RM
MD134734H		Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	0057220	Rheem/Ruud	2001	07/20/2022	Recurring Cert	Active	MECH RM
MD155398H	CA1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	Weil-McLain	2014	07/20/2022	Recurring Cert	Active	UL Mech Rm
MD155399H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA 1	Weil-McLain	2014	07/20/2022	Recurring Cert	Active	UL Mech Rm

Total Objects at this location 4

Location: Zion Reformed UCC
Address: 201 N Potomac St Hagerstown, MD 21740-3812
County: Washington

Location ID: 729734
Phone: 301-739-7244
NOB/SIC:

Primary Contact: Zion Reformed UCC - Phone: 301-739-7244

Billing Contact: Zion Reformed UCC - 201 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301-739-7244

Cert Contact: Zion Reformed UCC - 201 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301-739-7244

Owner Contact: Zion Reformed UCC - 201 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301-739-7244

Other Contact(s): Bitner-Henry Insurance Agy Inc - 401 E Antietam, Ste B Hagerstown, MD 21740 - Phone: (800)231-9963
Zion Reformed UCC - 201 N Potomac St Hagerstown, MD 21740-3812 - Phone: 301-739-7244

My Company Comments: Boiler Inspection
Boilers@dllr
x

zionruccadmin@myactv.net
9:19 AM (2 hours ago)
to boilers

Karl Kraft, Chief Boiler Inspector,

We are in receipt of your Citation Warning for Boiler Inspection.

The boilers were recently installed and an inspection by our insurance company is scheduled for Monday, August 5, 2019.

Susan Younkins, Administrator
Zion Reformed UCC
201 N Potomac St
Hagerstown, MD 21740

301-739-7244

zionruccadmin@myactv.net

The overdue letter was sent to Arise on 7/25/19 for the 2 new objects. -----Vilicka, Nancy
8:19 AM (59 minutes ago)

The attached location is not inspected by ARISE. The contact for Zion said they use HSB.

Kind regards,

Nancy Vilicka

Inspection Administrator

Phone: 440-746-8865

Fax: 440-746-8957

Email Address: nancy.vilicka@tuvsud.com

www.ariseinc.com 7/30/19

Tried to contact church by phone (no answer) Went on website and left message on their contact form to contact Arise to get the NEW boilers inspected (NOI) and requested they contact me with inspection date.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165406H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	SNCP7634657	Weil-McLain	2018	08/05/2021	Recurring Cert	Active	Boiler Room
MD165407H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	SNCP7634748	Weil-McLain	2018	08/05/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this location 2

Total Objects 328

Total Locations 185